

Name:-Aditi Yedge.

Roll No:-68

Div:-A

Batch:-A2

Subject:-DEVOPS

Assignment 5

Q1. Ansible Introduction

Introduction to Ansible

Ansible is an open-source automation tool used for configuration management, application deployment, orchestration, and task automation. It is widely adopted in DevOps and IT environments due to its simplicity, agentless architecture, and powerful capabilities.

Key Features

- **Agentless:** Ansible uses SSH to connect to remote systems, requiring no special software or agent on the managed nodes.
- **Simple Syntax:** It uses YAML (Yet Another Markup Language) for writing playbooks, making it easy to learn and understand.
- **Idempotent:** Running the same playbook multiple times ensures the system remains in the desired state without unintended changes.
- **Scalable:** Suitable for managing just a few servers or thousands of machines at once.

Core Concepts

- **Inventory:** A file listing the hosts or groups of hosts to be managed.
- **Modules:** Units of work in Ansible (e.g., yum, apt, copy, service) that perform specific tasks.
- **Playbooks:** YAML scripts that define the desired state of the system using plays and tasks.
- **Tasks:** Individual actions within a playbook that use modules to perform operations.
- **Roles:** A way to organize playbooks and related files into reusable components.

How Ansible Works

1. The user writes a playbook that describes tasks to be executed.
2. Ansible connects to target machines over SSH.
3. Tasks are executed using modules.
4. Ansible reports back with results and ensures the defined state is achieved.


Use Cases

- Automating software installations and updates.
- Configuring servers and network devices.
- Deploying applications across multiple environments.
- Orchestrating complex workflows and infrastructure provisioning.

Why Choose Ansible?

- No dependencies or daemons.
- Easy to learn and quick to implement.
- Large community and extensive module library.
- Integrates well with cloud providers and CI/CD pipelines.

wsl --install



```
Command Prompt - wsl --ins X + v
Microsoft Windows [Version 10.0.26200.8457]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Admin>wsl --install
Downloading: Ubuntu
[=====                  ] 16.9%
```

```
Command Prompt
Microsoft Windows [Version 10.0.26100.6584]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Admin>wsl --install
Downloading: Ubuntu
Installing: Ubuntu
A distribution with the supplied name already exists. Use --name to chose a
different name.
Error code: Wsl/InstallDistro/Service/RegisterDistro/ERROR_ALREADY_EXISTS

C:\Users\Admin>
```

```
C:\Users\Admin>wsl -l -v
NAME                STATE      VERSION
* docker-desktop    Stopped   2
  Ubuntu-22.04       Stopped   2
  Ubuntu             Stopped   2

C:\Users\Admin>
```


```
C:\Users\Admin>wsl -d Ubuntu-22.04
Provisioning the new WSL instance Ubuntu-22.04
This might take a while...
Create a default Unix user account: adi
New password:
Retype new password:
passwd: password updated successfully
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.


Welcome to Ubuntu 22.04.5 LTS (GNU/Linux 5.15.167.4-microsoft-standard-WSL2
x86_64)

* Documentation:  https://help.ubuntu.com
* Management:    https://landscape.canonical.com
* Support:       https://ubuntu.com/pro

System information as of Thu May 21 15:35:02 IST 2026

System load:  0.05               Processes:            32
Usage of /:   0.1% of 1006.85GB   Users logged in:     0
Memory usage: 11%               IPv4 address for eth0: 172.18.39.43
Swap usage:   0%
```





```
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ ansible --version
ansible 2.10.8
  config file = None
  configured module search path = ['/home/dmin/.ansible/plugins/modules', '/usr/share/ansible/plugins/modules']
  ansible python module location = /usr/lib/python3/dist-packages/ansible
  executable location = /usr/bin/ansible
  python version = 3.10.12 (main, Mar 3 2026, 11:56:32) [GCC 11.4.0]
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$
```

```
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ mkdir Ganesh
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ ls
-gayatri
AndroidStudioProjects
AppData
'Application Data'
Contacts
Cookies
Desktop
DevOps
Documents
Downloads
EmployeeDB.mdf
EmployeeDB_log.ldf
Favorites
Ganesh
Jedi
Links
'Local Settings'
Music
'My Documents'
```

```
dmin@IMITNM-DES-0015: /m  X + v
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ sudo mkdir -p /Ganesh/ansible
[sudo] password for dmin: |
```

```
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ sudo mkdir -p /Ganesh/ansible
[sudo] password for dmin:
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ sudo vi /Ganesh/ansible/hosts
[sudo] password for dmin:
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ ansible localhost -m ping
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | SUCCESS => {
  "changed": false,
  "ping": "pong"
}
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ |
```

```
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ ansible localhost -m ping
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | SUCCESS => {
  "changed": false,
  "ping": "pong"
}
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ ^C
```

```
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ ansible localhost -m shell -a "whoami"
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | CHANGED | rc=0 >>
dmin
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ |
```

```
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ ansible localhost -m shell -a "ls -la /home/$USER"
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | CHANGED | rc=0 >>
total 44
drwxr-x--- 6 dmin dmin 4096 May  4 14:26 .
drwxr-xr-x 4 root root 4096 May  4 14:05 ..
drwxr-xr-x 3 dmin dmin 4096 May  4 13:40 .ansible
-rw----- 1 dmin dmin 1603 May 15 10:50 .bash_history
-rw-r--r-- 1 dmin dmin 220 May  4 13:22 .bash_logout
-rw-r--r-- 1 dmin dmin 3771 May  4 13:22 .bashrc
drwx----- 2 dmin dmin 4096 May  4 13:22 .cache
drwxr-xr-x 2 dmin dmin 4096 May  4 13:22 .landscape
-rw-r--r-- 1 dmin dmin  0 May 15 05:07 .motd_shown
-rw-r--r-- 1 dmin dmin 807 May  4 13:22 .profile
-rw-r--r-- 1 dmin dmin  0 May  4 13:28 .sudo_as_admin_successful
-rw----- 1 dmin dmin 2198 May  4 14:22 .viminfo
drwxr-xr-x 2 dmin dmin 4096 May  4 14:22 myansibleproj
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ |
```

```
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ ansible localhost -m shell -a "echo 'Hello' > /tmp/hello.txt"
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | CHANGED | rc=0 >>

dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ |
```

```
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ ansible localhost -m shell -a "ls -l /tmp"
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | CHANGED | rc=0 >>
total 28
drwx----- 2 dmin dmin 4096 May 15 11:02 ansible_ansible.legacy.command_payload_d8w7zoy8
-rw-r--r-- 1 dmin dmin  6 May 15 11:01 hello.txt
drwx----- 2 root root 4096 May 15 05:23 snap-private-tmp
drwx----- 3 root root 4096 May 15 10:51 systemd-private-2d0dd728b9cd4bbfa614acd7d4794b65-systemd-logind.service-wAcSWq
drwx----- 3 root root 4096 May 15 05:23 systemd-private-2d0dd728b9cd4bbfa614acd7d4794b65-systemd-resolved.service-W7FGVX
drwx----- 3 root root 4096 May 15 05:23 systemd-private-2d0dd728b9cd4bbfa614acd7d4794b65-systemd-timesyncd.service-Fuz0SG
drwx----- 3 root root 4096 May 15 10:51 systemd-private-2d0dd728b9cd4bbfa614acd7d4794b65-wsl-pro.service-W6RAP1
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ |
drwx----- 3 root root 4096 May 15 10:51 systemd-private-2d0dd728b9cd4bbfa614acd7d4794b65-wsl-pro.service-W6RAP1
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ ansible localhost -m shell -a "ls -l /tmp | grep hello"
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | CHANGED | rc=0 >>
-rw-r--r-- 1 dmin dmin  6 May 15 11:01 hello.txt
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ |
```

```
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ ansible localhost -m shell -a "uptime"
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | CHANGED | rc=0 >>
 11:03:53 up 9 min,  1 user,  load average: 0.00, 0.00, 0.00
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ |
```



```
11.03.33 up 9 min, 1 user, load average: 0.00, 0.00, 0.00
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ ansible localhost -m shell -a "cat /etc/os-release"
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | CHANGED | rc=0 >>
PRETTY_NAME="Ubuntu 22.04.5 LTS"
NAME="Ubuntu"
VERSION_ID="22.04"
VERSION="22.04.5 LTS (Jammy Jellyfish)"
VERSION_CODENAME=jammy
ID=ubuntu
ID_LIKE=debian
HOME_URL="https://www.ubuntu.com/"
SUPPORT_URL="https://help.ubuntu.com/"
BUG_REPORT_URL="https://bugs.launchpad.net/ubuntu/"
PRIVACY_POLICY_URL="https://www.ubuntu.com/legal/terms-and-policies/privacy-policy"
UBUNTU_CODENAME=jammy
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ |
```

```
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ ansible localhost -m shell -a "name=nginx state=present"-b
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | CHANGED | rc=0 >>

dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ |
```

```
11.03.33 up 9 min, 1 user, load average: 0.00, 0.00, 0.00
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ sudo apt update && sudo apt upgrade -y
[sudo] password for dmin:
Sorry, try again.
[sudo] password for dmin:
Sorry, try again.
[sudo] password for dmin:
sudo: 3 incorrect password attempts
dmin@IMITNM-DES-0015:/mnt/c/Users/Admin$ exit
logout

C:\Users\Admin>wsl -d Ubuntu-22.04 -u root
Welcome to Ubuntu 22.04.5 LTS (GNU/Linux 5.15.167.4-microsoft-standard-WSL2 x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Fri May 15 10:50:20 IST 2026


System load:  0.0               Processes:            56
Usage of /:   0.2% of 1006.85GB  Users logged in:     1
Memory usage: 12%              IPv4 address for eth0: 172.20.244.177
Swap usage:   0%

New release '24.04.4 LTS' available.
Run 'do-release-upgrade' to upgrade to it.

This message is shown once a day. To disable it please create the
/root/.hushlogin file.
root@IMITNM-DES-0015:/mnt/c/Users/Admin# ls /home
dmin testuser
root@IMITNM-DES-0015:/mnt/c/Users/Admin# passwd dmin
New password:
Retype new password:
passwd: password updated successfully
root@IMITNM-DES-0015:/mnt/c/Users/Admin# |
```

Q2. Ad-hoc Ansible commands

Install wsl




```
Microsoft Windows [Version 10.0.22631.5039]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Admin>wsl--install
'wsl--install' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\Admin>wsl --install
Downloading: Ubuntu
Installing: Ubuntu
Distribution successfully installed. It can be launched via 'wsl.exe -d Ubuntu'

C:\Users\Admin>ws
```

Install ubuntu



```
Microsoft Windows [Version 10.0.22631.5039]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Admin>wsl--install
'wsl--install' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\Admin>wsl --install
Downloading: Ubuntu
Installing: Ubuntu
Distribution successfully installed. It can be launched via 'wsl.exe -d Ubuntu'

C:\Users\Admin>wsl --install -d Ubuntu-22.04
Ubuntu 22.04 LTS is already installed.
Launching Ubuntu 22.04 LTS...
bvimit@IMITNM-DES-0030:~$
```

```
Ubuntu 22.04 LTS is already installed.
Launching Ubuntu 22.04 LTS...
bvimit@IMITNM-DES-0030:~$
bvimit@IMITNM-DES-0030:~$ wsl -l -v
Command 'wsl' not found, but can be installed with:
sudo apt install wsl
bvimit@IMITNM-DES-0030:~$ sudo apt update && sudo apt upgrade -y
[sudo] password for bvimit:
Sorry, try again.
[sudo] password for bvimit:
Hit:1 http://archive.ubuntu.com/ubuntu jammy InRelease
Get:2 http://archive.ubuntu.com/ubuntu jammy-updates InRelease [128 kB]
Get:3 http://security.ubuntu.com/ubuntu jammy-security InRelease [129 kB]
Get:4 http://archive.ubuntu.com/ubuntu jammy-backports InRelease [127 kB]
Fetched 384 kB in 1s (302 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
All packages are up to date.
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Calculating upgrade... Done
Get another security update through Ubuntu Pro with 'esm-apps' enabled:
  ansible
Learn more about Ubuntu Pro at https://ubuntu.com/pro
#
# Patch available for a potential RCE vulnerability
# in FreeType, tracked by CVE-2025-27363.
# For more see: https://ubuntu.com/security/CVE-2025-27363
```

```
python version = 3.10.12 (main, Feb 4 2025, 14:57:36) [GCC 11.4.0]
bvimit@IMITNM-DES-0030:~$ ansible --version
ansible 2.10.8
  config file = None
  configured module search path = ['/home/bvimit/.ansible/plugins/modules', '/usr/share/ansible/plugins/modules']
  ansible python module location = /usr/lib/python3/dist-packages/ansible
  executable location = /usr/bin/ansible
  python version = 3.10.12 (main, Feb 4 2025, 14:57:36) [GCC 11.4.0]
bvimit@IMITNM-DES-0030:~$ |
```

```
python version = 3.10.12 (main, Feb 4 2025, 14:57:36) [GCC 11.4.0]
bvimit@IMITNM-DES-0030:~$ wsl --unregister ubuntu
```

```
python version = 3.10.12 (main, Feb 4 2025, 14:57:36) [GCC 11.4.0]
bvimit@IMITNM-DES-0030:~$ mkdir vaishnavi
bvimit@IMITNM-DES-0030:~$ ls
vaishnavi
bvimit@IMITNM-DES-0030:~$ |
```

```
python version = 3.10.12 (main, Feb 4 2025, 14:57:36) [GCC 11.4.0]
bvimit@IMITNM-DES-0030:~$ mkdir gayatri
bvimit@IMITNM-DES-0030:~$ ls
gayatri vaishnavi
bvimit@IMITNM-DES-0030:~$ |
```



```
bvimit@IMITNM-DES-0030:~$ ansible localhost -m shell -a "ls -la /home/$USER"
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | CHANGED | rc=0 >>
total 44
drwxr-x--- 7 bvimit bvimit 4096 Apr  7 14:08 .
drwxr-xr-x 3 root   root   4096 Apr  7 09:25 ..
drwxr-xr-x 3 bvimit bvimit 4096 Apr  7 09:38 .ansible
-rw----- 1 bvimit bvimit 1267 Apr  7 10:54 .bash_history
-rw-r--r-- 1 bvimit bvimit  220 Apr  7 09:25 .bash_logout
-rw-r--r-- 1 bvimit bvimit 3771 Apr  7 09:25 .bashrc
drwx----- 2 bvimit bvimit 4096 Apr  7 09:25 .cache
drwxr-xr-x 3 bvimit bvimit 4096 Apr  7 14:05 .local
-rw-r--r-- 1 bvimit bvimit   0 Apr  7 09:25 .motd_shown
-rw-r--r-- 1 bvimit bvimit  807 Apr  7 09:25 .profile
-rw-r--r-- 1 bvimit bvimit   0 Apr  7 09:33 .sudo_as_admin_successful
drwxr-xr-x 2 bvimit bvimit 4096 Apr  7 13:48 gayatri
drwxr-xr-x 2 bvimit bvimit 4096 Apr  7 13:47 vaishnavi
bvimit@IMITNM-DES-0030:~$ |
```

```
bvimit@IMITNM-DES-0030:~$ ansible localhost -m shell -a "echo 'Hello' > /tmp/hello.txt"
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | CHANGED | rc=0 >>
```

```
bvimit@IMITNM-DES-0030:~$ ansible localhost -m shell -a "ls -l /tmp"
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | CHANGED | rc=0 >>
total 24
drwx----- 2 bvimit bvimit 4096 Apr  7 14:18 ansible_ansible.legacy.command_payload_rpz6eh03
-rw-r--r-- 1 bvimit bvimit   6 Apr  7 14:17 hello.txt
drwx----- 2 root   root   4096 Apr  7 13:23 snap-private-tmp
drwx----- 3 root   root   4096 Apr  7 13:23 systemd-private-b0b6f50969c740919565fc44dea3a6db-systemd-logind.service-C6Yg0n
drwx----- 3 root   root   4096 Apr  7 13:23 systemd-private-b0b6f50969c740919565fc44dea3a6db-systemd-resolved.service-080PP3
drwx----- 3 root   root   4096 Apr  7 13:23 systemd-private-b0b6f50969c740919565fc44dea3a6db-systemd-timesyncd.service-GVoQz4
bvimit@IMITNM-DES-0030:~$ |
```

```
bvimit@IMITNM-DES-0030:~$ ansible localhost -m shell -a "ls -l /tmp | grep hello"
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | CHANGED | rc=0 >>
-rw-r--r-- 1 bvimit bvimit   6 Apr  7 14:17 hello.txt
bvimit@IMITNM-DES-0030:~$ |
```

```
bvimit@IMITNM-DES-0030:~$ ansible localhost -m shell -a "uptime"
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | CHANGED | rc=0 >>
 14:21:52 up 59 min,  1 user,  load average: 0.00, 0.00, 0.00
bvimit@IMITNM-DES-0030:~$ A|
```

```
bvimit@IMITNM-DES-0030:~$ ansible localhost -m shell -a "cat /etc/os-release"
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | CHANGED | rc=0 >>
PRETTY_NAME="Ubuntu 22.04.5 LTS"
NAME="Ubuntu"
VERSION_ID="22.04"
VERSION="22.04.5 LTS (Jammy Jellyfish)"
VERSION_CODENAME=jammy
ID=ubuntu
ID_LIKE=debian
HOME_URL="https://www.ubuntu.com/"
SUPPORT_URL="https://help.ubuntu.com/"
BUG_REPORT_URL="https://bugs.launchpad.net/ubuntu/"
PRIVACY_POLICY_URL="https://www.ubuntu.com/legal/terms-and-policies/privacy-policy"
UBUNTU_CODENAME=jammy
bvimit@IMITNM-DES-0030:~$ |
```

```
bvimit@IMITNM-DES-0030:~$ ansible localhost -m shell -a "name=nginx state=present"-b
[WARNING]: No inventory was parsed, only implicit localhost is available
localhost | CHANGED | rc=0 >>

bvimit@IMITNM-DES-0030:~$ |
```


Q3. Using Ansible playbooks

```
bvimit@IMITNM-DES-0030:~$ sudo apt install nginx
[sudo] password for bvimit:
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libgd3 libnginx-mod-http-geoip2 libnginx-mod-http-image-filter libnginx-mod-http-xslt-filter libnginx-mod-mail libnginx-mod-stream
  libnginx-mod-stream-geoip2 libxpm4 libxslt1.1 nginx nginx-common nginx-core
Suggested packages:
  libgd-tools fcgiwrap nginx-doc ssl-cert
The following NEW packages will be installed:
  libgd3 libnginx-mod-http-geoip2 libnginx-mod-http-image-filter libnginx-mod-http-xslt-filter libnginx-mod-mail libnginx-mod-stream
  libnginx-mod-stream-geoip2 libxpm4 libxslt1.1 nginx nginx-common nginx-core
0 upgraded, 12 newly installed, 0 to remove and 0 not upgraded.
Need to get 1028 kB of archives.
After this operation, 3466 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libxpm4 amd64 1:3.5.12-1ubuntu0.22.04.2 [36.7 kB]
Get:2 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libgd3 amd64 2.3.0-2ubuntu2.3 [129 kB]
Get:3 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 nginx-common all 1.18.0-6ubuntu14.6 [40.1 kB]
Get:4 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libnginx-mod-http-geoip2 amd64 1.18.0-6ubuntu14.6 [12.0 kB]
Get:5 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libnginx-mod-http-image-filter amd64 1.18.0-6ubuntu14.6 [15.5 kB]
Get:6 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libxslt1.1 amd64 1.1.34-4ubuntu0.22.04.3 [164 kB]
Get:7 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libnginx-mod-http-xslt-filter amd64 1.18.0-6ubuntu14.6 [13.8 kB]
Get:8 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libnginx-mod-mail amd64 1.18.0-6ubuntu14.6 [45.8 kB]
Get:9 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libnginx-mod-stream amd64 1.18.0-6ubuntu14.6 [73.0 kB]
Get:10 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libnginx-mod-stream-geoip2 amd64 1.18.0-6ubuntu14.6 [10.1 kB]
Get:11 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 nginx-core amd64 1.18.0-6ubuntu14.6 [483 kB]
Get:12 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 nginx amd64 1.18.0-6ubuntu14.6 [3882 B]
Fetched 1028 kB in 1s (877 kB/s)
Preconfiguring packages ...
Selecting previously unselected package libxpm4:amd64.
(Reading database ... 81042 files and directories currently installed.)
Preparing to unpack .../00-libxpm4_1%3a3.5.12-1ubuntu0.22.04.2_amd64.deb ...
Unpacking libxpm4:amd64 (1:3.5.12-1ubuntu0.22.04.2) ...
Selecting previously unselected package libgd3:amd64.
Preparing to unpack .../01-libgd3_2.3.0-2ubuntu2.3_amd64.deb ...
Unpacking libgd3:amd64 (2.3.0-2ubuntu2.3) ...
```

```
bvimit@IMITNM-DES-0030:~$ nginx -v
nginx version: nginx/1.18.0 (Ubuntu)
```

```
bvimit@IMITNM-DES-0030:/home/vaishnavi$ vi firstplaybook.yml
bvimit@IMITNM-DES-0030:/home/vaishnavi$ cat firstplaybook.yml
---
- name: First Demo Ansible Playbook
  hosts: localhost
  gather_facts: false
  tasks:
    - name: Print Hello World message
      debug:
        msg: "Hello, World!"

bvimit@IMITNM-DES-0030:/home/vaishnavi$ S
```