

Name:-Aditi Yedge.

Roll No:-68

Div:-A

Batch:-A2

Subject:-DEVOPS

Assignment GITHUB

Aim:-

- 1. explore git and github commands, essential git concepts and commands.**
- 2. Basic Git commands - init, clone, add, commit, push, pull,**
- 3. GitHub operations using Git-forks, pull requests, merging, Git for version control**

GitHub is a cloud-based platform where you can store, share, and work together with others to write code.


Storing your code in a "repository" on GitHub allows you to:

- Showcase or share your work.
- Track and manage changes to your code over time.
- Let others review your code, and make suggestions to improve it.
- Collaborate on a shared project, without worrying that your changes will impact the work of your collaborators before you're ready to integrate them.

Collaborative working, one of GitHub's fundamental features, is made **possible by the open-source software, Git, upon which GitHub is built.**

Step1:- Go to website

And fill the following details



The screenshot shows the GitHub sign-up page. On the left, there's a dark banner with the text "Create your free account" and "Explore GitHub's core features for individuals and organizations." Below this, there are three GitHub mascots (Octocat, Blob, and the yellow bird) floating in space. On the right, the "Sign up for GitHub" form is visible. It includes fields for "Email" (yedgeaditi10@gmail.com), "Password" (masked with dots), and "Username" (yedgeaditi10). There are also buttons for "Continue with Google" and "Continue with Apple". A "Create account" button is at the bottom right, next to a "Activate Windows" notification.

Sign up for GitHub

Continue with Google

Continue with Apple

or

Email*

yedgeaditi10@gmail.com

Password*

Password should be at least 15 characters OR at least 8 characters including a number and a lowercase letter.

Username*

yedgeaditi10

Username may only contain alphanumeric characters or single hyphens, and cannot begin or end with a hyphen.

Your Country/Region*

India

For compliance reasons, we're required to collect country information to send you occasional updates and announcements.

Email preferences


☐ Receive occasional product updates and announcements

Create account > Activate Windows

Go to Settings to activate Windows.

By creating an account, you agree to the [Terms of Service](#). For more information about GitHub's privacy practices, see the [GitHub Privacy Statement](#).

Step2:-Log in now



The screenshot shows the GitHub login page. At the top, there's a GitHub logo and the text "Sign in to GitHub". Below this, there's a green notification box that says "Your account was created successfully! Please sign in to continue." The login form includes fields for "Username or email address" (yedgeaditi10) and "Password" (masked with dots). There's a "Forgot password?" link next to the password field. A "Sign in" button is below the fields. Below the "Sign in" button, there are buttons for "Continue with Google" and "Continue with Apple". At the bottom, there's a link for "New to GitHub? Create an account" and a link for "Sign in with a passkey". A "Activate Windows" notification is visible in the bottom right corner.

Sign in to GitHub

Your account was created successfully! Please sign in to continue.

Username or email address

yedgeaditi10

Password

[Forgot password?](#)

Sign in

or

Continue with Google

Continue with Apple



New to GitHub? [Create an account](#)

[Sign in with a passkey](#)

Activate Windows

Go to Settings to activate Windows.

[Terms](#) [Privacy](#) [Docs](#) [Contact GitHub Support](#) [Manage cookies](#) [Do not share my personal information](#)



1.Create a Repository on GitHub

Click the (top right).

Click New repository.

Fill the details:

Repository name → my-first-project

Description → optional

Select Public or Private

Check Add a README file

Click Create repository.

Now your GitHub repo is created.

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1 General

Owner * **Repository name ***

 yedgeaditi10 / my-first-project

✓ my-first-project is available.

Great repository names are short and memorable. How about [redesigned-giggle?](#)

Description

0 / 350 characters

2 Configuration

Choose visibility *
Choose who can see and commit to this repository

Public

Add README
READMEs can be used as longer descriptions. [About READMEs](#)

On

Add .gitignore
.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license
Licenses explain how others can use your code. [About licenses](#)

No license

Activate Windows
Go to Settings to activate Windows.

Create repository


Cloning a Repository

Step1-Copy the Repository URL

On the repository page click Code.

Copy the HTTPS link, it looks like:

<https://github.com/yedgeaditi10/my-first-project.git>



Clone Repository to Your Computer

Open Terminal / Command Prompt.

Run: `$ git clone https://github.com/yedgeaditi10/my-first-project.git`


```
Admin@DESKTOP-JM2K4MP MINGW64 ~ (main|MERGING)
$ cd /c/Users/Admin/Desktop/A_68

Admin@DESKTOP-JM2K4MP MINGW64 ~/Desktop/A_68 (main)
$ git clone https://github.com/yedgeaditi10/my-first-project.git
Cloning into 'my-first-project'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
```


Now go you into your folder


```
Admin@DESKTOP-JM2K4MP MINGW64 ~/Desktop/A_68 (main)
$ cd my-first-project
```

Step4:-Create a new file.



Commit the Changes.



**Step5:-Check the Status.**

```
Admin@DESKTOP-JM2K4MP MINGW64 ~/Desktop/A_68/my-first-project (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```


Step6:-Add File to Git.**git add index.html**

```
Admin@DESKTOP-JM2K4MP MINGW64 ~/Desktop/A_68/my-first-project/my-first-project (main)
$ git add index.html
```

Activate Windows
Go to Settings to activate Windows.

Or add all files:

git add .

```
Admin@DESKTOP-JM2K4MP MINGW64 ~/Desktop/A_68/my-first-project/my-first-project (main)
$ git log
commit 569652e053c15575872bc971542059300b6691ec (HEAD -> main, origin/main, origin/HEAD)
Author: yedgeaditi10 <yedgeaditi10@gmail.com>
Date: Fri Mar 13 10:10:33 2026 +0530
```

Create index.html

```
commit 6839c1545bebedd7190bb526a5be6496150e4433
Author: yedgeaditi10 <yedgeaditi10@gmail.com>
Date: Fri Mar 13 09:59:14 2026 +0530
```

Initial commit

Activate Windows

Go to Settings to activate Windows.

```
Admin@DESKTOP-JM2K4MP MINGW64 ~/Desktop/A_68/my-first-project/my-first-project (main)
$ echo "new readme" >README.md
```

Activate Windows
Go to Settings to activate Windows.

```
Admin@DESKTOP-JM2K4MP MINGW64 ~/Desktop/A_68/my-first-project/my-first-project (main)
$ git push -u origin main
branch 'main' set up to track 'origin/main'.
Everything up-to-date
```

Activate Windows
Go to Settings to activate Windows.

```
Admin@DESKTOP-JM2K4MP MINGW64 ~/Desktop/A_68/my-first-project/my-first-project (main)
$ git init
Reinitialized existing Git repository in C:/Users/Admin/Desktop/A_68/my-first-project/my-first-project/.git/
```

```
Admin@DESKTOP-JM2K4MP MINGW64 ~/Desktop/A_68/my-first-project/my-first-project (main)
$ mkdir my-project
```

```
Admin@DESKTOP-JM2K4MP MINGW64 ~/Desktop/A_68/my-first-project/my-first-project (main)
$ cd my-project
```

```
Admin@DESKTOP-JM2K4MP MINGW64 ~/Desktop/A_68/my-first-project/my-first-project/my-project (main)
$ git init
Initialized empty Git repository in C:/Users/Admin/Desktop/A_68/my-first-project/my-first-project/my-project/.git/
```


Activate Windows
Go to Settings to activate Windows.

Step7:- Get the url and type command in git bash

```
Admin@DESKTOP-JM2K4MP MINGW64 /c/Users/admin/Desktop/A_68 (main)
$ git clone https://github.com/yedgeaditi10/my-first-project.git
Cloning into 'my-first-project'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), done.
```

Step8:- Go to that directory

```
Admin@DESKTOP-JM2K4MP MINGW64 /c/Users/admin/Desktop/A_68 (main)
$ cd my-first-project
```

Step9- : Add files in my-first-project**Step10:-to check status**

```
Admin@DESKTOP-JM2K4MP MINGW64 /c/Users/admin/Desktop/A_68/my-first-project (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    devops.txt
    gayu.txt
    pract1.txt
    pract2.txt

nothing added to commit but untracked files present (use "git add" to track)
```

Step 11: Add about yourself in readme file.

The screenshot shows the GitHub web editor interface for editing the README.md file in a repository named 'my-first-project'. The file content is as follows:

```
1 # Weather App
2
3 A web app that shows real-time weather using an API.
4
5 ## 🌟 Features
6 - Search weather by city
7 - Shows temperature, humidity, wind
8 - Clean UI
9
10 ## 🛠️ Tech Stack
11 - HTML, CSS, JavaScript
12 - OpenWeather API
13
14 ## 📦 Installation
15 git clone https://github.com/username/weather-app.git
16 cd weather-app
17 npm install
18
19 ## ▶️ Usage
20 npm start
21
22 ## 📸 Screenshots
23 (Add images here)
24
```

The 'Commit changes' dialog box is open, showing the commit message 'Update README.md' and the option to 'Commit directly to the main branch' selected. The 'Extended description' field is empty.

Step 12: Use git add . to keeps files ready in staging area so it is ready to commit

```
Admin@DESKTOP-JM2K4MP MINGW64 /c/Users/admin/Desktop/A_68/my-first-project (main)
$ git add .
```

Step 13: Git commit to saving file in local machine

```
Admin@DESKTOP-JM2K4MP MINGW64 /c/Users/admin/Desktop/A_68/my-first-project (main)
$ git add .

Admin@DESKTOP-JM2K4MP MINGW64 /c/Users/admin/Desktop/A_68/my-first-project (main)
$ git commit -m firstcommit
[main afbf795] firstcommit
4 files changed, 12 insertions(+)
create mode 100644 devops.txt
create mode 100644 gayu.txt
create mode 100644 pract1.txt
create mode 100644 pract2.txt
```

Step 14: Check status again

```
Admin@DESKTOP-JM2K4MP MINGW64 /c/Users/admin/Desktop/A_68/my-first-project (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)

nothing to commit, working tree clean
```

Step 15: Use push command to push it to github account

```
Admin@DESKTOP-JM2K4MP MINGW64 /c/Users/admin/Desktop/A_68/my-first-project (main)
$ git push -u origin main
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 12 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (9/9), 6.86 MiB | 873.00 KiB/s, done.
Total 9 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
To https://github.com/yedgeaditi10/my-first-project.git
   01f46f6..56da8a7  main -> main
branch 'main' set up to track 'origin/main'.

Admin@DESKTOP-JM2K4MP MINGW64 /c/Users/admin/Desktop/A_68/my-first-project (main)
$ |
```

Step 16: Files added to github account

The screenshot shows the GitHub interface for a repository named 'my-first-project' by user 'yedgeaditi10'. The repository is public and has 6 commits. The file list includes:

File	Commit	Time
Assignment2A.html	Add files via upload	44 minutes ago
Assignment1.html	Add files via upload	44 minutes ago
Assignment2B.html	Add files via upload	44 minutes ago
CI-CD.docx	firstcommit	14 minutes ago
README.md	Update README.md	35 minutes ago
Tasks.zip	Add files via upload	44 minutes ago
devops.txt	firstcommit	29 minutes ago
gayu.txt	firstcommit	29 minutes ago
index.html	Create index.html	last week
pract1.txt	firstcommit	29 minutes ago
pract2.txt	firstcommit	29 minutes ago


The right sidebar shows the 'About' section with no description, website, or topics provided. It also includes sections for Releases, Packages, and Contributors.

Step 17: Add python file to perform fetch, merge and pull command

The screenshot shows the GitHub interface for a repository named 'my-first-project' by user 'yedgeaditi10'. The repository is public and has 6 commits. The file list includes:

File	Commit	Time
Assignment2A.html	Add files via upload	44 minutes ago
Assignment1.html	Add files via upload	44 minutes ago
Assignment2B.html	Add files via upload	44 minutes ago
CI-CD.docx	firstcommit	14 minutes ago
README.md	Update README.md	35 minutes ago
Tasks.zip	Add files via upload	44 minutes ago
devops.txt	firstcommit	29 minutes ago
gayu.txt	firstcommit	29 minutes ago
index.html	Create index.html	last week
pract1.txt	firstcommit	29 minutes ago
pract2.txt	firstcommit	29 minutes ago

The right sidebar shows the 'About' section with no description, website, or topics provided. It also includes sections for Releases, Packages, and Contributors.




Step 18: Add fetch command to save your files code in your local machine but it is stored in hidden files not visible

```
Admin@DESKTOP-JM2K4MP MINGW64 /c/Users/admin/Desktop/A_68/my-first-project (main)
$ git fetch origin
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 1012 bytes | 168.00 KiB/s, done.
From https://github.com/yedgeaditi10/my-first-project
 56da8a7..129cab6 main    -> origin/main
```


Step 19: Add merge command so that it will get merge that hidden file with our local machine file

```
Admin@DESKTOP-JM2K4MP MINGW64 /c/Users/admin/Desktop/A_68/my-first-project (main)
$ git merge origin main
Updating 56da8a7..129cab6
Fast-forward
 main.py | 7 ++++++
 1 file changed, 7 insertions(+)
 create mode 100644 main.py
```

The file is visible here main.py



Step 20: Changing the content after getting file so again to push it



Step 21: Giving command to commit the changed file

```
Admin@DESKTOP-JM2K4MP MINGW64 /c/Users/admin/Desktop/A_68/my-first-project (main)
$ git commit -am "new change"
[main b4f0253] new change
1 file changed, 16 insertions(+), 6 deletions(-)
```

Step 22: To push it again in github account

```
Admin@DESKTOP-JM2K4MP MINGW64 /c/Users/admin/Desktop/A_68/my-first-project (main)
$ git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 500 bytes | 500.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/yedgeaditi10/my-first-project.git
129cab6..b4f0253 main -> main
```

Step 23: Changes reflected


The screenshot shows the GitHub web interface for a repository named 'my-first-project' by user 'yedeaditi10'. The 'Code' tab is selected, displaying the 'main.py' file. The file content is a Python script for generating a Fibonacci series. The left sidebar shows the file explorer with 'main.py' selected. The top navigation bar includes links for Code, Issues, Pull requests, Actions, Projects, Wiki, Security, Insights, and Settings. The file's commit history is shown as 'Aditi new change' with a timestamp of 'b4f0253 · 1 minute ago'.

```
1 # Iterative approach to generate Fibonacci series
2 def fibonacci_series(n):
3     series = [0, 1]
4     if n <= 0:
5         return []
6     elif n == 1:
7         return [0]
8
9     # Generate subsequent numbers
10    for i in range(2, n):
11        next_num = series[i-1] + series[i-2]
12        series.append(next_num)
13    return series
14
15 # Example: Print the first 10 terms
16 print(fibonacci_series(10))
17 # Output: [0, 1, 1, 2, 3, 5, 8, 13, 21, 34]
```

Step 24: Again making changes in UI in github code and commit changes

The screenshot shows the GitHub web interface for the same repository, but in 'Edit' mode. The 'main.py' file is being edited, and the 'Commit changes...' button is visible. The file content is the same as in Step 23, but the 'print' statement is now 'print(fibonacci_series(10))'. The left sidebar shows the file explorer with 'main.py' selected. The top navigation bar includes links for Code, Issues, Pull requests, Actions, Projects, Wiki, Security, Insights, and Settings. The file's commit history is shown as 'Aditi new change' with a timestamp of 'b4f0253 · 1 minute ago'.


```
1 def fibonacci_series(n):
2     series = [0, 1]
3     if n <= 0:
4         return []
5     elif n == 1:
6         return [0]
7
8     for i in range(2, n):
9         next_num = series[i-1] + series[i-2]
10        series.append(next_num)
11    return series
12
13 print(fibonacci_series(10))
14
```

Step 25: Giving pull command to getting changes done in github acc to local machine

```
Admin@DESKTOP-JM2K4MP MINGW64 /c/Users/admin/Desktop/A_68/my-first-project (main)
$ git pull origin main
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 928 bytes | 154.00 KiB/s, done.
From https://github.com/yedgeaditi10/my-first-project
* branch                main          -> FETCH_HEAD
   b4f0253..f030bc6      main          -> origin/main
Updating b4f0253..f030bc6
Fast-forward
 main.py | 4 ----
 1 file changed, 4 deletions(-)
```


Step26:-Changes reflected



```
1 def fibonacci_series(n):
2     series = [0, 1]
3     if n <= 0:
4         return []
5     elif n == 1:
6         return [0]
7
8     for i in range(2, n):
9         next_num = series[i-1] + series[i-2]
10        series.append(next_num)
11    return series
12
13    print(fibonacci_series(10))
14
```

FORK

Step1:-Go to any repository



cloudsploit Public

Watch 73 Fork 741 Star 3.7k

master 90 Branches 9 Tags

Go to file Add file Code

File	Commit	Age
.github	Syncing with SAAS (#1367)	4 years ago
collectors	syncing with saas	6 months ago
docs	syncing with saas	6 months ago
helpers	Fixed public access	3 months ago
other_modules/oci	syncing with saas	3 years ago
plugins	Merge pull request #2189 from Taha-Aaqib/Public-access-plu...	3 months ago
postprocess	syncing with saas	6 months ago
.dockerignore	#363: fix docker issues and README (#366)	6 years ago
.eslintrc.json	Enabled lint on Google (#874)	5 years ago

About

Cloud Security Posture Management (CSPM)

cloud.aquasec.com/signup

aws security security-audit cloud azure gcp oracle oci alibaba aqua cspm

Readme

GPL-3.0 license

Code of conduct

Contributing

Activity

Custom properties

3.7k stars

73 watching

Step2:-Click on fork tab.

The screenshot shows the GitHub 'Create a new fork' page for the repository `aquasecurity/cloudsploit`. The page includes a search bar, navigation tabs (Code, Issues, Pull requests, Agents, Actions, Security and quality, Insights), and a notification banner about GitHub Copilot. The main content area is titled 'Create a new fork' and explains that a fork is a copy of a repository. It lists required fields: 'Owner' (AditiYedge) and 'Repository name' (cloudsploit). A description field is also present, containing 'Cloud Security Posture Management (CSPM)'. A checkbox for 'Copy the master branch only' is checked. A green 'Create fork' button is at the bottom right.

Create a new fork

A fork is a copy of a repository. Forking a repository allows you to freely experiment with changes without affecting the original project. [View existing forks.](#)

Required fields are marked with an asterisk (*).

Owner * `AditiYedge` / Repository name * `cloudsploit`

cloudsploit is available.

By default, forks are named the same as their upstream repository. You can customize the name to distinguish it further.

Description
Cloud Security Posture Management (CSPM)
40 / 350 characters

☒ Copy the `master` branch only
Contribute back to `aquasecurity/cloudsploit` by adding your own branch. [Learn more.](#)

① You are creating a fork in your personal account.

Create fork

Step3:-Fork is created.

The screenshot shows the GitHub repository page for `AditiYedge/cloudsploit`. The repository is public and forked from `aquasecurity/cloudsploit`. It has 1 branch (master) and 0 tags. The page displays a list of files and folders, including `.github`, `collectors`, `docs`, `helpers`, `other_modules/oci`, `plugins`, and `postprocess`. The right sidebar shows the repository's description, license (GPL-3.0), and other metadata.

cloudsploit Public
forked from [aquasecurity/cloudsploit](#)

Pin Watch 0 Fork 0 Star 0

master 1 Branch 0 Tags

Go to file Add file Code

This branch is up to date with `aquasecurity/cloudsploit:master`. Contribute Sync fork

File/Folder	Syncing with	Last Update
<code>.github</code>	Syncing with SAAS (<code>aquasecurity#1367</code>)	4 years ago
<code>collectors</code>	syncing with saas	6 months ago
<code>docs</code>	syncing with saas	6 months ago
<code>helpers</code>	Fixed public access	3 months ago
<code>other_modules/oci</code>	syncing with saas	3 years ago
<code>plugins</code>	Merge pull request <code>aquasecurity#2189</code> from Taha-Aaqib/Publ...	3 months ago
<code>postprocess</code>	syncing with saas	6 months ago

About

Cloud Security Posture Management (CSPM)

[cloud.aquasec.com/signup](#)

- Readme
- GPL-3.0 license
- Code of conduct
- Contributing
- Activity
- 0 stars
- 0 watching
- 0 forks

Releases

No releases published
[Create a new release](#)


Name:-Aditi Yedge

Roll No:-68

Batch:-A2



Subject:-DEVOPS

Step4:-you can see it in repositories tab.



The screenshot shows a web browser window with the GitHub profile page for 'AditiYedge'. The browser's address bar shows 'github.com/AditiYedge?tab=repositories'. A notification banner at the top states: 'On April 24 we'll start using GitHub Copilot interaction data for AI model training unless you opt out. [Review this update](#) and manage your preferences in your [GitHub account settings](#).' The profile section on the left includes a circular avatar with a pink and white pixelated pattern, the name 'AditiYedge', an 'Edit profile' button, and the text '1 follower · 0 following'. The main area displays a list of repositories with search filters (Type, Language, Sort) and a 'New' button. The repositories listed are:

- Demo123** (Public): DEVOPS LAB, Updated 35 minutes ago. Includes a 'Star' button.
- Infosys-Springboard-Virtual-Internship-6.0** (Public): Healthcare intelligence dashboard for analyzing hospital capacity, structural gaps, and surge readiness using Streamlit. Language: Python. Updated on Feb 26. Includes a 'Star' button.
- cloudsploit** (Public): Forked from [aquasecurity/cloudsploit](#). Cloud Security Posture Management (CSPM). Language: JavaScript. License: GNU General Public License v3.0. Updated on Feb 23. Includes a 'Star' button.
- PicMind-AI** (Public): AI Based Image Editor. Language: TypeScript. Updated on Feb 1. Includes a 'Star' button.

Collaboration:-**Step1:-Click on Settings****Step2:- Go to Collaborators tab.**

Step3:-Send invite.

The image shows two screenshots of the GitHub web interface. The top screenshot shows the 'Collaborators and teams' settings for a repository named 'Demo123'. A modal dialog titled 'Add people to Demo123' is open, allowing a search for users. The search bar contains 'Gayu125', and a result for 'Gayu125' is shown with the option to 'Invite collaborator'. The bottom screenshot shows the same settings page after the invitation has been sent. A blue notification banner at the top states 'Gayu125 has been added as a collaborator on the repository.' The 'Collaborators and teams' section now shows 'Public repository' status and a list of collaborators under 'Manage access', including 'Gayu125' with a 'Pending invite' status.

Manage access

github.com/AditiYedge/Demo123/settings/access

AditiYedge / Demo123

Collaborators and teams

Add people to Demo123

Search by username, full name, or email

Gayu125

Invite collaborator

Cancel Add to repository

You haven't invited any collaborators yet

Add people

Gayu125 has been added as a collaborator on the repository.

Collaborators and teams

Public repository

This repository is public and visible to anyone

Manage visibility

Direct access

1 entity has access to this repository. 0 collaborators, 1 invitation.

Manage access

Add people

Select all Type Find a collaborator...

Gayu125

Awaiting Gayu125's response

Pending invite

Previous Next

