Medicine

Susmit

2022-06-30

Contents

C	onter	nts	1		
1		rdiology	2		
	1.1	Presenting problems in CVS disease	2		
2	Dermatology				
	2.1	Anatomy and physiology	3		
	2.2	Principles of management of skin			
		disease	4		
	2.3	Skin cancers	5		
	2.4	Fungal infections	6		
	2.5	Scabies	6		
	2.6	Acne	6		
	2.7	Pseudorandom factoids	7		
3	Neurology				
		Raised ICP	8		

Chapter 1

Cardiology

1.1 Presenting problems in CVS disease

Features of benign murmur

- Soft
- Midsystolic
- Heard at left sternal edge
- No radiation
- No other cardiac abnormalities

Chapter 2

Dermatology

2.1 Anatomy and physiology

- Layers of skin:
 - Epidermis: further layered into (from out→in)
 - * corneum
 - * lucidum
 - * granulosum
 - * spinosum
 - * basale
 - Dermis: contains
 - * blood vessels
 - * nerves
 - * pilosebaceous units (hair follicle + sebaceous gland)
 - Subcutis: adipose

Epidermal appendages

- Hair follicles:
 - phases of growth
 - * anagen:
 - · active growth
 - · lasts years in scalp hairs
 - * catagen:
 - · transitional
 - · lasts days (in scalp)
 - * telogen:
 - · resting
 - · lasts months (in scalp)
- Sebaceous glands
 - usually associated with a hair follicle

$$\begin{array}{c} - \text{ [androgens]} \rightarrow \uparrow \text{ [sebum]} \\ - \text{ [oestrogen]} \rightarrow \downarrow \text{ [sebum]} \end{array}$$

- Sweat glands
 - innerved by sympathetic cholinergic fibres

2.2 Principles of management of skin disease

Topical treatments

- Ointments vs Creams
 - Ointments preferred to creams for dry skin (e.g. chronic eczema) as
 - * more hydrating
 - · 80% oil + 20% water in ointments (vs 50-50 for creams) \rightarrow prevent water loss from skin by oil layer
 - * less preservatives \rightarrow less risk of allergy
- Emollients
 - Moisturise, lubricate, protect skin
 - Vehicles without active drug
- Gluocorticoids

Phototherapy

- UVB
- Psoralen UVA
 - Psoralen:
 - * natural photosensitiser from plant source
 - * cross-link DNA strands on excitation with UVA
 - Cumulative exposure to PUVA $\rightarrow \uparrow$ risk of SCC, so reserved for UVB resistance
- Uses
 - Psoriasis
 - Atopic eczema
 - Vitiligo
 - Chronic urticaria

Systemics

- Antihistamines
- Retinoids
 - Anti-inflammatory
 - Promote differentiation of skin cells

2.3. SKIN CANCERS 5

- Teratogenic

- * must be prescribed with robust contraception
- * females must have negative pregnancy test before, during, and after therapy

• Immunosuppressants

- Glucocorticoids e.g. prednisolone
- Methotrexate
- Azathioprine

Biologics

- Biological inhibitors of proinflammatory cytokines
- TNF- α inhibitors
 - Infliximab
 - Etanercept

• Interleukin inhibitors

- Ustekinumab: IL-12, 23Guselkumab: IL-23
- Secukinumab: IL-17
- Rituximab:
 - Binds to CD20 \rightarrow cause ADCC of B cells
 - As terminally differentiated plasma cells don't have CD20 they're safe
 - Use: pemphigus vulgaris

Non-surgical therapy

- Cryo
 - Liquid N₂
 - Causes cell membrane destruction \rightarrow death
- Laser

2.3 Skin cancers

Classification

- Non-melanoma skin cancer (NMSC): most common
 - SCC
 - BCC
- Melanoma
 - Less common
 - More metastatic risk \rightarrow cause of most skin cancer deaths

2.4 Fungal infections

Types

- Superficial
 - Dermatophytes: aka **ringworm** / **tineasis**
 - * Trichophyton
 - * Epidermophyton
 - $*\ \mathit{Microsporum}$
 - Yeast
- Deep: less common
 - Chromomycosis
 - Sporotrichosis

2.5 Scabies

Agent

Caused by the mite Sarcoptis scabies hominis

Diagnosis

- Identify the skin burrow
- Visualize the mite by dermatoscope / extracting with a needle

Treatment

- Affected + all asymptomatic family members / physical contacts
- Topical permethrin / malathion
 - 2 applications
 - 1 wk apart
 - Whole body, except head
- Oral Ivermectin:
 - Single dose
 - For poor adherence, immunosuppresion or heavy infestation

2.6 Acne

• Chronic inflammation of pilosebaceous units

Pathogenesis


Key components are: $-\uparrow$ Sebum production - Colonisation of pilosebaceous ducts by *Propionibacterium acnes* - Occlusion of pilosebaceous ducts

2.7 Pseudorandom factoids

SPF (sun protection factor)

- UV dose for producing erythema with sunscreen UV dose for producing erythema without sunscreen

Mechanism of venous ulceration



Chapter 3

Neurology

3.1 Raised ICP

• Normal ICP = 5-15 mmHg

Causes

- ICSOL
 - Intracranial haemorrhage
 - Tumours e.g. glioma
 - Brain abscess
- Hydrocephalus: blockade of CSF circulation
 - Obstructive / non-communicating
 - Communicating
- Cerebral oedema e.g. meningoencephilitis
- Venous sinus obstruction e.g. cerebral venous thrombosis

Features

- Headache
- Vomiting
- Diplopia / blurred vision: Due to 6th nerve palsy
 - 6th nerve palsy due to
 - * stretching of the long, slender nerve
 - * compression against petrous temporal bone
- Papilloedema
- Bradycardia
- Hypertension
- Depressed consciousness

3.1. RAISED ICP

Management

- According to cause:
 - Mass lesion \rightarrow surgical decompression
 - Hydrocephalus $\rightarrow ventriculoperitoneal shunt operation$
 - Oedema \rightarrow glucocorticoids
- Supportive:
 - Head elevation
 - Fluid balance
 - BP control
 - Diuretics: mannitol