



PHP Version 7.4.3



System	Linux susmita 5.4.0-58-generic #64-Ubuntu SMP Wed Dec 9 08:16:25 UTC 2020 x86_64
Build Date	Oct 6 2020 15:47:56
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php/7.4/apache2
Loaded Configuration File	/etc/php/7.4/apache2/php.ini
Scan this dir for additional .ini files	/etc/php/7.4/apache2/conf.d
Additional .ini files parsed	/etc/php/7.4/apache2/conf.d/10-mysqlnd.ini, /etc/php/7.4/apache2/conf.d/10-opcache.ini, /etc/php/7.4/apache2/conf.d/10-pdo.ini, /etc/php/7.4/apache2/conf.d/15-xml.ini, /etc/php/7.4/apache2/conf.d/20-bz2.ini, /etc/php/7.4/apache2/conf.d/20-calendar.ini, /etc/php/7.4/apache2/conf.d/20-ctype.ini, /etc/php/7.4/apache2/conf.d/20-curl.ini, /etc/php/7.4/apache2/conf.d/20-dom.ini, /etc/php/7.4/apache2/conf.d/20-exif.ini, /etc/php/7.4/apache2/conf.d/20-ffi.ini, /etc/php/7.4/apache2/conf.d/20-fileinfo.ini, /etc/php/7.4/apache2/conf.d/20-ftp.ini, /etc/php/7.4/apache2/conf.d/20-gd.ini, /etc/php/7.4/apache2/conf.d/20-gettext.ini, /etc/php/7.4/apache2/conf.d/20-iconv.ini, /etc/php/7.4/apache2/conf.d/20-json.ini, /etc/php/7.4/apache2/conf.d/20-mbstring.ini, /etc/php/7.4/apache2/conf.d/20-phar.ini, /etc/php/7.4/apache2/conf.d/20-pdo_mysql.ini, /etc/php/7.4/apache2/conf.d/20-posix.ini, /etc/php/7.4/apache2/conf.d/20-readline.ini, /etc/php/7.4/apache2/conf.d/20-shmop.ini, /etc/php/7.4/apache2/conf.d/20-simplexml.ini, /etc/php/7.4/apache2/conf.d/20-sockets.ini, /etc/php/7.4/apache2/conf.d/20-sysvmsg.ini, /etc/php/7.4/apache2/conf.d/20-sysvsem.ini, /etc/php/7.4/apache2/conf.d/20-sysvshm.ini, /etc/php/7.4/apache2/conf.d/20-tokenizer.ini, /etc/php/7.4/apache2/conf.d/20-xmlreader.ini, /etc/php/7.4/apache2/conf.d/20-xmlwriter.ini, /etc/php/7.4/apache2/conf.d/20-xsl.ini, /etc/php/7.4/apache2/conf.d/20-zip.ini
PHP API	20190902
PHP Extension	20190902
Zend Extension	320190902
Zend Extension Build	API320190902.NTS
PHP Extension Build	API20190902.NTS
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	enabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	enabled
DTrace Support	available, disabled
Registered PHP Streams	https, ftps, compress.zlib, php, file, glob, data, http, ftp, compress.bzip2, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, tls, tlsv1.0, tlsv1.1, tlsv1.2, tlsv1.3
Registered Stream Filters	zlib.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, bzip2.*, convert.iconv.*

This program makes use of the Zend Scripting Language Engine:
Zend Engine v3.4.0, Copyright (c) Zend Technologies
with Zend OPcache v7.4.3, Copyright (c), by Zend Technologies

zend®engine



susmitabasu@susmita: ~



```
susmitabasu@susmita:~$ sudo apt install phpmyadmin php-mbstring php-zip php-gd php-json php-curl
```

```
[sudo] password for susmitabasu:
```

```
Reading package lists... Done
```

```
Building dependency tree
```

```
Reading state information... Done
```

```
php-curl is already the newest version (2:7.4+75).
```

```
php-gd is already the newest version (2:7.4+75).
```

```
php-json is already the newest version (2:7.4+75).
```


```
php-mbstring is already the newest version (2:7.4+75).
```

```
php-zip is already the newest version (2:7.4+75).
```

```
phpmyadmin is already the newest version (4:4.9.5+dfsg1-2).
```

```
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
```

```
susmitabasu@susmita:~$
```



```
susmitbasu@susmita:~$ sudo apt install apache2
[sudo] password for susmitbasu:
Reading package lists... Done
Building dependency tree
Reading state information... Done
apache2 is already the newest version (2.4.41-4ubuntu3.1).
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
susmitbasu@susmita:~$ sudo ufw app list
Available applications:
Apache
Apache Full
Apache Secure
CUPS
susmitbasu@susmita:~$ sudo ufw allow 'Apache'
Rule added
Rule added (v6)
susmitbasu@susmita:~$ sudo ufw status
Status: active

To Action From
--
Apache Full ALLOW Anywhere
Apache ALLOW Anywhere
Apache Full (v6) ALLOW Anywhere (v6)
Apache (v6) ALLOW Anywhere (v6)

susmitbasu@susmita:~$
```




It works!

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

- `apache2.conf` is the main configuration file. It puts the pieces together by including all remaining configuration files when starting up the web server.
- `ports.conf` is always included from the main configuration file. It is used to determine the listening ports for incoming connections, and this file can be customized anytime.
- Configuration files in the `mods-enabled/`, `conf-enabled/` and `sites-enabled/` directories contain particular configuration snippets which manage modules, global configuration fragments, or virtual host configurations, respectively.
- They are activated by symlinking available configuration files from their respective `*-available/` counterparts. These should be managed by using our helpers `a2enmod`, `a2dismod`, `a2ensite`, `a2dissite`, and `a2enconf`, `a2disconf`. See their respective man pages for detailed information.
- The binary is called `apache2`. Due to the use of environment variables, in the default configuration, `apache2` needs to be started/stopped with `/etc/init.d/apache2` or `apache2ctl`. **Calling `/usr/bin/apache2` directly will not work** with the default configuration.





susmitabasu@susmita: ~



```
susmitabasu@susmita:~$ sudo apt install mysql-server
Reading package lists... Done
Building dependency tree
Reading state information... Done
mysql-server is already the newest version (8.0.22-0ubuntu0.20.04.3).
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
susmitabasu@susmita:~$ sudo mysql
ERROR 1045 (28000): Access denied for user 'root'@'localhost' (using password: NO)
susmitabasu@susmita:~$ mysql -u root -p
Enter password:
ERROR 1045 (28000): Access denied for user 'root'@'localhost' (using password: YES)
susmitabasu@susmita:~$ mysql -u root -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 529
Server version: 8.0.22-0ubuntu0.20.04.3 (Ubuntu)

Copyright (c) 2000, 2020, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show databases;
+-----+
| Database |
+-----+
| employee_table |
| information_schema |
| library_management |
| mysql |
| performance_schema |
| phpmyadmin |
| pimcore_practice |
| student |
| sys |
| task |
+-----+
10 rows in set (0.23 sec)

mysql>
```