

PAWGUARD

USER OPERATIONS MANUAL

Step-by-Step Role Guide for Shelter Managers

PawGuard Dog Rescue, Shelter Operations & Adoption Management Web Application

Document Control	Details
Document Reference	PRR-PAWGUARD-2026-V1
Manual Type	User Operations Manual – Role Guide
Role Covered	Shelter Manager
Source of Requirements	PawGuard Project Requirement Report
PRR Issue Date	July 27, 2026
Primary Scope	Shelter Facility Module, Kennel Mapping, Intake Logs
Status	Controlled Operational Guide

1. Purpose and Scope

This manual provides a step-by-step operational guide for the Shelter Manager role within the PawGuard platform. The role is responsible for daily shelter care, intake logging, kennel allocation, section transfers, and capacity management.

- Use the platform as the operational record for shelter intake, housing, transfers, capacity, and daily care activities.
- Maintain accurate current-location information for dogs assigned to the shelter.
- Use kennel and section information to support safe housing and prevent conflicting allocations.
- Record required sender/receiver confirmations for inter-facility transfers.
- Maintain daily care records for feeding, special diets, exercise, behavioral enrichment, and cleaning rotations.
- Use shelter capacity information to support facility-level operational decisions.
- Protect animal, staff, adopter, and other sensitive information according to role permissions and security controls.

2. Role Responsibilities and Operational Boundaries

Responsibility	Operational expectation
Daily care tracking	Maintain records for feeding, special dietary requirements, exercise, behavioral enrichment, and cleaning rotations.
Intake logs	Record shelter admission/intake information required by the operational workflow and maintain an accurate shelter record.
Kennel allocation	Maintain dynamic housing assignments and avoid dual-booking of physical kennels.
Section transfers	Manage movement between logical shelter sections and maintain the required transfer confirmations.
Capacity management	Monitor facility and section occupancy and use current capacity information for housing decisions.
Multi-facility coordination	Support transfers between branches or external clinical partners when the shelter workflow requires them.

2.1 Authorized Shelter Operations

- Shelter Facility Module
- Kennel Mapping
- Intake Logs
- Shelter capacity and occupancy information
- Sectional housing information
- Transfer confirmation records
- Daily care operational registers

2.2 Boundary with Other Roles

Role	Primary interaction with Shelter Manager
Rescue Agent	Receives rescued animals through the shelter admission/handover process.
Veterinarian	Coordinates access to animals for examinations, treatment, isolation, recovery, and health-related workflow states.
Rescue Coordinator	Coordinates operational rescue dispatch and the movement of rescued animals toward shelter admission.
Adoption Coordinator	Uses shelter animal status and location information as part of adoption processing and handover workflows.
Foster Coordinator	Coordinates temporary placements when a dog moves into or out of foster care.
Inventory Manager	Supports availability of shelter supplies; inventory stock movement is maintained in the Inventory function.

3. Shelter Operations at a Glance

The PRR establishes the shelter environment as a multi-facility, capacity-aware operational system:

1. Receive and record an animal through the shelter intake/admission workflow.
2. Confirm the appropriate shelter facility and logical section.
3. Check kennel availability and sanitation state before allocation.
4. Assign the animal to an available physical kennel without dual-booking.
5. Maintain current location information as the animal moves between sections or facilities.
6. Record daily care activities and special dietary requirements.
7. Coordinate medical/isolation needs with authorized veterinary operations.
8. Process transfers using sender and receiver confirmation records.
9. Monitor facility and section occupancy and respond operationally to capacity constraints.
10. Keep the shelter record accurate so the Dog Master Profile remains consistent with the animal's current location and activity history.

4. Step-by-Step Shelter Manager Procedures

4.1 Review Shelter Capacity Before Housing Decisions

Step 1 — Review facility occupancy

Purpose: Understand current total occupancy before assigning or moving an animal.

- Review the current occupancy information for the facility you are managing.
- Check the occupied-versus-total capacity position.
- Identify any facility-level capacity condition that could affect safe placement.

Expected result: You have a current view of the facility's housing capacity before making an allocation decision.

Step 2 — Review section-level capacity

Purpose: Select an operationally appropriate section for the animal.

- Review the relevant logical sections and their available capacity.
- Use the animal's current operational condition and shelter workflow status to determine which section is appropriate.
- Do not assume a section is available merely because the overall facility has capacity.

Expected result: A suitable section is identified without exceeding its defined capacity.

4.2 Complete Shelter Intake / Admission Recording

Step 1 — Confirm the incoming animal and case

Purpose: Ensure the shelter record corresponds to the correct rescue case and animal.

- Confirm the rescue case tracking information associated with the admission.
- Confirm the animal identity information available at admission.
- Check that the admission corresponds to the rescue lifecycle reaching ADMITTED.

Expected result: The shelter intake is associated with the correct rescue case and animal record.

Step 2 — Record the intake event

Purpose: Create or update the shelter intake log so the admission is traceable.

- Record the shelter admission/intake event using the authorized Intake Logs function.
- Ensure the facility and initial housing information are accurately captured.
- Avoid creating duplicate shelter records for the same admission.

Expected result: The animal's admission is represented in the shelter operational record.

Step 3 — Confirm the animal's current location

Purpose: Keep the Dog Master Profile aligned with the physical shelter location.

- Confirm the facility, section, and kennel assignment where applicable.
- Ensure the recorded location reflects the animal's actual physical location.

Expected result: The operational shelter record identifies where the animal is housed.

4.3 Allocate a Kennel

Step 1 — Check kennel availability

Purpose: Prevent conflicting physical housing assignments.

- Review the Kennel Mapping information for the selected section.
- Identify a kennel that is available for allocation.
- Confirm its sanitation state is suitable for allocation.

Expected result: An eligible kennel is identified.

Step 2 — Confirm sanitation state

Purpose: Avoid assigning an animal to a kennel that is not ready for use.

- Use the sanitation state recorded for the kennel.
- Recognize the PRR-defined states: Clean, Needs Cleaning, Disinfecting, and Out of Service.
- Do not treat Needs Cleaning, Disinfecting, or Out of Service as equivalent to a ready/available Clean state.

Expected result: The selected kennel is operationally suitable for allocation.

Step 3 — Assign the kennel

Purpose: Create the current physical housing assignment.

- Allocate the kennel to the animal through the kennel-management function.
- Confirm that the assignment does not conflict with another active allocation.
- Verify the resulting facility, section, and kennel information.

Expected result: The animal has one current physical kennel assignment and the kennel is not dual-booked.

4.4 Manage Section Transfers

Step 1 — Identify the transfer requirement

Purpose: Move an animal safely between logical operational zones.

- Confirm the animal's current section and destination section.
- Use the appropriate transfer workflow rather than changing location information without a transfer record.
- Consider whether the destination section's capacity and housing availability support the move.

Expected result: The transfer is ready to be recorded.

Step 2 — Confirm destination housing

Purpose: Ensure the receiving section can accept the animal.

- Review destination capacity.
- Confirm kennel availability and sanitation state where kennel-level allocation is required.
- Coordinate with the relevant operational or veterinary function when the animal's status requires it.

Expected result: The destination is operationally prepared.

Step 3 — Record the transfer

Purpose: Maintain traceability of physical movement.

- Record the transfer between the originating and destination sections.
- Ensure sender confirmation is captured.
- Ensure receiver confirmation is captured as required by the transfer workflow.

Expected result: The transfer has a traceable confirmation record.

Step 4 — Verify current location

Purpose: Ensure the animal's master record reflects the completed movement.

- Verify the new facility/section/kennel information.
- Check that the previous housing assignment is no longer presented as the current assignment.
- Ensure the chronological activity history remains consistent with the movement.

Expected result: The animal's current location and historical movement record are consistent.

4.5 Manage Inter-Facility Transfers

Step 1 — Validate the destination facility

Purpose: Confirm that the receiving facility is part of the intended operational transfer.

- Identify the destination shelter branch, sanctuary, or external clinical partner.
- Review the receiving facility's available capacity and relevant housing information.

Expected result: A valid receiving location is identified.

Step 2 — Record the physical transfer

Purpose: Maintain chain-of-custody and location continuity.

- Use the inter-facility transfer workflow.
- Record the originating and receiving locations.
- Ensure sender and receiver confirmation logs are completed.

Expected result: The transfer is auditable and the receiving location is recorded.

Step 3 — Verify the animal record after transfer

Purpose: Prevent location discrepancies.

- Confirm the Dog Master Profile reflects the new current location.
- Confirm the previous facility no longer appears as the current housing location.

Expected result: The current-location record is accurate after the transfer.

4.6 Maintain Daily Care Operational Registers

Step 1 — Record feeding

Purpose: Maintain daily care visibility for each housed animal.

- Record feeding activities in the daily care operational register.

- Follow any special dietary requirement already recorded for the animal.

Expected result: The day's feeding activity is recorded.

Step 2 — Record special dietary requirements

Purpose: Ensure special diet needs are visible in daily care operations.

- Review the animal's recorded dietary requirements.
- Ensure the daily care record reflects the required special diet information.

Expected result: Special dietary requirements are represented in the care record.

Step 3 — Record exercise

Purpose: Maintain the animal's daily care activity history.

- Record the exercise activity using the daily care register.
- Keep the entry associated with the correct animal and care date.

Expected result: Exercise activity is traceable in the daily care record.

Step 4 — Record behavioral enrichment

Purpose: Track routine enrichment activities relevant to shelter care.

- Record behavioral enrichment activity.
- Use the animal's existing behavioral information where relevant to the care record.

Expected result: Behavioral enrichment activity is recorded.

Step 5 — Record cleaning rotations

Purpose: Maintain shelter sanitation operations.

- Record cleaning rotations for the relevant shelter housing areas.
- Keep kennel sanitation states current where the system supports those states.

Expected result: Cleaning activity and kennel sanitation information remain current.

4.7 Manage Quarantine, Isolation, and Recovery Sections

Step 1 — Use logical operational sections

Purpose: Place animals in the section that corresponds to their shelter operational status.

- The PRR identifies Quarantine, Medical Isolation, Surgical Recovery, Puppy Section, General Population, and Adoption Suite as logical operational zones.
- Use the section-management workflow to maintain accurate housing information.
- Do not substitute a general population location when the operational record requires a controlled section.

Expected result: The animal is housed in the appropriate operational section.

Step 2 — Coordinate veterinary-related housing changes

Purpose: Keep shelter housing aligned with authorized medical operations.

- When a veterinary workflow requires isolation, recovery, or another controlled housing state, coordinate the physical location with the Veterinarian role.
- Record the resulting section movement through the shelter transfer workflow.

Expected result: The shelter location and veterinary operational requirement remain synchronized.

4.8 Monitor Capacity and Overcrowding Risk

Step 1 — Review facility and section utilization

Purpose: Identify capacity constraints before they become housing conflicts.

- Review total facility occupancy.
- Review section-level occupancy.
- Pay attention to sections that are full or near their defined capacity.

Expected result: Current capacity constraints are visible for operational planning.

Step 2 — Check housing options before admission or transfer

Purpose: Avoid creating a placement that exceeds available physical capacity.

- Check the destination section.
- Check kennel availability and sanitation state.
- Do not allocate a physical kennel that is already occupied or otherwise unavailable.

Expected result: Housing decisions are based on actual recorded capacity.

Step 3 — Escalate operational constraints

Purpose: Ensure capacity problems receive appropriate organizational attention.

- When the available shelter capacity cannot safely support an intake or transfer, raise the issue through the organization's approved operational escalation path.
- Do not bypass capacity controls by manually assigning an unavailable kennel.

Expected result: The capacity constraint is visible and addressed through an authorized operational decision.

5. Shelter Manager Record-Keeping Standards

Record area	Minimum operational standard
Animal location	Current facility, section, and kennel information must reflect the animal's physical location.
Kennel status	Use the PRR-defined sanitation states and avoid treating non-ready states as ready for allocation.
Intake	Admission/intake must remain linked to the correct animal and rescue case.
Transfers	Sender and receiver confirmation records must be maintained for inter-facility transfers.
Daily care	Feeding, special diet, exercise, behavioral enrichment, and cleaning rotations should be recorded as applicable.
Capacity	Facility and section occupancy should be kept current enough to support safe housing decisions.
History	Shelter movements and relevant events must remain consistent with the Dog Master Profile's chronological activity stream.

6. Coordination with the Dog Master Profile

The PRR defines the Dog Master Profile as the single source of truth for every animal admitted to the PawGuard network. It maintains a permanent, audit-ready trail from intake through final resolution.

- Verify that the animal's current facility, section, and kennel information is correct.
- Ensure intake and transfer events are represented consistently with shelter operations.

- After a transfer, verify that the current location is updated and the prior location is retained as historical activity.
- Avoid duplicate animal records when the correct Dog Master Profile already exists.
- Recognize that the historical activity stream is intended to capture intake, transfer, medical events, weight measurements, applications, foster placement, and post-adoption inspection.

7. Interaction with Rescue and Medical Workflows

7.1 Rescue-to-Shelter Admission

11. The rescue incident progresses through the PRR lifecycle: REPORTED → VERIFIED → DISPATCHED → LOCATED → RESCUED → ADMITTED.
12. At ADMITTED, the rescue workflow creates the internal Dog Master Profile.
13. The Shelter Manager records/maintains the shelter intake and initial housing information.
14. The animal is assigned to an appropriate facility section and kennel when applicable.
15. The current shelter location is verified against the animal record.

7.2 Shelter-to-Veterinary Coordination

- Veterinarians have Read/Write access to the Medical Module, Isolation Registers, and Health Clearances.
- The Shelter Manager maintains the physical housing and section information while coordinating medical-related location changes with the authorized veterinary workflow.
- Clinical records themselves belong to the authorized veterinary workflow; the Shelter Manager should not substitute shelter notes for veterinary clinical documentation.
- When a dog moves into medical isolation or surgical recovery, the shelter location should reflect the operational movement.

8. Shelter Operations by Scenario

Scenario	Shelter Manager action sequence
New rescue admitted	Confirm case/animal → record intake → review section capacity → check kennel state → allocate housing → verify current location.
Move within shelter	Confirm destination → check capacity/kennel → record section transfer → capture required confirmations → verify new location.
Transfer to another facility	Confirm destination → verify capacity → record transfer → capture sender/receiver confirmations → verify new current location.
Daily shelter care	Review animal care needs → record feeding → special diet → exercise → enrichment → cleaning rotation as applicable.
Kennel unavailable	Review sanitation state/capacity → do not dual-book or use an unavailable kennel → select another valid housing option or escalate operationally.
Capacity constraint	Review facility/section occupancy → check alternative housing options → avoid exceeding capacity → use authorized escalation path.
Medical isolation/recovery	Coordinate with veterinarian → move animal to appropriate controlled section → record transfer → verify current location.

9. Security, Privacy, and Audit Responsibilities

The PRR requires strict server-side RBAC and states that no user may view or modify data outside authorized permissions.

- Use only the Shelter Manager account and authorized functions assigned to the role.

- Do not attempt to access higher-tier administrative functions or records outside the role's operational boundary.
- Treat shelter, rescue, adopter, reporter, donor, and legal ownership information as sensitive operational data.
- The platform must mask reporter and donor personal identifying information in general views; unmasked access is restricted to authorized coordinators and administrators.
- Critical system transactions must be auditable through the central audit logging engine.
- Audit records are required to capture User ID, Timestamp, IP Address, Action Code, and Pre/Post State Data.
- Do not bypass platform workflows through direct database modification or other unsupported methods.
- Follow session governance, secure password, and applicable multi-factor authentication controls required by the platform.

10. Troubleshooting and Escalation Guidance

Issue	Immediate response
Kennel appears occupied but is shown as available	Do not dual-book the kennel. Re-check the current housing record and use the authorized operational escalation path if the data conflict remains.
Kennel is not ready for allocation	Review the sanitation state. Do not allocate a kennel marked Needs Cleaning, Disinfecting, or Out of Service as though it were ready.
Facility/section appears over capacity	Do not create a placement that exceeds the recorded capacity. Review available alternatives and escalate the capacity constraint.
Animal location is incorrect	Verify the physical location, review the most recent transfer/intake record, and correct the record through the authorized workflow.
Transfer confirmation is missing	Do not treat the transfer as fully documented until the required sender/receiver confirmation is captured.
Duplicate animal record suspected	Stop creating additional records and verify the existing Dog Master Profile/rescue case before proceeding.
Medical status needs clinical clarification	Coordinate with the authorized Veterinarian rather than entering clinical conclusions in a shelter operational record.
System prevents an action	Verify role permissions and the relevant workflow state. Do not bypass server-side controls.

11. Shelter Manager Daily Operational Checklist

16. Review current facility and section occupancy.
17. Review incoming admissions and confirm required intake records.
18. Check housing availability and kennel sanitation states.
19. Confirm that newly admitted animals have correct facility/section/kennel information.
20. Review animals requiring controlled sections such as quarantine, medical isolation, or surgical recovery.
21. Record daily feeding and special diet information as applicable.
22. Record exercise and behavioral enrichment activities as applicable.
23. Record cleaning rotations and maintain current sanitation states.
24. Review planned or completed section transfers.
25. Verify sender/receiver confirmations for inter-facility transfers.
26. Check for location or capacity inconsistencies.
27. Escalate unresolved capacity, safety, data, or workflow issues through the approved operational path.

12. PRR Requirement Traceability

PRR Section	Requirement area	Covered in this manual
2.1	Shelter Manager role responsibilities and access	Sections 1–2
3.2	Rescue lifecycle and ADMITTED shelter transition	Sections 4.2 and 7.1
3.4	Dog Master Profile and current location/history	Sections 4.2, 4.4, 4.5, 6, 10
3.6	Multi-facility shelter and capacity management	Sections 3, 4.1, 4.3–4.7, 8
3.6	Logical sections, kennel allocation and sanitation states	Sections 4.3, 4.4, 4.7, 10
3.6	Inter-facility transfers and confirmation logs	Sections 4.5, 5, 8, 10
3.6	Daily care operational registers	Sections 4.6, 5, 8, 10, 12
4.1	Shelter Capacity Audit reporting target	Sections 3, 4.8
5	Accessibility/usability expectations	Section 15
6.1	RBAC, audit logging, privacy and session governance	Section 9
7.1	End-to-end workflow validation and RBAC integrity	Section 13

13. Interface and Usability Expectations

- The platform should maintain the PRR's professional visual system and high-contrast operational data grids.
- Data tables should support efficient scanning with high-contrast text, explicit status badges, zebra striping, and sticky headers as specified by the PRR.
- Operational views should be usable across supported device sizes; the PRR specifically requires mobile responsiveness for public-facing views and field-agent interfaces.
- Shelter Manager workflows should prioritize clear status information, current capacity, current location, and operationally meaningful records.
- This manual does not prescribe exact screen labels or button names where the PRR does not define them.

14. Operational Handover Notes

Before the Shelter Manager workflow is considered operationally ready, the organization should confirm that the deployed application implements the PRR requirements, that authorized staff have appropriate accounts and permissions, and that the shelter workflow has been validated end-to-end.

- Confirm Shelter Manager role provisioning and access boundaries.
- Confirm intake, kennel, transfer, capacity, and daily care functions are available in the deployed environment.
- Run the UAT checklist in Section 13.
- Record defects and operational exceptions through the organization's approved testing/change process.
- Do not treat undocumented product behavior as a replacement for an approved requirement.
- Any modification to PRR requirements must follow formal Change Control Board review and approval.

Appendix A — Quick Reference

Operational need	Remember
Admission	Confirm rescue case/animal → intake log → location → housing.
Kennel	Check capacity + sanitation → allocate without dual-booking.
Transfer	Destination readiness → record movement → sender/receiver confirmation → verify current location.
Daily care	Feeding + special diet + exercise + enrichment + cleaning, as applicable.
Capacity	Review facility and section occupancy before housing decisions.
Dog Master	Keep current location and historical activity consistent.
Medical coordination	Coordinate clinical/controlled housing needs with the Veterinarian role.
Security	Use only authorized role functions; do not bypass RBAC or audit controls.

End of Controlled Document