

DAY 5
LINUX COMMANDS


```
susmithagundala@Susmitha:~$ ls -l
total 24
-rw-r--r-- 1 susmithagundala susmithagundala   45 Oct 14 23:53 backup.tar.gz
drwxr-xr-x 2 susmithagundala susmithagundala 4096 Oct 13 14:59 development
drw-rwxr-- 2 susmithagundala susmithagundala 4096 Oct 11 23:00 devops-practise
-rw-r--r-- 1 susmithagundala susmithagundala   24 Oct 13 15:03 devopsupdated.txt
drwxr--r-- 2 susmithagundala susmithagundala 4096 Oct 12 15:34 dir
-rw-r--r-- 1 susmithagundala susmithagundala    0 Oct 11 22:54 practise
drwxr-xr-x 3 susmithagundala susmithagundala 4096 Oct 11 23:58 sandbox
susmithagundala@Susmitha:~$ cat devopsupdated.txt
This is devops training
susmithagundala@Susmitha:~$ nano devopsupdated.txt
susmithagundala@Susmitha:~$ awk '{print $1, $3}' devopsupdated.txt
This devops
Today learnt
When am
The field
susmithagundala@Susmitha:~$ cat devopsupdated.txt
This is devops training
Today we learnt cloudtrail, sns, sqs, IAM role and other services
When I am doing these tasks I feel exciting
The Devops field is interesting
susmithagundala@Susmitha:~$ sort devopsupdated.txt
The Devops field is interesting
This is devops training
Today we learnt cloudtrail, sns, sqs, IAM role and other services
When I am doing these tasks I feel exciting
susmithagundala@Susmitha:~$ sort -r devopsupdated.txt
When I am doing these tasks I feel exciting
Today we learnt cloudtrail, sns, sqs, IAM role and other services
This is devops training
The Devops field is interesting
susmithagundala@Susmitha:~$ cat devopsupdated.txt
This is devops training
Today we learnt cloudtrail, sns, sqs, IAM role and other services
When I am doing these tasks I feel exciting
The Devops field is interesting
```

```
susmithagundala@Susmitha:~$ stat devopsupdated.txt
  File: devopsupdated.txt
  Size: 167             Blocks: 8          IO Block: 4096   regular file
Device: 830h/2096d      Inode: 29778       Links: 1
Access: (0644/-rw-r--r--)  Uid: ( 1000/susmithagundala)   Gid: ( 1000/susmithagundala)
Access: 2026-10-15 12:27:04.882196009 +0530
Modify: 2026-10-15 12:26:36.024016292 +0530
Change: 2026-10-15 12:26:36.024016292 +0530
 Birth: 2026-10-13 15:02:54.553808748 +0530
susmithagundala@Susmitha:~$ sudo ss -tulpn
[sudo] password for susmithagundala:
Sorry, try again.
[sudo] password for susmithagundala:
Netid    State     Recv-Q    Send-Q        Local Address:Port       Peer Address:Port   Process
udp      UNCONN    0         0                127.0.0.1:323           0.0.0.0:*
udp      UNCONN    0         0             127.0.0.53%lo:53           0.0.0.0:*       users:(("systemd-resolve",pid=112,fd=13))
udp      UNCONN    0         0            10.255.255.254:53           0.0.0.0:*
udp      UNCONN    0         0                  [::1]:323              [::]:*
tcp      LISTEN    0         1000         10.255.255.254:53           0.0.0.0:*
tcp      LISTEN    0         4096          127.0.0.53%lo:53           0.0.0.0:*       users:(("systemd-resolve",pid=112,fd=14))
susmithagundala@Susmitha:~$ ps aux | head
USER         PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
root           1  1.2  0.3 167096 12916 ?        Ss   12:22   0:07 /sbin/init
root           2  0.0  0.0   3804  2508 hvc0     Sl+  12:22   0:00 /init
root           3  0.0  0.0   3664  2136 hvc0     S+   12:22   0:00 init-watcher
root           8  0.0  0.0   3804  2272 hvc0     Sl+  12:22   0:00 plan9 --control-socket 7 --log-level 4 --server-fd 8 --pipe-fd 10 --log-truncate
root          41  0.0  0.3  47756 15392 ?        S<s  12:22   0:00 /lib/systemd/systemd-journald
root          62  0.0  0.1  22900  6332 ?        Ss   12:22   0:00 /lib/systemd/systemd-udevd
root          75  0.0  0.0 153012  1772 ?        Ssl  12:22   0:00 snapfuse /var/lib/snapd/snaps/bare_5.snap /snap/bare/5 -o ro,nodev,allow_other,suid
root          79  0.1  0.2 302540 11468 ?        Ssl  12:22   0:00 snapfuse /var/lib/snapd/snaps/core22_864.snap /snap/core22/864 -o ro,nodev,allow_other,su
id
root          81  0.0  0.0 153144  1684 ?        Ssl  12:22   0:00 snapfuse /var/lib/snapd/snaps/gtk-common-themes_1535.snap /snap/gtk-common-themes/1535 -o
 ro,nodev,allow_other,suid
```


Configure AWS CloudTrail to Record and Track AWS Events











Build an EC2 CPU Monitoring and Alerting Mini Project



Amazon SQS > Queues > Create queue
Create queue
Details
Type
Choose the queue type for your application or cloud infrastructure.
Standard Info
At-least-once delivery, message ordering isn't preserved
At-least once delivery
Best-effort ordering
FIFO Info
First-in-first-out delivery, message ordering is preserved
First-in-first-out delivery
Exactly-once processing
You can't change the queue type after you create a queue.
Name
Management-Queue
A queue name is case-sensitive and can have up to 80 characters. You can use alphanumeric characters, hyphens (-), and underscores (_).
Configuration Info
Set the maximum message size, visibility to other consumers, and message retention.
Visibility timeout | Info
30
Seconds
Should be between 0 seconds and 12 hours.
Message retention period | Info
4
Days
Should be between 1 minute and 14 days.
Delivery delay | Info
0
Seconds
Should be between 0 seconds and 15 minutes.
Maximum message size | Info
1024
KiB
Should be between 1 KiB and 1024 KiB.
Receive message wait time | Info



Search
[Alt+S]
United States (Ohio)
susmitha
Amazon SNS > Topics > Create topic
Create topic
Details
Type | Info
Topic type cannot be modified after topic is created
FIFO (first-in, first-out)
Strictly-preserved message ordering
Exactly-once message delivery
Subscription protocols: SQS
Standard
Best-effort message ordering
At-least once message delivery
Subscription protocols: SQS, Lambda, Data Firehose, HTTP, SMS, email, mobile application endpoints
Name
EC2-Team
Maximum 256 characters. Can include alphanumeric characters, hyphens (-) and underscores (_).
Display name - optional | Info
To use this topic with SMS subscriptions, enter a display name. Only the first 10 characters are displayed in an SMS message.
This topic belongs to EC2 team
Maximum 100 characters.
Maximum message size | Info
The largest message size this topic accepts.
256
KiB
Should be between 1 KiB and 1024 KiB.
Encryption - optional
Amazon SNS provides in-transit encryption by default. Enabling server-side encryption adds at-rest encryption to your topic.



Search
[Alt+S]
United States (Ohio)
susmitha
Amazon SNS > Subscriptions > Create subscription
Create subscription
Details
Topic ARN
arn:aws:sns:us-east-2:200845568751:EC2-Team
Protocol
The type of endpoint to subscribe
Email
Endpoint
An email address that can receive notifications from Amazon SNS.
susmithagundala1111@gmail.com
After your subscription is created, you must confirm it. Info
Subscription filter policy - optional Info
This policy filters the messages that a subscriber receives.
Redrive policy (dead-letter queue) - optional Info
Send undeliverable messages to a dead-letter queue.
Cancel
Create subscription



Amazon SNS > Topics > EC2-Team
Amazon SNS
Dashboard
Topics
Subscriptions
Mobile
Push notifications
Text messaging (SMS)
EC2-Team
Edit
Delete
Publish message
Details
Name
EC2-Team
ARN
arn:aws:sns:us-east-2:200845568751:EC2-Team
Display name
This topic belongs to EC2 team
Maximum message size
256 KiB
Type
Standard
Topic owner
200845568751
Subscriptions
Access policy
Delivery policy (HTTP/S)
Delivery status logging
Encryption
Tags
Integrations
Subscriptions (1)
Edit
Delete
Request confirmation
Confirm subscription
Create subscription
Search
ID
Endpoint
Status
Protocol
Pending confirmation
susmithagundala1111@gmail.com
Pending confirmation
EMAIL



Confirmation request was sent successfully.
The ARN of the subscription is arn:aws:sns:us-east-2:200845568751:EC2-Team:009924fe-7102-4c57-9997-11a4b5fa9244.
Amazon SNS > Topics > EC2-Team
Amazon SNS
Dashboard
Topics
Subscriptions
Mobile
Push notifications
Text messaging (SMS)
EC2-Team
Edit
Delete
Publish message
Details
Name
EC2-Team
ARN
arn:aws:sns:us-east-2:200845568751:EC2-Team
Display name
This topic belongs to EC2 team
Maximum message size
256 KiB
Type
Standard
Topic owner
200845568751
Subscriptions
Access policy
Delivery policy (HTTP/S)
Delivery status logging
Encryption
Tags
Integrations
Subscriptions (1)
Edit
Delete
Request confirmation
Confirm subscription
Create subscription
Search
ID
Endpoint
Status
Protocol
Pending confirmation
susmithagundala1111@gmail.com
Pending confirmation
EMAIL



arn:aws:sns:us-east-2:200845568751:EC2-Team
This topic belongs to EC2 team
256 KiB
Confirm subscription
Enter the subscription confirmation url.
:sns:us-east-2:200845568751:EC2-Team:009924fe-7102-4c57-9997-11a4b5fa9244
Cancel
Confirm subscription
Request confirmation
Endpoint
Status
Protocol
susmithagundala1111@gmail.com
Pending confirmation
EMAIL



Jira | Project Managemen
SyntaxErrors - List - Jira
Linux Commands Practic
AWS Notification - Subsc
Subscription confirm
sns.us-east-2.amazonaws.com/confirmation-v2.html?TopicArn=arn:aws:sns:us-east-2:200845568751:EC2-Team&Token=2336412f37fb687f5d51e6e2425929f449...
aws
Simple Notification Service
Subscription confirmed!
You have successfully subscribed.
Your subscription's id is:
arn:aws:sns:us-east-2:200845568751:EC2-Team:009924fe-7102-4c57-9997-11a4b5fa9244
If it was not your intention to subscribe, click here to unsubscribe.



Amazon SNS
Topics
EC2-Team
Dashboard
Topics
Subscriptions
Mobile
Push notifications
Text messaging (SMS)
EC2-Team
Edit
Delete
Publish message
Details
Name
EC2-Team
ARN
arn:aws:sns:us-east-2:200845568751:EC2-Team
Display name
This topic belongs to EC2 team
Maximum message size
256 KiB
Type
Standard
Topic owner
200845568751
Subscriptions
Access policy
Delivery policy (HTTP/S)
Delivery status logging
Encryption
Tags
Integrations
Subscriptions (1)
Edit
Delete
Request confirmation
Confirm subscription
Create subscription
ID
Endpoint
Status
Protocol
009924fe-7102-4c57-9997-11a4b5fa9244
susmithagundala1111@gmail.com
Confirmed
EMAIL



IAM
Roles
Create role
Step 1
Select trusted entity
Step 2
Add permissions
Step 3
Name, review, and create
Select trusted entity
Trusted entity type
AWS service
Allow AWS services like EC2, Lambda, or others to perform actions in this account.
AWS account
Allow entities in other AWS accounts belonging to you or a 3rd party to perform actions in this account.
Web identity
Allows users federated by the specified external web identity provider to assume this role to perform actions in this account.
SAML 2.0 federation
Allow users federated with SAML 2.0 from a corporate directory to perform actions in this account.
Custom trust policy
Create a custom trust policy to enable others to perform actions in this account.
Use case
Allow an AWS service like EC2, Lambda, or others to perform actions in this account.
Service or use case
SNS
Choose a use case for the specified service.
Use case
SNS
Allows SNS to call CloudWatch Logs on your behalf.
Cancel
Next



IAM
Roles
Identity and Access Management (IAM)
Search IAM
Dashboard
Access Management
Roles
Policies
IAM users
IAM user groups
Identity providers
Account settings
Root access management
Temporary delegation requests
Access reports
Access Analyzer
Resource analysis
Unused access
Analyzer settings
Policy simulator
Credential report
Multi-account access
Account access manager
Organization activity
Role sns-role created.
View role
Roles (4)
An IAM role is an identity you can create that has specific permissions with credentials that are valid for short durations. Roles can be assumed by entities that you trust.
Delete
Create role
Role name
Trusted entities
Last activity
AWSServiceRoleForResourceExplorer
AWS Service: resource-explorer-2 (Service-Linked Role)
12 minutes ago
AWSServiceRoleForSupport
AWS Service: support (Service-Linked Role)
AWSServiceRoleForTrustedAdvisor
AWS Service: trustedadvisor (Service-Linked Role)
sns-role
AWS Service: sns
Roles Anywhere
Manage
Authenticate your non AWS workloads and securely provide access to AWS services.
Access AWS from your non AWS workloads
Operate your non AWS workloads using the same authentication and authorization strategy that you use within AWS.
X.509 Standard
Use your own existing PKI infrastructure or use AWS Certificate Manager Private Certificate Authority to authenticate identities.
Temporary credentials
Use temporary credentials with ease and benefit from the enhanced security they provide.



Amazon SQS > Queues > Create queue
Create queue
Details
Type
Choose the queue type for your application or cloud infrastructure.
Standard Info
At-least-once delivery, message ordering isn't preserved
At-least once delivery
Best-effort ordering
FIFO Info
First-in-first-out delivery, message ordering is preserved
First-in-first-out delivery
Exactly-once processing
You can't change the queue type after you create a queue.
Name
EC2-Manager
A queue name is case-sensitive and can have up to 80 characters. You can use alphanumeric characters, hyphens (-), and underscores (_).
Configuration Info
Set the maximum message size, visibility to other consumers, and message retention.
Visibility timeout Info
30
Seconds
Should be between 0 seconds and 12 hours.
Message retention period Info
4
Days
Should be between 1 minute and 14 days.
Delivery delay Info
0
Seconds
Should be between 0 seconds and 15 minutes.
Maximum message size Info
1024
KiB
Should be between 1 KiB and 1024 KiB.
Receive message wait time Info
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
United States (Ohio)
susmitha
Amazon SNS > Subscriptions > Create subscription
Create subscription
Details
Topic ARN
arn:aws:sns:us-east-2:200845568751:EC2-Team
Protocol
The type of endpoint to subscribe
Amazon SQS
Endpoint
Only Amazon SQS standard queues will be listed and can receive notifications from an Amazon SNS standard topic.
arn:aws:sqs:us-east-2:200845568751:EC2-Manager
Enable raw message delivery
After your subscription is created, you must confirm it. Info
Subscription filter policy - optional Info
This policy filters the messages that a subscriber receives.
Redrive policy (dead-letter queue) - optional Info
Send undeliverable messages to a dead-letter queue.
Cancel
Create subscription



Search
[Alt+S]
United States (Ohio)
susmitha
Amazon SNS > Topics > EC2-Team > Subscription: d65cc168-894f-40ee-abe0-f7c0fbee0128
Amazon SNS
Dashboard
Topics
Subscriptions
Mobile
Push notifications
Text messaging (SMS)
Subscription to EC2-Team created successfully.
The ARN of the subscription is arn:aws:sns:us-east-2:200845568751:EC2-Team:d65cc168-894f-40ee-abe0-f7c0fbee0128.
Subscription: d65cc168-894f-40ee-abe0-f7c0fbee0128
Edit
Delete
Details
ARN
arn:aws:sns:us-east-2:200845568751:EC2-Team:d65cc168-894f-40ee-abe0-f7c0fbee0128
Status
Confirmed
Endpoint
arn:aws:sqs:us-east-2:200845568751:EC2-Manager
Protocol
SQS
Topic
EC2-Team
Raw message delivery
Disabled
Subscription filter policy
Redrive policy (dead-letter queue)
Subscription filter policy Info
This policy filters the messages that a subscriber receives.
No filter policy configured for this subscription.
To apply a filter policy, edit this subscription.
Edit



Amazon SNS > Topics > EC2-Team > Publish message
Publish message to topic
Message details
Topic ARN
arn:aws:sns:us-east-2:200845568751:EC2-Team
Subject - optional
This is for testing purpose
Maximum 100 printable ASCII characters
Message group ID - optional
An optional token for SQS fair queue usage. Propagated only to standard SQS queue subscriptions.
Enter message group ID
Maximum 128 characters. Can include alphanumeric characters and punctuation.
Time to Live (TTL) - optional Info
This setting applies only to mobile application endpoints. The number of seconds that the push notification service has to deliver the message to the endpoint.
publish.ttlPlac
Message body
Message structure
Identical payload for all delivery protocols.
The same payload is sent to endpoints subscribed to the topic, regardless of their delivery protocol.
Custom payload for each delivery protocol.
Different payloads are sent to endpoints subscribed to the topic, based on their delivery protocol.
Message body to send to the endpoint
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Message body
Message structure
Identical payload for all delivery protocols.
The same payload is sent to endpoints subscribed to the topic, regardless of their delivery protocol.
Custom payload for each delivery protocol.
Different payloads are sent to endpoints subscribed to the topic, based on their delivery protocol.
Message body to send to the endpoint
1 This is our day 5 of devops training. We are learning the SNS and SQS services.
1:80 Text



Search
[Alt+S]
United States (Ohio)
susmitha (200845568751)
susmitha
Amazon SNS > Topics > EC2-Team
Amazon SNS
Dashboard
Topics
Subscriptions
Mobile
Push notifications
Text messaging (SMS)
Message published to topic EC2-Team successfully.
Message "ID": 8faa000c-7f52-504b-aab7-6346f606e682
Request "ID": 6a6454b0-26f4-5712-8b8c-37faafa0f1db
Publish another message
EC2-Team
Edit
Delete
Publish message
Details
Name
EC2-Team
ARN
arn:aws:sns:us-east-2:200845568751:EC2-Team
Display name
This topic belongs to EC2 team
Maximum message size
256 KiB
Type
Standard
Topic owner
200845568751
Subscriptions
Access policy
Delivery policy (HTTP/S)
Delivery status logging
Encryption
Tags
Integrations
Subscriptions (2)
Edit
Delete
Request confirmation
Confirm subscription
Create subscription
Search
ID
Endpoint
Status
Protocol
009924fe-7102-4c57-9997-11a4b5fa9244
susmithagundala1111@gmail.com
Confirmed
EMAIL
d65cc168-894f-40ee-abe0-f7c0fbee0128
arn:aws:sqs:us-east-2:200845568751:EC2-Manager
Confirmed
SQS



mail.google.com/mail/u/0/?tab=rm&ogbl#inbox/FMfcgzQhWxRrjXKKgDNXNcxfIPKddsWR
Gmail
Search mail
Upgrade
Compose
Inbox 4,022
Starred
Snoozed
Sent
Drafts 6
Purchases 83
More
Labels
This is for testing purpose
Inbox
This topic belongs to EC2 team <no-reply@sns.amazonaws.com>
to me
13:26 (1 minute ago)
This is our day 5 of devops training. We are learning the SNS and SQS services.
--
If you wish to stop receiving notifications from this topic, please click or visit the link below to unsubscribe:
https://sns.us-east-2.amazonaws.com/unsubscribe-v2.html?SubscriptionArn=arn:aws:sns:us-east-2:200845568751:EC2-Team:009924fe-7102-4c57-9997-11a4b5fa9244&Endpoint=susmithagundala1111@gmail.com
Please do not reply directly to this email. If you have any questions or comments regarding this email, please contact us at https://aws.amazon.com/support
Reply
Forward



Search
[Alt+S]
Ask Amazon Q
United States (Ohio)
susmitha (200845568751)
susmitha
Amazon SQS
Queues
EC2-Manager
Send and receive messages
Enter message
Message group ID - optional, new Info
A group identifier for the message to allow fair processing across message groups in a standard queue.
Message group ID must be 1 to 128 characters. Valid characters are a-z, A-Z, 0-9, and punctuation (!"#$%&'()*+,-./:;<=>?@[\]^_`{|}~).
Delivery delay Info
The duration (in seconds) that SQS will postpone the initial delivery of the message. During this delay period, the message is not visible to consumers, allowing you to create a wait time before the message becomes available for processing.
0
Seconds
Should be between 0 seconds and 15 minutes.
Message attributes - optional Info
Clear content
Send message
Receive messages Info
Edit poll settings
Stop polling
Poll for messages
Messages available
1
Polling duration
30
Maximum message count
10
Polling progress
Success
0 receives/second
Messages (1)
View details
Delete
Search messages
ID
Sent
Size
Receive count
13bdae09-7d77-4bf4-9a99-7425ceb57e48
2026-10-15T13:26+05:30
1 KB
2



Received message: 13bdae09-7d77-4bf4-9a99-7425ceb57e48
Body
Attributes
Details
{
"Type" : "Notification",
"MessageId" : "8faa000c-7f52-504b-aab7-6346f606e682",
Done



Search
[Alt+S]
United States (Ohio)
susmitha (200845568751)
susmitha
EC2
Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
Instances (1) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
Public IPv4 ...
Elastic IP
IPv6 IPs
Ubuntu Server
i-0b4bad2676c330f51
Running
t3.small
Initializing
us-east-2a
ec2-18-226-96-177.us-...
18.226.96.177
All instances
Instance alarm states
Service health
Health events affecting EC2 instances



CloudWatch
Metrics
Untitled graph
Your CloudWatch graph is empty.
Select some metrics to appear here.
Browse (15)
Multi source query
Graphed metrics
Options
Source
Add math
Add query
Ohio
Alarm recommendations
Download alarm code
Create alarm
Graph with SQL
Graph search
Filter by any metric, dimension, resource id or account id
i-0b4bad2676c330f51
EBS > Per-Volume Metrics with Instance ID 7
EC2 > Per-Instance Metrics 8



EC2
Instances
Instances (1/1)
Connect
Instance state
Actions
Launch instances
Ubuntu Server
i-0b4bad2676c330f51
Running
t3.small
Initializing
us-east-2a
18.226.96.177
i-0b4bad2676c330f51 (Ubuntu Server)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Include metrics in the CWAgent namespace
Learn more
Configure CloudWatch agent
Manage detailed monitoring
Explore related



Detailed monitoring
After you enable detailed monitoring for an instance, monitoring data is available in 1-minute periods. Learn more
Instance ID
i-0b4bad2676c330f51 (Ubuntu Server)
Detailed monitoring
Enable
After you enable detailed monitoring, the Amazon EC2 console displays monitoring graphs with a 1-minute period for the instance.
Additional charges apply
Cancel
Confirm



CloudWatch
Metrics
Favorites and recents
Ingestion
Dashboards
Alarms
AI Operations
GenAI Observability
Application Signals (APM)
Infrastructure Monitoring
Logs New
Metrics
Query Studio
Classic metrics
Explorer
Streams
Network Monitoring
Setup
Observability Workshops
Metrics Info
CPUUtilization
1h 3h 12h 1d 3d 1w Custom
UTC timezone
Actions
Investigate
Line
Percent
0.22%
0.11%
0%
05:10 05:20 05:30 05:40 05:50 06:00 06:10 06:20 06:30 06:40 06:50 07:00 07:10 07:20 07:30 07:40 07:50 08:00
CPUUtilization
Browse (14)
Multi source query
Graphed metrics (1/2)
Options
Source
Add math
Add query
Ubuntu Server i-0b4bad2676c33... EBSWriteOps No alarms
Ubuntu Server i-0b4bad2676c33... EBSIOBalance% No alarms
Ubuntu Server i-0b4bad2676c33... EBSReadBytes No alarms
Ubuntu Server i-0b4bad2676c33... InstanceEBSIOPSExceededCheck No alarms
Ubuntu Server i-0b4bad2676c33... CPUUtilization No alarms
Ubuntu Server i-0b4bad2676c33... MetadataNoToken No alarms
Ubuntu Server i-0b4bad2676c33... NetworkPacketsIn No alarms
Ubuntu Server i-0b4bad2676c33... NetworkOut No alarms
Ubuntu Server i-0b4bad2676c33... NetworkPacketsOut No alarms
Ubuntu Server i-0b4bad2676c33... NetworkIn No alarms



CloudWatch > Alarms > Create alarm
Step 1 Specify metric and conditions
Step 2 Configure actions
Step 3 Add alarm details
Step 4 Preview and create
Specify metric and conditions
Alarm recommendations View details
Data source
Select the type of data to monitor
Metrics Monitor CloudWatch metrics
Logs Monitor CloudWatch log queries
Alarms Combine multiple alarms
Type
Choose the metric type for this alarm.
Classic Use the standard CloudWatch metric selection experience.
PromQL Use PromQL queries to define the metric for this alarm.
Metric
Edit
Namespace
AWS/EC2
Metric name
CPUUtilization
InstanceId
i-0b4bad2676c330f51
Instance name
Ubuntu Server
Statistic
Average
Period
5 minutes
Conditions
Threshold type
Static Use a value as a threshold
Anomaly detection Use a band as a threshold
Whenever CPUUtilization is...
Define the alarm condition.
Greater > threshold
Greater/Equal >= threshold



CloudWatch > Alarms > Create alarm
Step 1 Specify metric and conditions
Step 2 Configure actions
Step 3 Add alarm details
Step 4 Preview and create
Configure actions
Notification
Alarm state trigger
Define the alarm state that will trigger this action.
Remove
In alarm The metric or expression is outside of the defined threshold.
OK The metric or expression is within the defined threshold.
Insufficient data The alarm has just started or not enough data is available.
Send a notification to the following SNS topic
Define the SNS (Simple Notification Service) topic that will receive the notification.
Select an existing SNS topic
Create new topic
Use topic ARN to notify other accounts
Send a notification to...
EC2-Team
Only topics belonging to this account are listed here. All persons and applications subscribed to the selected topic will receive notifications.
Email (endpoints)
arn:aws:sqs:us-east-2:200845568751:EC2-Manager and 1 more - View in SNS Console
Add notification
Lambda action
Add Lambda action


CloudWatch > Alarms > Create alarm
Step 1 Specify metric and conditions
Step 2 Configure actions
Step 3 Add alarm details
Step 4 Preview and create
Preview and create
Step 1: Specify metric and conditions
Edit
Metric
Namespace
AWS/EC2
Metric name
CPUUtilization
InstanceId
i-0b4bad2676c330f51
Instance name
Ubuntu Server
Statistic
Average
Period
5 minutes
Preview
Graph
This alarm will trigger when the blue line goes above the red line for 1 datapoints within 5 minutes.
Percent
0.11%



CloudWatch > Alarms
Alarms
Mute rules
Alarms (1)
Clear selection
Create composite alarm
Actions
Create alarm
Filter alarms
Quick filters
Name
State
Actions
Actions muted
Last state update (UTC)
Conditions
ec2-alarm
Insufficient data
Actions enabled
-
2026-10-15 08:09:13
CPUUtilization > 0 for 1 datapoints within 5 minutes


CloudWatch > Alarms > ec2-alarm
Alarms (1)
ec2-alarm
Metric alarm
Insufficient data
Actions
View
Explore related
Investigate
Graph
CPUUtilization
Insufficient data
Percent
0.14%
0.07%
0%
CPUUtilization
Details
Tags
Mute rules
Actions
History
Parent alarms
Details
Name
State
Namespace
Datapoints to alarm





Prometheus and Grafana Task



Node Exporter

Prometheus Node Exporter

Version: (version=1.12.1, branch=HEAD, revision=6044da783597cc3b57aef7580ddcdcff58a4ee99)


- Metrics


Download a detailed report of resource usage (pprof format, from the Go runtime):


- heap usage (memory)
- CPU usage (60 second profile)

To visualize and share profiles you can upload to pprof.me




Grafana
Dashboards › Node Exporter Full
Search...
Bookmarks
Starred
Dashboards
Explore
Drilldown
Alerting
Connections
Add new connection
Data sources
Administration
Datasource prometheus
Job node-exporter
Nodename ip-172-31-46-244
Instance 13.51.198.50:9100
GitHub
Grafana
Last 24 hours
Refresh 1m
Edit
CPU
100%
80%
60%
40%
20%
0%
18:00 20:00 22:00 00:00 02:00 04:00 06:00 08:00 10:00 12:00 14:00 16:00
Name Min Mean Max
Iowait - Waiting for I/O to complete 0% 0.0278% 0.158%
Irq - Servicing interrupts 0% 0% 0%
Softirq - Servicing softirqs 0% 0.00423% 0.00855%
Steal - Time spent in other operating systems when running in a ... 0.00946% 0.0373% 0.0667%
Idle - Waiting for something to happen 42.5% 86.8% 99.8%
Memory
768 MiB
512 MiB
256 MiB
0 B
18:00 20:00 22:00 00:00 02:00 04:00 06:00 08:00 10:00 12:00 14:00 16:00
Name Min Mean Max
Apps - Memory used by user-space applications 202 MiB 206 MiB 215 MiB
PageTables - Memory used to map between virtual and physical mem... 4.30 MiB 4.39 MiB 4.57 MiB
SwapCache - Memory that keeps track of pages that have been fetch... 0 B 0 B 0 B
Slab - Memory used by the kernel to cache data structures for its ow... 82.9 MiB 84.6 MiB 85.5 MiB
Cache - Parked file data (file content) cache 371 MiB 463 MiB 509 MiB
Network Traffic
150 kb/s
125 kb/s
100 kb/s
75 kb/s
50 kb/s
25 kb/s
0 b/s
-25 kb/s
out (-) / in (+)
18:00 20:00 22:00 00:00 02:00 04:00 06:00 08:00 10:00 12:00 14:00 16:00
Name Min Mean Max
docker0 - Rx in 0 b/s 0 b/s 0 b/s
ens5 - Rx in 199 b/s 24.3 kb/s 144 kb/s
lo - Rx in 0 b/s 28.0 b/s 139 b/s
docker0 - Tx out 0 b/s 0 b/s 0 b/s
ens5 - Tx out 2.90 kb/s 6.12 kb/s 7.23 kb/s
Network Saturation
10000%
8000%
6000%
4000%
2000%
0%
out (-) / in (+)
18:00 20:00 22:00 00:00 02:00 04:00 06:00 08:00 10:00 12:00 14:00 16:00
Name Min Mean Max
docker0 - Rx in 0% 0% 0%
docker0 - Tx out 0% 0% 0%


Grafana
Dashboards › Node Exporter Full
Search...
Bookmarks
Starred
Dashboards
Explore
Drilldown
Alerting
Connections
Add new connection
Data sources
Administration
Datasource prometheus
Job node-exporter
Nodename ip-172-31-46-244
Instance 13.51.198.50:9100
GitHub
Grafana
Last 15 minutes
Refresh 1m
Edit
Quick CPU / Mem / Disk
Pressure
CPU 0.1%
Mem 0.0%
I/O 0.0%
CPU Busy
0.3%
Sys Load
0.0%
RAM Used
42.3%
SWAP U...
N/A
Root FS ...
40.3%
CP...
2
RA...
909 MiB
SW...
0 B
Roo...
7 GiB
Uptime
36.4 mins
Basic CPU / Mem / Net / Disk
CPU Basic
100%
80%
60%
40%
20%
0%
17:30 17:35 17:40
Busy System Busy User Busy Iowait Busy IRQs Busy Other Idle
Memory Basic
896 MiB
768 MiB
640 MiB
512 MiB
384 MiB
256 MiB
128 MiB
0 B
17:30 17:35 17:40
Total Used Cache + Buffer Free Swap used
Network Traffic Basic
400 kb/s
350 kb/s
300 kb/s
250 kb/s
200 kb/s
150 kb/s
100 kb/s
50 kb/s
0 b/s
-50 kb/s
17:30 17:35 17:40
Rx docker0 Rx ens5 Rx lo Tx docker0 Tx ens5 Tx lo
Disk Space Used Basic
100%
80%
60%
40%
20%
0%
17:30 17:35 17:40
/boot /boot/efi / /run /run/user/1000 /tmp
CPU / Memory / Net / Disk
CPU
100%
Memory


Grafana
Dashboards › Node Exporter Full
Search...
Bookmarks
Starred
Dashboards
Explore
Drilldown
Alerting
Connections
Add new connection
Data sources
Administration
Datasource prometheus
Job node-exporter
Nodename ip-172-31-46-244
Instance 13.51.198.50:9100
GitHub
Grafana
Last 15 minutes
Refresh 1m
Edit
Network Traffic
400 kb/s
300 kb/s
200 kb/s
100 kb/s
0 b/s
out (-) / in (+)
17:30
17:35
17:40
Name Min Mean Max
docker0 - Rx in 0 b/s 0 b/s 0 b/s
ens5 - Rx in 298 b/s 21.6 kb/s 373 kb/s
lo - Rx in 0 b/s 24.8 b/s 361 b/s
docker0 - Tx out 0 b/s 0 b/s 0 b/s
ens5 - Tx out 3.21 kb/s 6.76 kb/s 8.55 kb/s
Network Saturation
10000%
8000%
6000%
4000%
2000%
0%
out (-) / in (+)
17:30
17:35
17:40
Name Min Mean Max
docker0 - Rx in 0% 0% 0%
docker0 - Tx out 0% 0% 0%
Disk IOps
5 io/s
0 io/s
-5 io/s
-10 io/s
-15 io/s
read (-) / write (+)
17:30
17:35
17:40
Name Min Mean Max
nvme0n1 - Read 0 io/s 0.886 io/s 14.3 io/s
Disk Throughput
800 kB/s
600 kB/s
400 kB/s
200 kB/s
0 B/s
-200 kB/s
-400 kB/s
-600 kB/s
read (-) / write (+)
17:30
17:35
17:40
Name Min Mean Max
nvme0n1 - Read 0 B/s 28.0 kB/s 458 kB/s