



Execute 10 Linux Commands








Create EC2 instance with redhat linux OS and install jenkins



Learning & Assessm...
learning.ccbp.login...
(4) Susmitha Gundal...
Strivers A2Z DSA Co...
Data Structure Visu...
GundalaSusmitha -...
All Bookmarks
Search
[Alt+S]
United States (Ohio)
susmitha
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Instances (1) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
Public IPv4 ...
Elastic IP
IPv6 IPs
Jenkins
i-02c9df7f3984d8c62
Running
t3.small
3/3 checks passed
us-east-2b
ec2-18-218-235-129.us...
18.218.235.129
All instances
Instance alarm states
In alarm
None
View in CloudWatch
Service health
EC2 service status
Operating normally
View Service Health Dashboard
Health events affecting EC2 instances
Open events
None
Upcoming events
None
View AWS Health Dashboard
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



root@ip-172-31-29-147:~
login as: ec2-user
Authenticating with public key "prometheus-key"
Register this system with Red Hat Lightspeed: rhc connect
Example:
rhc connect --activation-key <key> --organization <org>
The rhc client and Red Hat Lightspeed will enable analytics and additional
management capabilities on your system.
View your connected systems at https://console.redhat.com/insights
You can learn more about how to register your system
using rhc at https://red.ht/registration
[ec2-user@ip-172-31-29-147 ~]$ sudo su -
[root@ip-172-31-29-147 ~]# apt update
-bash: apt: command not found
[root@ip-172-31-29-147 ~]# dnf update
Updating Subscription Management repositories.
Unable to read consumer identity
This system is not registered with an entitlement server. You can use "rhc" or '
subscription-manager" to register.
Red Hat Enterprise Linux 10 for x86_64 - AppStr 49 MB/s | 6.8 MB 00:00



Complete!
[root@ip-172-31-29-147 ~]# java -version
openjdk version "21.0.12.1" 2026-08-18 LTS
OpenJDK Runtime Environment (Red_Hat-21.0.12.1.1-1) (build 21.0.12.1+1-LTS)
OpenJDK 64-Bit Server VM (Red_Hat-21.0.12.1.1-1) (build 21.0.12.1+1-LTS, mixed m
ode, sharing)
[root@ip-172-31-29-147 ~]#



Not secure
18.218.235.129:8080/login?from=%2F
Getting Started
Unlock Jenkins
To ensure Jenkins is securely set up by the administrator, a password has been written to the log (not sure where to find it?) and this file on the server:
/var/lib/jenkins/secrets/initialAdminPassword
Please copy the password from either location and paste it below.
Administrator password
Continue


Not secure
18.218.235.129:8080
Getting Started
Customize Jenkins
Plugins extend Jenkins with additional features to support many different needs.
Install suggested plugins
Install plugins the Jenkins community finds most useful.
Select plugins to install
Select and install plugins most suitable for your needs.
Jenkins 2.580.1
18.218.235.129:8080/#



Not secure
18.218.235.129:8080
Getting Started
Create First Admin User
Username
admin
Password
Confirm password
Full name
admin
Email
susmithagundala1111@gmail.com
Jenkins 2.580.1
Skip and continue as admin
Save and Continue



Not secure
18.218.235.129:8080
Getting Started
Instance Configuration
Jenkins URL:
http://18.218.235.129:8080/
The Jenkins URL is used to provide the root URL for absolute links to various Jenkins resources. That means this value is required for proper operation of many Jenkins features including email notifications, PR status updates, and the BUILD_URL environment variable provided to build steps.
The proposed default value shown is not saved yet and is generated from the current request, if possible. The best practice is to set this value to the URL that users are expected to use. This will avoid confusion when sharing or viewing links.
Jenkins 2.580.1
Not now
Save and Finish



Not secure
18.218.235.129:8080
Getting Started
Jenkins is ready!
Your Jenkins setup is complete.
Start using Jenkins
Jenkins 2.580.1





Jenkins jobs creation ordering and scheduling






Jenkins / build-job / Configure
Configure
General
Source Code Management
Triggers
Environment
Build Steps
Post-build Actions
Environment
Delete workspace before build starts
Use secret text(s) or file(s)
Filter
Execute Windows batch command
Execute shell
Invoke Ant
Invoke Gradle script
Invoke top-level Maven targets
Run with timeout
Set build status to "pending" on GitHub commit
Add build step
Post-build Actions
Save
Apply



Not secure 18.218.235.129:8080
Jenkins
New Item
Build History
Build Queue
No builds in the queue.
Build Executor Status 0/2
Add description
All
S W Name Last Success Last Failure Last Duration
build-job 1 min 35 sec #2 N/A 32 ms
Icon: S M L



Not secure 18.218.235.129:8080/view/all/newJob
Jenkins / All / New Item
New Item
Enter an item name
test-job
Select an item type
Pipeline
Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.
Freestyle project
Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.
Multi-configuration project
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.
OK



Not secure 18.218.235.129:8080/job/test-job/configure
Jenkins / test-job / Configure
Configure
General
Source Code Management
Triggers
Environment
Build Steps
Post-build Actions
Build Steps
Automate your build process with ordered tasks like code compilation, testing, and deployment.
Execute shell
Command
See the list of available environment variables
date
Advanced
Save
Apply



Not secure 18.218.235.129:8080
Jenkins
New Item
Build History
Build Queue
No builds in the queue.
Build Executor Status 0/2
Add description
All
S W Name ↓ Last Success Last Failure Last Duration
build-job 7 min 51 sec #2 N/A 32 ms
test-job 16 sec #1 N/A 18 ms
Icon: S M L
REST API Jenkins 2.580.1



Not secure
18.218.235.129:8080/view/all/newJob
Learning & Assessm...
learning.ccbp.login...
(4) Susmitha Gundal...
Strivers A2Z DSA Co...
Data Structure Visu...
GundalaSusmitha -...
All Bookmarks
Jenkins
All
New Item
New Item
Enter an item name
deploy-job
Select an item type
Pipeline
Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.
Freestyle project
Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.
Multi-configuration project
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.
OK



Not secure
18.218.235.129:8080/job/deploy-job/configure
Learning & Assessm...
learning.ccbp.login...
(4) Susmitha Gundal...
Strivers A2Z DSA Co...
Data Structure Visu...
GundalaSusmitha -...
All Bookmarks
Jenkins
deploy-job
Configure
Configure
General
Source Code Management
Triggers
Environment
Build Steps
Post-build Actions
Build Steps
Automate your build process with ordered tasks like code compilation, testing, and deployment.
Execute shell
Command
See the list of available environment variables
uptime
Advanced
Save
Apply



Not secure 18.218.235.129:8080
Jenkins
New Item
Build History
Build Queue
No builds in the queue.
Build Executor Status 0/2
Add description
All
S W Name ↓ Last Success Last Failure Last Duration
build-job 11 min #2 N/A 32 ms
deploy-job 7.9 sec #1 N/A 27 ms
test-job 4 min 19 sec #1 N/A 18 ms
Icon: S M L
REST API Jenkins 2.580.1



Not secure 18.218.235.129:8080/job/build-job/configure
Jenkins / build-job / Configure
Configure
General
Source Code Management
Triggers
Environment
Build Steps
Post-build Actions
Post-build Actions
Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.
Build other projects
Projects to build
test-job,
Trigger only if build is stable
Trigger even if the build is unstable
Trigger even if the build fails
Add post-build action
Save
Apply


Not secure
18.218.235.129:8080/job/build-job/
Jenkins / build-job
Status
Changes
Workspace
Build Now
Delete Project
Configure
Rename
build-job
Add description
Downstream Projects
test-job
Permalinks
Last build (#2), 15 min ago
Last stable build (#2), 15 min ago
Last successful build (#2), 15 min ago
Last completed build (#2), 15 min ago
Builds
Filter
Today
#2 9:32 am
#1 9:32 am



Not secure
18.218.235.129:8080/job/test-job/configure
Jenkins / test-job / Configure
Configure
General
Source Code Management
Triggers
Environment
Build Steps
Post-build Actions
Add build step
Post-build Actions
Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.
Build other projects
Projects to build
deploy-job,
Trigger only if build is stable
Trigger even if the build is unstable
Trigger even if the build fails
Save
Apply



Not secure
18.218.235.129:8080/job/test-job/
Jenkins / test-job
Status
Changes
Workspace
Build Now
Delete Project
Configure
Rename
Builds
Filter
Today
#1 9:39 am
test-job
Add description
Upstream Projects
build-job
Downstream Projects
deploy-job
Permalinks
Last build (#1), 8 min 25 sec ago
Last stable build (#1), 8 min 25 sec ago
Last successful build (#1), 8 min 25 sec ago
Last completed build (#1), 8 min 25 sec ago
REST API
Jenkins 2.580.1



Not secure
18.218.235.129:8080/job/build-job/configure
Jenkins / build-job / Configure
Configure
General
Source Code Management
Triggers
Environment
Build Steps
Post-build Actions
Triggers
Set up automated actions that start your build based on specific events, like code changes or scheduled times.
Trigger builds remotely (e.g., from scripts)
Build after other projects are built
Build periodically
Schedule
* * * * *
Do you really mean "every minute" when you say "* * * * *"? Perhaps you meant "H * * * *" to poll once per hour
Would last have run at Wednesday, October 21, 2026, 9:51:00 AM Coordinated Universal Time; would next run at Wednesday, October 21, 2026, 9:52:00 AM Coordinated Universal Time.
GitHub hook trigger for GITScm polling
Poll SCM
Save
Apply





Jenkins and git integration






ec2-user@ip-172-31-29-147:~/dev
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint: git branch -m <name>
hint:
hint: Disable this message with "git config set advice.defaultBranchName false"
Initialized empty Git repository in /home/ec2-user/dev/.git/
[ec2-user@ip-172-31-29-147 dev]$ git status
On branch master
No commits yet
Untracked files:
(use "git add <file>..." to include in what will be committed)
sample.html
nothing added to commit but untracked files present (use "git add" to track)
[ec2-user@ip-172-31-29-147 dev]$ git add sample.html
[ec2-user@ip-172-31-29-147 dev]$ git commit -m "commiting the html file"
[master (root-commit) 09247a8] commiting the html file
Committer: Cloud User <ec2-user@ip-172-31-29-147.us-east-2.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
git config --global --edit
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author
1 file changed, 1 insertion(+)
create mode 100644 sample.html
[ec2-user@ip-172-31-29-147 dev]$ git config --global user.name "susmithagundala"
[ec2-user@ip-172-31-29-147 dev]$ git config --global user.email "susmithagundala
1111@gmail.com"
[ec2-user@ip-172-31-29-147 dev]$ git config -l
user.name=susmithagundala
user.email=susmithagundala1111@gmail.com
core.repositoryformatversion=0
core.filemode=true
core.bare=false
core.logallrefupdates=true
[ec2-user@ip-172-31-29-147 dev]$



ec2-user@ip-172-31-29-147:~/dev
1 file changed, 1 insertion(+)
create mode 100644 sample.html
[ec2-user@ip-172-31-29-147 dev]$ git config --global user.name "susmithagundala"
[ec2-user@ip-172-31-29-147 dev]$ git config --global user.email "susmithagundala
1111@gmail.com"
[ec2-user@ip-172-31-29-147 dev]$ git config -l
user.name=susmithagundala
user.email=susmithagundala1111@gmail.com
core.repositoryformatversion=0
core.filemode=true
core.bare=false
core.logallrefupdates=true
[ec2-user@ip-172-31-29-147 dev]$ git remote add origin https://github.com/susmit
hagundala/jenkins-repo.git
[ec2-user@ip-172-31-29-147 dev]$ git push origin master
Username for 'https://github.com': susmithagundala
Password for 'https://susmithagundala@github.com':
remote: Invalid username or token. Password authentication is not supported for
Git operations.
fatal: Authentication failed for 'https://github.com/susmithagundala/jenkins-rep
o.git/'
[ec2-user@ip-172-31-29-147 dev]$ git push origin master
Username for 'https://github.com': susmithagundala
Password for 'https://susmithagundala@github.com':
remote: Permission to susmithagundala/jenkins-repo.git denied to susmithagundala
.
fatal: unable to access 'https://github.com/susmithagundala/jenkins-repo.git/':
The requested URL returned error: 403
[ec2-user@ip-172-31-29-147 dev]$ ^C
[ec2-user@ip-172-31-29-147 dev]$ git push origin master
Username for 'https://github.com': susmithagundala
Password for 'https://susmithagundala@github.com':
remote: Invalid username or token. Password authentication is not supported for
Git operations.
fatal: Authentication failed for 'https://github.com/susmithagundala/jenkins-rep
o.git/'
[ec2-user@ip-172-31-29-147 dev]$ git push origin master
Username for 'https://github.com': susmithagundala
Password for 'https://susmithagundala@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 263 bytes | 263.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/susmithagundala/jenkins-repo.git
* [new branch] master -> master
[ec2-user@ip-172-31-29-147 dev]$



Not secure
18.218.235.129:8080/job/build-job/configure
Learning & Assessm...
learning.ccbp.login...
(4) Susmitha Gundal...
Strivers A2Z DSA Co...
Data Structure Visu...
GundalaSusmitha -...
All Bookmarks
Jenkins
build-job
Configure
Configure
General
Source Code Management
Triggers
Environment
Build Steps
Post-build Actions
Source Code Management
Connect and manage your code repository to automatically pull the latest code for your builds.
None
Git
Repositories
Repository URL
https://github.com/susmithagundala/jenkins-repo.git
Credentials
- none -
Add
Advanced
Add Repository
Branches to build
Save
Apply


Not secure
18.218.235.129:8080/job/build-job/configure
Learning & Assessm...
learning.ccbp.login...
(4) Susmitha Gundal...
Strivers A2Z DSA Co...
Data Structure Visu...
GundalaSusmitha -...
All Bookmarks
Jenkins
build-job
Configure
Configure
General
Source Code Management
Triggers
Environment
Build Steps
Post-build Actions
Triggers
Set up automated actions that start your build based on specific events, like code changes or scheduled times.
Trigger builds remotely (e.g., from scripts)
Build after other projects are built
Build periodically
GitHub hook trigger for GITScm polling
Poll SCM
Environment
Configure settings and variables that define the context in which your build runs, like credentials, paths, and global parameters.
Delete workspace before build starts
Use secret text(s) or file(s)
Add timestamps to the Console Output
Inspect build log for published build scans
Terminate a build if it's stuck
With Ant
Save
Apply



github.com/susmithagundala/jenkins-repo/settings/hooks/new
susmithagundala / jenkins-repo
Code Issues Pull requests Agents Actions Projects Wiki Security and quality Insights Settings
General
Access
Collaborators
Moderation
Code, planning, and automation
Rulesets
Branches
Tags
Actions
Webhooks
Copilot
Planning
Environments
Codespaces
Pages
Security and quality
Advanced Security
Deploy keys
Secrets and variables
Integrations
GitHub Apps
Webhooks / Add webhook
We'll send a POST request to the URL below with details of any subscribed events. You can also specify which data format you'd like to receive (JSON, x-www-form-urlencoded, etc). More information can be found in our developer documentation.
Payload URL *
http://18.218.235.129:8080/github-webhook/
Content type *
application/json
Secret
SSL verification
By default, we verify SSL certificates when delivering payloads.
Enable SSL verification
Disable (not recommended)
Which events would you like to trigger this webhook?
Just the push event.
Send me everything.
Let me select individual events.
Active
We will deliver event details when this hook is triggered.
Add webhook



github.com/susmithagundala/jenkins-repo/settings/hooks
susmithagundala / jenkins-repo
Code Issues Pull requests Agents Actions Projects Wiki Security and quality Insights Settings
Okay, that hook was successfully created. We sent a ping payload to test it out! Read more about it at https://docs.github.com/webhooks/#ping-event.
General
Access
Collaborators
Moderation
Code, planning, and automation
Rulesets
Branches
Tags
Actions
Webhooks
Copilot
Planning
Environments
Codespaces
Pages
Security and quality
Advanced Security
Deploy keys
Secrets and variables
Integrations
Webhooks
Add webhook
Webhooks allow external services to be notified when certain events happen. When the specified events happen, we'll send a POST request to each of the URLs you provide. Learn more in our Webhooks Guide.
http://18.218.235.129:8080/github-... (push)
This hook has never been triggered.
Edit
Delete








Create pipeline and multi-branch pipeline in jenkins integrated with github


Not secure
18.218.235.129:8080/job/multibranch-pipeline/configure
Jenkins
multibranch-pipeline
Configuration
Configuration
General
Branch Sources
Build Configuration
Scan Multibranch Pipeline Triggers
Orphaned Item Strategy
Appearance
Health metrics
Properties
Plain text Preview
Branch Sources
Git
Project Repository
https://github.com/susmithagundala/sample-maven-project.git
Credentials
- none -
Add
Behaviours
Discover branches
Add
Property strategy
Save
Apply


Not secure
18.218.235.129:8080/job/multibranch-jenkins-pipeline/configure
Jenkins
multibranch-jenkins-pipeli...
Configuration
Configuration
General
Branch Sources
Build Configuration
Scan Multibranch Pipeline Triggers
Orphaned Item Strategy
Appearance
Health metrics
Properties
Scan Multibranch Pipeline Triggers
Periodically if not otherwise run
Interval
1 minute
Orphaned Item Strategy
Jobs for removed SCM heads (i.e. deleted branches) can be removed immediately or kept based on a desired retention strategy. By default, jobs will be removed as soon as Jenkins determines their associated SCM head no longer exists. As an example, it may be useful to configure a different retention strategy to be able to examine build results of a branch after it has been removed.
Abort builds
Discard old items
Days to keep old items
if not empty, old items are only kept up to this number of days
Max # of old items to keep
if not empty, only up to this number of old items are kept
Save
Apply


Not secure
18.218.235.129:8080/job/multibranch-jenkins-pipeline/
Jenkins
multibranch-jenkins-pipeli...
Status
Configure
Scan Multibranch Pipeline Now
Scan Multibranch Pipeline Log
Multibranch Pipeline Events
Delete Multibranch Pipeline
Build History
Rename
Pipeline Syntax
Credentials
Build Queue (2)
Build Executor Status
(0 of 2 executors busy)
multibranch-jenkins-pipeline
Branches (2)
S
W
Name ↓
Last Success
Last Failure
Last Duration
main
N/A
N/A
N/A
susmitha
N/A
N/A
N/A
Icon: S M L
REST API
Jenkins 2.580.1


Not secure
18.218.235.129:8080/job/multibranch-jenkins-pipeline/job/main/
Jenkins
multibranch-jenkins-pipeli...
main
Status
Changes
Build Now
View Configuration
Full Stage View
Stages
Pipeline Syntax
Builds
Filter
Today
#1 12:51 pm
main
Full project name: multibranch-jenkins-pipeline/main
Stage View
Declarative: Checkout SCM
Checkout Code
Build
Test
Deploy
Average stage times:
(full run time: ~19s)
513ms
422ms
8s
7s
337ms
Oct 21
18:21
No Changes
Permalinks
Last build (#1), 4 min 15 sec ago
Last stable build (#1), 4 min 15 sec ago
Last successful build (#1), 4 min 15 sec ago
Last completed build (#1), 4 min 15 sec ago
REST API
Jenkins 2.580.1


Not secure
18.218.235.129:8080/job/multibranch-jenkins-pipeline/job/susmitha/
Jenkins
multibranch-jenkins-pipeli...
susmitha
Status
Changes
Build Now
View Configuration
Full Stage View
Stages
Pipeline Syntax
Builds
Filter
Today
#1 12:51 pm
susmitha
Full project name: multibranch-jenkins-pipeline/susmitha
Stage View
Declarative: Checkout SCM
Checkout Code
Build
Test
Deploy
Average stage times:
(full run time: ~19s)
510ms
436ms
8s
7s
348ms
#1
Oct 21
18:21
No Changes
Permalinks
Last build (#1), 4 min 31 sec ago
Last stable build (#1), 4 min 31 sec ago
Last successful build (#1), 4 min 31 sec ago
Last completed build (#1), 4 min 31 sec ago
REST API
Jenkins 2.580.1