

Execute 10 Linux Commands






Production Readiness Validation


SNo	Validation item	Expected result	Status	Notes / evidence
1	EC2 instance	Instance is running in the intended	N/A	No EC2 instance was used; the lab was


		region/type.		performed locally in WSL.
2	Nginx service	Nginx is running and configured correctly.	Passed	Docker container `host-nginx` is running Nginx 1.31.8.
3	SSH access	SSH access is active and restricted to approved users and IPs.	N/A	SSH access to an EC2 server was not used or tested.
4	CPU & memory	CPU and memory usage are within acceptable limits.	Passed	WSL reported 2.8 GiB available memory; Nginx used approximately 13.64 MiB and 0% CPU during measurement.
5	Browser validation	Website loads successfully over the intended protocol.	Passed	`curl -I http://localhost` returned `HTTP/1.1 200 OK`.
6	Application logs	Service logs are available and show no observed critical errors.	Passed	Nginx startup and access logs were reviewed; successful HTTP requests were recorded.
7	HTTPS / TLS	HTTPS uses a valid certificate, and HTTP redirects to HTTPS when required.	Not verified	Nginx currently listens on HTTP port 80. HTTPS and TLS certificates were not configured or tested.
8	Web root permissions	Nginx can read website files, and files are not unnecessarily writable.	Passed	`/usr/share/nginx/html` contains `index.html` and `50x.html`; files are readable and not world-writable.
9	Security group & firewall	Only required ports are reachable; access is appropriately restricted.	Not verified	AWS security groups do not apply to this local lab. Host firewall rules and network exposure were not audited.
10	Reboot persistence	Nginx starts automatically after a restart and the website remains available.	Partially passed	Docker restart policy is `unless-stopped`; container restart recovery succeeded. Full computer/WSL reboot recovery was not tested.
11	Monitoring & logs	Logs are available and service health can be monitored.	Partially passed	Docker logs, resource usage and health status were checked manually. Centralized monitoring and alerting were not configured.
12	IAM permissions	AWS IAM roles and user permissions	N/A	No AWS IAM roles or policies were used in this lab.

		follow least privilege.		
13	Health checks	A service health check is configured and passing.	Passed	Docker health check is configured; container status is `running`, health is `healthy`, and HTTP returns `200 OK`
14	OS packages and application dependencies are patched to supported versions.	OS packages and application dependencies are patched to supported versions.	Not verified	Security updates and dependency advisories were not checked.
15	Recovery test	A documented restore/recovery procedure has been tested successfully.	Partially passed	Nginx container restart recovery was successful. Backup restoration and disaster recovery were not tested.

Secure SSH Access Using Docker




Windows PowerShell
Live Restore Enabled: false
Firewall Backend: iptables
PS C:\Users\susmi> ssh -V
OpenSSH_for_Windows_9.5p2, LibreSSL 3.8.2
PS C:\Users\susmi> ssh-keygen -t ed25519 -f "$HOME\.ssh\dev-linux-key"
Generating public/private ed25519 key pair.
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in C:\Users\susmi\.ssh\dev-linux-key
Your public key has been saved in C:\Users\susmi\.ssh\dev-linux-key.pub
The key fingerprint is:
SHA256:sD5KSmH7sc2gZjRwGuSSnVBYEy6t1NujTsQvnh7uNsA gundala susmitha@Susmitha
The key's randomart image is:
+--[ED25519 256]--+
PS C:\Users\susmi> New-Item -ItemType Directory -Force "$HOME\secure-linux-access"
Directory: C:\Users\susmi
Mode LastWriteTime Length Name
d----- 24-10-2026 21:34 secure-linux-access
PS C:\Users\susmi> Set-Location "$HOME\secure-linux-access"
PS C:\Users\susmi\secure-linux-access> notepad Dockerfile
PS C:\Users\susmi\secure-linux-access> docker build -t secure-linux-access .
[+] Building 0.1s (1/1) FINISHED docker:desktop-linux
=> [internal] load build definition from Dockerfile 0.0s
=> => transferring dockerfile: 28 0.0s
ERROR: failed to build: failed to solve: failed to read dockerfile: open Dockerfile: no such file or directory
What's next:
Debug this build failure with Gordon → docker ai "help me fix this build failure"
PS C:\Users\susmi\secure-linux-access> docker run -d --name secure-linux -p 127.0.0.1:2222:22 secure-linux-access
Unable to find image 'secure-linux-access:latest' locally
docker: Error response from daemon: pull access denied for secure-linux-access, repository does not exist or may require 'docker login'
Run 'docker run --help' for more information
What's next:
Debug this container error with Gordon → docker ai "help me fix this container error"
PS C:\Users\susmi\secure-linux-access> Get-ChildItem -Force
Directory: C:\Users\susmi\secure-linux-access
Mode LastWriteTime Length Name
-a---- 24-10-2026 21:35 558 Dockerfile.txt
PS C:\Users\susmi\secure-linux-access> Rename-Item .\Dockerfile.txt Dockerfile
PS C:\Users\susmi\secure-linux-access> Get-ChildItem -Force
Directory: C:\Users\susmi\secure-linux-access


Windows PowerShell
Directory: C:\Users\susmi\secure-linux-access
Mode LastWriteTime Length Name
-a---- 24-10-2026 21:35 558 Dockerfile
PS C:\Users\susmi\secure-linux-access> docker build -t secure-linux-access .
[+] Building 66.0s (4/6) docker:desktop-linux
[+] Building 67.1s (4/6)
[+] Building 69.2s (4/6)
[+] Building 88.6s (6/7) [+] Building 91.2s (6/7) [+] Building 91.9s (7/7) FINISHED
docker:desktop-linux
=> [internal] load build definition from Dockerfile 0.0s
=> => transferring dockerfile: 597B 0.0s
=> [internal] load metadata for docker.io/library/ubuntu:24.04 3.9s
=> [internal] load .dockerignore 0.0s
=> => transferring context: 2B 0.0s
=> [1/3] FROM docker.io/library/ubuntu:24.04@sha256:66ee2280 3.2s
=> => resolve docker.io/library/ubuntu:24.04@sha256:66ee2280 0.0s
=> => sha256:f2b4ef06ff01a67d4bed7657a4ae379a7d07934b7c3e743 3.2s
=> [2/3] RUN apt-get update && apt-get install -y openssh-server && rm -rf /var/lib/apt/lists/* && mkdir -p /run/sshd /home/developer/.ssh && useradd -m -s /bin/bash developer && chown -R developer:developer /home/developer/.ssh && ch 75.4s
=> [3/3] RUN printf '%s\n' 'PubkeyAuthentication yes' 'PasswordAuthentication no' 'PermitRootLogin no' >> /etc/ssh/sshd_config 0.5s
=> exporting to image 7.5s
=> => exporting layers 7.5s
=> => exporting manifest sha256:11f4ae94ab062290e31eaddd0d518b0f4ed85933ae761c139db516c66910361c6 0.0s
=> => exporting config sha256:23c8db818a2ce60ff50fbb61cdc553bac09eccfa8320080437a889fb9e376978 0.0s
=> => exporting attestation manifest sha256:5e956337956ed97bddd61b70007dc60f350f1d1882a0fe1810212f49a6cd945cd 0.0s
=> => exporting manifest list sha256:d2f68d2a2e3f88d3490daa6021a8caf48c4c4e66f60d0449478b2e4eb35f1d24c4 0.0s
=> => naming to docker.io/library/secure-linux-access:latest 0.0s
=> => unpacking to docker.io/library/secure-linux-access:latest 2.0s

```
PS C:\Users\susmi\secure-linux-access> docker ps
CONTAINER ID   IMAGE                    COMMAND               CREATED         STATUS         PORTS                    NAMES
9f7aee4486f5   secure-linux-access   "/usr/sbin/sshd -D -e"   6 minutes ago   Up 6 minutes   127.0.0.1:2222->22/tcp   secure-linux
PS C:\Users\susmi\secure-linux-access> docker images secure-linux-access

IMAGE                          ID             DISK USAGE   CONTENT SIZE   EXTRA
secure-linux-access:latest   d2f868d2a297       320MB         80MB    U
PS C:\Users\susmi\secure-linux-access> ssh -i "$HOME\.ssh\dev-linux-key" -p 2222 developer@127.0.0.1
Enter passphrase for key 'C:\Users\susmi\.ssh\dev-linux-key':
Welcome to Ubuntu 24.04.5 LTS (GNU/Linux 6.18.54.1-microsoft-standard-WSL2 x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

This system has been minimized by removing packages and content that are
not required on a system that users do not log into.

To restore this content, you can run the 'unminimize' command.

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.


The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

Last login: Sat Oct 24 16:17:21 2026 from 172.17.0.1
developer@9f7aee4486f5:~$ whoami
hostname
cat /etc/os-release
developer
9f7aee4486f5
PRETTY_NAME="Ubuntu 24.04.5 LTS"
NAME="Ubuntu"
VERSION_ID="24.04"
VERSION="24.04.5 LTS (Noble Numbat)"
VERSION_CODENAME=noble
ID=ubuntu
ID_LIKE=debian
HOME_URL="https://www.ubuntu.com/"
SUPPORT_URL="https://help.ubuntu.com/"
BUG_REPORT_URL="https://bugs.launchpad.net/ubuntu/"
PRIVACY_POLICY_URL="https://www.ubuntu.com/legal/terms-and-policies/privacy-policy"
UBUNTU_CODENAME=noble
LOGO=ubuntu-logo
developer@9f7aee4486f5:~$
```

Docker Volumes and Persistent Storage

```
susmithagundala@Susmitha:

 https://docs.docker.com/get-started/

susmithagundala@Susmitha:/mnt/c/Users/susmi$ mkdir -p ~/docker-storage-lab/host-data
cd ~/docker-storage-lab

docker volume create task-volume
docker volume ls
docker volume inspect task-volume
task-volume
DRIVER    VOLUME NAME
local     1d997c499b62088a3d1659f9b85a10793f836787ef820aad1dcf84c9849bf4b0
local     2782f15ab334d02dc672070e59537cf954c4a9b01b3723530cb4b54285e701e6
local     b6d78a1e391a61f127cb92c583921e1880dc6eb6b1526d91267842ea11252c65
local     e3df6492b1caffcadccdeebcc2dc38b6a9ca6b273f3d77a3604e56af9ef2f218
local     task-volume
[
    {
        "CreatedAt": "2026-10-24T16:31:05Z",
        "Driver": "local",
        "Labels": null,
        "Mountpoint": "/var/lib/docker/volumes/task-volume/_data",
        "Name": "task-volume",
        "Options": null,
        "Scope": "local"
    }
]
susmithagundala@Susmitha:~/docker-storage-lab$ docker run --rm \
  --mount type=volume,source=task-volume,target=/data \
  alpine sh -c 'echo "Hello from Container A" > /data/message.txt && cat /data/message.txt'
Unable to find image 'alpine:latest' locally
latest: Pulling from library/alpine
7b229517ed22: Pull complete
3da1513d2124: Download complete
3ec36f3670df: Download complete
Digest: sha256:be2656061b536c1883c4034790e21d0a09c5aaaf51968b89368a3c0371ea2c9a
Status: Downloaded newer image for alpine:latest
Hello from Container A
susmithagundala@Susmitha:~/docker-storage-lab$ docker run --rm \
```

```
PS C:\Users\susmi\secure-linux-access> docker ps
CONTAINER ID   IMAGE                  COMMAND                  CREATED         STATUS         PORTS                    NAMES
9f7aee4486f5   secure-linux-access    "/usr/sbin/sshd -D -e"   6 minutes ago   Up 6 minutes   127.0.0.1:2222->22/tcp   secure-linux
PS C:\Users\susmi\secure-linux-access> docker images secure-linux-access

IMAGE                          ID             DISK USAGE   CONTENT SIZE   EXTRA
secure-linux-access:latest     d2f868d2a297       320MB         80MB    U
PS C:\Users\susmi\secure-linux-access> ssh -i "$HOME\.ssh\dev-linux-key" -p 2222 developer@127.0.0.1
Enter passphrase for key 'C:\Users\susmi\.ssh\dev-linux-key':
Welcome to Ubuntu 24.04.5 LTS (GNU/Linux 6.18.54.1-microsoft-standard-WSL2 x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

This system has been minimized by removing packages and content that are
not required on a system that users do not log into.

To restore this content, you can run the 'unminimize' command.

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.



The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.


Last login: Sat Oct 24 16:17:21 2026 from 172.17.0.1
developer@9f7aee4486f5:~$ whoami
hostname
cat /etc/os-release
developer
9f7aee4486f5
PRETTY_NAME="Ubuntu 24.04.5 LTS"
NAME="Ubuntu"
VERSION_ID="24.04"
VERSION="24.04.5 LTS (Noble Numbat)"
VERSION_CODENAME=noble
ID=ubuntu
ID_LIKE=debian
HOME_URL="https://www.ubuntu.com/"
SUPPORT_URL="https://help.ubuntu.com/"
BUG_REPORT_URL="https://bugs.launchpad.net/ubuntu/"
PRIVACY_POLICY_URL="https://www.ubuntu.com/legal/terms-and-policies/privacy-policy"
UBUNTU_CODENAME=noble
LOGO=ubuntu-logo
developer@9f7aee4486f5:~$
```

```
susmithagundala@Susmitha:~/docker-storage-lab$ docker volume ls
docker volume inspect task-volume
cat ~/docker-storage-lab/host-data/shared.txt
DRIVER    VOLUME NAME
local     1d997c499b62088a3d1659f9b85a10793f836787ef820aad1dcf84c9849bf4b0
local     2782f15ab334d02dc672070e59537cf954c4a9b01b3723530cb4b54285e701e6
local     b6d78a1e391a61f127cb92c583921e1880dc6eb6b1526d91267842ea11252c65
local     e3df6492b1caffcadccdeebcc2dc38b6a9ca6b273f3d77a3604e56af9ef2f218
local     task-volume
[
    {
        "CreatedAt": "2026-10-24T16:31:05Z",
        "Driver": "local",
        "Labels": null,
        "Mountpoint": "/var/lib/docker/volumes/task-volume/_data",
        "Name": "task-volume",
        "Options": null,
        "Scope": "local"
    }
]
Shared between Container A and B
susmithagundala@Susmitha:~/docker-storage-lab$
```

Push Docker Image to Docker Hub



hub.docker.com/repository/create?namespace=susmithagundala1105
hub
Explore
My Hub
Search Docker Hub
CtrlK
susmithagundala1105
Your individual account
Repositories
Hardened Images
Collaborations
Settings
Default privacy
Notifications
Billing
Usage
Pulls
Storage
Upgrade subscription
Repositories / Create
Create repository
Repository Name *
private-devops-image
Short description
Private Docker image publishing task
A short description to identify your repository. If the repository is public, this description is used to index your content on Docker Hub and in search engines, and is visible to users in search results.
Visibility
Using 0 of 1 private repositories. Upgrade your plan to add more
Public
Appears in Docker Hub search results
Private
Only visible to you
Pushing images
You can push a new image to this repository using the CLI:
docker tag local-image:tagname new-repo:tagname
docker push new-repo:tagname
Make sure to replace tagname with your desired image repository tag.


susmithagundala@Susmitha:~/private-docker-task$ docker build -t private-devops-image:1.0 .
[+] Building 6.2s (7/7) FINISHED
susmithagundala@Susmitha:~/private-docker-task$ docker images
susmithagundala@Susmitha:~/private-docker-task$ docker run -d --name private-image-test -p 8085:80 private-devops-image:1.0
susmithagundala@Susmitha:~/private-docker-task$ docker ps
susmithagundala@Susmitha:~/private-docker-task$ docker stop private-image-test
susmithagundala@Susmitha:~/private-docker-task$ docker images




Docker Image Published Successfully!

DevOps task: Build, Tag, and Push.




```
susmithagundala@Susmitha:~/private-docker-task$ export DOCKERHUB_USERNAME="susmithagundala1105"
susmithagundala@Susmitha:~/private-docker-task$ docker tag private-devops-image:1.0 "susmithagundala1105/private-devops-image:1.0"
susmithagundala@Susmitha:~/private-docker-task$ docker images
                                                                                  i Info →  U  In Use
IMAGE                                          ID             DISK USAGE   CONTENT SIZE   EXTRA
alpine:latest                                  be2656061b53          13MB          3.94MB
aquasec/trivy:latest                           62b1e65e8869         254MB            62MB   U
bkimminich/juice-shop:latest                   73c53fbf442e         511MB           115MB   U
hello-world:latest                             5e2309035332        25.9kB          9.49kB   U
nginx:latest                                   abe47724e466         242MB          66.3MB   U
private-devops-image:1.0                       b60e1427198b        93.6MB          26.3MB
secure-linux-access:latest                     d2f868d2a297         328MB            80MB   U
sonarqube:community                            4905574ab858        2.54GB          1.09GB   U
susmithagundala1105/private-devops-image:1.0   b60e1427198b        93.6MB          26.3MB
webgoat/webgoat:latest                         d4ac9fc2b0a4         857MB           288MB   U
zaproxy/zap-stable:latest                      781a2bdaea47        3.71GB           1.2GB   U
susmithagundala@Susmitha:~/private-docker-task$ docker login --username susmithagundala1105
```




```
susmithagundala@Susmitha:~/private-docker-task$ docker login --username susmithagundala1105


i Info → A Personal Access Token (PAT) can be used instead.
         To create a PAT, visit https://app.docker.com/settings



Password:
Login Succeeded
susmithagundala@Susmitha:~/private-docker-task$ docker push susmithagundala1105/private-devops-image:1.0
The push refers to repository [docker.io/susmithagundala1105/private-devops-image]
bbc63799ed2f: Pushed
44136fa355b3: Mounted from webgoat/webgoat
12b85cff06fd: Pushed
7b229517ed22: Mounted from library/alpine
657023555a2a: Pushed
7cc330898115: Pushed
26185d08a3ec: Pushed
2ec5fb117ffa: Pushed
9b0f7dfe35b2: Pushed
b9b388a21ecf: Pushed
540c319d449c: Pushed
1.0: digest: sha256:b60e1427198b7e482e9814b5b0b932c084037eded76d7e8290b89650b560b6c5 size: 856
susmithagundala@Susmitha:~/private-docker-task$
```




Docker Networking Modes




susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker exec bridge1 ping -c 3 172.17.0.3
PING 172.17.0.3 (172.17.0.3): 56 data bytes
64 bytes from 172.17.0.3: seq=0 ttl=64 time=1.930 ms
64 bytes from 172.17.0.3: seq=1 ttl=64 time=0.066 ms
64 bytes from 172.17.0.3: seq=2 ttl=64 time=0.126 ms
--- 172.17.0.3 ping statistics ---
3 packets transmitted, 3 packets received, 0% packet loss
round-trip min/avg/max = 0.066/0.707/1.930 ms
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker network create --driver bridge my-custom-network
814816e37305e7fa3fa2e21f6b24d9e69ffb6b17c21f19d656356891f7db3bfe
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker run -dit --name custom1 --network my-custom-network alpine sh
docker run -dit --name custom2 --network my-custom-network alpine sh
d50cbc6dc5f84f7d6531ab5a5ef2d46d25a3c9abb353a805c3133a8478fbc386
261f43e9f91942ded97f9c0b79335a47d0bf6711c85581f00231c0bc77ac3039
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker network ls
docker network inspect my-custom-network
NETWORK ID NAME DRIVER SCOPE
0ce79d6e5acd bridge bridge local
71f5d81b5df9 host host local
814816e37305 my-custom-network bridge local
756cec208255 none null local
[
{
"Name": "my-custom-network",
"Id": "814816e37305e7fa3fa2e21f6b24d9e69ffb6b17c21f19d656356891f7db3bfe",
"Created": "2026-10-24T17:06:06.513133707Z",
"Scope": "local",
"Driver": "bridge",
"EnableIPv4": true,
"EnableIPv6": false,
"IPAM": {
"Driver": "default",
"Options": {},
"Config": [
{
"Subnet": "172.18.0.0/16",
"Gateway": "172.18.0.1"
}
]
},
"Internal": false,
"Attachable": false,
"Ingress": false,
"ConfigFrom": {
"Network": ""
},
"ConfigOnly": false,
"Options": {
"com.docker.network.enable_ipv4": "true",
"com.docker.network.enable_ipv6": "false"
},
"Labels": {},
"Containers": {
"261f43e9f91942ded97f9c0b79335a47d0bf6711c85581f00231c0bc77ac3039": {
"Name": "custom2",
"EndpointID": "d72317666fc233cf85107743608a6507e8e9423d08940e0f66b28d2c078078ab8",
"MacAddress": "b2:3c:a3:7e:2d:67",
"IPv4Address": "172.18.0.3/16",
"IPv6Address": ""
},
"d50cbc6dc5f84f7d6531ab5a5ef2d46d25a3c9abb353a805c3133a8478fbc386": {


susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker exec custom1 ping -c 3 custom2
PING custom2 (172.18.0.3): 56 data bytes
64 bytes from 172.18.0.3: seq=0 ttl=64 time=0.969 ms
64 bytes from 172.18.0.3: seq=1 ttl=64 time=0.090 ms
64 bytes from 172.18.0.3: seq=2 ttl=64 time=0.127 ms
--- custom2 ping statistics ---
3 packets transmitted, 3 packets received, 0% packet loss
round-trip min/avg/max = 0.090/0.395/0.969 ms
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker run --rm --network none alpine ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN qlen 1000
link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
inet 127.0.0.1/8 scope host lo
valid_lft forever preferred_lft forever
inet6 ::1/128 scope host
valid_lft forever preferred_lft forever
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker run -dit --name isolated-container --network none alpine sh
docker inspect isolated-container --format '{{.HostConfig.NetworkMode}}'
docker exec isolated-container ping -c 2 8.8.8.8
8c6c128c69ac2af1c4a08db79c67339034d1dc503f43976078ec8b9dd66437755
none
PING 8.8.8.8 (8.8.8.8): 56 data bytes
ping: sendto: Network unreachable
susmithagundala@Susmitha:/mnt/c/Users/susmi$


susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker inspect host-nginx --format '{{.HostConfig.NetworkMode}}'
docker exec host-nginx nginx -t
curl -I http://localhostdocker inspect host-nginx --format '{{.HostConfig.NetworkMode}}'
docker exec host-nginx nginx -t
curl -I http://localhost
host
nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
nginx: configuration file /etc/nginx/nginx.conf test is successful
curl: option --format: is unknown
curl: try 'curl --help' or 'curl --manual' for more information
nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
nginx: configuration file /etc/nginx/nginx.conf test is successful
HTTP/1.1 200 OK
Server: nginx/1.31.8
Date: Sat, 24 Oct 2026 17:12:06 GMT
Content-Type: text/html
Content-Length: 896
Last-Modified: Wed, 21 Oct 2026 17:54:44 GMT
Connection: keep-alive
ETag: "6ad8fc64-380"
Accept-Ranges: bytes
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker exec custom1 ping -c 3 custom2
Error response from daemon: container d50cbc6dc5f84f7d6531ab5a5ef2d46d25a3c9abb353a805c3133a8478fbc386 is not running
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker inspect isolated-container --format '{{.HostConfig.NetworkMode}}'
none
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker exec isolated-container ping -c 2 8.8.8.8docker start custom1
docker start custom2docker start custom1
docker start custom2
Error response from daemon: container 8c6c128c69ac2af1c4a08db79c67339034d1dc503f43976078ec8b9dd66437755 is not running
Error response from daemon: No such container: custom2docker
Error response from daemon: No such container: start
custom1
failed to start containers: custom2docker, start
custom2
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker ps -a
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES
b691d9d92ee8 nginx:alpine "/docker-entrypoint.…" About a minute ago Up About a minute host-nginx
8c6c128c69ac alpine "sh" 5 minutes ago Exited (137) 2 minutes ago isolated-container
261f43e9f919 alpine "sh" 7 minutes ago Up 13 seconds custom2
d50cbc6dc5f8 alpine "sh" 7 minutes ago Up 14 seconds custom1
7ea18d5e295d alpine "sh" 9 minutes ago Exited (137) 2 minutes ago bridge2
7d27cd4e8a18 alpine "sh" 9 minutes ago Exited (137) 2 minutes ago bridge1
9f7aee4986f5 secure-linux-access "/usr/sbin/sshd -D -e" About an hour ago Exited (0) 43 minutes ago secure-linux
cc0e03dacfdc sonarqube:community "/opt/sonarqube/dock…" 3 weeks ago Exited (255) About an hour ago 0.0.0.0:9000->9000/tcp sonarqube
89c50f2b6d04 aquasec/trivy:latest "trivy" 3 weeks ago Exited (0) 3 weeks ago gracious_panini
ccb0979e1511 zaproxy/zap-stable:latest "bash" 3 weeks ago Exited (0) 3 weeks ago nifty_chatelet
ea1693723bf3 zaproxy/zap-stable:latest "bash" 3 weeks ago Exited (0) 3 weeks ago boring_mcnulty
e0ad90977ccc webgoat/webgoat:latest "java -Duser.home=/h…" 3 weeks ago Exited (143) 3 weeks ago sleepy_gates
c253914f90c1 bkimminich/juice-shop:latest "/nodejs/bin/node /j…" 3 weeks ago Exited (0) 3 weeks ago epic_dhawan
486f92a87602 nginx "/docker-entrypoint.…" 3 weeks ago Exited (255) 3 weeks ago 0.0.0.0:8080->80/tcp my-nginx
e23af765eb00 hello-world "/hello" 3 weeks ago Exited (0) 3 weeks ago blissful_pike
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker start custom1
docker start custom2
custom1
custom2
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker psdocker ps
docker: unknown command: docker psdocker
Run 'docker --help' for more information
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker ps
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES
b691d9d92ee8 nginx:alpine "/docker-entrypoint.…" About a minute ago Up About a minute host-nginx
261f43e9f919 alpine "sh" 7 minutes ago Up 42 seconds custom2
d50cbc6dc5f8 alpine "sh" 7 minutes ago Up 42 seconds custom1
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker exec custom1 ping -c 3 custom2
PING custom2 (172.18.0.3): 56 data bytes
64 bytes from 172.18.0.3: seq=0 ttl=64 time=0.664 ms
64 bytes from 172.18.0.3: seq=1 ttl=64 time=0.125 ms

```
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker inspect isolated-container --format '{{.HostConfig.NetworkMode}}'
none
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker exec isolated-container ip addr
Error response from daemon: container 8c6c128c69ac2af1c4a08db79c67339034d1dc503f43976078ec8b9dd6643755 is not running
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker exec isolated-container ping -c 2 8.8.8.8
Error response from daemon: container 8c6c128c69ac2af1c4a08db79c67339034d1dc503f43976078ec8b9dd6643755 is not running
susmithagundala@Susmitha:/mnt/c/Users/susmi$ docker network ls
docker ps
NETWORK ID     NAME                DRIVER    SCOPE
6d6187926d6c   bridge              bridge    local
71f5d81b5df9   host                host      local
814816e37305   my-custom-network   bridge    local
756cec208255   none                null      local
CONTAINER ID   IMAGE          COMMAND                  CREATED         STATUS              PORTS     NAMES
b691d9d92ee8   nginx:alpine   "/docker-entrypoint.…"   3 minutes ago   Up 2 minutes                  host-nginx
261f43e9f919   alpine         "sh"                     8 minutes ago   Up About a minute             custom2
d50cbc6dc5f8   alpine         "sh"                     8 minutes ago   Up About a minute             custom1
susmithagundala@Susmitha:/mnt/c/Users/susmi$
```