
Execute 10 Linux Commands



```
susmithagundala@Susmitha:

Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\Users\susmi> wsl
Welcome to Ubuntu 22.04.3 LTS (GNU/Linux 6.18.54.1-microsoft-standard-WSL2 x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/advantage


 * Canonical Workshop gives developers fast, composable, reproducible, and
   secure developer environments that are perfect for agentic workflows.


   https://ubuntu.com/workshop

2 updates could not be installed automatically. For more details,
see /var/log/unattended-upgrades/unattended-upgrades.log


This message is shown once a day. To disable it please create the
/home/susmithagundala/.hushlogin file.
susmithagundala@Susmitha:/mnt/c/Users/susmi$ ps aux
USER         PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
root           1  2.4  0.2 166020 11596 ?        Ss   21:53   0:01 /sbin/init
root           2  0.0  0.0   3804  2508 hvc0     Sl+  21:53   0:00 /init
root           3  0.0  0.0   3664  2136 hvc0     S+   21:53   0:00 init-watcher
root           8  0.0  0.0   3804  2276 hvc0     Sl+  21:53   0:00 plan9 --control-socket 7 --log-level 4 --server-fd 8
root          41  0.2  0.3  39492 15296 ?        S<s  21:53   0:00 /lib/systemd/systemd-journald
root          62  0.3  0.1  23028  6484 ?        Ss   21:53   0:00 /lib/systemd/systemd-udevd
root          72  0.0  0.0 153012  1764 ?        Ssl  21:53   0:00 snapfuse /var/lib/snapd/snaps/bare_5.snap /snap/bare/
root          77  1.3  0.2 302540 10024 ?        Ssl  21:53   0:00 snapfuse /var/lib/snapd/snaps/core22_2955.snap /snap/
root          85  0.0  0.0 153012  1572 ?        Ssl  21:53   0:00 snapfuse /var/lib/snapd/snaps/core22_864.snap /snap/c
root          90  0.0  0.0 153144  1684 ?        Ssl  21:53   0:00 snapfuse /var/lib/snapd/snaps/gtk-common-themes_1535.
root          92  0.0  0.0 153012  1556 ?        Ssl  21:53   0:00 snapfuse /var/lib/snapd/snaps/snapd_20290.snap /snap/
root          99  4.9  0.3 601596 12004 ?        Ssl  21:53   0:02 snapfuse /var/lib/snapd/snaps/snapd_28254.snap /snap/
root         105  0.0  0.0 153012  1572 ?        Ssl  21:53   0:00 snapfuse /var/lib/snapd/snaps/ubuntu-desktop-installe
root         109  2.2  0.2 302540  9536 ?        Ssl  21:53   0:01 snapfuse /var/lib/snapd/snaps/ubuntu-desktop-installe
systemd+     132  0.3  0.3  25564 13756 ?        Ss   21:53   0:00 /lib/systemd/systemd-resolved
root         153  0.0  0.0   4316  2868 ?        Ss   21:53   0:00 /usr/sbin/cron -f -P
message+     155  0.0  0.1   8612  4944 ?        Ss   21:53   0:00 @dbus-daemon --system --address=systemd: --nofork --n
root         160  0.3  0.5  30208 19684 ?        Ss   21:53   0:00 /usr/bin/python3 /usr/bin/networkd-dispatcher --run-s
syslog       161  0.0  0.1 222420  6068 ?        Ssl  21:53   0:00 /usr/sbin/rsyslogd -n -iNONE
root         174  1.1  1.1 2150004 45036 ?       Ssl  21:53   0:00 /snap/snapd/current/usr/lib/snapd/snapd
root         178  0.2  0.2  15348  7804 ?        Ss   21:53   0:00 /lib/systemd/systemd-logind
root         233  0.4  0.0   4788  3608 ?        Ss   21:53   0:00 /bin/bash /snap/ubuntu-desktop-installer/1286/bin/sub
root         249  0.2  0.5 107296 22192 ?        Ssl  21:53   0:00 /usr/bin/python3 /usr/share/unattended-upgrades/unatt
root         251  0.0  0.0   3204  2284 tty1     Ss+  21:53   0:00 /sbin/agetty -o -p -- \u --noclear tty1 linux
root         345  0.0  0.0   3820  1416 ?        Ss   21:53   0:00 /init
```


```
root          90  0.0  0.0 153144  1684 ?        Ssl  21:53   0:00 snapfuse /var/lib/snapd/snaps/gtk-common-themes_1535.
root          92  0.0  0.0 153012  1556 ?        Ssl  21:53   0:00 snapfuse /var/lib/snapd/snaps/snapd_20290.snap /snap/
root          99  4.9  0.3 601596 12004 ?        Ssl  21:53   0:02 snapfuse /var/lib/snapd/snaps/snapd_28254.snap /snap/
root         105  0.0  0.0 153012  1572 ?        Ssl  21:53   0:00 snapfuse /var/lib/snapd/snaps/ubuntu-desktop-installe
root         109  2.2  0.2 302540  9536 ?        Ssl  21:53   0:01 snapfuse /var/lib/snapd/snaps/ubuntu-desktop-installe
systemd+     132  0.3  0.3  25564 13756 ?        Ss   21:53   0:00 /lib/systemd/systemd-resolved
root         153  0.0  0.0   4316  2868 ?        Ss   21:53   0:00 /usr/sbin/cron -f -P
message+     155  0.0  0.1   8612  4944 ?        Ss   21:53   0:00 @dbus-daemon --system --address=systemd: --nofork --n
root         160  0.3  0.5  30208 19684 ?        Ss   21:53   0:00 /usr/bin/python3 /usr/bin/networkd-dispatcher --run-s
syslog       161  0.0  0.1 222420  6068 ?        Ssl  21:53   0:00 /usr/sbin/rsyslogd -n -iNONE
root         174  1.1  1.1 2150004 45036 ?       Ssl  21:53   0:00 /snap/snapd/current/usr/lib/snapd/snapd
root         178  0.2  0.2  15348  7804 ?        Ss   21:53   0:00 /lib/systemd/systemd-logind
root         233  0.4  0.0   4788  3608 ?        Ss   21:53   0:00 /bin/bash /snap/ubuntu-desktop-installer/1286/bin/sub
root         249  0.2  0.5 107296 22192 ?        Ssl  21:53   0:00 /usr/bin/python3 /usr/share/unattended-upgrades/unatt
root         251  0.0  0.0   3204  2284 tty1     Ss+  21:53   0:00 /sbin/agetty -o -p -- \u --noclear tty1 linux
root         345  0.0  0.0   3820  1416 ?        Ss   21:53   0:00 /init
root         347  0.0  0.0   3888  1420 ?        S    21:53   0:00 /init
susmith+     352  0.1  0.1   6184  5244 pts/0    Ss   21:53   0:00 -bash
root         361  0.0  0.1   7540  5152 pts/1    Ss   21:53   0:00 /bin/login -f
susmith+     398  0.1  0.2  17064  9856 ?        Ss   21:53   0:00 /lib/systemd/systemd --user
susmith+     399  0.0  0.1 103408  5172 ?        S    21:53   0:00 (sd-pam)
root         406  6.1  1.7 154396 68836 ?        Sl   21:53   0:02 /snap/ubuntu-desktop-installer/1286/usr/bin/python3.1
susmith+     420  0.0  0.1   6132  5220 pts/1    S+   21:53   0:00 -bash
root         486  3.4  0.9  42348 36508 ?        S    21:53   0:01 python3 /snap/ubuntu-desktop-installer/1286/usr/bin/c
susmith+     652  0.0  0.0   7500  3356 pts/0    R+   21:54   0:00 ps aux
susmithagundala@Susmitha:/mnt/c/Users/susmi$ cd ~
susmithagundala@Susmitha:~$ touch sample.txt
susmithagundala@Susmitha:~$ file sample.txt
sample.txt: empty
susmithagundala@Susmitha:~$ free -h
               total        used        free      shared  buff/cache   available
Mem:           3.7Gi       463Mi       2.4Gi       4.0Mi       838Mi       3.1Gi
Swap:          1.0Gi          0B       1.0Gi
susmithagundala@Susmitha:~$ mkdir title
susmithagundala@Susmitha:~$ ls
backup.tar.gz  dev  development  devops-practise  devopsupdated.txt  dir  names.txt  practise  sample.txt  sandbox  title
susmithagundala@Susmitha:~$
```








GitHub Actions Workflow Setup and Execution


github.com/susmithagundala/github-actions/new/main
susmithagundala / github-actions
Code Issues Pull requests Agents Actions Projects Wiki Security and quality Insights Settings
github-actions / .github / workflows / config.yml in main
Cancel changes
Commit changes...
Edit Preview
name: GitHub Actions Demo
run-name: ${{ github.actor }} is testing out GitHub Actions 🚀
on: [push]
jobs:
Explore-GitHub-Actions:
runs-on: ubuntu-latest
steps:
- run: echo "🎉 The job was automatically triggered by a ${{ github.event_name }} event."
- run: echo "🐧 This job is now running on a ${{ runner.os }} server hosted by GitHub!"
- run: echo "🔎 The name of your branch is ${{ github.ref }} and your repository is ${{ github.repository }}."
- name: Check out repository code
uses: actions/checkout@v6
- run: echo "💡 The ${{ github.repository }} repository has been cloned to the runner."
- run: echo "🖥️ The workflow is now ready to test your code on the runner."
- name: List files in the repository
run: |
ls ${{ github.workspace }}
- run: echo "🍏 This job's status is ${{ job.status }}."
Marketplace Documentation
Search Marketplace for Actions
Featured actions
Cache by actions 5579
Cache artifacts like dependencies and build outputs to improve workflow execution time
Setup Node.js environment by actions 4995
Setup a Node.js environment by adding problem matchers and optionally downloading and adding it to the PATH
Upload a Build Artifact by actions 4234
Upload a build artifact that can be used by subsequent workflow steps
Setup Java JDK by actions 2025
Set up a specific version of the Java JDK and add the command-line tools to the PATH
Setup .NET Core SDK by actions 1214
Used to build and publish .NET source. Set up a specific version of the .NET and authentication to private NuGet repository
Featured categories
Code quality
Continuous integration
Deployment
Monitoring
Project management
Testing
Browse all actions on the GitHub Marketplace
Use Control + Shift + m to toggle the tab key moving focus. Alternatively, use esc then tab to move to the next interactive element on the page.
Use Control + Space to trigger autocomplete in most situations.



github.com/susmithagundala/github-actions/actions
susmithagundala / github-actions
Code Issues Pull requests Agents Actions Projects Wiki Security and quality Insights Settings
All workflows
Workflows
GitHub Actions Demo
Caches
Attestations
Runners
Lockfile
Usage metrics
Performance metrics
Collapse sidebar
All workflows
Showing runs from all workflows
New workflow
Search runs
1 workflow run Auto-refresh: 30s
Workflow Event Status Branch Actor
susmithagundala is testing out GitHub Actions 🚀
GitHub Actions Demo #1: Commit 0cf6024 pushed by susmithagundala
main
now
9s



github.com/susmithagundala/github-actions/actions/runs/39754120113/job/119741691260
susmithagundala / github-actions
Code Issues Pull requests Agents Actions Projects Wiki Security and quality Insights Settings
GitHub Actions Demo
susmithagundala is testing out GitHub Actions #1
Re-run all jobs
Summary
All jobs
Explore-GitHub-Actions
Run details
Usage
Workflow file
Lockfile
Annotations
1 notice
Explore-GitHub-Actions
succeeded 2 minutes ago in 6s
Search logs
Set up job
Run echo "🎉 The job was automatically triggered by a push event."
Run echo "🐧 This job is now running on a Linux server hosted by GitHub!"
Run echo "🔎 The name of your branch is refs/heads/main and your repository is susmithagundala/github-actions."
Check out repository code
Run echo "💡 The susmithagundala/github-actions repository has been cloned to the runner."
Run echo "🖥️ The workflow is now ready to test your code on the runner."
List files in the repository
Run echo "🍏 This job's status is ."
Post Check out repository code
Complete job
github.com/susmithagundala/github-actions/actions/runs/.../workflow



github.com/susmithagundala/github-actions/actions/runs/39754120113
susmithagundala / github-actions
Code Issues Pull requests Agents Actions Projects Wiki Security and quality Insights Settings
GitHub Actions Demo
susmithagundala is testing out GitHub Actions #1
Re-run all jobs
Summary
All jobs
Explore-GitHub-Actions
Run details
Usage
Workflow file
Lockfile
Triggered via push 2 minutes ago
susmithagundala pushed 0cf6024 main
Status
Success
Total duration
9s
Artifacts
–
config.yml
on: push
Annotations
1 notice
Explore-GitHub-Actions
"The ubuntu-latest label will migrate to Ubuntu 26 beginning October 19, 2026. For more information, see https://github.com/actions/runner-images/issues/14748"





Create a redhat ec2 instance and execute Ansible Ad Hoc Commands





us-east-2.console.aws.amazon.com/ec2/home?region=us-east-2#Instances:v=3;$case=tags:true%5C,client:false;$regex=tags:false%5C,client:false
Instances (5) Info
Launch instances
Actions
Instance state
Connect
All instances
Instance alarm states
Service health
Health events affecting EC2 instances
Search


us-east-2.console.aws.amazon.com/ec2/home?region=us-east-2#Instances:v=3;$case=tags:true%5C,client:false;$regex=tags:false%5C,client:false
Pageant Key List
RSA 2048 SHA256:8xRPMp1PhDkew9B/6/XaVPl8vD5I0I1UPklGmKB1hjQ redhat-key
Fingerprint type: SHA256
Add Key
Add Key (encrypted)
Re-encrypt
Remove
Help
Close



us-east-2.console.aws.amazon.com/ec2/home?region=us-east-2#InstanceDetails:instanceId=i-0664d08764c481911
PuTTY Configuration
Category:
Logging
Terminal
Keyboard
Bell
Features
Window
Appearance
Behaviour
Translation
Selection
Colours
Connection
Data
Proxy
SSH
Kex
Host keys
Cipher
Auth
Credentials
GSSAPI
TTY
X11
Tunnels
Bugs
Options controlling SSH authentication
Display pre-authentication banner (SSH-2 only)
Bypass authentication entirely (SSH-2 only)
Disconnect if authentication succeeds trivially
Authentication methods
Attempt authentication using Pageant
Attempt TIS or CryptoCard auth (SSH-1)
Attempt "keyboard-interactive" auth (SSH-2)
Other authentication-related options
Allow agent forwarding
Allow attempted changes of username in SSH-2
About
Help
Open
Cancel
Instance summary for i-0664d08764
Connect
Instance state
Actions
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance details



ec2-user@ip-172-31-40-141:~
login as: ec2-user
Authenticating with public key "redhat-key" from agent
Register this system with Red Hat Lightspeed: rhc connect
Example:
rhc connect --activation-key <key> --organization <org>
The rhc client and Red Hat Lightspeed will enable analytics and additional
management capabilities on your system.
View your connected systems at https://console.redhat.com/insights
You can learn more about how to register your system
using rhc at https://red.ht/registration
[ec2-user@ip-172-31-40-141 ~]$


[ec2-user@ip-172-31-40-141 ~]$ ansible all -i slaves.txt -m ping
172.31.36.242 | SUCCESS => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3"
},
"changed": false,
"ping": "pong"
}
172.31.41.199 | SUCCESS => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3"
},
"changed": false,
"ping": "pong"
}
172.31.45.115 | SUCCESS => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3"
},
"changed": false,
"ping": "pong"
}

```
[ec2-user@ip-172-31-40-141 ~]$ vi slaves.txt
[ec2-user@ip-172-31-40-141 ~]$ ansible apache -i slaves.txt -m ping
172.31.36.242 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3"
    },
    "changed": false,
    "ping": "pong"
}
[ec2-user@ip-172-31-40-141 ~]$
```

Nginx Web Server Deployment Using Ansible Playbook





ec2-user@ip-172-31-40-141:~


- name: Deploy Nginx Web Server
  hosts: all
  remote_user: ec2-user
  become: yes


  tasks:
    - name: Install Nginx
      ansible.builtin.dnf:
        name: nginx
        state: present


    - name: Start and enable Nginx
      ansible.builtin.service:
        name: nginx
        state: started
        enabled: yes


    - name: Copy HTML webpage
      ansible.builtin.copy:
        src: index.html
        dest: /usr/share/nginx/html/index.html
        mode: '0644'
-- REPLACE --
23,21
All


ec2-user@ip-172-31-40-141:~
"discovered_interpreter_python": "/usr/bin/python3"
},
"changed": false,
"ping": "pong"
}
172.31.45.115 | SUCCESS => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3"
},
"changed": false,
"ping": "pong"
}
[ec2-user@ip-172-31-40-141 ~]$ vi index.html
[ec2-user@ip-172-31-40-141 ~]$ vi first.yml
[ec2-user@ip-172-31-40-141 ~]$ ansible-playbook -i slaves.txt first.yml --syntax-check
playbook: first.yml
[ec2-user@ip-172-31-40-141 ~]$ ansible-playbook -i slaves.txt first.yml
PLAY [Deploy Nginx Web Server] ****
TASK [Gathering Facts] ****
ok: [172.31.36.242]
ok: [172.31.41.199]
ok: [172.31.45.115]
TASK [Install Nginx] ****
changed: [172.31.36.242]
changed: [172.31.41.199]
changed: [172.31.45.115]
TASK [Start and enable Nginx] ****
changed: [172.31.36.242]
changed: [172.31.41.199]
changed: [172.31.45.115]
TASK [Copy HTML webpage] ****
changed: [172.31.36.242]
changed: [172.31.45.115]
changed: [172.31.41.199]
PLAY RECAP ****
172.31.36.242 : ok=4 changed=3 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
172.31.41.199 : ok=4 changed=3 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
172.31.45.115 : ok=4 changed=3 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
[ec2-user@ip-172-31-40-141 ~]$


ec2-user@ip-172-31-40-141:~
changed: [172.31.45.115]
changed: [172.31.41.199]
PLAY RECAP
172.31.36.242 : ok=4 changed=3 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
172.31.41.199 : ok=4 changed=3 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
172.31.45.115 : ok=4 changed=3 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
[ec2-user@ip-172-31-40-141 ~]$ ansible all -i slaves.txt -u ec2-user -b -m command -a "systemctl is-active nginx"
172.31.36.242 | CHANGED | rc=0 >>
active
172.31.41.199 | CHANGED | rc=0 >>
active
172.31.45.115 | CHANGED | rc=0 >>
active
[ec2-user@ip-172-31-40-141 ~]$ ansible all -i slaves.txt -u ec2-user -m command -a "cat /usr/share/nginx/html/index.html"
172.31.36.242 | CHANGED | rc=0 >>
<html>
<head>
<title>Nginx Deployment</title>
</head>
<body>
<h1>Welcome to Nginx Deployment</h1>
Deployed using Ansible Playbook.
</body>
</html>
172.31.45.115 | CHANGED | rc=0 >>
<html>
<head>
<title>Nginx Deployment</title>
</head>
<body>
<h1>Welcome to Nginx Deployment</h1>
Deployed using Ansible Playbook.
</body>
</html>
172.31.41.199 | CHANGED | rc=0 >>
<html>
<head>
<title>Nginx Deployment</title>
</head>
<body>
<h1>Welcome to Nginx Deployment</h1>
Deployed using Ansible Playbook.
</body>
</html>
[ec2-user@ip-172-31-40-141 ~]$



us-east-2.console.aws.amazon.com/ec2/home?region=us-east-2#Instances:v=3;$case=tags:true%5C,client:false;$regex=tags:false%5C,client:false
EC2 > Instances
Instances (8) Info
Connect
Instance state
Actions
Launch instances
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
Public IPv4 ...
Elastic IP
IPv6 IPs
green-environ... i-0154a9d127e813988 Terminated t3.micro – us-east-2c – – – –
redhat-server-... i-0664d08764c481911 Running t3.small 3/3 checks passed us-east-2c ec2-18-223-122-37.us-... 18.223.122.37 – –
redhat-server i-078fd21ea6c527934 Running t3.small 3/3 checks passed us-east-2c ec2-18-217-145-6.us-e... 18.217.145.6 – –
redhat-server i-019b8eb274656c090 Running t3.small 3/3 checks passed us-east-2c ec2-77-113-201-86.us-... 77.113.201.86 – –
redhat-server i-0b08ad11b8eb0b05e Running t3.small 3/3 checks passed us-east-2c ec2-3-21-41-39.us-east... 3.21.41.39 – –
green-env i-0d85787a266dd9882 Terminated t3.micro – us-east-2c – – – –
blue-env i-00165fac805345f26 Terminated t3.micro – us-east-2a – – – –
All instances
Instance alarm states
In alarm
None
View in CloudWatch
Service health
EC2 service status
Operating normally
View Service Health Dashboard
Health events affecting EC2 instances
Open events
None
Upcoming events
None
View AWS Health Dashboard






Welcome to Nginx Deployment


Deployed using Ansible Playbook.






Welcome to Nginx Deployment

Deployed using Ansible Playbook.








Welcome to Nginx Deployment

Deployed using Ansible Playbook.

Ansible Playbook Execution Using Loops, Conditions, and Tags


ec2-user@ip-172-31-40-141:~
login as: ec2-user
Authenticating with public key "redhat-key" from agent
Register this system with Red Hat Lightspeed: rhc connect
Example:
rhc connect --activation-key <key> --organization <org>
The rhc client and Red Hat Lightspeed will enable analytics and additional
management capabilities on your system.
View your connected systems at https://console.redhat.com/insights
You can learn more about how to register your system
using rhc at https://red.ht/registration
Last login: Sat Oct 24 11:38:26 2026 from 223.187.127.3
[ec2-user@ip-172-31-40-141 ~]$ vi task5.yml
remote_user: ec2-user
become: yes
gather_facts: yes
tasks:
- name: Create multiple directories
ansible.builtin.file:
path: "{{ item }}"
state: directory


ec2-user@ip-172-31-40-141:~
login as: ec2-user
Authenticating with public key "redhat-key" from agent
Register this system with Red Hat Lightspeed: rhc connect
Example:
rhc connect --activation-key <key> --organization <org>
The rhc client and Red Hat Lightspeed will enable analytics and additional
management capabilities on your system.
View your connected systems at https://console.redhat.com/insights
You can learn more about how to register your system
using rhc at https://red.ht/registration
Last login: Sat Oct 24 11:38:26 2026 from 223.187.127.3
[ec2-user@ip-172-31-40-141 ~]$ vi task5.yml
[ec2-user@ip-172-31-40-141 ~]$ ansible-playbook -i slaves.txt task5.yml --syntax
-check
playbook: task5.yml
[ec2-user@ip-172-31-40-141 ~]$ ansible-playbook -i slaves.txt task5.yml
PLAY [Practice Ansible loops, conditions, and tags] ****************************
TASK [Gathering Facts] ***
ok: [172.31.36.242]
ok: [172.31.45.115]
ok: [172.31.41.199]
TASK [Create multiple directories] ***
changed: [172.31.36.242] => (item=/tmp/dev)
changed: [172.31.45.115] => (item=/tmp/dev)
changed: [172.31.41.199] => (item=/tmp/dev)
changed: [172.31.36.242] => (item=/tmp/test)
changed: [172.31.45.115] => (item=/tmp/test)
changed: [172.31.41.199] => (item=/tmp/test)
changed: [172.31.36.242] => (item=/tmp/prod)
changed: [172.31.45.115] => (item=/tmp/prod)
changed: [172.31.41.199] => (item=/tmp/prod)
TASK [Display Amazon Linux information] **
skipping: [172.31.41.199]
skipping: [172.31.45.115]
skipping: [172.31.36.242]
PLAY RECAP ***
172.31.36.242 : ok=2 changed=1 unreachable=0 failed=0 s
kipped=1 rescued=0 ignored=0


ec2-user@ip-172-31-40-141:~
ok: [172.31.45.115]
ok: [172.31.41.199]
TASK [Display Amazon Linux information] ********
skipping: [172.31.41.199]
skipping: [172.31.45.115]
skipping: [172.31.36.242]
PLAY RECAP ********
172.31.36.242 : ok=1 changed=0 unreachable=0 failed=0 skipped=1 rescued=0 ignored=0
172.31.41.199 : ok=1 changed=0 unreachable=0 failed=0 skipped=1 rescued=0 ignored=0
172.31.45.115 : ok=1 changed=0 unreachable=0 failed=0 skipped=1 rescued=0 ignored=0
[ec2-user@ip-172-31-40-141 ~]$ ansible-playbook -i slaves.txt task5.yml --skip-tags directories
PLAY [Practice Ansible loops, conditions, and tags] ********
TASK [Gathering Facts] ********
ok: [172.31.36.242]
ok: [172.31.45.115]
ok: [172.31.41.199]
TASK [Display Amazon Linux information] ********
skipping: [172.31.41.199]
skipping: [172.31.45.115]
skipping: [172.31.36.242]
PLAY RECAP ********
172.31.36.242 : ok=1 changed=0 unreachable=0 failed=0 skipped=1 rescued=0 ignored=0
172.31.41.199 : ok=1 changed=0 unreachable=0 failed=0 skipped=1 rescued=0 ignored=0
172.31.45.115 : ok=1 changed=0 unreachable=0 failed=0 skipped=1 rescued=0 ignored=0
[ec2-user@ip-172-31-40-141 ~]$ ansible all -i slaves.txt -b -m command -a "ls -ld /tmp/dev /tmp/test /tmp/prod"
172.31.36.242 | CHANGED | rc=0 >>
drwxr-xr-x. 2 root root 6 Oct 24 11:56 /tmp/dev
drwxr-xr-x. 2 root root 6 Oct 24 11:56 /tmp/prod
drwxr-xr-x. 2 root root 6 Oct 24 11:56 /tmp/test
172.31.45.115 | CHANGED | rc=0 >>
drwxr-xr-x. 2 root root 6 Oct 24 11:56 /tmp/dev
drwxr-xr-x. 2 root root 6 Oct 24 11:56 /tmp/prod
drwxr-xr-x. 2 root root 6 Oct 24 11:56 /tmp/test
172.31.41.199 | CHANGED | rc=0 >>
drwxr-xr-x. 2 root root 6 Oct 24 11:56 /tmp/dev
drwxr-xr-x. 2 root root 6 Oct 24 11:56 /tmp/prod