

Redes de Computadores

1st Semester 2020/2021 LEIC Alameda

Programming using the Sockets interface

"RC Two-Factor Authentication"

1. Introduction

The goal of this project is to develop a prototype of a file server whose access is protected by a two-factor authentication (2FA) mechanism, complementing the usage of the traditional password with a code sent to a personal device.

The development of the project requires implementing: (i) an *Authentication Server* (AS); (ii) a File Server (FS); (iii) a Personal Device Application (PD); and (iv) a User Application (User). The AS and FS servers, the PD and the various User application instances are intended to operate on different machines connected to the Internet. Both the AS and FS will be running on machines with known IP addresses and ports. In the following the 'user' (person) is referred to using boldface: **user**. The **user** has simultaneously access to two applications: the PD and the User.

The **user**, after completing the two-factor authentication procedure, can ask to list, upload, retrieve or delete files to/from the FS, as well as to remove all its information. For any single transaction with the FS, the **user** must first request a new transaction ID (TID) to the AS.

The operation is as follows.

Any **user** must first register with the AS using the PD, by means of a **user** identity (UID) and a password (pass). The UID is a 5 digit number and the pass contains 8 alphanumeric (only letters and digits) characters.

The first registration of a **user** with the AS, defines the pair UID/pass at the AS database. The PD also sends its IP and a suitable UDP port for the AS to be able to contact back the PD. The registration is approved by the AS, here simply by checking an existing list of students' numbers. The **user** may later remove its registration from the AS database.

The possible operations (Fop) for the **user** are: requesting a list (L) of all its files stored at the FS or to upload(U), retrieve (R) or delete (D) any single file from the FS. The **user** may also request to remove (X) its information from the AS database, and at the same time to delete all its files from the FS.

To obtain the *TID* needed for any single operation, the **user** must have previously registered with the *AS* by using the *PD* application.

For any operation to be possible, the **user** must first login with the AS, by using the User application, and sending its UID/pass.

If the login is successful, the *User* requests a transaction ID (TID) – a 4-digit number – from the AS, sending the **user**'s UID and the type of operation to perform (Fop). If the Fop is R, U, or D, the User additionally sends to the AS, as an extra security measure, the name of the file (Fname). The AS stores this information in its database and sends to the

user's PD a validation code (VC) – a 4-digit number, as well as information about the type of request made (Fop), and the Fname if the Fop is R, U, or D.

Then the **user** reads this *VC* number at the *PD* and inserts the *VC* at the *User* application to be sent to the *AS* again. The *AS* checks the *VC*, generates the required transaction ID (*TID*), stores this information for posterior validation of *FS* operations, and replies to the *User* with the *TID*. The **user** may be informed of the *TID*, but he will not use it directly at the keyboard. Only the *User* application will use the *TID* at the protocol level. Having received a *TID* the *User* application can complete the desired operation with the *FS*, always identifying the messages with the *UID* and *TID*.

The FS validates an operation request with the AS by sending it the UID and TID. As a reply the AS sends a message to the FS with the UID + TID + Fop, as well as the Fname. If, during the validation, the TID sent by the FS to the AS corresponds to a remove operation (Fop = X), the AS removes the UID/pass corresponding to this **user**, and confirms that the FS can remove all the files and directories associated with this **user**. For a list operation, the FS will return the list of files already uploaded by the **user**

(from this or other instances of the *User* application). In reply to a retrieve operation the *FS* will send the requested file, if possible. The upload operation consists in transmitting the selected file to the *FS*, which confirms the success (or not) of the upload. Each **user** can have a maximum of 15 files stored in the *FS* server. For the delete operation the *FS* will remove the identified file from the server. The remove operation is used to instruct the *FS* to remove all files previously uploaded by this **user**, as well as the corresponding directories, and during validation the *FS* informs the AS to remove this **user**'s account.

The *PD* application performs the following operations:

- 1 Register as the personal device of the **user** with ID *UID*, providing a password *pass*.
- 2 Receive 4-digit verification codes (VC) from the AS, which the User application instances of this **user** can copy, to be used as a second authentication factor.
- 3 Unregister as the personal device of the **user** with ID *UID*, when exiting the *PD* application.

The *User* application can perform the following operations:

- 1 Login (first authentication factor).
- 2 Request to the AS a 4-digit transaction ID TID to use for a subsequent operation (list, retrieve, upload, delete or remove) with the FS.
- 3 Confirm the previous request by sending the verification code (VC), obtained from the PD, to the AS (second authentication factor).
- 4 After receiving the TID, request the list, retrieve, upload, delete or remove operations to the FS.
- 5 Display the received replies to the issued requests.
- 6 Exit (terminating this instance of the *User* application).

The project tests will include the AS and FS servers, several PDs (one per **user** at a given time) and several instances of the User application (one per **user** at a given time). For the implementation, the application layer protocols operate according to the client-server paradigm, using the transport layer services made available by the socket interface. The interactions between the AS and the PD, and between the AS and the FS use the UDP protocol. All other interactions use the TCP protocol.

2. Project Specification

2.1 Personal Device Application (PD)

The program implementing the personal device (*PD*) application of the **user** should be invoked using the command:

```
./pd PDIP [-d PDport] [-n ASIP] [-p ASport],
```

where:

PDIP this is the IP address of this machine, where the personal device (PD) runs, specified in the dot-decimal notation.

ppport this is the well-known port where the PD runs an UDP server to accept future AS messages with verification codes, as part of the two-factor authentication mechanism. This is an optional argument. If omitted, it assumes the value 57000+GN, where GN is the group number.

ASIP this is the IP address of the machine where the authentication server (AS) runs. This is an optional argument. If this argument is omitted, the AS should be running on the same machine.

ASport this is the well-known UDP port where the AS server accepts requests. This is an optional argument. If omitted, it assumes the value 58000+GN, where GN is the group number.

Once the PD program is running, it waits for a registration command from the **user**. Then it waits for validation codes (VC) sent by the AS, which should be displayed. The PD application can also receive a command to exit, unregistering the **user**.

The available commands are:

- reg UID pass following this command the PD application sends a registration message to the AS server, using the UDP protocol, sending the user's identification UID (the 5-digit IST student number) and the selected password (pass), consisting of 8 alphanumerical characters, restricted to letters and numbers. It also sends the IP PDIP and port PDport of the PD's UDP server, so that the AS can later send verification codes to the PD.
 - The *UID* is stored in memory for the session duration. The result of the *AS* registration should be displayed to the **user**.
- exit the PD application terminates, after unregistering with the AS.

2.2 User Application (User)

The program implementing the *User* application should be invoked using the command:

```
./user [-n ASIP] [-p ASport] [-m FSIP] [-q FSport],
```

where:

ASIP this is the IP address of the machine where the authentication server (AS) runs. This is an optional argument. If this argument is omitted, the AS should be running on the same machine.

Asport this is the well-known TCP port where the As server accepts requests. This is an optional argument. If omitted, it assumes the value 58000+GN, where GN is the group number.

- FSIP this is the IP address of the machine where the file server (FS) runs. This is an optional argument which, if omitted means the FS is running on the same machine.
- FSport this is the well-known TCP port where the FS server accepts requests. This is an optional argument. If omitted, it assumes the value 59000+GN, where GN is the group number.

Once the *User* application program is running, it establishes a TCP session with the *AS*, which remains open, and then waits for the **user** to indicate the action to take using one of the following commands:

- login UID pass after this command the *User* application sends to the *AS* the **user**'s ID *UID* (5-digit IST student number) and a password pass (8 alphanumerical characters, restricted to letters and numbers), for validation by the *AS*. The result of the *AS* validation should be displayed to the **user**. The TCP session remains open and the *UID* + pass are locally stored in memory for the session duration.
- req Fop [Fname] following this command the *User* sends a message to the *AS* requesting a transaction ID code (TID). This request message includes the *UID* and the type of file operation desired (Fop), either list (L), retrieve (R), upload (U), delete (D) or remove (X), and if appropriate (when Fop is R, U or D) also sends the *Fname*. The **user** should then check the *PD* and wait for a validation code (VC) to arrive.
- $Val\ VC$ after checking the VC on the PD the **user** issues this command, sending a message to the AS with the VC. In reply the AS should confirm (or not) the success of the two-factor authentication, which should be displayed. The AS also sends the transaction ID TID. Now the **user** can perform the desired file operation with the FS.
- *list* or *l* following this command the *User* application establishes a TCP session with the *FS* server, asking for the list of files this **user** has previously uploaded to the server. The message includes the *UID*, the *TID* and the type of file operation desired (*Fop*). The reply should be displayed as a numbered list of filenames and the respective sizes.
- retrieve filename or r filename following this command the *User* application establishes a TCP session with the *FS* server, to retrieve the selected file filename. The message includes the *UID*, the *TID*, the *Fop* and *Fname*. The confirmation of successful transmission (or not) should be displayed.
- upload filename or u filename following this command the User application establishes a TCP session with the FS server, to upload the file filename. The message includes the UID, the TID, the Fop, Fname and the file size. The confirmation of successful transmission (or not) should be displayed.
- delete filename or d filename following this command the *User* application establishes a TCP session with the *FS* server, to delete the file filename. The message includes the *UID*, the *TID*, the *Fop* and *Fname*. The confirmation of successful deletion (or not) should be displayed.
- remove or x this command is used to request the FS to remove all files and directories of this User, as well as to request the FS to instruct the AS to delete

this **user**'s login information. The result of the command should be displayed to the **user**. The *User* application then closes all TCP connections and terminates.

• exit – the *User* application terminates after closing any open TCP connections.

2.3 Authentication Server (AS)

The program implementing the Authentication Server (AS) should be invoked using the command:

```
./AS [-p \ ASport] \ [-v],
```

where:

ASport is the well-known port where the AS server accepts requests, both in UDP and TCP. This is an optional argument. If omitted, it assumes the value 58000+GN, where GN is the number of the group.

The AS makes available two server applications, one in UDP and the other in TCP, both with well-known port ASport, to answer requests from the PD and the FS (in UDP), and the User (in TCP) applications.

If the option v is set when invoking the program, it operates in *verbose* mode, meaning that the AS server outputs to the screen a short description of the received requests and the IP and port originating those requests.

Each received request should start being processed once it is received.

2.4 File Server (FS)

The program implementing the File Server (*FS*) should be invoked using the command:

```
./FS [-q FSport] [-n ASIP] [-p ASport] [-v],
```

where:

FSport is the well-known TCP port where the FS server accepts requests. This is an optional argument and, if omitted, assumes the value 59000+GN, where GN is the number of the group.

ASIP this is the IP address of the machine where the authentication server (AS) runs. This is an optional argument. If this argument is omitted, the AS should be running on the same machine.

ASport this is the well-known TCP port where the AS server accepts requests. This is an optional argument. If omitted, it assumes the value 58000+GN, where GN is the group number.

The FS server accepts TCP requests on the well-known port FSport, to answer User requests.

If the option v is set when invoking the program, it operates in *verbose* mode, meaning that the FS server outputs to the screen a short description of the received requests and the IP and port originating those requests.

Each received request should start being processed once it is received.

3. Communication Protocols Specification

3.1 PD-AS Protocol (in UDP)

The interaction between the personal device (PD) application and the authentication server (AS) is supported on the UDP protocol.

The request and reply protocol messages to consider are:

- a) REG UID pass PDIP PDport
 - Following the reg command, the PD application sends the **user** ID UID (the 5-digit IST student number) and the password pass (composed of 8 alphanumerical characters, restricted to letters and numbers) for registration at the AS server. It also sends the IP PDIP and port PDport of the PD's UDP server, so that the AS can later send verification codes to the PD.
- b) RRG status

In reply to a REG request the *AS* server replies indicating the status of the registration request. If the REG request was successful (valid **user** ID) the *status* is OK; if the registration is not accepted the *status* is NOK.

- c) VLC UID VC Fop [Fname]
 - Following a **user** request for the second factor authentication, to allow an operation, the AS sends to the PD: the **user** ID UID and a validation code VC (4-digit number), together with the file operation Fop (either L, R, U, D, or X), as well as the file name Fname if appropriate (R, U or D). This information should be displayed by the PD application.
- d) RVC UID status

In reply to a VLC request the PD acknowledges receiving the VC from a **user** with ID UID. The status is OK for a valid **user** ID and NOK otherwise.

- e) UNR UID pass
 - Following the exit command, the PD application asks the AS to unregister this **user**. It sends the UID and pass for the AS server to check and then unregister the **user**.
- f) RUN status

In reply to a UNR request the AS server replies indicating the status of the unregister request. If the UNR request was successful (valid **user** ID) the status is OK; otherwise the status is NOK.

If an unexpected protocol message is received, the reply is ERR.

In the above messages the separation between any two items consists of a single space. Each request or reply message ends with the character "\n".

3.2 User-AS Protocol (in TCP)

The interaction between the *User* application and the *AS* server uses the TCP protocol. A TCP connection with the *AS* server is established when the *User* application starts, remaining open until the **user** issues the *exit* or *remove* commands.

The following request and reply protocol messages are considered:

- a) LOG UID pass
 - Following the login command, the *User* application sends the *AS* server a message with the **user**'s ID *UID* and password *pass* for validation.
- b) RLO status

In reply to a LOG request the AS server replies with the status of the login request. If the UID and pass are valid the status is OK; if the UID exists but the pass is incorrect the status is NOK; otherwise the status is ERR.

- c) REQ UID RID Fop [Fname]
 - Following the req command, the User application sends a request to the AS to inform of the user's desire to perform the operation Fop (either L, R, U, D or X) on the FS server. If the operation is retrieve (R), upload (U) or delete (D) also the file name Fname is sent. This message initiates the user's second factor authentication procedure. A random natural number of 4 digits is added as a request identifier RID. Upon receipt of this message, the AS will send the VLC message to the PD.
- d) RRQ status

The AS server replies informing if the REQ request could be processed (valid UID), a message was sent to the PD and a successful RVC confirmation received. In case of success the status is OK; if the REQ request was sent in a TCP connection where a successful login was not previously done the status is ELOG; if a message could not be sent by the AS to the PD the status is EPD; if the UID is incorrect the status is EUSER; if the Fop is invalid the status is EFOP; otherwise (e.g. incorrectly formatted REQ message) the status is ERR.

- e) AUT UID RID VC
 - After the **user** checking the VC on the PD, the User application sends this message to the AS with the UID and the VC, along with the request identifier RID, to complete the second factor authentication. A recently generated VC will be accepted by the AS only once.
- f) RAU TID

The AS confirms (or not) the success of the two-factor authentication, sending the transaction identifier TID to use in the file operation with the FS. The TID takes value \mathcal{O} if the authentication failed.

If an unexpected protocol message is received, the reply will be ERR. In the above messages the separation between any two items consists of a single space. Each request or reply message ends with the character "\n".

3.3 AS-FS Protocol (in UDP)

The interaction between the *AS* and *FS* servers uses the UDP protocol. The following request and reply protocol messages are considered:

a) VLD UID TID

Following the list, retrieve, upload, delete or remove commands issued by the **user** and the subsequent messages (LST, RTV, UPL, DEL or REM) sent by the User application to the FS, the FS application validates the operation with the AS by sending it the UID and TID.

If the operation to validate is a remove (X), the AS delete this **user**'s login information before confirming that the FS can remove all the **user**'s files.

b) CNF UID TID Fop [Fname]

As a reply to the VLD message, the AS sends a CNF message to the FS with the UID + TID + the requested file operation Fop (associated to the TID the AS had previously authorized), as well as the name (Fname) if it is a retrieve (R), upload (U) or delete (D) operation. If the VLD request had a problem (TID not valid for the UID) an error is indicated by replying with Fop = E.

If an unexpected protocol message is received, the reply will be ERR. In the above messages the separation between any two items consists of a single space. Each request or reply message ends with the character "\n".

3.4 *User–FS* Protocol (in TCP)

The interaction between the *User* application and the *FS* server uses the TCP protocol. The following request and reply protocol messages are considered:

a) LST UID TID

Following the list command, the User application opens a TCP connection with the FS server and sends a request asking for the list of files this user has previously uploaded to the server. The user ID (UID) and transaction ID (TID) are provided. Before replying, the FS sends a message to the AS to validate the transaction (VLD).

b) RLS N[Fname Fsize] *

After receiving a message from the AS validating the transaction (CNF), the FS reply to a User application LST request contains the number N of available files, and for each file:

- the filename *Fname*, limited to a total of 24 alphanumerical characters (plus '-', '_' and '.'), including the separating dot and the 3-letter extension: "nnn...nnn.xxx";
- the file size *Fsize*, in bytes.

The filenames should be displayed by the *User* application as a numbered list. In case of error the reply is in the form RLS status, with status = EOF if no files are available, status = INV in case of an AS validation error of the provided TID, or status = ERR if the LST request is not correctly formulated.

After receiving the complete reply message, the *User* application closes the TCP connection with the *FS*.

c) RTV UID TID Fname

Following the retrieve command, the User application opens a TCP connection with the FS server to retrieve the contents of the file with name Fname from the FS server. The user ID (UID) and transaction ID (TID) are also provided. Before replying, the FS sends a message to the AS to validate the transaction (VLD).

d) RRT status [Fsize data]

After receiving a message from the AS validating the transaction (CNF), and in reply to a RTV request, the FS server transfers to the User application the contents (data) of the selected file, as well as the file size Fsize in bytes. If the RTV request was successful the status is OK, the status is EOF if the file is not available, the status is NOK if there is no content available in the FS for the user with ID UID, the status is INV in case of an AS validation error of the provided TID, and the status is ERR if the RTV request is not correctly formulated.

The name and path where the file is stored are displayed by the *User* application. After receiving the reply message, the *User* application closes the TCP connection with the *FS*.

e) UPL UID TID Fname Fsize data

Following the upload command, the *User* application opens a TCP connection with the *FS* server and uploads to it the contents of the selected file (data), with name Fname and size Fsize bytes. The **user** ID (UID) and transaction ID (TID) are also provided. Before replying, the *FS* sends a message to the *AS* to validate the transaction (VLD).

f) RUP status

After receiving a message from the AS (CNF) validating the transaction, the answer to a UPL request consists in the FS server replying with the status of the file transfer. If the UPL request was successful the status is OK, the status is DUP if the file already existed, the status is FULL if 15 files were previously uploaded by this User, the status is INV in case of an AS validation error of the provided TID, and the status is ERR if the UPL request is not correctly formulated.

The upload success (or not) is displayed by the *User* application.

After receiving the reply message, the *User* application closes the TCP connection with the *FS*.

g) DEL UID TID Fname

Following the delete command, the *User* application opens a TCP connection with the *FS* server and requests the deletion of the file with name *Fname*. The **user** ID (UID) and transaction ID (TID) are also provided. Before replying, the *FS* sends a message to the *AS* to validate the transaction (VLD).

h) RDL status

After receiving a message from the AS (CNF) validating the transaction, the answer to a DEL request consists in the FS server replying with the status of the file deletion. If the DEL request was successful the status is OK, the status is EOF if the file is not available, the status is NOK if the UID does not exist, the status is INV in case of an AS validation error of the provided TID, and the status is ERR if the DEL request is not correctly formulated.

The delete success (or not) is displayed by the *User* application.

After receiving the reply message, the *User* application closes the TCP connection with the FS.

i) REM UID TID

Following the remove command, the *User* application opens a TCP connection with the FS server and requests the removal of all its files and directories from the FS server, as well as the deletion of the **user** information from the AS server. The user ID (UID) and transaction ID (TID) are also provided. Before replying, the FS sends a message to the AS to validate the transaction (VLD) and requesting the AS to remove the **user** information.

- j) RRM status
- k) After receiving a message from the AS (CNF) validating the transaction and confirming the **user** deletion in the AS, the FS removes all the **user**'s files and directories. It then replies with the status of the operation: the status is OK if the REM request was successful, the status is NOK if the UID does not exist, the status is INV in case of an AS validation error of the provided TID, and the status is ERR if the REM request is not correctly formulated.

The remove success (or not) is displayed by the *User* application.

After receiving the reply message, the *User* application closes the TCP connection with the FS.

All file Fsize fields can have at most 10 digits.

If an unexpected protocol message is received, the reply will be ERR.

In the above messages the separation between any two items consists of a single space.

4. Development

4.1 Development and test environment

Make sure your code compiles and executes correctly in the development environment available in sigma cluster.

4.2 Programming

The operation of your program, developed in C or C++, should be based on the following set of system calls:

- Reading user information into the application: fgets();
- Manipulation of strings: sscanf(), sprintf();
- UDP client management: socket(), close();
- UDP server management: socket(), bind(), close();
- UDP communication: sendto(), recvfrom();
- TCP client management: socket(), connect(), close();
- TCP server management: socket(), bind(), listen(), accept(), close();
- TCP communication: write(), read();
- Multiple inputs multiplexing: select().

4.3 Implementation notes

Developed code should be adequately structured and commented.

The read() and write() system calls may read and write, respectively, a smaller number of bytes than solicited — you need to ensure that your implementation still works correctly.

Both the client and server processes should terminate gracefully at least in the following failure situations:

- wrong protocol messages received from the corresponding peer entity;
- error conditions from the system calls.

5 Bibliography

- W. Richard Stevens, Unix Network Programming: Networking APIs: Sockets and XTI (Volume 1), 2nd edition, Prentice-Hall PTR, 1998, ISBN 0-13-490012-X, chap. 5.
- D. E. Comer, Computer Networks and Internets, 2nd edition, Prentice Hall, Inc, 1999, ISBN 0-13-084222-2, chap. 24.
- Michael J. Donahoo, Kenneth L. Calvert, TCP/IP Sockets in C: Practical Guide for Programmers, Morgan Kaufmann, ISBN 1558608265, 2000
- On-line manual, man command
- Code Complete http://www.cc2e.com/
- http://developerweb.net/viewforum.php?id=70

6 Project Submission

6.1 Code

The project submission should include the source code of the programs implementing the *User*, the *PD*, the *AS* server and the *FS server*, as well as the corresponding *Makefile*. The makefile should compile the code and place the executables in the current directory.

6.2 Auxiliary Files

Together with the project submission you should also include any auxiliary files needed for the project operation together with a *readme.txt* file.

6.3 Submission

The project submission is done by e-mail to the lab teacher, no later than November 13, 2020, at 23:59 PM.

You should create a single zip archive containing all the source code, makefile and all auxiliary files required for executing the project. The archive should be prepared to be opened to the current directory and compiled with the command make.

The name of the archive should follow the format: proj "group number".zip

7 Open Issues

You are encouraged to think about how to extend this protocol in order to make it more generic.