# **Fonts**

A font can either be specified directly via its face or via CSS styles. In CSS the font is never specified directly but instead via the font-family and various attributes.

## **Standard Fonts**

The Standard font family to be used is 'Times New Roman', 12 px.

These are the fonts where all 4 basic faces are available: Regular, Bold, Italic and Bold/Italic.

#### **Arial**

Regular:

**ArialMT** 

• Bold:

## **Arial-BoldMT**

· Italic:

Arial-ItalicMT

Bold/Italic:

Arial-BoldItalicMT

#### **Baskerville**

• Regular:

Baskerville

Bold:

## Baskerville-SemiBold

Italic:

Baskerville-Italic

Bold/Italic:

Baskerville-SemiBoldItalic

#### Cochin

Regular:

Cochin

Bold:

## Cochin-Bold

Italic:

# Cochin-Italic

Bold/Italic:

# Cochin-BoldItalic

#### Courier

• Regular:

Courier

• Bold:

#### Courier-Bold

• Italic:

Courier-Oblique

• Bold/Italic:

Courier-BoldOblique

#### **Courier New**

• Regular:

CourierNewPSMT

• Bold:

## CourierNewPS-BoldMT

Italic:

CourierNewPS-ItalicMT

Bold/Italic:

CourierNewPS-BoldItalicMT

# Georgia

Regular:

Georgia

• Bold:

# Georgia-Bold

Italic:

Georgia-Italic

• Bold/Italic:

Georgia-BoldItalic

#### Helvetica

· Regular:

## Helvetica

• Bold:

## **Helvetica-Bold**

Italic:

Helvetica-Oblique

Bold/Italic:

# Helvetica-BoldOblique

#### **Helvetica Neue**

• Regular:

HelveticaNeue

• Bold:

## HelveticaNeue-Bold

Italic:

HelveticaNeue-Italic

• Bold/Italic:

## HelveticaNeue-BoldItalic

#### **Palatino**

• Regular:

Palatino-Roman

• Bold:

# Palatino-Bold

• Italic:

Palatino-Italic

Bold/Italic:

Palatino-BoldItalic

#### **Times New Roman**

• Regular:

TimesNewRomanPSMT

• Bold:

# TimesNewRomanPS-BoldMT

Italic:

TimesNewRomanPS-ItalicMT

· Bold/Italic:

## TimesNewRomanPS-BoldItalicMT

#### **Trebuchet MS**

Regular:

**TrebuchetMS** 

• Bold:

TrebuchetMS-Bold

• Italic:

TrebuchetMS-Italic

· Bold/Italic:

Trebuchet-BoldItalic

#### Verdana

Regular:

Verdana

Bold:

Verdana-Bold

• Italic:

Verdana-Italic

Bold/Italic:

Verdana-BoldItalic

# **Custom Fonts**

Usage of custom fonts is supported. You have to register these in the info.plist.

Note: For some fonts you might have to bundle the normal as well as the bold variant for CTFontDescriptor to find the normal font.

Core Text automatically display Right-to-Left Text as such if only RTL characters are used

XB Niloofar:



American Typewriter:

# AmericanTypewriter

American Typewriter Bold:

# **American Typewriter**

## **Font Variants**

The font variant 'Small Caps' is supported by synthesizing an attributed string that has the lower case characters in the same font as the upper case ones, but 30% smaller.

Helvetica (synthesized):

# THE QUICK BROWN Fox JUMPS ...

HoeflerText (native, iPad only):

# The Quick Brown **Fox** Jumps ...

Supported values for the style font-variant:

- inherit
- normal
- · small-caps

# **Ordered List**

- 1. Testing 1
- 2. testing 2