SDG Goal 3	**Good health and well-being**
SDG Target 3.4	**By 2030, reduce by one third premature mortality from non-communicable diseases through prevention and treatment and promote mental health and well-being**
SDG Indicator 3.4.1	**Mortality rate attributed to cardiovascular disease, cancer, diabetes or chronic respiratory disease**
Time series	**Mortality at the age of 30 to under 70 years**

1. General information on the time series

- Date of national metadata: April 30, 2026
- National data: https://sdg-indicators.de/3-4-1
- Definition: The time series shows the number of deaths at the age of 30 to under 70 years per 1,000.

  Classification is based on ICD-10 codes. ICD-10 is the 10th Revision of the International Statistical Classification of Diseases and Related Health Problems. In its German Modification (ICD-10-GM), it serves as the official classification system for coding diagnoses in outpatient and inpatient care in Germany. The following ICD-10 codes are included:

  (a) Diseases of the circulatory system: **I00-I99**
  (b) Malignant neoplasms: **C00-C97**
  (c) Diabetes mellitus: **E10-E14**
  (d) Chronic respiratory disease: **J30-J98**

- Disaggregation: sex, type of disease

2. Comparability with the UN metadata

- Date of UN metadata: December 2024
- UN metadata: https://unstats.un.org/sdgs/metadata/files/Metadata-03-04-01.pdf
- The time series is not compliant with the UN metadata, but provides additional information.

  It only includes the number of people who died from the aforementioned diseases in a specific age group. In contrast, the UN metadata records the probability of death between the ages of 30 and 70, which is calculated using life tables. This probability is defined as the percentage of 30-year-olds who would die from the aforementioned diseases before reaching the age of 70.

3. Data description

- The number of deaths is taken from the Federal Statistical Office’s statistics on causes of death and is based on an analysis of death certificates issued by medical doctors.

4. Access to data source

- GBE – Table: Deaths, Mortality figures [Selections: Hierarchy: ICD-10 A00-T98 (3-Steller); ICD10: COO-C97, E10-E14, I00-I99, J30-J98]; Age: 30 to under 35 years, ..., 65 to under 70 years]:
  https://www.gbe-bund.de/gbe/isgbe.fundstellen?p_uid=gast&p_aid=99629820&p_sprache=E&p_thema_id=3900&p_action=TRT

5. Metadata on source data

- Quality Report – Causes of death statistics (only available in German):
  https://www.destatis.de/DE/Methoden/Qualitaet/Qualitaetsberichte/Gesundheit/todesursachen.pdf

6. Timeliness and frequency

- Timeliness: t + 8.5 months
- Frequency: Annual

7. Calculation method

- Unit of measurement: Number in 1,000
- Calculation:

$$\textbf{Mortality at the age of 30 to under 70 years} = \frac{\sum_{ki} \text{Deaths at the age of 30 to under 70 years attributed to a disease with assigned ICD}_{ki}\text{ [number]}}{1{,}000}$$

With: i ∈ {Cardiovascular disease; Cancer; Diabetes mellitus; Chronic respiratory disease}

$k_{\text{Diseases of the circulatory system}} \in$ {I00; ...; I99}
$k_{\text{Malignant neoplasms}} \in$ {C00; ...; C97}
$k_{\text{Diabetes mellitus}} \in$ {E10; ...; E14}
$k_{\text{Chronic respiratory disease}} \in$ {J30; ...; J98}