

SDG Goal 3 Good health and well-being

SDG Target 3.1	By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births
SDG Indicator 3.1.1	Maternal mortality ratio
Time series	Maternal mortality

1. General information on the time series

- Date of national metadata: April 30, 2026
- National data: <https://sdg-indicators.de/3-1-1>
- Definition: The time series shows the number of maternal deaths per 100,000 live births.

A maternal death is defined as the death of a woman during pregnancy or within 42 days of its termination, regardless of the duration or location of the pregnancy. It includes deaths resulting from causes related to or aggravated by the pregnancy or its management (direct or indirect maternal causes of death). Deaths due to unintentional or accidental causes are excluded.

Classification is based on ICD-10 codes. ICD-10 is the 10th Revision of the International Statistical Classification of Diseases and Related Health Problems. In its German Modification (ICD-10-GM), it serves as the official classification system for coding diagnoses in outpatient and inpatient care in Germany.

The following ICD-10 codes are included:

O00-O99: Pregnancy, childbirth and the puerperium
A34: Obstetrical tetanus

(excluding: O96: Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery and O97: Death from sequelae of obstetric causes)

- Disaggregation: Not available.

2. Comparability with the UN metadata

- Date of UN metadata: November 2025
- UN metadata: <https://unstats.un.org/sdgs/metadata/files/Metadata-03-01-01.pdf>
- The time series is compliant with the UN metadata.

3. Data description

- The data are derived from a special evaluation of the cause of death statistics, which are based on death certificates issued by medical doctors, as well as from data on the total number of live births obtained from the birth statistics. Both statistical sources are compiled by the Federal Statistical Office and are based on administrative data.

4. Access to data source

- Not available.

5. Metadata on source data

- Not available.

6. Timeliness and frequency

- Timeliness: t + 9 months
- Frequency: Annual

7. Calculation method

- Unit of measurement: Per 100,000 live births
- Calculation:

$$\text{Maternal mortality} = \frac{\sum_i \text{Deaths with assigned ICD}_i \text{ [number]}}{\text{Live births total [number]}} \cdot 100,000$$

With: $i \in \{O00-O95; O98; O99; A34\}$