


[CS304] Tutorial 2 - Teedy Setup

Teedy is a lightweight, open-source document management system. **Teedy will be used throughout the course for practicing software engineering concepts.** So, in this lab, you will learn to set up the environment and install Teedy.

Teedy Repository: [GitHub](#)

Teedy Demo: [Teedy Demo](#)



1 Environment Setup


Step 1: WSL Installation (Windows Users Only)

 **Note:** Mac/Linux users can skip this step and proceed directly to [Step 2: Dependencies Installation](#).


You must be running Windows 10 version 2004 and higher (Build 19041 and higher) or Windows 11 to use the commands below. If you are on earlier versions please see the [manual install page](#).

1. Open PowerShell as Administrator and run:

```
ws1 --install
```



2. Restart your computer, search and open the **Ubuntu**, follow the prompts to set up a Linux username and password.



For more details, refer to the official guide: [Install WSL](#).

Step 2: Dependencies Installation

Before building Teedy from source, ensure that the following prerequisites are installed: **Java 11+**, **Maven 3+**, **NPM**, **Grunt**, **Tesseract 4**, **ffmpeg**, and **mediainfo**.

1. Update the system and remove outdated packages:

```
sudo apt update && sudo apt upgrade -y && sudo apt autoremove -y
```

```
ao_hao@DESKTOP-4JVIQPU: ~$ sudo apt update && sudo apt upgrade -y && sudo apt autoremove -y
[sudo] password for ao_hao:
Get:1 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Hit:2 http://archive.ubuntu.com/ubuntu noble InRelease
Get:3 http://archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:4 http://security.ubuntu.com/ubuntu noble-security/main amd64 Packages [617 kB]
Get:5 http://archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:6 http://security.ubuntu.com/ubuntu noble-security/main Translation-en [118 kB]
Get:7 http://security.ubuntu.com/ubuntu noble-security/main amd64 Components [9020 B]
Get:8 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Packages [803 kB]
Get:9 http://archive.ubuntu.com/ubuntu noble/universe amd64 Packages [15.0 MB]
Get:10 http://security.ubuntu.com/ubuntu noble-security/universe Translation-en [171 kB]
Get:11 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Components [52.0 kB]
Get:12 http://security.ubuntu.com/ubuntu noble-security/universe amd64 c-n-f Metadata [13.5 kB]
Get:13 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Packages [625 kB]
Get:14 http://security.ubuntu.com/ubuntu noble-security/restricted Translation-en [121 kB]
Get:15 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Components [212 B]
Get:16 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Packages [12.4 kB]
Get:17 http://security.ubuntu.com/ubuntu noble-security/multiverse Translation-en [2940 B]
Get:18 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Components [208 B]
Get:19 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 c-n-f Metadata [356 B]
```

2. Install dependencies:


```
sudo apt install \
    default-jdk \
    ffmpeg \
    grunt \
    maven \
    npm \
    tesseract-ocr-all
```

```
tesseract-ocr-hun is already the newest version (1:4.00~git30-7274cfa-1.1).
tesseract-ocr-ita is already the newest version (1:4.00~git30-7274cfa-1.1).
tesseract-ocr-jpn is already the newest version (1:4.00~git30-7274cfa-1.1).
tesseract-ocr-kor is already the newest version (1:4.00~git30-7274cfa-1.1).
tesseract-ocr-lav is already the newest version (1:4.00~git30-7274cfa-1.1).
tesseract-ocr-nld is already the newest version (1:4.00~git30-7274cfa-1.1).
tesseract-ocr-nor is already the newest version (1:4.00~git30-7274cfa-1.1).
tesseract-ocr-pol is already the newest version (1:4.00~git30-7274cfa-1.1).
tesseract-ocr-por is already the newest version (1:4.00~git30-7274cfa-1.1).
tesseract-ocr-rus is already the newest version (1:4.00~git30-7274cfa-1.1).
tesseract-ocr-spa is already the newest version (1:4.00~git30-7274cfa-1.1).
tesseract-ocr-swe is already the newest version (1:4.00~git30-7274cfa-1.1).
tesseract-ocr-tha is already the newest version (1:4.00~git30-7274cfa-1.1).
tesseract-ocr-tur is already the newest version (1:4.00~git30-7274cfa-1.1).
tesseract-ocr-ukr is already the newest version (1:4.00~git30-7274cfa-1.1).
tesseract-ocr-vie is already the newest version (1:4.00~git30-7274cfa-1.1).
ffmpeg is already the newest version (7:4.4.2-0ubuntu0.22.04.1).
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
```

2 Teedy Installation

Step 1: Create repository and clone

1. Create a new repository in your GitHub account using the Teedy template: <https://github.com/sustech-cs304/Teedy> .



Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk (*).

Repository template

 sustech-cs304/Teedy

Start your repository with a template repository's contents.

☐ Include all branches

Copy all branches from sustech-cs304/Teedy and not just the default branch.

Owner *

 /

Repository name *

Teedy

Teedy is available.

Great repository names are short and memorable. Need inspiration? How about [redesigned-octo-happiness](#) ?

Description (optional)

☐ Public

Anyone on the internet can see this repository. You choose who can commit.

☒ Private


You choose who can see and commit to this repository.

 You are creating a private repository in your personal account.

Create repository

2. Clone the Teedy repository from your GitHub account using Git commands or GitHub Desktop instead of simply downloading the code. In Week 04, we will use this repository again, and if you only download the code, you will need to clone and set it up again in the next lab.

Click the green **Code** button, select the **HTTPS** tab, click the copy icon to copy the URL (e.g., <https://github.com/<username>/Teedy.git>)



Open your terminal(Windows: Open Command Prompt or PowerShell; Mac/Linux: Open Terminal.), use the `cd` command to go to the folder where you want to save the project.

```
cd <Your Desired Folder>
```

Run the Clone Command:

```
git clone https://github.com/<username>/Teedy.git
```

Replace the URL with your actual repository link.

Step 2: Build the project

1. Launch `ws1`, navigate the root directory of Teedy:

```
ao_hao@DESKTOP-4JVIQPU:~$ cd /mnt/d/github/Teedy
ao_hao@DESKTOP-4JVIQPU:/mnt/d/github/Teedy$
```

2. Run the following command to build the project:

```
mvn clean -DskipTests install
```

```

ao_hao@DESKTOP-4JVIQPU:~$ cd /mnt/d/github/Teedy
ao_hao@DESKTOP-4JVIQPU:/mnt/d/github/Teedy$ mvn clean -DskipTests install
[INFO] Scanning for projects...
[INFO] -----
[INFO] Reactor Build Order:
[INFO]
[INFO] Docs Parent                                [pom]
[INFO] Docs Core                                [jar]
[INFO] Docs Web Commons                          [jar]
[INFO] Docs Web                                 [war]
[INFO]
[INFO] -----< com.sismics.docs:docs-parent >-----
[INFO] Building Docs Parent 1.12-SNAPSHOT          [1/4]
[INFO] -----[ pom ]-----

```

Step 3: Start the Server

1. Navigate to the `docs-web` directory:

```
cd docs-web
```

2. Start the Jetty server by running the following command from the `docs-web` directory:

```
mvn jetty:run
```

```

[INFO] -----
ss@tl:/mnt/d/001_course/2023s_se/pro/teedy$ cd docs-web
ss@tl:/mnt/d/001_course/2023s_se/pro/teedy/docs-web$ mvn jetty:run
[INFO] Scanning for projects...
[INFO] -----
[INFO] -----< com.sismics.docs:docs-web >-----
[INFO] Building Docs Web 1.10
[INFO] -----[ war ]-----
[INFO]

```


```

ao_hao@DESKTOP-4JVIQPU: /mnt/d/github/Teedy2/docs-web
: dbupdate-031-0.sql
20 Feb 2025 11:15:17,692 DEBUG com.sismics.util.jpa.DbOpenHelper.executeScript(DbOpenHelper.java:167) insert into T_CONFIG (CFG_ID_C, CFG_VALUE_C) values ('OCR_ENABLED', 'true');
20 Feb 2025 11:15:17,693 DEBUG com.sismics.util.jpa.DbOpenHelper.executeScript(DbOpenHelper.java:167) update T_CONFIG set CFG_VALUE_C = '31' where CFG_ID_C = 'DB_VERSION';
20 Feb 2025 11:15:17,693 INFO com.sismics.util.jpa.DbOpenHelper.open(DbOpenHelper.java:108) Database upgrade complete
20 Feb 2025 11:15:17,695 INFO com.sismics.util.jpa.EMF.getEntityManagerProperties(EMF.java:67) Configuring EntityManager from hibernate.properties
20 Feb 2025 11:15:30,360 INFO com.sismics.util.ClasspathScanner.findClasses(ClasspathScanner.java:48) Found 1 classes for IndexingHandler
20 Feb 2025 11:15:30,827 INFO com.sismics.docs.core.util.indexing.LuceneIndexingHandler.initLucene(LuceneIndexingHandler.java:129) Using RAM Lucene storage
20 Feb 2025 11:15:31,659 INFO com.sismics.docs.core.service.FileService.startUp(FileService.java:39) File service starting up
20 Feb 2025 11:15:31,715 INFO com.sismics.docs.core.service.InboxService.startUp(InboxService.java:52) Inbox service starting up
20 Feb 2025 11:15:31,724 INFO com.sismics.docs.core.service.FileSizeService.startUp(FileSizeService.java:30) File size service starting up
20 Feb 2025 11:15:33,329 INFO com.sismics.docs.core.service.FileSizeService.lambda$runOneIteration$0(FileSizeService.java:50) No more file to process, stopping the service
20 Feb 2025 11:15:33,341 INFO com.sismics.docs.core.service.FileSizeService.shutdown(FileSizeService.java:35) File size service shutting down
[INFO] Started o.e.j.m.p.MavenWebApplicationContext@29bbc391{Teedy, /docs-web, [file:///mnt/d/github/Teedy2/docs-web/src/main/webapp/], AVAILABLE} {file:///mnt/d/github/Teedy2/docs-web/src/main/webapp/}
[INFO] Started ServerConnector@2b720a2c{HTTP/1.1, (http/1.1)} {0.0.0.0:8080}
[INFO] Started Server@32ae8f27{STARTING} [11.0.20, sto=0] @38250ms
[INFO] Automatic redeployment disabled, see 'mvn jetty:help' for more redeployment options

```

3. Open your browser and visit: <http://localhost:8080>.

Click the `/docs-web` link:



Error 404 - Not Found.

No context on this server matched or handled this request.


Contexts known to this server are:

Context Path	Display Name	Status	LifeCycle
/docs-web	Teedy	Available	STARTED

 [Powered by Eclipse Jetty:// Server](#)

Cause of 404: In the default `dev` profile, the frontend build artifacts were not placed in the container's root directory. As a result, accessing the root path `/` returns a 404 error because `index.html` cannot be found. You can modify the **Jetty configuration** in `/docs-web/pom.xml` so that Teedy can be accessed directly at `localhost:8080`.

Click the `src/` link:




Directory: /docs-web/

Name ↑	Last Modified	Size
.gitignore	Feb 18, 2025, 4:26:10 PM	38 bytes
Gruntfile.js	Feb 18, 2025, 4:26:10 PM	5,028 bytes
header.md	Feb 18, 2025, 4:26:10 PM	4,803 bytes
package.json	Feb 18, 2025, 4:26:10 PM	1,282 bytes
package-lock.json	Feb 18, 2025, 4:26:10 PM	83,208 bytes
src/	Feb 18, 2025, 4:26:10 PM	4,096 bytes
WEB-INF/	Feb 18, 2025, 4:26:10 PM	4,096 bytes

Log in with:

- **Username:** admin
- **Password:** admin



You’re all set! Start exploring Teedy.



References:

1. Automatic WSL Installation :

EN : <https://learn.microsoft.com/en-us/windows/wsl/install>

CN : <https://learn.microsoft.com/zh-cn/windows/wsl/install>

2. Manual WSL Installation:

EN : <https://learn.microsoft.com/en-us/windows/wsl/install-manual>

CN : <https://learn.microsoft.com/zh-cn/windows/wsl/install-manual>

3. Troubleshooting Installation Issues:

<https://learn.microsoft.com/en-us/windows/wsl/troubleshooting#installation-issues>

<https://learn.microsoft.com/zh-cn/windows/wsl/troubleshooting#installation-issues>

<https://zhuanlan.zhihu.com/p/386590591>