

LAB WORKBOOK

Assignment 4: JavaScript Alerts and Confirms

Tier 2: Advanced User Interactions

1. Module Name and Experiment Title

Module: Tier 2 – Advanced User Interactions

Experiment: JavaScript Alerts and Confirms

2. Problem Statement

Automate JavaScript dialog boxes on a practice page by triggering a JavaScript Alert, a Confirm Box, and a Prompt Box. Accept the first alert, dismiss the confirm box, and enter text into the prompt using `driver.switch_to.alert.send_keys()` before accepting it.

3. Objective

To learn how Selenium handles browser-level JavaScript alert, confirmation, and prompt dialogs using the alert switching mechanism.

4. Tools, Software and Concepts Used

Category	Details
Programming Language	Python 3
Automation Tool	Selenium WebDriver
Browser	Google Chrome
IDE/Editor	VS Code / PyCharm
Practice Page	https://the-internet.herokuapp.com/javascript_alerts
Concepts	JavaScript Alert, Confirm, Prompt, <code>switch_to.alert</code> , <code>accept()</code> , <code>dismiss()</code> , <code>send_keys()</code>

5. Source Code / Implementation

```
from selenium import webdriver
from selenium.webdriver.common.by import By

driver = webdriver.Chrome()

try:
    driver.get("https://the-internet.herokuapp.com/javascript_alerts")

    # 1. Trigger JavaScript Alert and accept it
    driver.find_element(By.XPATH, "//button[text()='Click for JS Alert']").click()
    alert = driver.switch_to.alert
    print("Alert text:", alert.text)
```

```

    alert.accept()
    print("Alert accepted.")

# 2. Trigger Confirm Box and dismiss it
driver.find_element(By.XPATH, "//button[text()='Click for JS Confirm']").click()
confirm = driver.switch_to.alert
print("Confirm text:", confirm.text)
confirm.dismiss()
print("Confirm dismissed.")

# 3. Trigger Prompt Box, enter text, and submit
driver.find_element(By.XPATH, "//button[text()='Click for JS Prompt']").click()
prompt = driver.switch_to.alert
print("Prompt text:", prompt.text)
prompt.send_keys("Selenium Automation")
prompt.accept()
print("Prompt submitted.")

# Validate the page responses
result_text = driver.find_element(By.ID, "result").text
assert result_text == "You entered: Selenium Automation"
print("Validation passed:", result_text)


finally:
    driver.quit()

```

6. Implementation Steps

1. Open the JavaScript Alerts practice page.
2. Click 'Click for JS Alert', switch to the alert, and call `accept()`.
3. Click 'Click for JS Confirm', switch to the alert, and call `dismiss()`.
4. Click 'Click for JS Prompt', switch to the prompt using `driver.switch_to.alert`.
5. Use `driver.switch_to.alert.send_keys()` to enter the required text.
6. Accept the prompt and read the result displayed on the page.
7. Verify the returned result using an assertion and close the browser.

7. Output



8. Result

The JavaScript Alert was accepted, the Confirm Box was dismissed, and text was successfully entered and submitted through the Prompt Box using Selenium.

9. Observation

JavaScript dialogs are not regular HTML elements, so they must be handled by switching the WebDriver context to the active alert. Selenium provides `accept()`, `dismiss()`, and `send_keys()` for these dialog types.

10. Conclusion

This experiment demonstrated how to automate JavaScript Alert, Confirm, and Prompt dialogs using Selenium's `switch_to.alert` interface.