

SARDAR PATEL UNIVERSITY
B. C. A. EXAMINATION, IV SEM

Date : 08th Sep 2020, Tuesday

Time : 03:00pm To 05:00pm

Session : Morning

Sub: Relational Database Management System -II

Course No : US04CBCA01

Total marks : 70

Q – 1 Multiple Choice Question

[10]

- i) Which of the following is not an anomaly?
a) INDEX b) INSERT c) UPDATE d) DELETE
- ii) Every time attribute A appears, it is matched with the same value of attribute B, but not the same value of attribute C. Therefore, it is true that:
a) $A \rightarrow B$ b) $A \rightarrow C$ c) $A \rightarrow (B, C)$ d) None of these
- iii) The different classes of relations created by the technique for preventing modification anomalies are called:
a) Referential integrity constraints b) Normal Forms
c) Functional Dependencies d) None of above
- iv) _____ puts a piece of information in the package buffer followed by an end of line marker.
a) dbms_line b) put_output c) dbms_output d) put_line
- v) The _____ section is mandatory in PL/SQL block .
a) Exception b) Begin c) Declare d) None
- vi) _____ can be declared by user for the queries that return more than one row.
a) Implicit cursor b) Explicit cursor c) Procedure d) Function
- vii) Data stored in a cursor is known as _____.
a) Implicit cursor b) Active data set c) Current Data d) None
- viii) In trigger to specifies correlation names _____ key word is used.
a) When b) Referencing c) For each row d) None of these
- ix) _____ clause is valid only for row level trigger.
a) When(condition) b) Insert c) Update d) Before
- x) The error occurred during the compilation of procedure are stored in _____.
a) Dual b) User_errors c) user_exception d) user_procedures

Q – 2 Fill in the Blanks and True - False

[08]

- i) A relation is said to be in 1st normal form if there are no composite attributes in the relation. (True / False) **T**
- ii) _____ Normal form identifies functional dependencies. **2NF**
- iii) In PL/SQL, Code blocks start with a Begin. (True / False) **F**
- iv) The _____ statement changes the flow of control within PL/SQL block. **goto**
- v) %rowtype is not a cursor attribute. (True / False) **F**
- vi) Fetch statement retrieves _____ rows at a time. **1**
- vii) _____ type of parameter used to send values to stored procedure. **IN**
- viii) The error occurred during the compilation of procedure are stored in user_procedure Table. (True / False) **F**

Q – 3 Short Answer attempt any ten (Each carry 2 marks)

[20]

- i) List out consequences of poor database design.
- ii) What is normalisation?
- iii) Differentiate 3NF and BCNF.
- iv) Define: %type and % rowtype.
- v) Explain GOTO statement in brief.
- vi) Explain SELECT ... INTO statement
- vii) Differentiate between implicit cursor and explicit cursor.
- viii) Explain cursor FOR Loop.
- ix) Explain in brief: SQLCODE / SQLERRM
- x) What is Package? List part of package.
- xi) Explain row level and statement level trigger.
- xii) Write syntax of stored Function.

Q – 4 Attempt any four (Each carry 8 marks)

[32]

- i) What is Normalization? Explain 2nd normal form and 3rd normal form with example
- ii) Discuss the purpose of Normalisation & Normalisation process. what are the normal forms? Explain any one in detail with example.
- iii) Explain conditional and sequential control structure in details.
- iv) Explain Iterative control structure in detail with appropriate syntax and example.
- v) Explain Declare, Open, Fetch and Close statement for explicit cursor with it's attributes.
- vi) What is exception? Write advantages of exception handling in PL/SQL. And explain RAISE_APPLICATION_ERROR with syntax and example.
- vii) Explain Procedure with syntax and example with its calling program.
- viii) Explain PL/SQL Package with syntax and example.

