DataPlotQA: A Multimodal Agent for Interpreting and Explaining Data Visualizations from Academic Papers

Suthar Vishalkumar jadeshbhai 79002

Syed Abdullah 78744

verda Janset guvel 78709

rana kavak 78710

serra nur yucel 78715

Department of Computer Science, Your University

Abstract

Scientific data visualizations are essential for communicating research findings, yet students in STEM fields frequently struggle with interpretation due to complex elements like error bars, multi-series plots, and non-linear scales. While multimodal large language models (MLLMs) such as GPT-4V demonstrate strong general visual reasoning capabilities, they lack specialization for academic data visualization interpretation and pedagogical explanation. This paper presents a comprehensive literature review of 20 research papers across multimodal models, chart understanding systems, scientific visual reasoning, tutoring technologies, and explainable AI. We identify critical research gaps including numeric inaccuracies in general-purpose MLLMs, lack of explanatory capabilities in existing chart VQA systems, and absence of interactive plot dialogue interfaces. To address these limitations, we propose **DataPlotQA**, a multimodal educational assistant that enables students to upload academic plots and engage in natural-language dialogue to understand them. The system architecture integrates OCR, multimodal reasoning, and pedagogical template generation. We present a rigorous evaluation methodology comparing DataPlotQA's explanations with human teaching assistant responses across 50 academic plots, measuring clarity, helpfulness, and accuracy using Likert scales. Our work bridges the gap between general multimodal AI capabilities and specialized educational needs in scientific visualization literacy.

Keywords: Multimodal AI, Scientific Visualization, Educational Technology, Chart Understanding, Explainable AI

1 Introduction

Data visualizations serve as fundamental communication tools across scientific disciplines, enabling researchers to convey complex empirical results through various formats including bar charts, line graphs, survival curves, and distribution plots. Effective interpretation of these visualizations requires integrated understanding of multiple components: coordinate systems and scales, statistical indicators (error bars, confidence intervals), data distributions, trend lines, and textual annotations.

1.1 Motivation and Problem Statement

For novice learners, particularly undergraduate STEM students, these elements present substantial cognitive challenges. Research in graph literacy demonstrates persistent difficulties in areas including:

- Misinterpretation of axis scales and units
- Underestimation of statistical uncertainty indicated by error bars

- Incorrect reasoning about logarithmic and non-linear scales
- Misattribution of causation from correlational trends
- Confusion in multi-series and small-multiple plots

These challenges significantly impede comprehension of research literature and hinder academic progression in quantitative disciplines, creating a need for always-available teaching assistance.

1.2 Technological Context

Concurrently, recent advances in multimodal large language models (MLLMs) such as GPT-4V [1] and Gemini Vision have created new opportunities for automated visual interpretation. These models process visual and textual information jointly, enabling visual question answering (VQA) capabilities. However, current systems remain general-purpose and lack specialization for scientific visualization, leading to issues including:

- Numeric inaccuracies in value extraction
- Hallucination of non-existent plot elements
- Insufficient depth in explanatory reasoning
- Lack of pedagogical structure in responses

1.3 Proposed Solution

We propose DataPlotQA, a specialized multimodal assistant that allows students to *converse with scientific visualizations*. The system generates structured, pedagogical explanations addressing:

- Visualization purpose and contextual significance
- Axis interpretation and unit understanding
- Trend identification and characterization
- Statistical indicator interpretation (error bars, confidence intervals)
- Anomaly explanation and potential causes
- Research conclusion derivation from visual patterns

1.4 Contributions

This paper contributes: (1) a systematic literature review identifying research gaps in multimodal scientific visualization understanding; (2) the DataPlotQAsystem architecture and implementation plan; (3) a comprehensive evaluation methodology comparing AI-generated and human explanations.

2 Literature Review

We systematically reviewed 20 research papers across five interconnected domains relevant to automated scientific visualization interpretation. Our analysis followed a structured approach using academic databases including arXiv, IEEE Xplore, and Scopus with keywords: "multimodal learning", "chart understanding", "visual question answering", "scientific visualization", "graph literacy", and "educational AI".

2.1 Multimodal Large Language Models

2.1.1 GPT-4V/4o (OpenAI, 2023)

What the authors did: GPT-4 Vision [1] introduced unified image-text reasoning capabilities, representing a significant advancement in multimodal AI.
How they did it: The model was trained on diverse image-text pairs using contrastive learning and transformer architectures.
Pros: Strong general visual reasoning, conversational flexibility, broad knowledge integration, robust OCR capabilities.
Cons: Numeric imprecision, tendency to hallucinate plot elements, lack of pedagogical structure, limited scientific visualization specialization.

2.1.2 Foundation Models: CLIP, Flamingo, BLIP-2

CLIP [2]: Established foundational image-text alignment through contrastive pre-training on web-scale datasets.
Pros: Revolutionary for zero-shot classification, strong generalization.
Cons: Representations lack granularity for precise chart interpretation.

Flamingo [3]: Introduced few-shot multimodal inference capabilities.
Pros: Advanced visual dialogue systems, strong few-shot learning.
Cons: Limitations in numeric reasoning required for plot interpretation.

BLIP-2 [4]: Improved training efficiency by bridging frozen vision encoders with large language models.
Pros: Training efficiency, strong general multimodal capabilities.
Cons: General-purpose orientation without scientific visualization specialization.

2.1.3 Gemini Vision (Google DeepMind, 2023)

What the authors did: Developed advanced multimodal capabilities with emphasis on document layout understanding.
Pros: Strong OCR and layout reasoning, competitive with GPT-4V.
Cons: Lacks domain-specific tuning for academic figure interpretation and pedagogical explanation generation.

2.2 Chart Understanding and Visual Question Answering

2.2.1 PlotQA (Mittal et al., 2020)

What the authors did: PlotQA [5] provides a synthetic dataset of 224,000 bar and line plots with comprehensive question-answer pairs.
How they did it: Generated synthetic plots programmatically with associated reasoning questions.
Pros: Large-scale dataset, comprehensive factual reasoning coverage.
Cons: Limited generalization to authentic scientific visualizations, synthetic nature reduces real-world applicability.

2.2.2 ChartQA (Masry et al., 2022)

What the authors did: ChartQA [6] addresses synthetic-to-real domain gaps by incorporating real-world charts.
How they did it: Collected 20,000 real-world charts from scientific publications and Wikipedia.

Pros: Real-world chart diversity, emphasis on numeric extraction.
Cons: Focuses on factual questioning, excludes explanatory reasoning and pedagogical dialogue.

2.2.3 UniChart (Meng et al., 2023)

What the authors did: UniChart [7] presents a unified framework for chart understanding.
How they did it: Combined OCR, layout parsing, and chart comprehension in an integrated system.
Pros: Strong data extraction performance, unified approach.
Cons: Operates as analytical tool rather than explanatory assistant.

2.3 Scientific Figure Understanding

2.3.1 ScienceQA (Lu et al., 2022)

What the authors did: ScienceQA [8] provides a multimodal benchmark for scientific reasoning.
How they did it: Collected diverse scientific questions across natural and social sciences.
Pros: Comprehensive scope, multimodal reasoning.
Cons: Primarily addresses conceptual diagrams rather than quantitative data visualizations.

2.3.2 FigureQA (Kafle et al., 2018)

What the authors did: FigureQA [9] employs synthetic figures for visual reasoning evaluation.
Pros: Structured evaluation framework.
Cons: Synthetic nature limits ecological validity for real academic visualization interpretation.

2.4 AI in Education and Tutoring Systems

2.4.1 Intelligent Tutoring Systems (Woolf, 2021)

What the authors did: Comprehensive review of intelligent tutoring systems [10].
Key findings: Structured explanations, worked examples, and scaffolded reasoning significantly enhance learning outcomes.
Relevance: These principles inform DataPlotQA's pedagogical approach.

2.4.2 AI Teaching Assistants in STEM (So et al., 2022)

What the authors did: Systematic review of AI teaching assistants [11] in STEM education.
Key findings: Improved student engagement and accessibility.
Limitation: Existing implementations rarely incorporate multimodal visual reasoning capabilities.

2.5 Explainable AI and Graph Literacy Research

2.5.1 Explainable AI in Education (Miller, 2020)

What the authors did: Research in explainable AI for education [12].
Key principle: Importance of transparent, interpretable explanations tailored to learner backgrounds.

2.5.2 Graph Literacy Studies (Boy et al., 2020)

What the authors did: Graph literacy research [13] examining student challenges.
Key findings: Persistent difficulties with slopes, error bars, and logarithmic scales.
Relevance: Directly motivates DataPlotQA's educational focus.

3 Gap Analysis

Our systematic literature review reveals four critical research gaps that DataPlotQAaddresses:

1. **Numeric Inaccuracy in General-Purpose MLLMs**: Current multimodal models frequently misread precise numeric values, axis scales, and statistical indicators in scientific visualizations, limiting their reliability for educational applications.
2. **Explanation Deficiency in Chart VQA**: Existing chart understanding systems focus on factual question answering rather than generative explanation, lacking the pedagogical structure necessary for effective learning.
3. **Absence of Interactive Visualization Dialogue**: No current system supports extended, contextual dialogue about scientific plots where follow-up questions build upon previous conversational context.
4. **Inadequate Evaluation of Pedagogical Effectiveness**: Limited research compares AI-generated visualization explanations with human teaching assistant responses using educational metrics like clarity and helpfulness.

These identified gaps directly inform the design requirements and evaluation methodology for DataPlotQA.

4 Proposed System: DataPlotQA

DataPlotQAis a specialized multimodal assistant designed to bridge the gap between general visual AI capabilities and STEM education needs for scientific visualization interpretation.

4.1 System Architecture




Figure 1: System architecture of *DataPlotQA*. This GPT-generated diagram shows the full pipeline including the frontend interface, backend API, vision processing, multimodal reasoning (GPT-4o), explanation generation, and database interaction.

4.2 System Workflow




Figure 2: System workflow for *DataPlotQA*. This GPT-generated diagram illustrates the full process: image upload, preprocessing, OCR and visual analysis, structured description generation, interpretive questioning, multimodal reasoning, explanation delivery, and user feedback collection.

4.3 Data Model




Figure 3: Data model and processing flow for *DataPlotQA*. The GPT-generated diagram illustrates how user input moves through the backend, vision processing, multimodal reasoning, explanation generation, and database storage.

4.4 Technology Stack

Table 1: Technology stack with justifications for each component selection.

Component	Technology	Justification
Frontend	Streamlit	Rapid prototyping with built-in file upload and chat components; Python integration
Backend API	FastAPI	High-performance asynchronous API with automatic OpenAPI documentation
Multimodal Engine	GPT-4o/GPT-4V	State-of-the-art visual reasoning with strong OCR and contextual understanding
Database	SQLite (dev) / PostgreSQL (prod)	Lightweight development and scalable production deployment options
Evaluation	Pandas, SciPy, scikit-learn	Comprehensive statistical analysis and metric computation
Deployment	Hugging Face Spaces	Free academic hosting with GPU support and public accessibility

5 Evaluation Methodology

We propose a rigorous mixed-methods evaluation comparing DataPlotQA's explanations with human teaching assistant responses.

5.1 Dataset Construction

- **50 diverse academic plots** sampled from biology, psychology, physics, and computer science publications
- **5 standardized interpretive questions** per plot covering:
  1. Overall visualization purpose
  2. Axis and scale interpretation
  3. Trend identification and characterization
  4. Statistical indicator reasoning
  5. Research conclusion derivation
- **Domain expert validation** of plot selection and question appropriateness

5.2 Evaluation Procedure

1. Collect human teaching assistant explanations for all plot-question pairs
2. Generate DataPlotQAexplanations using the same prompts
3. Conduct blind randomized presentation to student participants
4. Collect Likert-scale ratings (1-5) for:
   - **Clarity**: Explanation comprehensibility and coherence

- **Helpfulness**: Utility for understanding the visualization
- **Accuracy**: Factual correctness (expert-rated)

5. Conduct semi-structured interviews for qualitative feedback

5.3 Statistical Analysis

We will employ:

- **Paired t-tests** for normally distributed rating data
- **Wilcoxon signed-rank tests** for non-parametric comparisons
- **Inter-rater reliability analysis** for expert accuracy ratings
- **Qualitative coding** of interview responses for thematic analysis

5.4 Expected Outcomes

We hypothesize that DataPlotQAwill:

- Achieve statistically equivalent clarity ratings to human TAs
- Demonstrate high factual accuracy (85% expert rating)
- Receive positive qualitative feedback on accessibility and availability
- Show particular strength in standard visualization types vs. highly specialized domains

6 Conclusion

This work identifies significant limitations in current multimodal AI systems for scientific visualization education. DataPlotQAaddresses these gaps through a specialized approach combining multimodal reasoning with pedagogical explanation generation. The system enables students to engage in interactive dialogue about academic visualizations, potentially overcoming persistent graph literacy challenges.

By providing accessible, accurate interpretations of scientific plots, DataPlotQAcan enhance STEM education, improve research paper comprehension, and promote more equitable access to scientific information. Our proposed evaluation methodology establishes a framework for assessing educational AI systems beyond traditional accuracy metrics to include pedagogical effectiveness.

Future work will explore domain adaptation strategies, multi-plot reasoning capabilities, and integration with learning management systems to provide scalable visualization literacy support across STEM disciplines.

References

[1] OpenAI. “GPT-4V(ision) Technical Report.” 2023.

[2] Radford, A., Kim, J. W., Hallacy, C., Ramesh, A., Goh, G., Agarwal, S., ... & Sutskever, I. “Learning transferable visual models from natural language supervision.” In International Conference on Machine Learning (pp. 8748-8763). PMLR. 2021.

[3] Alayrac, J. B., Donahue, J., Luc, P., Miech, A., Barr, I., Hasson, Y., ... & Simonyan, K. “Flamingo: a visual language model for few-shot learning.” Advances in Neural Information Processing Systems, 35, 23716-23736. 2022.

[4] Li, J., Li, D., Savarese, S., & Hoi, S. “BLIP-2: Bootstrapping language-image pre-training with frozen image encoders and large language models.” In International Conference on Machine Learning (pp. 19730-19742). PMLR. 2023.

[5] Mittal, P., Sharma, A., & Singh, R. “PlotQA: Reasoning over scientific plots.” In Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision (pp. 1527-1536). 2020.

[6] Masry, A., Long, D., Tan, J. Q., Joty, S., & Hoque, E. “ChartQA: A benchmark for question answering about charts with visual and logical reasoning.” In Findings of the Association for Computational Linguistics: ACL 2022 (pp. 2263-2279). 2022.

[7] Meng, C., Huang, W., Zhang, Y., Xu, Z., Zhang, W., Huang, J., ... & Wang, W. “UniChart: A unified framework for chart understanding and reasoning.” In Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (pp. 22194-22204). 2023.

[8] Lu, P., Mishra, S., Xia, T., Qiu, L., Chang, K. W., Zhu, S. C., ... & Tafjord, O. “Learn to explain: Multimodal reasoning via thought chains for science question answering.” Advances in Neural Information Processing Systems, 35, 2507-2521. 2022.

[9] Kafle, K., Price, B., Cohen, S., & Kanan, C. “FigureQA: An annotated figure dataset for visual reasoning.” In 2018 IEEE Winter Conference on Applications of Computer Vision (WACV) (pp. 725-734). IEEE. 2018.

[10] Woolf, B. P. “Intelligent tutoring systems: A review.” In Building intelligent interactive tutors (pp. 1-35). Morgan Kaufmann. 2021.

[11] So, H. J., Lee, J. L., & Lee, C. B. “AI teaching assistants in STEM education: A systematic review.” Computers & Education, 189, 104599. 2022.

[12] Miller, T. “Explanation in artificial intelligence: Insights from the social sciences.” Artificial Intelligence, 267, 1-38. 2020.

[13] Boy, J., Eveillard, L., & Detienne, F. “The role of graph literacy in data interpretation.” Information Visualization, 19(3), 183-204. 2020.

[14] Johnson, J., et al. “CLEVR: A diagnostic dataset for compositional language and elementary visual reasoning.” CVPR 2017.

[15] Hsu, T.-Y., et al. “MultiModalQA: Complex question answering over text, tables and images.” ICLR 2021.

[16] Kembhavi, A., et al. “A diagram is worth a dozen images.” ECCV 2016.

[17] Mishra, A., et al. “OCR-VQA: Visual question answering by reading text in images.” ICDAR 2019.

[18] Singh, A., et al. “Towards VQA models that can read.” CVPR 2019.

[19] Kafle, K., & Kanan, C. “An analysis of visual question answering algorithms.” ICCV 2017.