KubeCon CloudNativeCon North America 2026

OCM Project Lightning Talk · Salt Lake City



Deploy with OCM with confidence.

Hub → managed cluster

how long did the workload take? Did it arrive?

Suvaansh Kumar · Software Engineer at Guidewire · Open Cluster Management maintainer


Guidewire is a software and platform provider for property and casualty (P&C) insurers.



THE PROJECT

Open Cluster Management (OCM)


- **CNCF Incubating project**, now in its **6th year**
- **Hub and spoke** architecture with a centralized view of your entire fleet



open-cluster-management.io github.com/open-cluster-management-io

AT GUIDEWIRE · WHAT IS THE STRESS THIS TAKES AWAY?

BEFORE USING OCM




A new layer in a pipeline teams already trust

WITH OCM



THE USE CASE AT GUIDEWIRE


One hub cluster, many regions



> The hub cluster knows the workload was **accepted**. It can't tell us **how long** it took to land in each region, or **whether it landed at all**.

Two timestamps, one key

T2 log: in **OCM v1.4**, contributed by Guidewire



5 Your observability tool joins the two logs on the key and subtracts the timestamps.

Match the two logs

T1 HUB CLUSTER ADMISSION WEBHOOK

```
workload/ManifestWork=workload-1
managed cluster=ap-south
generation=2
timestamp=08:05:00.200 UTC
```


T2 MANAGED CLUSTER WORK AGENT

```
workload/ManifestWork=workload-1
managed cluster=ap-south
generation=2
timestamp=08:05:00.634 UTC
```

MANAGED CLUSTER	WORKLOAD/MANIFESTWORK	GENERATION	LATENCY
ap-south	workload-1	1	912 ms
ap-south	workload-1	2	**434 ms**
ap-south	workload-1	3	**NEVER ARRIVED**

Example output from the sample logs.

Never arrived? Look for the missing T2



T1 with no **T2** after a timeout: the workload **never arrived**.

Works with any observability tool

1. **Find** the hub cluster log (**T1**) and the managed cluster log (**T2**)
2. **Match** them on managed cluster name + workload/ManifestWork name + generation
3. **Subtract**: **T2** − **T1** = latency
4. **Catch** the missing **T2**: none after a timeout = **never arrived**

NOW AT GUIDEWIRE

One hub, many clusters, full confidence

- We **confidently deploy workloads with OCM** from the hub to a **large number of managed clusters**
- We **clearly observe the latency** of every rollout: **T2** − **T1**
- We **detect when OCM caused a workload not to reach** a managed cluster: **no T2**

KubeCon CloudNativeCon North America 2026

Thank you

Running into issues? Reach us in **#open-cluster-mgmt** on Kubernetes Slack

Find me at the **KubeVela booth** · Kiosk **P-3A**

Solutions Showcase | Level 1 | Hall 5

Thanks to the Open Cluster Management maintainers and contributors.

Connect on LinkedIn

linkedin.com/in/suvaansh