Hub → managed cluster in how many milliseconds?


Measuring how long a workload takes to travel from the hub to a managed cluster in Open Cluster Management, and catching the ones that never arrive

Suvaansh Kumar
Software Engineer at Guidewire · Open Cluster Management maintainer

OCM Project Lightning Talk · KubeCon + CloudNativeCon North America 2026 · Salt Lake City

THE USE CASE


At Guidewire: one hub cluster, many regions



The hub cluster knows the workload was **accepted**. It can't tell us **how long** it took to land in each region, or **whether it landed at all**.

Two timestamps, one key

T2 log: in **OCM v1.4**, contributed by Guidewire



5 Your observability tool matches the two logs and subtracts.

Match the two logs

T1 HUB CLUSTER ADMISSION WEBHOOK

```
workload/ManifestWork=workload-1
managed cluster=ap-south
generation=2
timestamp=08:05:00.200 UTC
```


T2 MANAGED CLUSTER WORK AGENT

```
workload/ManifestWork=workload-1
managed cluster=ap-south
generation=2
timestamp=08:05:00.634 UTC
```

MANAGED CLUSTER	WORKLOAD/MANIFESTWORK	GENERATION	LATENCY
ap-south	workload-1	1	912 ms
ap-south	workload-1	2	**434 ms**
ap-south	workload-1	3	**NEVER ARRIVED**

Example output from sample logs.

Never arrived? Look for the missing T2



T1 with no **T2** after a timeout: the workload **never arrived**.

Works with any observability tool

1. **Find** the hub cluster log (**T1**) and the managed cluster log (**T2**)

2. **Match** them on managed cluster name + workload/ManifestWork name + generation

3. **Subtract**: **T2** − **T1** = latency

4. **Catch** the missing **T2**: none after a timeout = **never arrived**

Thank you

> Running into issues? Reach us in **#open-cluster-mgmt** on Kubernetes Slack

Thanks to the Open Cluster Management maintainers and contributors.