jQuery Data table Presentation.

The best method for getting a hold of Data Tables for use in your project depends upon your programming environment.

The download builder below provides a simple method that you can use to build your own custom Data Tables package - including only the software that you need, and providing options to have it hosted on the <u>DataTables CDN</u>, download the package locally.

1. Zero Configuration:

Output: http://127.0.0.1:5500/zeroconfiguration/demo.html


Step 1: Open vs code.

Step 2: Create folder with name ex. Zeroconfiguration.

Step 3: Create .html file, .css file and .js file.

Step 4: Go to datatable.net official website. Then go to download option. Download those style framework, select packages and method and download folder.

Add this folder in our folder. Ex zeroconfiguration.



Step 5: Add below jQuery link, from downloaded folder, jQuery data table link in <script> in <head> section, and jQuery css link in link>.

```
<!-- jquery link -->
<script src="https://code.jquery.com/jquery-3.5.1.js"></script>
<!-- jquery datatable link -->
<script src="./DataTables/DataTables-
1.12.1/js/jquery.dataTables.min.js"></script>
```

2. Feature enable / disable

Output: http://127.0.0.1:5500/Featureenabledisable/index.html

Disabling features that you don't wish to use for a particular table is easily done by setting a variable in the initialisation object.

Follow above 1-6 step.

});

```
$(document).ready(function () {
    $('#example').DataTable({
        paging: false,
        ordering: false,
        info: false,
    });
```

Step 7: Add following is code in .js file.

Step 8: Add html code from datatable.net website. Html file go to live server.

				S	earch:
Name	Position	Office	Age	Start date	Salary
Tiger Nixon	System Architect	Edinburgh	61	2011-04-25	\$320,800
Garrett Winters	Accountant	Tokyo	63	2011-07-25	\$170,750
Ashton Cox	Junior Technical Author	San Francisco	66	2009-01-12	\$86,000
Cedric Kelly	Senior Javascript Developer	Edinburgh	22	2012-03-29	\$433,060
Airi Satou	Accountant	Tokyo	33	2008-11-28	\$162,700
Brielle Williamson	Integration Specialist	New York	61	2012-12-02	\$372,000
Herrod Chandler	Sales Assistant	San Francisco	59	2012-08-06	\$137,500
Rhona Davidson	Integration Specialist	Tokyo	55	2010-10-14	\$327,900
Colleen Hurst	Javascript Developer	San Francisco	39	2009-09-15	\$205,500
Sonya Frost	Software Engineer	Edinburgh	23	2008-12-13	\$103,600
Jena Gaines	Office Manager	London	30	2008-12-19	\$90,560
Quinn Flynn	Support Lead	Edinburgh	22	2013-03-03	\$342,000
Charde Marshall	Regional Director	San Francisco	36	2008-10-16	\$470,600
Haley Kennedy	Senior Marketing Designer	London	43	2012-12-18	\$313,500
Tatyana Fitzpatrick	Regional Director	London	19	2010-03-17	\$385,750

3. Default ordering(sorting)

Output: http://127.0.0.1:5500/Defaultordering(sorting)/demo.html

With DataTables you can alter the ordering characteristics of the table at initialisation time.

The order parameter is an array of arrays where the first value of the inner array is the column to order on, and the second is 'asc' (ascending ordering) or 'desc' (descending ordering) as required.

The table below is ordered (descending) by the position column.

```
$tep 7: Add js code in .js file
$(document).ready(function () {
$('#example').DataTable({
order: [[2, 'desc']],
});
});
```

Step 8: Add html code from datatable.net website. Html file go to live server.

Show 10 v entries							Se	arch:		
Name	Position	 Office	*	Age	*	Start date		$\stackrel{\triangle}{\triangledown}$	Salary	≜
Garrett Winters	Accountant	Tokyo		63		2011-07-25			\$170,750	
Airi Satou	Accountant	Tokyo		33		2008-11-28			\$162,700	
Rhona Davidson	Integration Specialist	Tokyo		55		2010-10-14			\$327,900	
Shou Itou	Regional Marketing	Tokyo		20		2011-08-14			\$163,000	
Sakura Yamamoto	Support Engineer	Tokyo		37		2009-08-19			\$139,575	
Doris Wilder	Sales Assistant	Sydney		23		2010-09-20			\$85,600	
Michelle House	Integration Specialist	Sydney		37		2011-06-02			\$95,400	
Jennifer Chang	Regional Director	Singapore		28		2010-11-14			\$357,650	
Olivia Liang	Support Engineer	Singapore		64		2011-02-03			\$234,500	
Serge Baldwin	Data Coordinator	Singapore		64		2012-04-09			\$138,575	
Name	Position	Office		Age		Start date			Salary	
Showing 1 to 10 of 57 entries				Pre	vious	1 2	3	4	5 6	Next

4. Multiple tables

Output: http://127.0.0.1:5500/Multipletables/demo.html

Often you might wish to initialise multiple tables with a single statement.

The example below shows two tables initialised with a single line of code, through the use of the table.display selector (i.e., select all elements which have the class of table.display (which is suitable in this example, you might wish to use a different selector).

```
$tep 7: Add js code in .js file
$(document).ready(function () {
    $('table.display').DataTable();
});

$tep8: Add below code in .css file
div.dataTables_wrapper {
    margin-bottom: 3em;
}
```

Step 9: Add html code from datatable.net website. Html file go to live server.

Show 10 v entries				Search:
Name	Position	Office	♦ Age	♦ Salary ♦
Cedric Kelly	Senior Javascript Developer	Edinburgh	22	\$433,060
Dai Rios	Personnel Lead	Edinburgh	35	\$217,500
Gavin Joyce	Developer	Edinburgh	42	\$92,575
Jennifer Acosta	Junior Javascript Developer	Edinburgh	43	\$75,650
Martena Mccray	Post-Sales support	Edinburgh	46	\$324,050
Quinn Flynn	Support Lead	Edinburgh	22	\$342,000
Shad Decker	Regional Director	Edinburgh	51	\$183,000
Sonya Frost	Software Engineer	Edinburgh	23	\$103,600
Tiger Nixon	System Architect	Edinburgh	61	\$320,800
Name	Position	Office	Age	Salary
Showing 1 to 9 of 9 entries Show 10 ventries				Previous 1 Next Search:
Name	Position	Office	♦ Age	♦ Salary ♦
Angelica Ramos	Chief Executive Officer (CEO)	London	47	\$1,200,000
Bradley Greer	Software Engineer	London	41	\$132,000

5. Complex headers (rowspan and colspan)

Output:

http://127.0.0.1:5500/complexheader_rowspan_columnspan/col.html

When using tables to display data, you will often wish to display column information in groups. DataTables fully supports colspan and rowspan in the table's header, assigning the required order listeners to the TH element suitable for that column.

The example shown below has two sets of grouped information, grouped by colspan in the header.

Follow above 1-6 steps.

```
Step 7: Add js code in .js file
$(document).ready(function () {
    $('#example').DataTable();
});
```

Step 8: Add html code from datatable.net website. Html file go to live server.

Show 10 v entries					Search:
Name	HR Information		Contact		
Name	Position	♦ Salary ♦	Office	Extn.	E-mail
Airi Satou	Accountant	\$162,700	Tokyo	5407	a.satou@datatables.net
Angelica Ramos	Chief Executive Officer (CEO)	\$1,200,000	London	5797	a.ramos@datatables.net
Ashton Cox	Junior Technical Author	\$86,000	San Francisco	1562	a.cox@datatables.net
Bradley Greer	Software Engineer	\$132,000	London	2558	b.greer@datatables.net
Brenden Wagner	Software Engineer	\$206,850	San Francisco	1314	b.wagner@datatables.net
Brielle Williamson	Integration Specialist	\$372,000	New York	4804	b.williamson@datatables.net
Bruno Nash	Software Engineer	\$163,500	London	6222	b.nash@datatables.net
Caesar Vance	Pre-Sales Support	\$106,450	New York	8330	c.vance@datatables.net
Cara Stevens	Sales Assistant	\$145,600	New York	3990	c.stevens@datatables.net
Cedric Kelly	Senior Javascript Developer	\$433,060	Edinburgh	6224	c.kelly@datatables.net
Name	Position	Salary	Office	Extn.	E-mail
Showing 1 to 10 of 57 entries				Previous	1 2 3 4 5 6 Next

6. Dom Positioning

Output: http://127.0.0.1:5500/DOMPositioning/DomPos.html

You can also specify div wrapping containers (with an id and / or class) to provide complete layout flexibility.

Each HTML control element presented by DataTables is denoted by a single character in the dom option. For example the l option is used for the Length changing input option.

The built-in options available are:

- 1 Length changing
- f Filtering input
- t The Table!
- i Information
- p Pagination
- r pRocessing

Follow above 1-6 steps.

```
Step 7: Add js code in .js file
```

```
$(document).ready(function () {
    $('#example').DataTable({
        dom: '<"top"i>rt<"bottom"flp><"clear">',
    });
```

});

Step 8: Add html code from datatable.net website. Html file go to live server.

Showing 1 to 10 of 57 entries		Postura.	Office			S44 d-4-	Salarra A
Name	_	Position	 Office	_	Age	Start date	Salary
Airi Satou		Accountant	Tokyo		33	2008-11-28	\$162,700
Angelica Ramos		Chief Executive Officer (CEO)	London		47	2009-10-09	\$1,200,000
Ashton Cox		Junior Technical Author	San Francisco		66	2009-01-12	\$86,000
Bradley Greer		Software Engineer	London		41	2012-10-13	\$132,000
Brenden Wagner		Software Engineer	San Francisco		28	2011-06-07	\$206,850
Brielle Williamson		Integration Specialist	New York		61	2012-12-02	\$372,000
Bruno Nash		Software Engineer	London		38	2011-05-03	\$163,500
Caesar Vance		Pre-Sales Support	New York		21	2011-12-12	\$106,450
Cara Stevens		Sales Assistant	New York		46	2011-12-06	\$145,600
Cedric Kelly		Senior Javascript Developer	Edinburgh		22	2012-03-29	\$433,060
Name		Position	Office		Age	Start date	Salary
Show 10 v entries			Previous 1 2		3 4 5	6 Next Search:	

7. Flexible table width

Output: http://127.0.0.1:5500/flexibleTableWidth/flexwidth.html

Often you may want to have your table resize dynamically with the page. Typically, this is done by assigning width: 100% in your CSS, but this presents a problem for Javascript since it can be very hard to get that relative size rather than the absolute pixels. As such, if you apply the width attribute to the HTML table tag or inline width style (style="width:100%"), it will be used as the width for the table (overruling any CSS styles).

This example shows a table with width="80%" and the container is also flexible width, so as the window is resized, the table will also resize dynamically.

Follow above 1-6 steps.

```
$tep 7: Add is code in .is file
$(document).ready(function () {
    $('#example').DataTable();
});
```

Step 8: Add html code from datatable.net website. Html file go to live server.

Show 10 ventries						Search:		
Name	Position	\$ Office	$\stackrel{\triangle}{\triangledown}$	Age \$	Start date	\$	Salary	*
Airi Satou	Accountant	Tokyo		33	2008-11-28		\$162,700	
Angelica Ramos	Chief Executive Officer (CEO)	London		47	2009-10-09		\$1,200,000	
Ashton Cox	Junior Technical Author	San Francisco		66	2009-01-12		\$86,000	
Bradley Greer	Software Engineer	London		41	2012-10-13		\$132,000	
Brenden Wagner	Software Engineer	San Francisco		28	2011-06-07		\$206,850	
Brielle Williamson	Integration Specialist	New York		61	2012-12-02		\$372,000	
Bruno Nash	Software Engineer	London		38	2011-05-03		\$163,500	
Caesar Vance	Pre-Sales Support	New York		21	2011-12-12		\$106,450	
Cara Stevens	Sales Assistant	New York		46	2011-12-06		\$145,600	
Cedric Kelly	Senior Javascript Developer	Edinburgh		22	2012-03-29		\$433,060	
Name	Position	Office		Age	Start date		Salary	
Showing 1 to 10 of 57 entries				Previous	1 2	3 4	5 6	Next

8.State Saving:

Output: http://127.0.0.1:5500/StateSave/state.html

DataTables saves the state of a table (its paging position, ordering state etc). When the statesave option is enabled, it can be restored when the user reloads a page, or comes back to the page after visiting a sub-page.

Follow above 1-6 steps.

```
$tep 7: Add js code in .js file
$(document).ready(function () {
    $('#example').DataTable({
        stateSave: true,
    });
});
```

Step 8: Add html code from datatable.net website. Html file go to live server.

Show 10 v entries								Sea	irch:			
Name	Position	\Leftrightarrow	Office	$\stackrel{\triangle}{\triangledown}$	Age \$	Star	t date		\$	Salary		\$
Airi Satou	Accountant		Tokyo		33	2008	3-11-28			\$162,700		
Angelica Ramos	Chief Executive Officer (CEO)		London		47	2009	9-10-09			\$1,200,0	00	
Ashton Cox	Junior Technical Author		San Francisco		66	2009	0-01-12			\$86,000		
Bradley Greer	Software Engineer		London		41	2012	2-10-13			\$132,000		
Brenden Wagner	Software Engineer		San Francisco		28	2011	-06-07			\$206,850		
Brielle Williamson	Integration Specialist		New York		61	2012	2-12-02			\$372,000		
Bruno Nash	Software Engineer		London		38	2011	-05-03			\$163,500		
Caesar Vance	Pre-Sales Support		New York		21	2011	-12-12			\$106,450		
Cara Stevens	Sales Assistant		New York		46	2011	-12-06			\$145,600		
Cedric Kelly	Senior Javascript Developer		Edinburgh		22	2012	2-03-29			\$433,060		
Name	Position		Office		Age	Star	t date			Salary		
Showing 1 to 10 of 57 entries					Previous	1	2	3	4	5	5 1	Next

9. Alternative pagination

Output: http://127.0.0.1:5500/Alternative_Pagination/pagin.html

The default page control presented by DataTables (forward and backward buttons with up to 7 page numbers in-between) is fine for most situations, but there are cases where you may wish to customise the options presented to the end user. This is done through DataTables' extensible pagination mechanism, the pagingType option.

There are six built-in options for which pagination controls DataTables should show:

- numbers Page number buttons only
- simple 'Previous' and 'Next' buttons only
- simple_numbers 'Previous' and 'Next' buttons, plus page numbers
- full 'First', 'Previous', 'Next' and 'Last' buttons
- full_numbers 'First', 'Previous', 'Next' and 'Last' buttons, plus page numbers
- first_last_numbers 'First' and 'Last' buttons, plus page numbers

Follow above 1-6 steps.

```
$tep 7: Add js code in .js file
$(document).ready(function () {
    $('#example').DataTable({
        pagingType: 'full_numbers',
     });
});
```

Step 8: Add html code from datatable.net website. Html file go to live server.

Show 10 v entries								5	Search:			
Name	Position	\$ Office	\$	Age	\$	Sta	rt date		\$	Salar	y	\$
Airi Satou	Accountant	Tokyo		33		200	8-11-28	8		\$162,	700	
Angelica Ramos	Chief Executive Officer (CEO)	London		47		200	9-10-09	9		\$1,20	0,000	
Ashton Cox	Junior Technical Author	San Francisco		66		200	9-01-12	2		\$86,0	00	
Bradley Greer	Software Engineer	London		41		201	2-10-13	3		\$132,	000	
Brenden Wagner	Software Engineer	San Francisco		28		201	1-06-07	7		\$206,	850	
Brielle Williamson	Integration Specialist	New York		61		201	2-12-02	2		\$372,	000	
Bruno Nash	Software Engineer	London		38		201	1-05-03	3		\$163,	500	
Caesar Vance	Pre-Sales Support	New York		21		201	1-12-12	2		\$106,	450	
Cara Stevens	Sales Assistant	New York		46		201	1-12-06	5		\$145,	600	
Cedric Kelly	Senior Javascript Developer	Edinburgh		22		201	2-03-29	9		\$433,	060	
Name	Position	Office		Age		Sta	rt date			Salar	y	
Showing 1 to 10 of 57 entries		First	Pre	vious	1	2	3	4	5	6	Next	Last

10. Scroll - vertical

Output: http://127.0.0.1:5500/Scroll_Vertical/scroll.html

This example shows the DataTables table body scrolling in the vertical direction.

Follow above 1-6 steps.

```
Step 7: Add js code in .js file
$(document).ready(function () {
    $('#example').DataTable({
        scrollY: '200px',
        scrollCollapse: true,
        paging: false,
    });
});
```

Step 8: Add html code from datatable.net website. Html file go to live server.

									Search	1:	
Name	*	Position	*	Office	A V	Age	A	Start date	*	Salary	A V
Airi Satou		Accountant		Tokyo		33		2008-11-28		\$162,700	
Angelica Ramos		Chief Executive Officer (CEO)		London		47		2009-10-09		\$1,200,000	
Ashton Cox		Junior Technical Author		San Francisco		66		2009-01-12		\$86,000	
Bradley Greer		Software Engineer		London		41		2012-10-13		\$132,000	
Brenden Wagner		Software Engineer		San Francisco		28		2011-06-07		\$206,850	
Brielle Williamson		Integration Specialist		New York		61		2012-12-02		\$372,000	
Name		Position		Office		Age		Start date		Salary	

11. Scroll - vertical, dynamic height:

Output: http://127.0.0.1:5500/Scroll_Vertical/scroll.html

This example shows a vertically scrolling DataTable that makes use of the CSS3 vh unit in order to dynamically resize the viewport based on the browser window height. The <u>vh unit</u> is effectively a percentage of the browser window height. So the 50vh used in this example is 50% of the window height. The viewport size will update dynamically as the window is resized.

Follow above 1-6 steps.

```
$tep 7: Add js code in .js file
$(document).ready(function () {
    $('#example').DataTable({
        scrollY: '50vh',
        scrollCollapse: true,
        paging: false,
    });
});
```

Step 8: Add html code from datatable.net website. Html file go to live server.

Lael Greer Syste Martena Mecray Post- Michael Bruce Java: Michael Silva Mart	stems Administrator st-Sales support ascript Developer	London Edinburgh Singapore	21 46	2009-02-27 2011-03-09	Salary \$103,500 \$324,050 \$183,000
Martena Mccray Post- Michael Bruce Java: Michael Silva Mark	st-Sales support ascript Developer	Edinburgh Singapore	46	2011-03-09	\$324,050
Michael Bruce Javas Michael Silva Mark	ascript Developer	Singapore			. ,
Michael Silva Mark	• •		29	2011-06-27	\$183,000
	rketing Designer				\$105,000
Mi-b-II- II	intening Designer	London	66	2012-11-27	\$198,500
Michelle House Integ	egration Specialist	Sydney	37	2011-06-02	\$95,400
Olivia Liang Supp	pport Engineer	Singapore	64	2011-02-03	\$234,500
Paul Byrd Chie	ief Financial Officer (CFO)	New York	64	2010-06-09	\$725,000
Prescott Bartlett Tech	chnical Author	London	27	2011-05-07	\$145,000
Quinn Flynn Supp	pport Lead	Edinburgh	22	2013-03-03	\$342,000
Name Posi	sition	Office	Age	Start date	Salary

12. Scroll – horizontal:

Output: http://127.0.0.1:5500/Scroll_Horizantal/hori.html

DataTables has the ability to show tables with horizontal scrolling, which is very useful for when you have a wide table, but want to constrain it to a limited horizontal display area.

Step 7: Add is code in .js file

```
$(document).ready(function () {
    $('#example').DataTable({
        scrollX: true,
    });
});
```

Step 8: Add html code from datatable.net website. Html file go to live server.

First name 🌲	Last name 🏺	Position	Office \$	Age 🏺	Start date	Salary
Airi	Satou	Accountant	Tokyo	33	2008-11-28	\$162,700
Angelica	Ramos	Chief Executive Officer (CEO)	London	47	2009-10-09	\$1,200,00
Ashton	Cox	Junior Technical Author	San Francisco	66	2009-01-12	\$86,000
Bradley	Greer	Software Engineer	London	41	2012-10-13	\$132,000
Brenden	Wagner	Software Engineer	San Francisco	28	2011-06-07	\$206,850
Brielle	Williamson	Integration Specialist	New York	61	2012-12-02	\$372,000
Bruno	Nash	Software Engineer	London	38	2011-05-03	\$163,500
Caesar	Vance	Pre-Sales Support	New York	21	2011-12-12	\$106,450
Cara	Stevens	Sales Assistant	New York	46	2011-12-06	\$145,600
Cedric	Kelly	Senior Javascript Developer	Edinburgh	22	2012-03-29	\$433,060

13.

Scroll - horizontal and vertical

Output: http://127.0.0.1:5500/Scroll_Vertical_Horizantal/scroll.html

In this example you can see DataTables doing both horizontal and vertical scrolling at the same time.

```
$tep 7: Add js code in .js file
$(document).ready(function () {
    $('#example').DataTable({
        scrollY: 200,
        scrollX: true,
    });
});

$tep 8: Add css code in .css file
div.dataTables_wrapper {
    width: 800px;
    margin: 0 auto;
}
```

Step 9: Add html code from datatable.net website. Html file go to live server.

First name 🌲	Last name 🌲	Position	Office	Age 🏺	Start date 🌲	Salary
Airi	Satou	Accountant	Tokyo	33	2008-11-28	\$162,700
Angelica	Ramos	Chief Executive Officer (CEO)	London	47	2009-10-09	\$1,200,00
Ashton	Cox	Junior Technical Author	San Francisco	66	2009-01-12	\$86,000
Bradley	Greer	Software Engineer	London	41	2012-10-13	\$132,000
Brenden	Wagner	Software Engineer	San Francisco	28	2011-06-07	\$206,850
D! -11 -	***************************************	T	NT N71-	C1	2012 12 02	#272 AAA

14. Base style

Output: http://127.0.0.1:5500/Base_Style/base.html

The DataTables default style file has a number of features which can be enabled based on the class name of the table. These features are:

- cell-border Cells with a border
- compact Increase the data density by reducing the cell padding
- hover Highlight a row when hovered over
- order-column Highlight the cells in the column currently being ordering upon
- row-border Rows with a border
- stripe Zebra striped rows

```
$tep 7: Add is code in .is file
$(document).ready(function () {
    $('#example').DataTable();
});
```

Step 8: Add html code from datatable.net website. Html file go to live server.

Show 10 v entries					Search:		
Name	Position	\$ Office	\$ Age \$	Start date	\$	Salary	\$
Airi Satou	Accountant	Tokyo	33	2008-11-28		\$162,700	
Angelica Ramos	Chief Executive Officer (CEO)	London	47	2009-10-09		\$1,200,000	
Ashton Cox	Junior Technical Author	San Francisco	66	2009-01-12		\$86,000	
Bradley Greer	Software Engineer	London	41	2012-10-13		\$132,000	
Brenden Wagner	Software Engineer	San Francisco	28	2011-06-07		\$206,850	
Brielle Williamson	Integration Specialist	New York	61	2012-12-02		\$372,000	
Bruno Nash	Software Engineer	London	38	2011-05-03		\$163,500	
Caesar Vance	Pre-Sales Support	New York	21	2011-12-12		\$106,450	
Cara Stevens	Sales Assistant	New York	46	2011-12-06		\$145,600	
Cedric Kelly	Senior Javascript Developer	Edinburgh	22	2012-03-29		\$433,060	
Name	Position	Office	Age	Start date		Salary	
Showing 1 to 10 of 57 entries			Previous	1 2	3 4	5 6	Next

15. Base style - no styling classes:

Output:

http://127.0.0.1:5500/Base Styling no Stylingclass/base.html

This example shows the base DataTables style file being used, with none of the additional feature style classes being used.

Follow above 1-6 steps.

```
$tep 7: Add is code in .is file
$(document).ready(function () {
    $('#example').DataTable();
});
```

Step 8: Add html code from datatable.net website. Html file go to live server.

Show 10 v entries							Search:		
Name		Position	\$ Office	\$ Age	\$	Start date	\$	Salary	÷
Airi Satou		Accountant	Tokyo	33		2008-11-28		\$162,700	
Angelica Ramos		Chief Executive Officer (CEO)	London	47		2009-10-09		\$1,200,000	
Ashton Cox		Junior Technical Author	San Francisco	66		2009-01-12		\$86,000	
Bradley Greer		Software Engineer	London	41		2012-10-13		\$132,000	
Brenden Wagner		Software Engineer	San Francisco	28		2011-06-07		\$206,850	
Brielle Williamson		Integration Specialist	New York	61		2012-12-02		\$372,000	
Bruno Nash		Software Engineer	London	38		2011-05-03		\$163,500	
Caesar Vance		Pre-Sales Support	New York	21		2011-12-12		\$106,450	
Cara Stevens		Sales Assistant	New York	46		2011-12-06		\$145,600	
Cedric Kelly		Senior Javascript Developer	Edinburgh	22		2012-03-29		\$433,060	
Name		Position	Office	Age		Start date		Salary	
showing 1 to 10 of 57 entrie	s			Prev	ious	1 2	3 4	5 6	Next

16. Base style - cell borders

Output: http://127.0.0.1:5500/Base_Style_cellborder/cell.html

This example shows DataTables with just the cell-border class specified, giving a strong delineation between individual cells.

```
Step 7: Add js code in .js file
$(document).ready(function () {
    $('#example').DataTable();
});
```

Step 8: Add html code from datatable.net website. Html file go to live server.

Show 10 v entries				Search:	
Name	Position	Office \$\display\$	Age \$	Start date	Salary
Airi Satou	Accountant	Tokyo	33	2008-11-28	\$162,700
Angelica Ramos	Chief Executive Officer (CEO)	London	47	2009-10-09	\$1,200,000
Ashton Cox	Junior Technical Author	San Francisco	66	2009-01-12	\$86,000
Bradley Greer	Software Engineer	London	41	2012-10-13	\$132,000
Brenden Wagner	Software Engineer	San Francisco	28	2011-06-07	\$206,850
Brielle Williamson	Integration Specialist	New York	61	2012-12-02	\$372,000
Bruno Nash	Software Engineer	London	38	2011-05-03	\$163,500
Caesar Vance	Pre-Sales Support	New York	21	2011-12-12	\$106,450
Cara Stevens	Sales Assistant	New York	46	2011-12-06	\$145,600
Cedric Kelly	Senior Javascript Developer	Edinburgh	22	2012-03-29	\$433,060
Name	Position	Office	Age	Start date	Salary
Showing 1 to 10 of 57 entries			Previous	1 2 3 4	5 6 Next

16. Base style – compact

Output: http://127.0.0.1:5500/Base Style Compate/compate.html

The compact class reduces the amount of white-space in the default styling, increasing the information density on screen, as shown below.

```
$tep 7: Add is code in .is file
$(document).ready(function () {
    $('#example').DataTable();
});
```

Step 8: Add html code from datatable.net website. Html file go to live server.

Show 10 v entries					Search:
Name	Position	♦ Office	♦ Age	Start date	\$ Salary \$
Airi Satou	Accountant	Tokyo	33	2008-11-28	\$162,700
Angelica Ramos	Chief Executive Officer (CEO)	London	47	2009-10-09	\$1,200,000
Ashton Cox	Junior Technical Author	San Francisco	66	2009-01-12	\$86,000
Bradley Greer	Software Engineer	London	41	2012-10-13	\$132,000
Brenden Wagner	Software Engineer	San Francisco	28	2011-06-07	\$206,850
Brielle Williamson	Integration Specialist	New York	61	2012-12-02	\$372,000
Bruno Nash	Software Engineer	London	38	2011-05-03	\$163,500
Caesar Vance	Pre-Sales Support	New York	21	2011-12-12	\$106,450
Cara Stevens	Sales Assistant	New York	46	2011-12-06	\$145,600
Cedric Kelly	Senior Javascript Developer	Edinburgh	22	2012-03-29	\$433,060
Name	Position	Office	Age	Start date	Salary
Showing 1 to 10 of 57 entries				Previous 1 2	3 4 5 6 Next

16. Base style – hover


Output: http://127.0.0.1:5500/Base_Style_hover/hover.html

This example shows DataTables with just the hover class specified. This class instructs DataTables' styling to highlight a row when the mouse is hovered over it.

Step 7: Add js code in .js file

```
$(document).ready(function () {
    $('#example').DataTable();
});
```

Add html code from datatable.net website. Html file go to live server.



Base style - order-column:

Output: http://127.0.0.1:5500/Base_Style_order_column/order.html


This example shows DataTables with just the order-column class specified. Typically, you would want to use the stripe feature class in addition to order-column (possibly hover as well), but this example shows just the ordered column highlighting.

Follow above 1-6 steps.

```
$tep 7: Add js code in .js file
$(document).ready(function () {
    $('#example').DataTable();
});
```

Step 8:

Add html code from datatable.net website. Html file go to live server.



Base style - row borders:

Output: http://127.0.0.1:5500/Base_Style_rowborders/rowborder.html

This example shows DataTables with just the row-border class specified, which can create a pleasing, minimalist, interface for your tables.

Follow above 1-6 steps.

```
$tep 7: Add js code in .js file
$(document).ready(function () {
    $('#example').DataTable();
});
```

Step 8:

Add html code from datatable.net website. Html file go to live server.



Base style - stripe

Output: http://127.0.0.1:5500/Base_Style_Stripe/stripe.html

This example shows DataTables with just the stripe class specified.

Follow above zero configuration **Step 6:**

```
$tep 7: Add js code in .js file
$(document).ready(function () {
    $('#example').DataTable();
});
```

Step 8:

Add html code from datatable.net website. Html file go to live server.

Show 10 v entries							Search:		
Name	*	Position	\$ Office	4	Age	Start date	\$	Salary	\$
Airi Satou		Accountant	Tokyo		33	2008-11-28		\$162,700	
Angelica Ramos		Chief Executive Officer (CEO)	London		47	2009-10-09		\$1,200,000	
Ashton Cox		Junior Technical Author	San Francisco		66	2009-01-12		\$86,000	
Bradley Greer		Software Engineer	London		41	2012-10-13		\$132,000	
Brenden Wagner		Software Engineer	San Francisco		28	2011-06-07		\$206,850	
Brielle Williamson		Integration Specialist	New York		61	2012-12-02		\$372,000	
Bruno Nash		Software Engineer	London		38	2011-05-03		\$163,500	
Caesar Vance		Pre-Sales Support	New York		21	2011-12-12		\$106,450	
Cara Stevens		Sales Assistant	New York		46	2011-12-06		\$145,600	
Cedric Kelly		Senior Javascript Developer	Edinburgh		22	2012-03-29		\$433,060	
Name		Position	Office		Age	Start date		Salary	
Showing 1 to 10 of 57 entries	·s				Previo	ous 1 2	3 4	5 6	Next