


Hush Bear / envelope

V01 / HUSH BEAR / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 30 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Fragrance-compatible PP bottle with integral moulded silhouette; PP closure

Extrusion blow moulding plus injection-moulded cap; screen print

Captive hinged cover over metered dab valve; parent opens and applies


Illustrations show cover closed/open as capped/uncapped states. Hinge and retention require engineering; no loose decorative cap.

Label target: 35 x 22 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Cloudlet / envelope

V02 / CLOUDLET / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 30 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Fragrance-compatible PP bottle with integral moulded silhouette; PP closure

Extrusion blow moulding plus injection-moulded cap; screen print

Captive hinged cover over metered dab valve; parent opens and applies


Illustrations show cover closed/open as capped/uncapped states. Hinge and retention require engineering; no loose decorative cap.

Label target: 38 x 20 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Little Comet / envelope

V03 / LITTLE COMET / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 25 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Fragrance-compatible PP bottle with integral moulded silhouette; PP closure

Extrusion blow moulding plus injection-moulded cap; screen print

Captive hinged cover over metered dab valve; parent opens and applies


Illustrations show cover closed/open as capped/uncapped states. Hinge and retention require engineering; no loose decorative cap.

Label target: 35 x 21 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Moon Nest / envelope

V04 / MOON NEST / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 30 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Fragrance-compatible PP bottle with integral moulded silhouette; PP closure

Extrusion blow moulding plus injection-moulded cap; screen print

Captive hinged cover over metered dab valve; parent opens and applies


Illustrations show cover closed/open as capped/uncapped states. Hinge and retention require engineering; no loose decorative cap.

Label target: 32 x 22 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Prism Pony / envelope

V05 / PRISM PONY / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 35 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Fragrance-compatible PP bottle with integral moulded silhouette; PP closure

Extrusion blow moulding plus injection-moulded cap; screen print

Captive hinged cover over retained roll-on ball; parent controls use


Illustrations show cover closed/open as capped/uncapped states. Hinge and retention require engineering; no loose decorative cap.

Label target: 36 x 26 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Orbit One / envelope

V06 / ORBIT ONE / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 35 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Fragrance-compatible PP bottle with integral moulded silhouette; PP closure

Extrusion blow moulding plus injection-moulded cap; screen print

Captive hinged cover over retained roll-on ball; parent controls use


Illustrations show cover closed/open as capped/uncapped states. Hinge and retention require engineering; no loose decorative cap.

Label target: 30 x 28 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Tidal Friend / envelope

V07 / TIDAL FRIEND / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 35 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Fragrance-compatible PP bottle with integral moulded silhouette; PP closure

Extrusion blow moulding plus injection-moulded cap; screen print

Captive hinged cover over retained roll-on ball; parent controls use


Illustrations show cover closed/open as capped/uncapped states. Hinge and retention require engineering; no loose decorative cap.

Label target: 39 x 24 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Rainbow Arc / envelope

V08 / RAINBOW ARC / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 35 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Fragrance-compatible PP bottle with integral moulded silhouette; PP closure

Extrusion blow moulding plus injection-moulded cap; screen print

Captive hinged cover over retained roll-on ball; parent controls use


Illustrations show cover closed/open as capped/uncapped states. Hinge and retention require engineering; no loose decorative cap.

Label target: 37 x 24 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Cosmo Scout / envelope

V09 / COSMO SCOUT / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 35 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Fragrance-compatible PP bottle with integral moulded silhouette; PP closure

Extrusion blow moulding plus injection-moulded cap; screen print

Captive hinged cover over retained roll-on ball; parent controls use


Illustrations show cover closed/open as capped/uncapped states. Hinge and retention require engineering; no loose decorative cap.

Label target: 34 x 26 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Kickoff / envelope

V10 / KICKOFF / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 40 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

PET candidate with PP pump overcap

Extrusion blow moulding plus injection-moulded cap; screen print

Threaded pump collar, gasket, integral travel lock; retained overcap


Illustrations show closed and exposed applicator states; retention hardware requires supplier engineering.

Label target: 36 x 23 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Flutter Studio / envelope

V11 / FLUTTER STUDIO / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 40 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

PET candidate with PP pump overcap

Extrusion blow moulding plus injection-moulded cap; screen print

Threaded pump collar, gasket, integral travel lock; retained overcap


Illustrations show closed and exposed applicator states; retention hardware requires supplier engineering.

Label target: 44 x 24 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Pixel Pulse / envelope

V12 / PIXEL PULSE / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 40 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

PET candidate with PP pump overcap

Extrusion blow moulding plus injection-moulded cap; screen print

Threaded pump collar, gasket, integral travel lock; retained overcap


Illustrations show closed and exposed applicator states; retention hardware requires supplier engineering.

Label target: 32 x 26 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Aero League / envelope

V13 / AERO LEAGUE / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 40 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

PET candidate with PP pump overcap

Extrusion blow moulding plus injection-moulded cap; screen print

Threaded pump collar, gasket, integral travel lock; retained overcap


Illustrations show closed and exposed applicator states; retention hardware requires supplier engineering.

Label target: 34 x 27 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Palette Pop / envelope

V14 / PALETTE POP / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 40 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

PET candidate with PP pump overcap

Extrusion blow moulding plus injection-moulded cap; screen print

Threaded pump collar, gasket, integral travel lock; retained overcap


Illustrations show closed and exposed applicator states; retention hardware requires supplier engineering.

Label target: 40 x 23 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Loop Lab / envelope

V15 / LOOP LAB / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 50 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Annealed glass candidate with PP overcap; pump separated at disposal

Custom moulded glass; annealing; screen print; injection-moulded overcap

Threaded pump collar, gasket, integral travel lock; retained overcap


Illustrations show closed and exposed applicator states; retention hardware requires supplier engineering.

Label target: 36 x 28 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Petal Edit / envelope

V16 / PETAL EDIT / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 50 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Annealed glass candidate with PP overcap; pump separated at disposal

Custom moulded glass; annealing; screen print; injection-moulded overcap

Threaded pump collar, gasket, integral travel lock; retained overcap


Illustrations show closed and exposed applicator states; retention hardware requires supplier engineering.

Label target: 34 x 29 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Night Circuit / envelope

V17 / NIGHT CIRCUIT / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 50 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Annealed glass candidate with PP overcap; pump separated at disposal

Custom moulded glass; annealing; screen print; injection-moulded overcap

Threaded pump collar, gasket, integral travel lock; retained overcap


Illustrations show closed and exposed applicator states; retention hardware requires supplier engineering.

Label target: 31 x 29 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Crystal Mood / envelope

V18 / CRYSTAL MOOD / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 50 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Annealed glass candidate with PP overcap; pump separated at disposal

Custom moulded glass; annealing; screen print; injection-moulded overcap

Threaded pump collar, gasket, integral travel lock; retained overcap


Illustrations show closed and exposed applicator states; retention hardware requires supplier engineering.

Label target: 34 x 29 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Waveform / envelope

V19 / WAVEFORM / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 50 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Annealed glass candidate with PP overcap; pump separated at disposal

Custom moulded glass; annealing; screen print; injection-moulded overcap

Threaded pump collar, gasket, integral travel lock; retained overcap


Illustrations show closed and exposed applicator states; retention hardware requires supplier engineering.

Label target: 35 x 28 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Quiet Form / envelope

V20 / QUIET FORM / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 60 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Annealed glass candidate with PP overcap; pump separated at disposal

Custom moulded glass; annealing; screen print; injection-moulded overcap

Threaded pump collar, gasket, integral travel lock; retained overcap


Illustrations show closed and exposed applicator states; retention hardware requires supplier engineering.

Label target: 27 x 32 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Slate No. 01 / envelope

V21 / SLATE NO. 01 / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 60 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Annealed glass candidate with PP overcap; pump separated at disposal

Custom moulded glass; annealing; screen print; injection-moulded overcap

Threaded pump collar, gasket, integral travel lock; retained overcap


Illustrations show closed and exposed applicator states; retention hardware requires supplier engineering.

Label target: 36 x 29 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Rose Axis / envelope

V22 / ROSE AXIS / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 60 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Annealed glass candidate with PP overcap; pump separated at disposal

Custom moulded glass; annealing; screen print; injection-moulded overcap

Threaded pump collar, gasket, integral travel lock; retained overcap


Illustrations show closed and exposed applicator states; retention hardware requires supplier engineering.

Label target: 30 x 32 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Amber Vertex / envelope

V23 / AMBER VERTEX / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 60 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Annealed glass candidate with PP overcap; pump separated at disposal

Custom moulded glass; annealing; screen print; injection-moulded overcap

Threaded pump collar, gasket, integral travel lock; retained overcap


Illustrations show closed and exposed applicator states; retention hardware requires supplier engineering.

Label target: 32 x 30 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.

Equinox / envelope

V24 / EQUINOX / ENVELOPE STUDY



OVERALL W x H x D, INCLUDING CLOSURE / NOT TO SCALE

Capacity 60 mL; usable fill volume and headspace require CAD validation.

Rounded envelope only. Not production CAD; tolerances and neck finish are not specified.

Annealed glass candidate with PP overcap; pump separated at disposal

Custom moulded glass; annealing; screen print; injection-moulded overcap

Threaded pump collar, gasket, integral travel lock; retained overcap

Illustrations show closed and exposed applicator states; retention hardware requires supplier engineering.

Label target: 39 x 28 mm. Neck finish, wall thickness and tolerances: supplier to define.

No internal section or volume calculation is represented.