



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To test my java practice test	1	1	0	0	0.030 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test my java practice test	Java Practice	3	3	0	0	0.028 s

DETAILED SECTION -- 4 --

## (F)- To test my java practice test

PASSED	DURATION - 0.030 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 11:48:10.523 A	M // 11:48:10.553 AM /	Pass - 1	1	Pass - 3	3
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Java Practice



#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Practicesteps.init(io.cucumber.java.Scenario)	PASSED	0.008 s
	Java Practice		
1	Given I created Java String	PASSED	0.002 s
	Java PracticeThis is a Beautiful String		
2	When Make them reverse	PASSED	0.001 s
	Java Practice String This is a Beautiful String Java Practice ArrayList [suvo, mouli, adrija, om, 6908890, 768346647, 99087]		
3	Then Print the String	PASSED	0.002 s
	Java Practice Make the String Reverse gnirtS lufituaeB a si sihT Java Practice Make the ArrayList Reverse [ovus, iluom, ajirda, mo, 0988096, 746643867, 78099]		

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
	AFTER - stepDefinitions.Practicesteps.teardown()	PASSED	0.002 s
	Java Practice BinaryTree.BinaryTreeNew@2de366bb		