Arrays 3

03 April 2026 13:15

↳ pass by value & pass by reference.




```
Public class Main{
    public static void main(){
        int a = 5;
        int [] arr = new int [5];
        function(a, arr);
        Sout(a); Sout(arr[0]);
    }
    public static void function(int a, int [] arr){
        a = a + 1;
        arr[0] = arr[0] + 1;
    }
```

Q. Print the reverse of an array.

Q. Reverse an array:

[1, 2, 3, 4, 5]

5 4 3 2 1

Reversed array

Reversed array

[5, 4, 3, 2, 1]

Before

[1, 2, 3, 4, 5] → [5, 4, 3, 2, 1]

After

int start = 0 ; end = arr.length - 1;

start, end

[3, 8, 7, 4, 5]

[5, 2, 3, 4, 1]

[5, 4, 3, 2, 1]

Swap.

```
int temp = arr[start];
arr[end] = arr[start];
arr[start] = temp;
```

[5, 8, 7, 4, 3]

start – end

[5, 4, 7, 8, 3]

start end

int n = arr.length;

```
int start = 0, end = n-1;
while( start < end){
char temp = arr[end];
    arr[end] = arr[start];
    arr[start] = temp;
    start++;
    end--;
}
```

Q. reverse an array (within a specific range n to m).

n = 2
m = 5

[1, 2, 3, 4, 5, 6, 7]

$m = 5$

Ans → [1, 2, 6, 5, 4, 3, 7]