

Arrays 19

08 May 2026 13:38

eg:-
arr = [7, 1, 5, 4, 6, 2] O/P → 5

```
int buy = arr[0];
int profit = 0;
for (int i = 1; i < arr.length; i++) {
    if (arr[i] < buy) {
        buy = arr[i];
    }
    profit = max(profit, price[i] - buy);
}
return profit;
```

```
class Solution {
    public int maxProfit(int[] prices) {
        int buy = prices[0];
        int profit = 0;
        for (int i = 1; i < prices.length; i++) {
            if (prices[i] < buy) buy = prices[i];
            profit = Math.max(profit, prices[i] - buy);
        }
        return profit;
    }
}
```

[1, 2, 3]

[1, 1, 2, 5, 4, 6, 8]

[1, 1, 9, 8, 7, 6, 5]

↓
= [1, 5, 1, 6, 7, 8, 4]

```
int i = n-1;
```

```
while (i > 0 && nums[i-1] >= nums[i]) {
```

```
    i--;
```

```
}
```

```
if (i == 0) {
```

```
    reverse(nums, 0, n-1);
```

```
}
```

```
int j = n-1;
```

```
while (j >= i && nums[j] <= nums[i-1])
```

```
    j--;
```

```
}
```

```
Swap(nums[i-1], nums[j]);
```

```
reverse(nums, i, n-1);
```