ER Diagram and Relational Model

Note: Project Name, Roll numbers have been added at the end of the document

1. ER Diagram



2. Relational Model

USER
user_id int
name varchar
email varchar
password_hash varchar
region varchar
preferred_language varchar
is_verified boolean
created_at datetime
MEDIA
media_id int
title varchar
media_type varchar
language varchar
release_date date
duration_minutes int
poster_url varchar
MOVIE
media_id int
TV_SHOW
media_id int
total_seasons int
GENRE
genre_id int
genre_name varchar
MEDIA_GENRE
media_id int
genre_id int
REVIEW
review_id int
media_id int
user_id int
rating int
review_text text
review_date date
REVIEW_LIKE
review_id int
user_id int
EPISODE
episode_id int
season_id int
episode_number int
title varchar
duration_minutes int
release_date date
episode_image_url varchar
SEASON
season_id int
media_id int
season_number int
release_date date
PLATFORM
platform_id int
platform_name varchar
WATCH_HISTORY
user_id int
media_id int
watched_at datetime
PERSON
person_id int
name varchar
CAST_CREW
media_id int
person_id int
role varchar
character_name varchar
SHOWING
showing_id int
media_id int
screen_id int
show_date date
show_time time
WATCHLIST
watchlist_id int
user_id int
name varchar
visibility varchar
created_at datetime
SCREEN
screen_id int
cinema_id int
screen_name varchar
total_seats int
WATCHLIST_ITEM
watchlist_id int
media_id int
added_at datetime
MEDIA_PLATFORM
media_id int
platform_id int
region varchar
CINEMA
cinema_id int
name varchar
location varchar
BOOKING
booking_id int
user_id int
showing_id int
seats_booked int
booking_time datetime

ER Diagram and Relational Model

Project Group No: 4
Tutorial Group No: 1
Members:

2024492 Saketh Balliwar
2024573 Suyash Tripathi
2024328 Manan Katoch

TAs:

Sharen Ganesh and Shivangi Gaur

In the Entity Relationship Model, we have captured all of the top-level entities that will form the basis of our platform.
A user has exactly 2 watchlists: one public and one private, and each watchlist is associated with exactly one user. In a watchlist, there can be multiple watchlist items that consist of Media entities, which can be of type Movie or TV Show. A User can also write reviews for multiple Movies or TV Shows (i.e., Media), and each review is associated with exactly 1 User and 1 Media type, which can be either a Movie or a TV Show. Each review can also have a like, which can be associated with exactly 1 review. The user also has a unique Watch History that keeps track of what Media the User has watched. Each Media type is available on various Media platforms, which the user can choose from as they please. They also consist of multiple casts, crew members, and genres.
A TV Show has multiple seasons, where each episode belongs to exactly 1 season.
We also track similarity between two media types to improve recommendations for the User.
This has subsequently been converted into the Relational Model, where all the entities, relations, and their specific attributes have been outlined, along with specifying the Primary and Foreign Keys, along with how they correspond to each other.