```
//Program 3 To draw Pattern by using DDA Line drawing & Bresenham circle drawing algorithm
#include<graphics.h>
void drawCircle(int xc, int yc, int x, int y)
{
	putpixel(xc+x, yc+y, WHITE);
	putpixel(xc-x, yc+y, WHITE);
	putpixel(xc+x, yc-y, WHITE);
	putpixel(xc-x, yc-y, WHITE);
	putpixel(xc+y, yc+x, WHITE);
	putpixel(xc-y, yc+x, WHITE);
	putpixel(xc+y, yc-x, WHITE);
	putpixel(xc-y, yc-x, WHITE);
}


void circleBres(int xc, int yc, int r) //Bresenham's circle drawing algorithm
{
	int x = 0, y = r;
	int d = 3 - 2 * r;
	drawCircle(xc, yc, x, y);
	while (y >= x)
	{
		x++;
		if (d > 0)
		{
			y--;
			d = d + 4 * (x - y) + 10;
		}
		else
			d = d + 4 * x + 6;
		drawCircle(xc, yc, x, y);
		delay(10);
	}
}
void dda(int x0,int y0,int x1,int y1)  //DDA line drawing algorithm
{
	int i;
	float x, y,dx,dy,steps,xin,yin;
	dx = (float)(x1 - x0);
	dy = (float)(y1 - y0);
	if(dx>=dy)
	{
		steps = dx;
	}
```

```
        else
        {
                steps = dy;
        }
        xin = dx/steps;
        yin = dy/steps;
        x = x0;
        y = y0;
        for(int i=1; i<=steps;i++)
        {
                putpixel(x, y, WHITE);
                x =x + xin;
                y =y + yin;
        }
}

int main()
{
        int xc = 100, yc = 70, r = 30;              //Inner circle
        int xc1 = 100, yc1 = 70, r1 = 60;        // Outer circle
        int x1 = 50 , y1 = 100, x2 = 150, y2 = 100,x3= 100, y3=10; // 3 points to draw three lines
        int gd = DETECT, gm;
        initgraph(&gd, &gm, NULL);
        circleBres(xc, yc, r);              //Function call for Inner Circle
        circleBres(xc1, yc1, r1);          //Function call for Outer Circle
         dda(x1,y1,x2,y2);                  //Function call for line1
        dda(x1,y1,x3,y3);                  //Function call for line2
        dda(x3,y3,x2,y2);                   //Function call for line3
        delay(50000);
        return 0;
}
```