

Simple Input Output Wizz

1. Which function is used to take input from the user in Python?

- A) scan()
- B) input()
- C) get()
- D) read()

2. What is the output of: `print("Hello", "World")`?

- A) HelloWorld
- B) Hello,World
- C) Hello World
- D) Hello World

3. What data type does `input()` always return?

- A) int
- B) float
- C) str
- D) bool

4. Which of the following correctly reads an integer from the user?

- A) `x = input(int)`
- B) `x = int(input())`
- C) `x = integer(input())`
- D) `x = input.int()`

5. What will `print(type(input()))` display if user types 42?

- A) `<class 'int'>`
- B) `<class 'float'>`
- C) `<class 'str'>`
- D) `<class 'number'>`

6. What is the output of: `print("Python", end="!")`?

- A) Python
- B) Python!
- C) Python !
- D) !Python

7. Which print statement adds a separator between values?

- A) `print("a", "b", join="-")`
- B) `print("a", "b", sep="-")`
- C) `print("a", "b", split="-")`
- D) `print("a"-"b")`

8. What does `print()` with no arguments do?

- A) Prints None
- B) Prints a blank line
- C) Causes an error
- D) Prints 0

9. How do you print on the same line without a newline at the end?

- A) `print("Hi", newline=False)`
- B) `print("Hi", end=" ")`
- C) `print("Hi", stop=True)`
- D) `print("Hi", nl=0)`

10. What is the output of: `print(2 + 3)`?

- A) 2 + 3
- B) 23
- C) 5
- D) "5"

11. What will `x = input()` then `print(x * 2)` output if user enters 3?

- A) 6
- B) 33
- C) Error
- D) 3 3

12. Which line correctly reads a float from the user?

- A) `x = float(input())`
- B) `x = input(float)`
- C) `x = decimal(input())`
- D) `x = input.float()`

13. What is the output of: `print("5" + "3")`?

- A) 8
- B) 53
- C) 5+3
- D) Error

14. How do you display a variable inside a string using f-string?

- A) `print("Hello " + {name})`
- B) `print(f"Hello {name}")`
- C) `print("Hello", (name))`
- D) `print("Hello $name")`

15. What is the output of: `print(10 // 3)`?

- A) 3.33
- B) 3
- C) 4
- D) 1