



Vidyavardhini's College of Engineering and Technology

Department of Artificial Intelligence & Data Science

Experiment No. 7
Kruskal's Algorithm
Date of Performance:
Date of Submission:



Experiment No. 7

Title: Kruskal's Algorithm.

Aim: To study and implement Kruskal's Minimum Cost Spanning Tree Algorithm.


Objective: To introduce Greedy based algorithms

Theory:

Kruskal's algorithm finds a minimum spanning forest of an undirected edge-weighted graph. If the graph is connected, it finds a minimum spanning tree. (A minimum spanning tree of a connected graph is a subset of the edges that forms a tree that includes every vertex, where the sum of the weights of all the edges in the tree is minimized. For a disconnected graph, a minimum spanning forest is composed of a minimum spanning tree for each connected component.) It is a greedy algorithm in graph theory as in each step it adds the next lowest-weight edge that will not form a cycle to the minimum spanning forest.

Example:

Kruskal's Algorithm





Algorithm and Complexity:

```
1  Algorithm Kruskal(E, cost, n, t)
2  // E is the set of edges in G. G has n vertices. cost[u, v] is the
3  // cost of edge (u, v). t is the set of edges in the minimum-cost
4  // spanning tree. The final cost is returned.
5  {
6      Construct a heap out of the edge costs using Heapify;
7      for i := 1 to n do parent[i] := -1;
8      // Each vertex is in a different set.
9      i := 0; mincost := 0.0;
10     while ((i < n - 1) and (heap not empty)) do
11     {
12         Delete a minimum cost edge (u, v) from the heap
13         and reheapify using Adjust;
14         j := Find(u); k := Find(v);
15         if (j ≠ k) then
16         {
17             i := i + 1;
18             t[i, 1] := u; t[i, 2] := v;
19             mincost := mincost + cost[u, v];
20             Union(j, k);
21         }
22     }
23     if (i ≠ n - 1) then write ("No spanning tree");
24     else return mincost;
25 }
```

Time Complexity is $O(n \log n)$, Where, n = number of Edges

Implementation:

```
#include <stdio.h>
#include <stdlib.h>
#define MAX_EDGES 1000
typedef struct Edge {
    int src, dest, weight;
} Edge;
typedef struct Graph {
    int V, E;
    Edge edges[MAX_EDGES];
```



Vidyavardhini's College of Engineering and Technology

Department of Artificial Intelligence & Data Science

```
} Graph;

typedef struct Subset {
    int parent, rank;
} Subset;

Graph* createGraph(int V, int E) {
    Graph* graph = (Graph*) malloc(sizeof(Graph));
    graph->V = V;
    graph->E = E;
    return graph;
}

int find(Subset subsets[], int i) {
    if (subsets[i].parent != i) {
        subsets[i].parent = find(subsets, subsets[i].parent);
    }
    return subsets[i].parent;
}

void Union(Subset subsets[], int x, int y) {
    int xroot = find(subsets, x);
    int yroot = find(subsets, y);
    if (subsets[xroot].rank < subsets[yroot].rank) {
        subsets[xroot].parent = yroot;
    } else if (subsets[xroot].rank > subsets[yroot].rank) {
        subsets[yroot].parent = xroot;
    } else {
        subsets[yroot].parent = xroot;
        subsets[xroot].rank++;
    }
}
```



Vidyavardhini's College of Engineering and Technology

Department of Artificial Intelligence & Data Science

```
int compare(const void* a, const void* b) {
    Edge* a_edge = (Edge*) a;
    Edge* b_edge = (Edge*) b;
    return a_edge->weight - b_edge->weight;
}

void kruskalMST(Graph* graph) {
    Edge mst[graph->V];
    int e = 0, i = 0;
    qsort(graph->edges, graph->E, sizeof(Edge), compare);
    Subset* subsets = (Subset*) malloc(graph->V * sizeof(Subset));
    for (int v = 0; v < graph->V; ++v) {
        subsets[v].parent = v;
        subsets[v].rank = 0;
    }
    while (e < graph->V - 1 && i < graph->E) {
        Edge next_edge = graph->edges[i++];

        int x = find(subsets, next_edge.src);
        int y = find(subsets, next_edge.dest);
        if (x != y) {
            mst[e++] = next_edge;
            Union(subsets, x, y);
        }
    }
    printf("Minimum Spanning Tree:\n");
    for (i = 0; i < e; ++i) {
        printf("(%d, %d) -> %d\n", mst[i].src, mst[i].dest, mst[i].weight);
    }
}
```



Vidyavardhini's College of Engineering and Technology

Department of Artificial Intelligence & Data Science

```
}  
int main() {  
    int V, E;  
    printf("Enter number of vertices and edges: ");  
    scanf("%d %d", &V, &E);  
    Graph* graph = createGraph(V, E);  
    printf("Enter edges and their weights:\n");  
    for (int i = 0; i < E; ++i) {  
        scanf("%d %d %d", &graph->edges[i].src, &graph->edges[i].dest, &graph->edges[i].weight);  
    }  
    kruskalMST(graph);  
    return 0;  
}
```



Vidyavardhini's College of Engineering and Technology

Department of Artificial Intelligence & Data Science

Output:

```
Enter number of vertices and edges: 5 7
```

```
Enter edges and their weights:
```

```
0 1 2
```

```
0 3 6
```

```
1 2 3
```

```
1 3 8
```

```
1 4 5
```

```
2 4 7
```

```
3 4 9
```

```
0 1 2
```

```
0 3 6
```

```
1 2 3
```

```
1 3 8
```

```
1 4 5
```

```
2 4 7
```

```
3 4 9
```

```
Minimum Spanning Tree:
```

```
(0, 1) -> 2
```

```
(1, 2) -> 3
```

```
(1, 4) -> 5
```

```
(0, 3) -> 6
```

```
=== Code Execution Successful ===
```

Conclusion: Implementing Kruskal's algorithm proved effective in finding the minimum spanning tree of a given graph. Its simplicity and efficiency make it a valuable tool for solving graph optimization problems, demonstrating its practical applicability in various domains.