

The new innovation in door technology



Swing door operator
ASSA ABLOY SW60

ASSA ABLOY
Entrance Systems

Experience a safer
and more open world

Sleek design
that blends in to your
door frame



Meet the newest innovation in door operator technology,
bridging the gap between manual and automatic doors.

The ASSA ABLOY SW60 combines touch-free solutions, smart
access controls and command responsiveness with sleek
appeal, slim design and the ability to convert virtually any
interior door into a germ-free entrance.

Welcome to the new reality with the ASSA ABLOY SW60.

Small but mighty

The ASSA ABLOY SW60's sleek design may blend in, but its powerhouse of options, control and assistance stands out.

Setup assist

Our app walks
you through the
process from install
to operation.

Door control

Open, close and lock
doors at the push of
a button.

Custom functions

Personalize the
ASSA ABLOY SW60
with customizable
settings and
preferences.



THE SW60

Technical specs

39.5" header

Max width: 48"

Max weight: 200 lbs


Manual push force: 5–15 lbs.

Color options

Clear



Dark bronze




Arm options

Push



Pull





Touch-free access solution

- ✓ Wave plate compatible
- ✓ Limits contact with germs
- ✓ Perfect for bathroom, office, medical and assisted living facility doors



Sleek design

- ✓ Perfect for limited overhead space
- ✓ Blends in with door frame
- ✓ Push or pull configurations
- ✓ Clear or dark bronze finishes






Smart access

- ✓ Expedites setup process
- ✓ Door functions controlled by app
- ✓ Apple App Store & Google Play Store availability



Expert installation

- ✓ Retrofit existing manual doors
- ✓ Quick, professional installation
- ✓ No electrician required
- ✓ Mobile app for installation walkthrough



The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people to experience a more open world.

ASSA ABLOY
Entrance Systems

ASSA ABLOY Entrance Systems provides solutions for efficient and safe flow of goods and people. Our offering includes a wide range of automated pedestrian, industrial and residential doors, loading dock equipment, perimeter fencing and service.

The New Door Reality







thenewdoorreality.com

assaabloyentrance.us • assaabloyentrance.ca



Follow us:



Please enter ASSA ABLOY Entrance
in the channel's search field.




本製品は内部に設置されます。




コンシールド・スプリング無

コンシールド・スプリング付


ドア重量と幅 (SW-60)




ドア幅 (m)



ドア幅(m)



Shaft extension	Z
0	23mm
28mm	51mm
43mm	66mm



Surface treatment
 Silver anodized

⌀1 = Hinges
 ⌀2 = Operator drive shaft
 A = Reveal 0mm to 51mm
 ① = Reinforcements required

Customer:

Ref:

Door id:

Date:



Project No:

Sign:

Swing door operator
 ASSA ABLOY SW60
 Art. No. 1023705
 FULL, DNNright

ASSA ABLOY

2.0 1022234-en



Surface treatment
Silver anodized

- C1 = Hinges
- C2 = Operator drive shaft
- A = Reveal 0mm to 130mm
- ① = Reinforcements required

Customer: _____

Door id: _____

Project No: _____

Ref: _____


Date: _____

Sign: _____


Swing door operator
ASSA ABLOY SW60
Art. No. 1023704
PUSH, DOWN

ASSA ABLOY

2.0 1022234-en



Shaft extension	Z
0	23mm
28mm	51mm
43mm	66mm



Surface treatment
Silver anodized

- 1 = Hinges
- 2 = Operator drive shaft
- A = Reveal 0mm to 51mm
- ① = Reinforcements required

Customer: _____

Door id: _____

Project No: _____

Ref: _____





Date: _____

Sign: _____

Swing door operator
ASSA ABLOY SW60
Art. No. 1023705
Sliding PUSH, DOWNright

ASSA ABLOY

2.0 1022234-en



Surface treatment
Silver anodized

1 = Hinges
2 = Operator drive shaft

Customer:

Ref:

Door id:

Date:

Project No:





Sign:

Swing door operator
ASSA ABLOY SW60
Art. No. 1023703

Concealed with spring, DIN right

ASSA ABLOY

2.0 1022234-en



Surface treatment
Silver anodized

⌀ 1 = Hinges
⌀ 2 = Operator drive shaft

Customer:

Ref:

Door id:

Date:

Project No:

Sign:

Swing door operator
ASSA ABLOY SW60
Art. No. 1021759

Concealed without spring, DIN right

ASSA ABLOY

2.0 1022234-en