

# NHL Goalie and Skater Heat Maps

*Sasank Vishnubhatla*

*January 10, 2019*

Last Update: 2019-01-30 01:28:19

GitHub Repository: [sv4u/goalie-and-skater-heat-maps](https://github.com/sv4u/goalie-and-skater-heat-maps)

## Introduction

In the NHL, players have their *sweet-spots*. For skaters, it can be the top of a certain circle, or right in-front of the net. For goalies, it could be where their vision is best and where they have the best angle to cut down a shot. All players have these sweet-spots, but it is difficult to analytically say where they are. By using shot location data, we can determine these locations and create models show where goalies and skaters need improvement and where they succeed.

Before we jump in, let's clean up our R environment and also load in some libraries we will be using.

```
rm(list = ls())  
  
library(purrr)  
library(ggplot2)
```

## Data Formatting

To start, we need to read in our data. Our data is formatted nicely in CSV format. We have data from the, 2015-2016 season, 2016-2017 season, 2017-2018 season, and 2018-2019 season (up to 1/7/19). This data was downloaded from MoneyPuck. Let's first start by loading in all three seasons of data:

```
data.2015 = read.csv("data/2015.csv")  
data.2016 = read.csv("data/2016.csv")  
data.2017 = read.csv("data/2017.csv")  
data.2018 = read.csv("data/2018.csv")
```

Note: this will take a *relatively* long time to compute as the datasets are large. Each dataset contains all shot data (**including** playoffs).

We'll only look at regular season data. The playoffs in the NHL are a beast of their own.

```
get.regular.season = function(data) {  
  subset(data, isPlayoffGame == 0)  
}  
  
season.2015 = get.regular.season(data.2015)  
season.2016 = get.regular.season(data.2016)  
season.2017 = get.regular.season(data.2017)  
season.2018 = get.regular.season(data.2018)
```

Now that we have our data, we can remove extraneous columns. Here is a table of what columns we are keeping, and what we are renaming them to:

Old Column	New Column
xCordAdjusted	x
yCordAdjusted	y
goal	goal
shotAngleAdjusted	angle
goalieNameForShot	goalie_name
shooterName	skater_name
game_id	game

Now, here is the R code to do this subsetting of the original dataset.

```
get.helpful.data = function(data) {
  data.frame(x = data$xCordAdjusted,
             y = data$yCordAdjusted,
             goal = data$goal,
             angle = data$shotAngleAdjusted,
             goalie_name = data$goalieNameForShot,
             skater_name = data$shooterName,
             game = data$game_id)
}

analysis.2015 = get.helpful.data(season.2015)
analysis.2016 = get.helpful.data(season.2016)
analysis.2017 = get.helpful.data(season.2017)
analysis.2018 = get.helpful.data(season.2018)
```

Now, we have all the data we need.

## Function Definitions

### Generic

From our data, we can calculate some very important statistics like the following:

- Goal Percent: goals per total shots
- Save Percent: saves (total shots - goals) per total shots
- Shots per Goal: total shots per goal

Additionally, we can break up our data by game. There are some generic functions we can write to help for both goalies and skaters. Let's write them now!

```
get.goal.percent = function(data) {
  shots = length(data$goal)
  temp = subset(data, goal == 1)
  goals = length(temp$goal)
  goals / shots
}

get.save.percent = function(data) {
  shots = length(data$goal)
  temp = subset(data, goal == 1)
  goals = length(temp$goal)
  (shots - goals) / shots
}
```

```

}

get.shots.per.goal = function(data) {
  shots = length(data$goal)
  temp = subset(data, goal == 1)
  goals = length(temp$goal)
  shots / goals
}

```

Note: when using `get.shots.per.goal`, if there were no goals scored, R will handle the division by zero by returning infinity. This will be problematic when graphing data. I am still working on a good solution to this problem. Earlier, I used 200 as a substitute value. However, 200 still skews graphs, which is unideal.

```

get.games = function(data) {
  unique(data$game)
}

get.single.game = function(data, game_id) {
  subset(data, game == game_id)
}

get.all.games = function(data) {
  games = get.games(data)
  Map(function(x) get.single.game(data, x), games)
}

```

Now, we can create our game by game statistic functions:

```

get.game.goal.percent = function(data) {
  gameframe = get.all.games(data)
  games.gp = map(gameframe, function(x) get.goal.percent(x))
  unlist(games.gp, use.names = FALSE)
}

get.game.save.percent = function(data) {
  gameframe = get.all.games(data)
  games.sp = map(gameframe, function(x) get.save.percent(x))
  unlist(games.sp, use.names = FALSE)
}

get.game.shots.per.goal = function(data) {
  gameframe = get.all.games(data)
  games.spg = map(gameframe, function(x) get.shots.per.goal(x))
  unlist(games.spg, use.names = FALSE)
}

```

Also, we'll need a function to get match-ups between a specific goalie and skater. Let's write that here, instead of in our goalies *and* our skaters sections.

```

get.matchup.data = function(data, goalie, skater) {
  subset(data, goalie_name == goalie & skater_name == skater)
}

```

We've now written our generic data handling functions.

## Goalies

Let's first start with a function to get data for a specific goalie.

```
get.goalie.data = function(data, name) {  
  subset(data, goalie_name == name)  
}
```

## Skaters

Let's first start with a function to get data for a specific skater.

```
get.skater.data = function(data, name) {  
  subset(data, skater_name == name)  
}
```


## Graphing

Given specific data, we should be able to graph the location of shots. Let's write a function that uses ggplot to do so.

```
graph.shot.locations = function(data, primary, secondary, name) {  
  plot = ggplot(data) +  
    geom_hex(aes(x = x, y = y, alpha = log(..count..)), fill = primary, color = secondary) +  
    labs(title = paste(name, "Shot Locations", sep = " "), x = "X Position", y = "Y Position") +  
    theme_minimal()  
  plot  
}
```


To see a test of what this does, let's quickly make a graph of Roberto Luongo's shots against him.

```
luongo = get.goalie.data(analysis.2017, "Roberto Luongo")  
plot = graph.shot.locations(luongo, "#041E42", "#C8102E", "Roberto Luongo")  
  
plot
```



Now, let's see how it looks for a skater. Let's look at Bryan Rust.

```
rust = get.skater.data(analysis.2017, "Bryan Rust")  
plot = graph.shot.locations(rust, "#000000", "#FCB514", "Bryan Rust")  
  
plot
```




Furthermore, we should be able to graph trends in certain statistics.

```
graph.trend = function(trend, type, primary, secondary, name) {
  frame = data.frame(x = c(1:length(trend)), y = trend)
  disp = paste(name, type, "by Game", sep = " ")
  plot = ggplot(frame) +
    geom_point(aes(x = x, y = y), color = primary) +
    geom_smooth(aes(x = x, y = y), method = "lm", color = primary, fill = secondary) +
    labs(title = disp, x = "Game Played", y = type) +
    theme_minimal()
  plot
}
```


So, let's go back to Luongo and look at his save percentage per game.

```
luongo.game.sp = get.game.save.percent(luongo)
plot = graph.trend(luongo.game.sp, "Save Percentage", "#041E42", "#C8102E", "Roberto Luongo")
plot
```



We can also see the shooter's perspective. Let's look at Rust's shooting percentage (goal percent).

```
rust.game.gp = get.game.goal.percent(rust)
plot = graph.trend(rust.game.gp, "Shooting (Goal) Percentage", "#000000", "#FCB514", "Bryan Rust")
plot
```



## Analysis

### Goalies

#### Matt Murray

Matt Murray is a 24 year old phenomenon who has already won 2 Stanley Cups. Let's take a look at how he's done it.

```
murray.2015 = get.goalie.data(analysis.2015, "Matt Murray")
murray.2016 = get.goalie.data(analysis.2016, "Matt Murray")
murray.2017 = get.goalie.data(analysis.2017, "Matt Murray")
murray.2018 = get.goalie.data(analysis.2018, "Matt Murray")
```

Let's start by calculating some of his stats for each season and then tabularizing.

```
murray.2015.sp = get.save.percent(murray.2015)
murray.2016.sp = get.save.percent(murray.2016)
murray.2017.sp = get.save.percent(murray.2017)
murray.2018.sp = get.save.percent(murray.2018)

murray.2015.gp = get.goal.percent(murray.2015)
murray.2016.gp = get.goal.percent(murray.2016)
murray.2017.gp = get.goal.percent(murray.2017)
murray.2018.gp = get.goal.percent(murray.2018)
```



```
murray.2015.spg = get.shots.per.goal(murray.2015)
murray.2016.spg = get.shots.per.goal(murray.2016)
murray.2017.spg = get.shots.per.goal(murray.2017)
murray.2018.spg = get.shots.per.goal(murray.2018)
```

Now, let's put it in a table:

Season	Save Percent	Goal Percent	Shots Per Goal
2015-2016	0.9460043	0.0539957	18.52
2016-2017	0.9429599	0.0570401	17.5315315
2017-2018	0.9301837	0.0698163	14.3233083
2018-2019	0.9374185	0.0625815	15.9791667

We can look at his game by game data also.

```
murray.2015.games.sp = get.game.save.percent(murray.2015)
murray.2015.games.gp = get.game.goal.percent(murray.2015)
murray.2015.games.spg = get.game.shots.per.goal(murray.2015)


murray.2016.games.sp = get.game.save.percent(murray.2016)
murray.2016.games.gp = get.game.goal.percent(murray.2016)
murray.2016.games.spg = get.game.shots.per.goal(murray.2016)

murray.2017.games.sp = get.game.save.percent(murray.2017)
murray.2017.games.gp = get.game.goal.percent(murray.2017)
murray.2017.games.spg = get.game.shots.per.goal(murray.2017)


murray.2018.games.sp = get.game.save.percent(murray.2018)
murray.2018.games.gp = get.game.goal.percent(murray.2018)
murray.2018.games.spg = get.game.shots.per.goal(murray.2018)
```

Let's look at his save percentage graphs:


```
murray.2015.sp.plot = graph.trend(murray.2015.games.sp, "Save Percentage", "#000000", "#FCB514", "Matt L"
murray.2015.sp.plot
```




```
murray.2016.sp.plot = graph.trend(murray.2016.games.sp, "Save Percentage", "#000000", "#FCB514", "Matt Murray", "2015")
murray.2016.sp.plot
```



```
murray.2017.sp.plot = graph.trend(murray.2017.games.sp, "Save Percentage", "#000000", "#FCB514", "Matt Murray", "2016")
murray.2017.sp.plot
```



```
murray.2018.sp.plot = graph.trend(murray.2018.games.sp, "Save Percentage", "#000000", "#FCB514", "Matt Murray")
murray.2018.sp.plot
```




And now, let's take a look at his shot location data.

```
murray.2015.locations.plot = graph.shot.locations(murray.2015, "#000000", "#FCB514", "Matt Murray (2015)", "#000000", "#FCB514", "Matt Murray (2015)")
murray.2015.locations.plot
```

A hexagonal bin plot showing the spatial distribution of 1000 simulated particles. The x-axis is labeled 'X Position' and ranges from 0 to 100. The y-axis is labeled 'Y Position' and ranges from -40 to 40. The plot displays a dense cluster of particles in the center-right region, with a color scale for  $\log(\text{count})$  ranging from 0.0 (light gray) to 1.5 (black). The distribution is highly non-uniform, with a significant concentration of particles in the central region and a few scattered particles in the lower-left corner.


```
murray.2016.locations.plot
```

## Matt Murray (2016) Shot Locations



```
murray.2017.locations.plot = graph.shot.locations(murray.2017, "#000000", "#FCB514", "Matt Murray (2017)")
murray.2017.locations.plot
```


## Matt Murray (2017) Shot Locations



```
murray.2018.locations.plot = graph.shot.locations(murray.2018, "#000000", "#FCB514", "Matt Murray (2018)")
murray.2018.locations.plot
```



## Matt Murray (2018) Shot Locations



From the darkness of each hex bin, we can use that as a percent chance that Murray saved the shot. Though the darkness is not exactly the save percentage of the shot, it's the log chance of Murray saving the shot. This log chance is a good likelihood function of Murray saving the shot. We can see that Murray's weakness is very close to him. Those shots are most likely to be tipped or deflected shots, not actual shots. We can see his weakness is the top of the circles, based on the X and Y coordinates.

From the graph, we can see that Murray has struggled with shots near the circles. Disregarding tips, it seems like that Murray is positionally sound with goals against near him. However, compared to the right wing, Murray seems weak against shots coming from the left wing side. If teams were to exploit this, it would be beneficial to shoot towards Murray's glove side from the left wing circle.

## Casey DeSmith

On January 11th, Casey DeSmith inked a 3 year extension with the Penguins with an average annual value of \$1.25 million. His rise to earn this paycheck started with exemplary play during the 2017-2018 season and that has carried over into this season. Let's see how he got here!

```
desmith.2017 = get.goalie.data(analysis.2017, "Casey DeSmith")
desmith.2018 = get.goalie.data(analysis.2018, "Casey DeSmith")
```

Let's start by calculating some of his stats for each season and then tabularizing.

```
desmith.2017.sp = get.save.percent(desmith.2017)
desmith.2018.sp = get.save.percent(desmith.2018)

desmith.2017.gp = get.goal.percent(desmith.2017)
desmith.2018.gp = get.goal.percent(desmith.2018)
```

```
desmith.2017.spg = get.shots.per.goal(desmith.2017)
desmith.2018.spg = get.shots.per.goal(desmith.2018)
```

Now, let's put it in a table:

Season	Save Percent	Goal Percent	Shots Per Goal
2017-2018	0.9427403	0.0572597	17.4642857
2018-2019	0.9422886	0.0577114	17.3275862


We can look at his game by game data also.

```
desmith.2017.games.sp = get.game.save.percent(desmith.2017)
desmith.2017.games.gp = get.game.goal.percent(desmith.2017)
desmith.2017.games.spg = get.game.shots.per.goal(desmith.2017)


desmith.2018.games.sp = get.game.save.percent(desmith.2018)
desmith.2018.games.gp = get.game.goal.percent(desmith.2018)
desmith.2018.games.spg = get.game.shots.per.goal(desmith.2018)
```

Let's look at his save percentage graphs:

```
desmith.2017.sp.plot = graph.trend(desmith.2017.games.sp, "Save Percentage", "#000000", "#FCB514", "Casey DeSmith (2017) Save Percentage by Game")
desmith.2017.sp.plot
```




```
desmith.2018.sp.plot = graph.trend(desmith.2018.games.sp, "Save Percentage", "#000000", "#FCB514", "Casey DeSmith (2018) Save Percentage by Game")
desmith.2018.sp.plot
```



And now, let's take a look at his shot location data.


```
desmith.2017.locations.plot = graph.shot.locations(desmith.2017, "#000000", "#FCB514", "Casey DeSmith (")
desmith.2017.locations.plot
```

Casey DeSmith (2017) Shot Locations



```
desmith.2018.locations.plot = graph.shot.locations(desmith.2018, "#000000", "#FCB514", "Casey DeSmith (")
desmith.2018.locations.plot
```

## Casey DeSmith (2018) Shot Locations



As we can see, DeSmith has played pretty phenomenally. He's earned his new extension and his play has been pretty consistent. He is the perfect complement for Matt Murray.

## Marc-Andre Fleury

Before he was picked by the Vegas Golden Knights in the most recent NHL Expansion Draft, Marc-Andre Fleury was the franchise goaltender for the Pittsburgh Penguins. Drafted first overall in the 2003 NHL Entry Draft, Marc-Andre "Flower" Fleury made his NHL debut in October of 2003. Since then he's been the main net-protector for the Penguins (until 2017 that is). His athleticism plus is exceptionally quick reactions makes Flower a premier NHL goaltender. With 3 Stanley Cup victories (2009, 2016, and 2017), Fleury has cemented his place as a top-10 all-time goaltender. With 429 regular season wins, Fleury sits at number 9 for career regular season wins. Only two active goaltenders, Roberto Luongo and Henrik Lundqvist, sit higher above him.

Fleury has been playing phenomenally the past few season. What seems like a second-prime for the Canadian born goaltender, Fleury showed shades of his 2008-2009 season, when he led the Penguins to their third Stanley Cup

```
fleury.2015 = get.goalie.data(analysis.2015, "Marc-Andre Fleury")
fleury.2016 = get.goalie.data(analysis.2016, "Marc-Andre Fleury")
fleury.2017 = get.goalie.data(analysis.2017, "Marc-Andre Fleury")
fleury.2018 = get.goalie.data(analysis.2018, "Marc-Andre Fleury")
```

Let's start by calculating some of his stats for each season and then tabularizing.

```
fleury.2015.sp = get.save.percent(fleury.2015)
fleury.2016.sp = get.save.percent(fleury.2016)
fleury.2017.sp = get.save.percent(fleury.2017)
```

```
fleury.2018.sp = get.save.percent(fleury.2018)

fleury.2015.gp = get.goal.percent(fleury.2015)
fleury.2016.gp = get.goal.percent(fleury.2016)
fleury.2017.gp = get.goal.percent(fleury.2017)
fleury.2018.gp = get.goal.percent(fleury.2018)

fleury.2015.spg = get.shots.per.goal(fleury.2015)
fleury.2016.spg = get.shots.per.goal(fleury.2016)
fleury.2017.spg = get.shots.per.goal(fleury.2017)
fleury.2018.spg = get.shots.per.goal(fleury.2018)
```

Now, let's put it in a table:

Season	Save Percent	Goal Percent	Shots Per Goal
2015-2016	0.9427197	0.0572803	17.4580153
2016-2017	0.9314803	0.0685197	14.5943396
2017-2018	0.9475891	0.0524109	19.08
2018-2019	0.9365621	0.0634379	15.7634409

We can look at his game by game data also.

```
fleury.2015.games.sp = get.game.save.percent(fleury.2015)
fleury.2015.games.gp = get.game.goal.percent(fleury.2015)
fleury.2015.games.spg = get.game.shots.per.goal(fleury.2015)


fleury.2016.games.sp = get.game.save.percent(fleury.2016)
fleury.2016.games.gp = get.game.goal.percent(fleury.2016)
fleury.2016.games.spg = get.game.shots.per.goal(fleury.2016)

fleury.2017.games.sp = get.game.save.percent(fleury.2017)
fleury.2017.games.gp = get.game.goal.percent(fleury.2017)
fleury.2017.games.spg = get.game.shots.per.goal(fleury.2017)


fleury.2018.games.sp = get.game.save.percent(fleury.2018)
fleury.2018.games.gp = get.game.goal.percent(fleury.2018)
fleury.2018.games.spg = get.game.shots.per.goal(fleury.2018)
```

Let's look at his save percentage graphs:

```
fleury.2015.sp.plot = graph.trend(fleury.2015.games.sp, "Save Percentage", "#000000", "#FCB514", "Marc-André Fleury")
fleury.2015.sp.plot
```




```
fleury.2016.sp.plot = graph.trend(fleury.2016.games.sp, "Save Percentage", "#000000", "#FCB514", "Marc-Andre Fleury")
fleury.2016.sp.plot
```




```
fleury.2017.sp.plot = graph.trend(fleury.2017.games.sp, "Save Percentage", "#B4975A", "#333F42", "Marc-Andre Fleury")
fleury.2017.sp.plot
```






```
fleury.2018.sp.plot = graph.trend(fleury.2018.games.sp, "Save Percentage", "#B4975A", "#333F42", "Marc-  
fleury.2018.sp.plot
```



And now, let's take a look at his shot location data.


```
fleury.2015.locations.plot = graph.shot.locations(fleury.2015, "#000000", "#FCB514", "Marc-Andre Fleury")
fleury.2015.locations.plot
```

## Marc-Andre Fleury (2015) Shot Locations




```
fleury.2016.locations.plot = graph.shot.locations(fleury.2016, "#000000", "#FCB514", "Marc-Andre Fleury")
fleury.2016.locations.plot
```

## Marc-Andre Fleury (2016) Shot Locations




```
fleury.2017.locations.plot = graph.shot.locations(fleury.2017, "#B4975A", "#333F42", "Marc-Andre Fleury")
fleury.2017.locations.plot
```

## Marc-Andre Fleury (2017) Shot Locations



```
fleury.2018.locations.plot = graph.shot.locations(fleury.2018, "#B4975A", "#333F42", "Marc-Andre Fleury")
fleury.2018.locations.plot
```

## Marc-Andre Fleury (2018) Shot Locations



Fleury has shown exceptional consistency. For any young goaltender breaking into the league, he should be a top-role model.

## Braden Holtby

After exercising his playoff demons during the 2018 Stanley Cup Playoffs, Braden Holtby has lived up to his expectations. His play has been phenomenal during both the regular season and playoffs. Let's see how he's been since 2015.

```
holtby.2015 = get.goalie.data(analysis.2015, "Braden Holtby")
holtby.2016 = get.goalie.data(analysis.2016, "Braden Holtby")
holtby.2017 = get.goalie.data(analysis.2017, "Braden Holtby")
holtby.2018 = get.goalie.data(analysis.2018, "Braden Holtby")
```

Let's start by calculating some of his stats for each season and then tabularizing.

```
holtby.2015.sp = get.save.percent(holtby.2015)
holtby.2016.sp = get.save.percent(holtby.2016)
holtby.2017.sp = get.save.percent(holtby.2017)
holtby.2018.sp = get.save.percent(holtby.2018)

holtby.2015.gp = get.goal.percent(holtby.2015)
holtby.2016.gp = get.goal.percent(holtby.2016)
holtby.2017.gp = get.goal.percent(holtby.2017)
holtby.2018.gp = get.goal.percent(holtby.2018)

holtby.2015.spg = get.shots.per.goal(holtby.2015)
```

```
holtby.2016.spg = get.shots.per.goal(holtby.2016)
holtby.2017.spg = get.shots.per.goal(holtby.2017)
holtby.2018.spg = get.shots.per.goal(holtby.2018)
```

Now, let's put it in a table:

Season	Save Percent	Goal Percent	Shots Per Goal
2015-2016	0.9448141	0.0551859	18.1205674
2016-2017	0.9476936	0.0523064	19.1181102
2017-2018	0.9348104	0.0651896	15.3398693
2018-2019	0.9345048	0.0654952	15.2682927

We can look at his game by game data also.

```
holtby.2015.games.sp = get.game.save.percent(holtby.2015)
holtby.2015.games.gp = get.game.goal.percent(holtby.2015)
holtby.2015.games.spg = get.game.shots.per.goal(holtby.2015)


holtby.2016.games.sp = get.game.save.percent(holtby.2016)
holtby.2016.games.gp = get.game.goal.percent(holtby.2016)
holtby.2016.games.spg = get.game.shots.per.goal(holtby.2016)

holtby.2017.games.sp = get.game.save.percent(holtby.2017)
holtby.2017.games.gp = get.game.goal.percent(holtby.2017)
holtby.2017.games.spg = get.game.shots.per.goal(holtby.2017)

holtby.2018.games.sp = get.game.save.percent(holtby.2018)
holtby.2018.games.gp = get.game.goal.percent(holtby.2018)
holtby.2018.games.spg = get.game.shots.per.goal(holtby.2018)
```


Let's look at his save percentage graphs:

```
holtby.2015.sp.plot = graph.trend(holtby.2015.games.sp, "Save Percentage", "#041E42", "#C8102E", "Brader")
holtby.2015.sp.plot
```




```
holtby.2016.sp.plot = graph.trend(holtby.2016.games.sp, "Save Percentage", "#041E42", "#C8102E", "Braden Holtby")
holtby.2016.sp.plot
```






```
holtby.2017.sp.plot = graph.trend(holtby.2017.games.sp, "Save Percentage", "#041E42", "#C8102E", "Braden Holtby")
holtby.2017.sp.plot
```

Braden Holtby (2017) Save Percentage by Game




```
holtby.2018.sp.plot = graph.trend(holtby.2018.games.sp, "Save Percentage", "#041E42", "#C8102E", "Braden  
holtby.2018.sp.plot
```



And now, let's take a look at his shot location data.


```
holtby.2015.locations.plot = graph.shot.locations(holtby.2015, "#041E42", "#C8102E", "Braden Holtby (2015)")
holtby.2015.locations.plot
```

Braden Holtby (2015) Shot Locations




```
holtby.2016.locations.plot = graph.shot.locations(holtby.2016, "#041E42", "#C8102E", "Braden Holtby (2015) Shot Locations")
holtby.2016.locations.plot
```

## Braden Holtby (2016) Shot Locations




```
holtby.2017.locations.plot = graph.shot.locations(holtby.2017, "#041E42", "#C8102E", "Braden Holtby (2016)")
holtby.2017.locations.plot
```

Braden Holtby (2017) Shot Locations



```
holtby.2018.locations.plot = graph.shot.locations(holtby.2018, "#041E42", "#C8102E", "Braden Holtby (2017) Shot Locations")
holtby.2018.locations.plot
```

## Braden Holtby (2018) Shot Locations



Holtby has had the trend of playing poorly near the end of the season. However, it seems like Holtby is currently going against his negative trend this season. His main weakness seems to be shots from the left circle. This is probably aimed towards his glove hand, which is significantly weaker than his positional play.

## John Gibson

Hailing from Pittsburgh Pennsylvania, John Gibson is the 25-year-old starter for the Anaheim Ducks. In his 6 years in the NHL, Gibson has played a total of 221 games, starting 213 games. In his career, Gibson boasts a 2.37 GAA and 92.2% save percentage. Let's start by looking at his growth per season.

```
gibson.2015 = get.goalie.data(analysis.2015, "John Gibson")
gibson.2016 = get.goalie.data(analysis.2016, "John Gibson")
gibson.2017 = get.goalie.data(analysis.2017, "John Gibson")
gibson.2018 = get.goalie.data(analysis.2018, "John Gibson")
```

Let's start by calculating some of his stats for each season and then tabularizing.

```
gibson.2015.sp = get.save.percent(gibson.2015)
gibson.2016.sp = get.save.percent(gibson.2016)
gibson.2017.sp = get.save.percent(gibson.2017)
gibson.2018.sp = get.save.percent(gibson.2018)

gibson.2015.gp = get.goal.percent(gibson.2015)
gibson.2016.gp = get.goal.percent(gibson.2016)
gibson.2017.gp = get.goal.percent(gibson.2017)
gibson.2018.gp = get.goal.percent(gibson.2018)
```

```

gibson.2015.spg = get.shots.per.goal(gibson.2015)
gibson.2016.spg = get.shots.per.goal(gibson.2016)
gibson.2017.spg = get.shots.per.goal(gibson.2017)
gibson.2018.spg = get.shots.per.goal(gibson.2018)

```

Now, let's put it in a table:

Season	Save Percent	Goal Percent	Shots Per Goal
2015-2016	0.9439319	0.0560681	17.835443
2016-2017	0.9456901	0.0543099	18.412844
2017-2018	0.948018	0.051982	19.2374101
2018-2019	0.9442356	0.0557644	17.9325843

We can look at his game by game data also.

```

gibson.2015.games.sp = get.game.save.percent(gibson.2015)
gibson.2015.games.gp = get.game.goal.percent(gibson.2015)
gibson.2015.games.spg = get.game.shots.per.goal(gibson.2015)

gibson.2016.games.sp = get.game.save.percent(gibson.2016)
gibson.2016.games.gp = get.game.goal.percent(gibson.2016)
gibson.2016.games.spg = get.game.shots.per.goal(gibson.2016)

gibson.2017.games.sp = get.game.save.percent(gibson.2017)
gibson.2017.games.gp = get.game.goal.percent(gibson.2017)
gibson.2017.games.spg = get.game.shots.per.goal(gibson.2017)

gibson.2018.games.sp = get.game.save.percent(gibson.2018)
gibson.2018.games.gp = get.game.goal.percent(gibson.2018)
gibson.2018.games.spg = get.game.shots.per.goal(gibson.2018)

```

Let's look at his save percentage graphs:


```

gibson.2015.sp.plot = graph.trend(gibson.2015.games.sp, "Save Percentage", "#F47A38", "#B09862", "John C. Gibson")
gibson.2015.sp.plot


```



John Gibson (2015) Save Percentage by Game




```
gibson.2016.sp.plot = graph.trend(gibson.2016.games.sp, "Save Percentage", "#F47A38", "#B09862", "John Gibson", "2015")
gibson.2016.sp.plot
```




```
gibson.2017.sp.plot = graph.trend(gibson.2017.games.sp, "Save Percentage", "#F47A38", "#B09862", "John Gibson", "2016")
gibson.2017.sp.plot
```

John Gibson (2017) Save Percentage by Game




```
gibson.2018.sp.plot = graph.trend(gibson.2018.games.sp, "Save Percentage", "#F47A38", "#B09862", "John Gibson", "2017")
gibson.2018.sp.plot
```



And now, let's take a look at his shot location data.


```
gibson.2015.locations.plot = graph.shot.locations(gibson.2015, "#F47A38", "#B09862", "John Gibson (2015)", "#B09862")
gibson.2015.locations.plot
```

```
gibson.2016.locations.plot = graph.shot.locations(gibson.2016, "#F47A38", "#B09862", "John Gibson (2016)")
gibson.2016.locations.plot
```



```
gibson.2017.locations.plot = graph.shot.locations(gibson.2017, "#F47A38", "#B09862", "John Gibson (2017)", "#F47A38", "#B09862")
gibson.2017.locations.plot
```

```
gibson.2018.locations.plot = graph.shot.locations(gibson.2018, "#F47A38", "#B09862", "John Gibson (2018)",
gibson.2018.locations.plot
```



## Skaters

Sidney Crosby

Evgeni Malkin

Alex Ovechkin

**Jake Guentzel**

Jake Guentzel has been an elite farm-system talent for the Penguins.

```
guentzel.2016 = get.skater.data(analysis.2016, "Jake Guentzel")
guentzel.2017 = get.skater.data(analysis.2017, "Jake Guentzel")
guentzel.2018 = get.skater.data(analysis.2018, "Jake Guentzel")
```

Let's get some of his stats.

```
guentzel.2016.sp = get.save.percent(guentzel.2016)
guentzel.2016.game.sp = get.game.save.percent(guentzel.2016)
guentzel.2017.sp = get.save.percent(guentzel.2017)
guentzel.2017.game.sp = get.game.save.percent(guentzel.2017)
guentzel.2018.sp = get.save.percent(guentzel.2018)
guentzel.2018.game.sp = get.game.save.percent(guentzel.2018)

guentzel.2016.gp = get.goal.percent(guentzel.2016)
guentzel.2016.game.gp = get.game.goal.percent(guentzel.2016)
```



```

guentzel.2017.gp = get.goal.percent(guentzel.2017)
guentzel.2017.game.gp = get.game.goal.percent(guentzel.2017)
guentzel.2018.gp = get.goal.percent(guentzel.2018)
guentzel.2018.game.gp = get.game.goal.percent(guentzel.2018)

guentzel.2016.spg = get.shots.per.goal(guentzel.2016)
guentzel.2016.game.spg = get.game.shots.per.goal(guentzel.2016)
guentzel.2017.spg = get.shots.per.goal(guentzel.2017)
guentzel.2017.game.spg = get.game.shots.per.goal(guentzel.2017)
guentzel.2018.spg = get.shots.per.goal(guentzel.2018)
guentzel.2018.game.spg = get.game.shots.per.goal(guentzel.2018)

```

Here's a table of his data.


Season	Save Percent	Goal Percent	Shots per Goal
2016-2017	0.8518519	0.1481481	6.75
2017-2018	0.9079498	0.0920502	10.8636364
2018-2019	0.875	0.125	8

From this data, we can see that Guentzel isn't a sniper; instead he is a volume shooter. Let's take a look at his heatmaps.


```

guentzel.2016.locations.plot = graph.shot.locations(guentzel.2016, "#000000", "#FCB514", "Jake Guentzel")
guentzel.2016.locations.plot


```



```
guentzel.2017.locations.plot = graph.shot.locations(guentzel.2017, "#000000", "#FCB514", "Jake Guentzel")
guentzel.2017.locations.plot
```




```
guentzel.2018.locations.plot = graph.shot.locations(guentzel.2018, "#000000", "#FCB514", "Jake Guentzel")
guentzel.2018.locations.plot
```



From this, we can see that Jake Guentzel has a lot of success around the net. Let's look at this goal percentage per game now.


```
guentzel.2016.gp.plot = graph.trend(guentzel.2016.game.gp, "Shooting (Goal) Percentage", "#000000", "#F00000")
guentzel.2016.gp.plot
```

### Jake Guentzel (2016) Shooting (Goal) Percentage by Game




```
guentzel.2017.gp.plot = graph.trend(guentzel.2017.game.gp, "Shooting (Goal) Percentage", "#000000", "#F08080")
guentzel.2017.gp.plot
```

### Jake Guentzel (2017) Shooting (Goal) Percentage by Game



```
guentzel.2018.gp.plot = graph.trend(guentzel.2018.game.gp, "Shooting (Goal) Percentage", "#000000", "#F08080")
guentzel.2018.gp.plot
```

Jake Guentzel (2018) Shooting (Goal) Percentage by Game



Erik Karlsson

Kris Letang