SUMMARY: OVERVIEW OF GENAI PLATFORMS

Objective:
By the end of this session, students will be able to:

- Understand what Large Language Models (LLMs) are and how they are trained through generative pre-training, supervised fine-tuning, and reinforcement learning with human feedback (RLHF).
- Explore and compare open-source and closed-source GenAI platforms, identifying their strengths, limitations, and ideal use cases.
- Learn about Small Language Models (SLMs), their advantages, and why they are gaining importance in resource-constrained environments.
- Analyze and interpret the role of parameters (e.g., billion-parameter models) in determining model performance and application scope.
- Conduct hands-on testing of multiple LLMs using good and bad prompts to observe differences in behavior, quality, and alignment.
- Identify and evaluate key ethical considerations in GenAI development, including bias, privacy, misinformation, and responsible AI practices.

What is LLM?

Let's start with something familiar.

> *Imagine the predictive text feature on your smartphone — the one that tries to guess your next word while you're typing a message.*

It's helpful, sure — but it's limited.
It knows only your data, and even then, it often gets things wrong.

Now, picture a system that hasn't just read your messages…
…but has read nearly every book, article, blog, research paper, Wikipedia entry, and public web page ever published.

That's the idea behind a Large Language Model (LLM).

Because an **LLM has been trained** on massive volumes of human language, it can do far more than just predict a single word:

- Predict entire sentences and paragraphs
- Understand context across long conversations
- Mimic human tone, emotion, and intent
- Provide responses with astonishing coherence and creativity

“To truly understand how these powerful models come to life, let’s break down the process step-by-step, starting from how they’re trained to understand language.”

How does LLM build?

Building a Large Language Model (LLM) involves designing, training, and refining a deep learning model, typically based on the Transformer architecture, using an extensive amount of text data.



Diagramatic Flow of How LLM Trained

To fully understand how Large Language Models (LLMs) like ChatGPT are built, we’ll now explore each stage step by step, much like understanding how a student becomes an expert.
Just as a student starts by reading widely to build general knowledge before specializing in a subject, LLMs begin with general pre-training before being fine-tuned for specific tasks.

Let’s break down this journey stage by stage.

Stage 1: Generative Pre-training:



The goal is to enable the model to understand and generate human language by learning statistical patterns, grammar, semantics, and contextual relationships.

When researchers first set out to build a language model like GPT, they didn't start with algorithms or architecture.
They started with a simple question:
"How do we get a machine to understand how humans write and speak?"

And that led to the first challenge.

Challenge 1: The model doesn't know language

To teach a machine language, you need **examples** — a lot of them. Not just clean grammar textbook sentences, but real-life messiness:

- How people write when they're angry
- How they explain things to others
- How they joke, complain, describe, teach, argue

So researchers pulled data from wherever humans express themselves in writing:

- Wikipedia
- Books
- News websites
- Reddit, Stack Overflow, Quora
- Product reviews
- Research papers

Not a few documents. We're talking **hundreds of billions of words**.

But that led to the next challenge.

Challenge 2: Raw internet data is a mess

Once they collected this massive corpus, they hit a wall:
It wasn't clean. It had ads, repeated headers, spam, broken characters, even full pages of nonsense.

So they built pipelines to **clean the data**:

- Remove duplicates
- Filter spam and boilerplate text
- Strip out unsafe or irrelevant content
- Normalize formatting

Then came the next problem.

Challenge 3: Machines don't understand words

Even after cleaning, the text is still in plain language — like this sentence you're reading now.
But machine learning models don't read like humans. They don't understand "words." They need everything in **numbers**.

So researchers used a method called **tokenization** — splitting text into small chunks called *tokens*, and converting those into numerical IDs.

Tokens might be full words ("battery"), parts of words ("bat", "tery"), or even punctuation. This is how models get input they can understand.

Once the data was clean and tokenized, they faced the real design question.

What does the model learns?

It doesn't learn facts.
It learns **patterns**.

Like:

- When someone says "I'm feeling anxious", the next few words might include "can't sleep" or "tight chest."
- If a sentence starts with "The battery life of iPhone 14…", it's often followed by "is decent" or "lasts a day."

This is why the model can generate useful text even though it's not connected to the internet or a database.
It's just statistically likely to know what comes next.

Once trained on all this data, the result is a **general-purpose language model**. It's called the "**Base GPT model.**"

It doesn't follow instructions. It doesn't talk politely. It doesn't know what's true or false.
But it can:

- Complete your sentence
- Summarize an article
- Generate fluent paragraphs in dozens of styles

This base model is the foundation.
Everything that makes GPT "smart" or "helpful" or "safe" — all that comes later.
Stage 1 just builds **raw language intelligence**.

Stage 2: Supervised Fine-Tuning:

After building a Base GPT Model in Stage 1, which understands grammar, facts, and language patterns, we now want to train it to perform specific tasks, like answering questions, summarizing emails, or holding intelligent conversations.

This is done through Supervised Fine-Tuning, where the model is trained using labeled examples, just like how a student learns better with guided exercises and solutions.



This diagram explains the **Second stage in training a Large Language Model (LLM)** like GPT.
Let's understand each part:

Step 1: Supervised Fine-Tuning Dataset (Input)

Feeding it more internet text wasn't the answer.
The solution was to **give it labeled data** — human-written examples where each prompt had a correct or desirable response.

Example:

- Prompt: "Translate to Hindi: Climate change"
  Response: "जलवायु परिवर्तन"
- Prompt: "Summarize this paragraph…"
  Response: "The company grew revenue by 15% in Q4."

Thousands of such prompt-response pairs were collected or curated to teach the model how to behave

- This dataset is **task-specific** and guides the model to behave correctly in real-world scenarios.

Note: Unlike Stage 1, where learning is unsupervised, here we use **supervised learning** — the correct answer is known and used to train the model.

Step 2: Base GPT Model (Pre-trained Knowledge)

To learn from this supervised data, the model's **weights** — the numerical values inside its neural network — had to be adjusted.

This is where **loss functions** and **optimizers** come in.

- The model generates a response.
- The response is compared to the correct answer.
- The difference (the "loss") is calculated.
- The model updates itself to reduce that loss next time.

This process happens **millions of times**, across diverse tasks and tones.

After optimizing the Base model, it actually knows

- How to respond to questions
- How to format answers (bullet points, summaries, etc.)
- How to sound polite, respectful, or concise based on instruction
- How to avoid going off-topic

This stage doesn't teach the model empathy or ethics yet — just how to perform **structured, goal-oriented tasks**.

Optimizers

- An **optimizer** fine-tunes the model weights based on the feedback from training data.
- The goal is to **reduce the difference** between the model's predictions and the correct answers..

- This makes the model **better with each iteration**, learning how to complete tasks more reliably.

Step 3: Output – Supervised Fine-Tuned Model

- The result is a more focused, instruction-following model.
- It now knows **how to help**, **how to talk**, and **how to solve problems** in a user-friendly way.

The model now says *something*, but is it the *right* thing?

Even after supervised fine-tuning, there was still an issue:

- It might give **factual answers**, but it still sounds **blunt or robotic**
- It might **miss nuance**, **hallucinate**, or **overconfidently** give wrong info
- It still doesn't know what humans consider *helpful, polite, or safe.*

Without this stage, the base model would just keep generating "next word" predictions, even when you asked it for help.

Stage 3: Reinforcement Learning with Human Feedback (RLHF)

Once the model has learned how language works and fine-tuned with responses, we now want to teach it how to respond like a helpful human, not just say something correct, but say it in a way that's useful, polite, and safe.

This is done through something called **"Reinforcement Learning with Human Feedback" (RLHF).**

So **Reinforcement Learning with Human Feedback** is a way to train AI using human help, where the Human Agent tells the AI which answers are better so it can learn to respond in a more helpful, safe, and human-like way.

Think of it like this:

> "Humans guide the AI by telling it which answers are better."



Let's understand what challenges we are facing and why we need reinforcement Learning with human Feedback:

Challenge 1: The model now follows instructions, but still lacks judgment

After supervised fine-tuning, the model could follow prompts like:

"Write a summary of this article."
"Translate this sentence to Spanish."
"Write an apology email to a client."

But it still wasn't reliable.
It could give:

- Factually incorrect answers
- Robotic or insensitive tone
- Overconfident responses to dangerous or uncertain questions
- Unsafe suggestions if the prompt was ambiguous

Researchers realized:

The model behaves like a helpful intern **with no common sense**.

So, how do you teach "judgment"?
You can't code it in.
You have to show it, and let it learn what *humans prefer*.

Challenge 2: Models don't know what *humans* like

Imagine this prompt:

"Explain depression to someone going through it."

The model might generate four answers:

1. "Depression is a mental disorder classified by the DSM-5…"
2. "You're not alone. Many people struggle with this. It's okay to seek help."
3. "It's when you feel sad for a long time."
4. "Try meditation. It works for most people."

Which one's best?

Technically, all are correct.
But only one feels *right* — human, supportive, grounded.

Machines can't tell that. But humans can.

So Solution is to use humans to rank model outputs

Researchers generated **multiple responses** to the same prompt and had human reviewers **rank them**, from best to worst.

These rankings were then used to train a smaller model called a **Reward Model** — its job is to estimate how likely a human is to prefer a given output.

The Reward Model doesn't generate text.
It scores how good a piece of text is, based on what humans liked earlier.

Now the main model had a judge.

The model must learn to generate *better* responses, not just predict

To use this Reward Model effectively, researchers turned to **reinforcement learning**.

Here's the setup:

- The base model generates a response.
- The Reward Model scores it.
- If the score is high → reward
- If the score is low → penalty
- Then the model updates itself to prefer higher-scoring responses next time

This is what we call **Reinforcement Learning with Human Feedback** — RLHF.

This process is repeated thousands of times using **PPO** (Proximal Policy Optimization) or similar RL algorithms.

Over time, this helps the AI learn:

"I should answer more like Response 4… because that's what humans like."

It's no longer just predicting the next word.
Now it's shaping its response based on **what humans reward**.

Open Source vs Closed Source LLMs

Now let's explore the category of the Large Language Models, i.e. Open source & Closed Source LLMs. These provide researchers, developers, and the general public with access to this powerful technology.

Open Source LLMs:

Open Source LLMs are language models whose source code is publicly available and can be freely accessed, used, modified, and distributed by anyone. Open source models encourage collaboration, transparency, and community involvement. Developers, researchers, and enthusiasts can contribute to the development, improvement, and customization of these models. The open-source nature allows for greater innovation, knowledge sharing, and collective development efforts.

For example:

Imagine someone built a powerful **electric car engine** and made the **designs, blueprints, and source code** available to the public. Now, anyone — from students to startup founders — can:

- Build their own electric car
- Improve its speed and efficiency
- Modify the design to suit their need.

That's **exactly what Open Source LLMs do**, but in the world of **Artificial Intelligence and Natural Language Processing**.

1. Gemma – By Google
Gemma is Google's open-source language model family, based on the same research and technology that powers Gemini, but released under an open license for developers and researchers.

- Comes in 2B and 7B parameter versions, designed to run even on local machines.
- A student builds a local study assistant chatbot that runs offline using Gemma 2B.
- It offers Gemini-like performance in an open, customizable way — ideal for academic and low-resource environments.

2. LLaMA – By Meta (Facebook)
LLaMA (Large Language Model Meta AI) is one of the most famous open-source model series, widely used in both research and startups.

- LLaMA 1, 2, and the powerful new LLaMA 3 (with 8B and 70B parameter models).
- A team uses LLaMA 3 to develop an AI teacher for rural schools, fine-tuned on local language textbooks.
- Meta's LLaMA models provide top-tier performance, often competing with closed models like GPT-4.

3. Qwen – By Alibaba
Qwen is a family of multilingual, open-source LLMs developed by **Alibaba Cloud**. It supports **English, Chinese**, and several other languages, and is optimized for performance and understanding.

- A startup in India uses Qwen to build a customer support bot that speaks both English and Mandarin.
- Strength: Great for multilingual, enterprise-grade applications that need open-source flexibility.

4. BLOOM – By BigScience
BLOOM (BigScience Large Open-science Open-access Multilingual Language Model) is a groundbreaking model developed by over **1000 researchers** from around the world.

- Supports 40+ languages, making it one of the most inclusive LLMs.
- A university researcher fine-tunes BLOOM to write news summaries in Swahili and Bengali.
- BLOOM promotes AI democratization, especially for underrepresented languages and academic use.

5. Falcon – By Technology Innovation Institute (UAE)
Falcon is a powerful and high-ranking open-source LLM known for its performance, especially in the 40 B+ parameter range.

- Trained on 1 trillion tokens, making it one of the largest public models at release.
- A developer uses Falcon to create a private, secure legal assistant for contract review, all running locally.
- Falcon is proof that governments and public institutions can lead in open AI innovation.

Closed Source LLMs:

A powerful AI language model with full-fledged functioning capability that is privately owned, commercially controlled, and not openly shared.
For example:

*Imagine a company makes a **supercar** — it's fast, smart, and beautiful.*
*But they **don't share the engine design**, **don't let you open the hood**, and **you can only rent it through their app**.*
*You can enjoy the ride, but **you can't build your own** or modify it.*

That's how **closed-source LLMs** work — you use them through platforms, but the inner workings are hidden.

Popular Examples of Closed-Source LLMs

1. **GPT-4 (by OpenAI)**
    - Powers **ChatGPT**, one of the most advanced LLMs.
    - You can use it for writing, coding, and brainstorming — but you access it through the **ChatGPT app or API**, not by downloading it.
2. **Claude (by Anthropic)**
    - Known for being ethical and safe.
    - Used in business tools and productivity apps, but the **model weights and code are private**.
3. **Gemini (by Google DeepMind)**
    - Integrated with **Google Search and Workspace tools**.
    - It's multimodal (meaning they can interpret and generate across multiple data types like images, files, audio, text etc. This opens the door to much more human-like and intuitive AI interactions.), but you can only use it inside Google's ecosystem.

What is Multimodal?

Let's understand with an example,
You're working on a college project. You take a **picture of a complex diagram** from your textbook, upload your **PDF notes to any AI chatbot**, and then **ask a question out loud**:

> "Can you explain this diagram and summarize the related notes for my presentation?"

An advanced AI, like **Google Gemini** or **GPT-4o**, can:

- **Analyze the diagram** and identify key components
- **Read the PDF** to gather supporting concepts
- **Understand your voice query**
- And finally respond with:

AI Response: "The diagram shows the 5 stages of a compiler. Your notes explain each stage clearly. Here's a slide you can use for your presentation."

That's **Multimodal AI** in action.
Multimodal AI is like having an AI that can **see, hear, read, and understand**, all at once — just like a human.
It doesn't rely only on typed text. Instead, it processes a **mix of inputs** — images, documents, audio, video, and more — and gives **context-aware, intelligent responses**.

*"**one AI brain that speaks every language of information**, whether it's visual, verbal, written, or spoken."*

Comparison Metric of Open Source vs Closed Source:

Imagine two students — Student A and Student B.

- Student A is building a voice-based career counselor chatbot for her final-year project. She uses **ChatGPT (closed-source)**. It's polished and reliable, but she hits limits — can't change how it behaves, can't make it work offline, and has to pay for API calls.

- Student B, on the other hand, uses **LLaMA 3 (open-source)**. It's a bit more work, but he gets to **host it locally**, **tweak the behavior**, and **train it on local career data**. His model isn't just a chatbot — it's *his* chatbot.

Now let's break this down with real metrics.

1. Performance

- **Closed-Source**
  These models (like GPT-4, Gemini, Claude) usually outperform in raw capabilities. They've been trained on **massive data**, optimized heavily, and can handle **complex tasks** out of the box, from summarizing books to solving code problems.

They are **multimodal,** meaning they are highly capable to process **text, images, and sometimes audio/video**, making them more **versatile**.

They are **Serverful,** which means they run on powerful cloud infrastructure, ensuring low latency, high availability, and consistent performance across users.

- **Open-Source:**
  Models like **LLaMA 3**, **Falcon**, or **Gemma** are catching up fast! You can still do summarization, Q&A, and code generation, but it might require **some fine-tuning** or additional tools to match closed-source quality.

  There is no Server or cloud infrastructure, as it is deployed locally on the system until we run it on any paid cloud service.

2. Accessibility

- **Closed-Source**:
  Requires internet access, API keys, rate limits, and mostly **paid usage**. You often depend on a company's pricing, uptime, and data policies.
- **Open-Source**:
  Free to download and run — even **offline**! Great for remote colleges, hackathons, and sensitive use cases (like legal or medical chatbots).

3. Customization

- **Closed-Source**:
  Limited to prompt engineering or fine-tuning through APIs (if allowed). You *can't touch* the model's inner behavior.
- **Open-Source**:
  You can **retrain the model**, fine-tune on your data, modify its architecture, or integrate it into larger systems. Total flexibility.

4. Community Support

- **Closed-Source**:
  Has great documentation and forums, but you're limited by what the company shares. Can't fix bugs in the model or dig deeper.
- **Open-Source**:
  Huge communities on GitHub, Hugging Face, and Discord. Thousands of developers share code, fixes, tweaks, and updates.
  If you're stuck, open-source forums can **actually help you debug and improve**

Billion Parameter LLM:

Before understanding the billion parameter, we first need to understand what this parameter means in terms of any large language model.

What is a Parameter in a Language Model?

A **parameter** is a learned weight in a machine learning model, kind of like a setting that adjusts during training to help the model make better predictions.

*Think of a parameter as a **memory slot** — the more you have, the more the model can "remember" patterns and knowledge during training. Just like a human brain has billions of neurons to process information, an LLM uses **parameters** to learn the structure of language, relationships between words, facts, and reasoning steps.*

How are Parameters Formed?

In Transformer-based models like GPT, BERT, or LLaMA:

- The model architecture contains layers, and within those layers are neurons.
- Each neuron has weights and biases — these are the actual parameters.
- During training, these weights get adjusted using techniques like backpropagation and gradient descent, based on the model's error on each training example.

So, if a model has 13 billion parameters, it means there are 13 billion individual values that have been optimized based on massive amounts of data to understand and generate human language.

What is a Billion Parameter Model?

When we say a model has **7B** (7 billion) or **13B** (13 billion) parameters, we're talking about the scale of its internal learning structure.

Examples:

- **Gemma** - 2 billion parameters
- **LLaMA 3** - 8 billion parameters
- **GPT-3** - 175 billion parameters
- **Falcon** - 40 billion parameters,
- **Qwen** - 72 billion parameters

This number gives us an idea of:

- Model capacity (how much it can learn)
- Model complexity (how deep and wide it is)
- Model resource requirement (how much hardware it needs to run)

Small Language Models (SML): Why Less Might Be More

A **Small Language Model (SLM)** is an AI model trained to understand and generate text, just like large models, but with fewer parameters (typically in the range of millions to a few billion).

Think of it like this:

> *If a Large Language Model (LLM) is a luxury bus with 100 seats and advanced features, an SLM is a compact car. It might not carry as many people or have all the extras, but it still gets you where you need to go faster and more efficiently.*

Why Are SLMs Important in Open Source?

In the open-source world, SLMs are gaining attention because they are:

- **Lightweight** – Can run on regular laptops or mobile devices
- **Fast** – Less lag, better for real-time tasks
- **Private** – You can run them locally, so your data stays with you
- **Accessible** – Developers and students can use and fine-tune them without expensive GPUs

Why Small Language Models Matter?

The Shift from LLMs to SLMs While large language models (LLMs) like GPT-4 and Claude dominate headlines, they come with high computational costs, privacy concerns, and centralization risks.
SLMs address these challenges by offering:

Lower Cost:

- Training an SLM can cost under $1,000, compared to millions for LLMs.
- Inference is cheaper (no API fees, local processing).

Faster & More Efficient:

- SLMs provide real-time responses (ideal for mobile and IoT applications).
- Consume far less energy, making them environmentally sustainable.

Greater Privacy & Control:

- Can be deployed on-device without sending data to third-party servers.
- Ideal for healthcare, legal, and enterprise use cases requiring data security.

Some Popular Examples of Small Language Models:

a. Phi (by Microsoft)

Phi is a family of Small Language Models developed by Microsoft, designed to deliver strong language understanding and reasoning capabilities while being lightweight and efficient.

- It achieves performance close to larger models (like GPT) while being resource-friendly and faster to deploy.
- Models like Phi-1, Phi-2 (1.3B parameters) were trained on carefully curated datasets (textbooks, reasoning problems).

- It is Ideal for devices with limited computing power or for cost-effective AI deployments (e.g., on laptops, mobile, or edge devices).

b. Gemma (by Google DeepMind)

Gemma is a collection of open-source Small Language Models created by Google DeepMind, built on the same technology used to train Gemini, but optimized for researchers and developers.

- It democratizes access to high-quality language models that are open, safe, and efficient.
- It comes in smaller sizes (2B and 7B parameters) for easier experimentation and integration.

Small Language Models: Challenges You Should Know

So far, we've seen the **bright side of Small Language Models (SMLs)** — they're lightweight, fast, cost-efficient, and can even run on edge devices like laptops or mobile phones. They're fantastic for **privacy-sensitive tasks**, offline use, and custom applications where large models would be overkill.

But like everything in tech, **SMLs aren't without limitations**.
Let's now transition to **some of the key challenges** that developers, researchers, and users face when working with small language models.

1. Limited Knowledge Scope

SMLs are often trained on **smaller datasets** or with fewer parameters. This restricts their understanding of **rare events, niche domains, or newer topics**.

Why it matters:
For use cases like **medical diagnosis, legal advice, or real-time policy updates**, this knowledge gap can be critical.

Example:
Ask a small model like Phi-2 or Gemma about the **latest scientific breakthrough in quantum computing**, and it might give you a vague or outdated answer, if any.

2. Struggles with Complex Reasoning

SMLs often lack the ability to **perform multi-step logical reasoning** or follow through a chain of thought across several paragraphs.

Why it matters:
This affects applications in finance, planning assistants, and educational tools, where reasoning is key.

Example:
If you give a prompt like:
"John went to the store. He bought three apples and two bananas. Then he gave one banana to his friend. How many bananas does he have left?"
An SML might give the wrong answer or skip the logical steps entirely.

3. Reduced Multimodal Abilities

Most small models are text-only or offer limited multimodal support (e.g., text + image).

Why it matters:
This limits SMLs for tasks like AI tutors with diagrams, image-based search, or assistive tech for visually impaired users.

Example:
While GPT-4o or Gemini can take an image and answer questions about it directly, small models like LLaVA or TinyGemma often require external image encoders, leading to slower performance and integration complexity.

4. Security and Hallucination Risks

Smaller models are more prone to hallucinate — they may confidently generate wrong.

Why it matters:
This poses a risk in academia, journalism, and healthcare, where accuracy is non-negotiablemisleading outputs, especially when unsure.

Example:
Ask a small model to cite a research paper on a topic, and it might invent one — with a fake title, authors, and journal..

5. Poorer Generalization and Adaptability

SMLs struggle when they're fine-tuned on a narrow domain but asked to operate outside it.

Why it matters:
Organizations looking to build multi-purpose assistants may find SMLs less flexible and require maintaining multiple separate models.

Example:
A model fine-tuned to answer HR-related queries may perform poorly when suddenly asked about legal compliance or sales strategies, even if the language is similar.

Ethical Considerations in GenaAI

1. Bias and Fairness

"If AI is trained on biased data, it will continue the cycle of inequality—even faster."

Let's say you're building a chatbot that helps recommend careers to students. If your model has only been trained on historical data where most engineers were men and most nurses were women, guess what? It might suggest "engineering" to boys more often and "nursing" to girls, even if both students have the same skills.

This is bias. And it's not always intentional—it's often baked into the **data** we use.

Real-World Example:

In 2018, **Amazon scrapped an AI hiring tool** after discovering it downgraded resumes that included the word "women's" — like "women's chess club." Why? The model learned from 10 years of biased hiring data, where men dominated tech roles.

Why it matters:
Bias can lead to unfair treatment in job screening, loan approvals, healthcare decisions, and more.

How to handle it:

- Use balanced and diverse datasets
- Regularly audit model outputs
- Include humans in high-stakes decisions

2. Privacy Concerns

> *"If AI trains on your data, who owns your privacy?"*

Imagine uploading your school notes, assignments, or even a private journal to an AI-powered summarization tool. What if that content is stored and later used to train another model?

That's a **privacy concern**—your personal info might end up in places you didn't consent to.

Real-World Example:

In 2023, **Samsung employees accidentally leaked sensitive source code** by pasting it into ChatGPT. The data was stored in OpenAI's servers and couldn't be retrieved. Samsung had to ban the internal use of ChatGPT afterward.

Why it matters:
Once personal data is used in training, it's almost impossible to remove it completely. This violates data privacy laws and personal rights.

How to handle it:

- Never input private/sensitive info into untrusted AI tools
- Use tools that anonymize or delete user data
- Learn about local laws (e.g., GDPR in Europe)

3. Intellectual Property (IP)

"When AI creates something, who owns it?"

Let's say you ask an AI to generate an image of Spider-Man doing yoga. It creates something cool, but is that *your* creation? Did it pull styles from a copyrighted Marvel comic?

Real-World Example:

In 2023, **Getty Images sued Stability AI** (maker of Stable Diffusion) for allegedly training their model on **millions of copyrighted images without permission**. Even AI-generated content can legally resemble copyrighted work.

Why it matters:
Using copyrighted material without credit or consent can lead to legal and ethical problems.

How to handle it:

- Use open-source or public-domain datasets
- Clearly label AI-generated content
- Give credit where it's due, even if AI helped

4. Misinformation Risks

"AI doesn't know the truth. It only knows patterns."

Ask an AI: "Who invented the internet?" It might say **Elon Musk**—completely wrong, but it sounds convincing.

This is called an AI **hallucination**—when models generate false but confident-sounding information. Now imagine this at a massive scale: **fake news**, misleading health tips, or wrong legal advice.

Real-World Example:

In 2023, a New York lawyer used **ChatGPT to generate legal case references**. The tool made up case names and judgments, and he submitted them to the court. He was later sanctioned when the judge discovered they were fabricated.

Why it matters:
People trust AI more than they should. If misinformation spreads, it can harm reputations, health, and even democracy.

How to handle it:

- Always **fact-check AI outputs**
- Use AI in combination with **trusted sources**

- Train models on **high-quality, verified datasets**

5. Deepfakes, Disinformation & Misuse

> *"The same AI that makes a fun meme can also ruin lives."*

Deepfakes use AI to create **fake videos or voices** that look and sound real. While this tech is fascinating, it's also dangerous when used to deceive, blackmail, or manipulate.

Real-World Example:

In 2024, a **deepfake of President Zelenskyy** surfaced online, urging Ukrainian troops to surrender. Though quickly debunked, it gained traction and **sowed confusion during wartime**.so dangerous when used to **deceive, blackmail, or manipulate**.

Why it matters:
AI can create content that's indistinguishable from reality. Without regulation or ethics, this can lead to mass manipulation.

How to handle it:

- Watermark or label AI-generated content
- Use deepfake detection tools
- Build awareness to help people identify fake

6. Best Practices: Building AI Ethically

> *"The goal isn't to stop AI — it's to guide it responsibly."*

Whether you're just exploring AI or planning to build tools with it, ethical practices should be **part of the process, not an afterthought**.

Real World Example:

Google's AI Principles (2018): Public commitment not to pursue AI for surveillance or weapons, and to design models with fairness, privacy, and accountability in mind.

Principles to follow:

- **Transparency:** Let users know when content is AI-generated
- **Inclusivity:** Test models across genders, cultures, and languages
- **Accountability:** If something goes wrong, someone must take responsibility
- **Consent:** Always respect data privacy and user rights
- **Continuous Feedback:** Keep improving your model based on human input.

Conclusion:

1. Understanding LLM Training Pipeline
Large Language Models (LLMs) are built in three stages:

- **Generative Pre-training** on massive internet text data using the Transformer architecture
- **Supervised Fine-Tuning** with Labeled Prompt-Response Pairs
- **Reinforcement Learning with Human Feedback (RLHF)** to align model behavior with human preferences.

2. Open Source vs Closed Source LLMs

- **Open-source models** (e.g., LLaMA, Gemma, Qwen) offer transparency, customization, and offline usage.
- **Closed-source models** (e.g., ChatGPT, Gemini, Claude) provide high performance but limited flexibility and accessibility.

3. Emergence of Small Language Models (SLMs)
Models like **Phi** and **Gemma (2B/7B)** are lightweight and resource-efficient alternatives to LLMs—ideal for mobile devices, offline apps, and data-sensitive environments.

4. Ethical Considerations in GenAI
Responsible AI use requires awareness of risks like bias, privacy breaches, misinformation, and misuse (e.g., deepfakes). Ethical practices include transparency, fairness, and continuous human oversight.

5. Hands-on Exploration Encouraged
Students are encouraged to try out both open-source (via Hugging Face) and closed-source tools (ChatGPT, Gemini, Claude) using good and bad prompts. This helps them observe model behavior, output variation, and understand real-world GenAI applications.

Resources:

Open-Source Models (Free to use, modify, and deploy):

1. **Hugging Face (Platform for exploring open-source models):**
   https://huggingface.co/
   Try models directly here: https://huggingface.co/chat/

Closed-Source Models (Access via platform; not modifiable):

1. **ChatGPT (by OpenAI):**
   https://chatgpt.com/

2. **Gemini (by Google DeepMind):**
   Main app: https://gemini.google.com/app
   AI Studio: https://aistudio.google.com/prompts/new_chat
3. **Claude (by Anthropic):**
   https://claude.ai/new

News Trends on AI: https://www.artificialintelligence-news.com
Analytics Trends in AI: https://artificialanalysis.ai/