

Database test

Table structure for table token_auth

Column	Type	Null	Default	Desc	PK	FK
<i>id</i>	int(11)	No		AI	YES	
token	varchar(255)	No		Created using bin2hex(openssl_random_pseudo_bytes(16))		
created_at	timestamp	No	current_timestamp()			
expire_at	timestamp	Yes	NULL	After 31 days		
user_id	int(20)	No				users.id

Dumping data for table token_auth

1	asdasdasdasdasd		2019-07-26 19:15:13	2019-08-30 23:45:00	1
2	93b73d51302280962954593d1af0e1be		2019-07-29 14:27:20	2019-08-29 12:24:52	1
3	831b2e0456a44f092441ad10a08d50a5		2019-07-29 12:24:56	2019-08-29 12:24:56	5
4	b80815f87d61da11454d309440318e45		2019-07-29 12:25:00	2019-08-29 12:25:00	5
5	af1cb794e70969a17c53778654bdfec4		2019-07-29 12:26:18	2019-08-29 12:26:18	5
6	499161d7917dd6562fa1dfe49de034c4		2019-07-29 14:15:47	2019-08-29 14:15:47	5

Notes:-

-As for now, any number of OTPs can be created for same cell number, which has to be curtailed in development, because we may incur SMS charges. So, one OTP can be generated within 5mins.. to be done in server scripting.

Table structure for table banner

Column	Type	Null	Default	Desc	PK	FK
<i>id</i>	int(50)	No		AI	YES	
salon_id	int(50)	No				shop_admin.id
banner_url	varchar(2083)	No		Banner to be uploaded in admin dashboard, then automatically this column should be populated		

Dumping data for table banner

Table structure for table booking

Column	Type	Null	Default	Desc	PK	FK
<i>id</i>	INT(20)	No		AI	YES	
user_id	int(20)	No				users.id
salon_id	int(50)	No				shop_admin.id
status	varchar(50)	No		STATUS		
payment	varchar(50)	No		PAYMENT		
				1 - booking requested		
				2 - booking approved		
				3 - reschedule requested		
				4 - reschedule approved		
				5 - completed		
				6 - cancelled		
date	date	No				
time	Time	No				
sub_total	int(5)	No				
tax%	int(3)	No	18			
total	int(5)	No	0			
feedback	varchar(2083)	No	NA			
Notes	varchar(2083)	No	NA			
reschedule_count	int(5)	No				

Dumping data for table booking

1	1	2	1	1	2019-08-02	00:00:00	10000	18	3000	NA	I want this barber	0
2	101	2	1	1	2019-08-01	00:00:00	10000	18	0	NA	I want this barber	0
3	1	2	1	1	2019-08-01	00:00:00	10000	18	0	NA	I want this barber also	0
15	101	1	1	1	2019-08-02	00:00:00	1500	18	0	NA	hello	0
17	1	2	1	1	2019-08-02	00:00:00	750	18	0	NA	new one	0
18	1	2	1	1	2019-08-02	00:00:00	750	18	0	NA	new one	0
19	1	2	1	1	2019-08-02	00:00:00	750	18	0	NA	new one	0
20	1	2	1	1	2019-08-02	00:00:00	180	18	0	NA	New notes here	0
21	1	2	1	1	2019-08-02	00:00:00	180	18	0	NA	New notes here	0
22	1	2	1	1	2019-08-02	00:00:00	360	18	0	NA	New notes here	0
23	1	2	1	1	2019-08-02	00:00:00	360	18	0	NA	New notes here	0
24	1	2	1	1	2019-08-02	00:00:00	180	18	0	NA	New notes here	0
25	1	2	1	1	2019-08-02	00:00:00	180	18	0	NA	New notes here	0
26	1	2	1	1	2019-08-02	00:00:00	180	18	0	NA	New notes here	0
27	1	2	1	1	2019-08-02	00:00:00	180	18	0	NA	New notes here	0
28	1	2	1	1	2019-08-02	00:00:00	180	18	0	NA	New notes here	0
29	1	2	1	1	2019-08-02	00:00:00	1155	18	0	NA	New notes here	0
30	1	2	1	1	2019-08-02	00:00:00	795	18	0	NA	New notes here	0
31	1	2	1	1	2019-08-02	00:00:00	795	18	0	NA	New notes here	0
39	1	2	1	1	2019-07-30	00:00:00	795	18	0	NA	New notes here	0
100	101	1	1	1	2019-08-02	00:00:00	1000	18	0	NA	aasdasd	0
101	1	2	1	1	2019-07-30	00:00:00	795	18	0	NA	New notes here	0
102	1	2	1	1	2019-07-30	00:00:00	795	18	0	NA	New notes here	0
103	1	2	1	1	2019-08-02	00:00:00	6240	18	0	NA	six thirty time notes	0
104	24398	1	1	1	2019-08-02	00:00:00	1155	18	0	NA	six thirty time notes	0

105	24398	1	1	1	2019-08-02	00:00:00	180	18	0	NA	six thirty time notes	0
106	24398	1	1	1	2019-08-02	18:12:33	180	18	0	NA	six thirty time notes	0
107	24398	1	1	1	2019-08-02	18:12:33	180	18	0	NA	six thirty time notes	0

Table structure for table booking_item

Column	Type	Null	Default	Desc	PK	FK
<i>id</i>	int(11)	No		AI	YES	
service_id	int(20)	No				services.id
price	int(5)	No		This field has to be set, either with min_value or max_value from services table, after the admin dashboard operation		
booking_id	varchar(20)	No				bookings.id

Dumping data for table booking_item

4	3	795	29
5	3	795	30
6	3	795	31
7	3	795	0
8	3	795	32

9	3	795	33
10	3	795	0
11	3	795	35
12	3	795	36
13	3	795	37
14	3	795	38
15	3	795	39
16	3	795	101
17	3	795	102
18	16	1920	103
19	3	795	104
20	1	180	105
21	1	180	0
22	1	180	0
23	1	180	0
24	1	180	0
25	1	180	0
26	1	180	0
27	1	180	0
28	1	180	0
29	1	180	0
30	2	180	0
31	2	180	106
32	2	180	107

Table structure for table cart_item

Column	Type	Null	Default	Desc	PK	FK
<i>id</i>	int(20)	No		AI	YES	
service_id	int(20)	No				services.id
user_id	int(20)	No				users.id

Dumping data for table cart_item

Table structure for table discount

Column	Type	Null	Default	Desc	PK	FK
<i>id</i>	int(20)	No		AI	YES	
discount_name	varchar(250)	No				
discount_code	varchar(250)	No				
discount_group	varchar(250)	No				
discount_services	varchar(250)	No				
is_membership	varchar(250)	No				
discount_percentage	varchar(250)	No				
discount_from	varchar(250)	No				
discount_to	varchar(250)	No				
salon_id	int(11)	No				shop_admin.id

Dumping data for table discounts

1	asd	as	dasd	servicesss	yes	asd	2019-07-24	2019-10-04	2
3	asdf 1	#1236	group 1	services		20	2019-07-25	2020-01-29	2

Table structure for table employee

Column	Type	Null	Default	Desc	PK	FK
<i>id</i>	int(20)	No		AI	YES	
emp_first_name	varchar(250)	No				
emp_last_name	varchar(250)	No				
emp_email	varchar(250)	No				
emp_address	varchar(500)	No				
emp_mobile	varchar(50)	No				
emp_status	varchar(250)	No				
emp_date_from	varchar(250)	No				
emp_date_to	varchar(250)	No				
weekday_slots	varchar(1000)	No				
weekend_slots	varchar(1000)	No				
emp_salon_id	int(250)	No				shop_admin.id

Dumping data for table employee

18	employee1	gtrends	emp1@gtrends.com	perumbakkam chennai	987456321	active	2019-07-25	2020-07-30			2
19	employee 2	gtrends	emp2@gtrends.com	nungambakkam chennai	321456987	inactive	2019-07-25	2020-08-26			2

Table structure for table otp

Column	Type	Null	Default	Desc	PK	FK
<i>id</i>	int(20)	No		AI	YES	
otp	int(6)	No				
created_at	timestamp	No	current_timestamp()			
cell	varchar(16)	No				

Dumping data for table otp

21	1234	2019-07-29 16:53:00	987653210
22	1234	2019-07-30 11:26:29	9876543210
23	1234	2019-07-30 17:50:51	9876543210
24	1234	2019-07-30 17:52:01	9876543210
25	1234	2019-07-30 17:53:23	9876543210
26	1234	2019-07-30 19:26:50	1234567890
32	1234	2019-07-31 12:10:48	9600385395
33	1234	2019-07-31 12:16:28	9600385395
34	1234	2019-07-31 12:16:37	9600385394
38	1234	2019-07-31 15:43:42	9400940094
39	1234	2019-07-31 18:16:37	9400940094

Table structure for table referral

Column	Type	Null	Default	Desc	PK	FK
<i>id</i>	int(20)	No		AI	YES	
from_user_id	int(20)	No		Referrer		users.id
to_user_id	int(20)	No				users.id
salon_id	int(11)	No				shop_admin.id
points	int(5)	No				

Dumping data for table referral

1	1	4	1	5
3	1	5	1	20
4	3	6	2	15

Table structure for table service

Column	Type	Null	Default	Desc	PK	FK
<i>id</i>	int(20)	No		AI	YES	
name	varchar(200)	No				
min_price	int(5)	No		For Membership customers		
max_price	int(5)	No		For Non-Membership customers		
type_id	int(11)	No				service_types.id

Dumping data for table service

1	Face	150	180	1
2	Neck	150	180	1
3	Full Arms	660	795	1
4	Full Body	2785	3345	1
5	Eyebrow	40	50	2
6	Upper Lip	40	50	2
7	Cheeks	50	60	2
8	Full Face	150	180	2
9	Half Arms	280	340	3
10	Full Arms	285	315	3
11	Upper lip / Chin/ Forehead	85	105	3
12	Lower Back / Upper back / Midriff	585	705	3
13	PURE COCONUT NOURISHER	275	330	4
14	MENTHOL CHILLER	275	330	4
15	EXPRESS ALCHEMY TREATMENT	1300	1560	4
16	INTENSE ALCHEMY TREATMENT	1600	1920	4

Table structure for table service_category

Column	Type	Null	Default	Desc	PK	FK
<i>id</i>	int(20)	No		AI	YES	
name	varchar(200)	No				
gender	int(1)	No		1 – Male 2 - Female		gender.id
Image_url	Varchar(2083)	No				

Dumping data for table service_category

1	DETAN & BLEACH	1	https://dummyimage.com/300
2	HAIR CARE	1	https://dummyimage.com/400
3	THREADING	2	https://dummyimage.com/500
4	WAXING	2	https://dummyimage.com/600

Table structure for table salon_admin

Column	Type	Null	Default	Desc	PK	FK
<i>id</i>	int(11)	No		AI	YES	
username	varchar(250)	No				
place	varchar(250)	No				
address	varchar(500)	No				
email	varchar(250)	No				
password	varchar(250)	No				
logo_url	varchar(255)	No				
cell	int(10)	No				
qr_code_url	varchar(2083)	No				

Dumping data for table salon_admin

1	admin1	sdf	sdf	DSf@dsf.dsf	\$2y\$10\$5w98R4ODBR5Icx1OxXJ6qOKf7D11p/LYfwMMuCY/vSFUsX6buIVLe		0	
2	perumbakkam	perumbakkam	perumbakkam, chennai, tamilnadu	perumbakkam@gtrends.com	\$2y\$10\$O9AEPaDI6wP7Ln/GiXYF4OYgY1y65JdT5/cip4g7QUNnX9KCViVq.		0	

Table structure for table users

Column	Type	Null	Default	Desc	PK	FK
<i>id</i>	int(20)	No		AI	YES	
fname	varchar(50)	No				
lname	varchar(50)	No				
cell	bigint(10)	No				
age_group	varchar(10)	No				
gender_id	int(1)	Yes	NULL			gender.id
email	varchar(30)	No				
dp_url	varchar(2083)	No				
membership	varchar(5)	No		Yes or No		
referral_code	varchar(255)	No				
beauty_points	int(5)	No				
salon_id	int(20)	No				shop_admin.id

Dumping data for table users

1	bala	murugan	1234567890	21-30	1	SVBALA99@GMAIL.COM	image website link	No	1234code	190	2
2	Murali	Krishnan	9578879419	25-30	1	murali@yahoo.com	some url	No	gopal123	250	2
3			9600297967		1			No		0	1
4	names	names	7373210292		2	name@gmail.com		No	1234code	20	2
5	akshay	kumar	7200670068		2			No		0	2
6			9442162655		2			No		0	2
7			9108107100		NULL			No		0	1
8			9108107100		NULL			No		0	1
9			9108107100		NULL			No		0	1
10			9108107100		NULL			No		0	1
11			9108107100		NULL			No		0	1
12			9108107100		NULL			No		0	1
13			9108107100		NULL			No		0	1
14			9108107100		NULL			No		0	1
15			9108107100		NULL			No		0	1
16			9108107100		NULL			No		0	1
101			9008007006		NULL			No		0	1
277			9876543210		NULL			No		0	1
909			9578879420		NULL			No		1000	1
24398	naveen	kumar	9300930093	91-30	1	sasi@GMAIL.COM	image website link	No	9812eb84a1	0	1
36404	sasi	kumar	9600385394	91-30	1	sasi@GMAIL.COM	image website link	No	98cacc634	0	1
57920			9600385395		NULL			No		0	1
66169	sasi	kumar	9600960096	91-30	2	sasi@GMAIL.COM	image website link	No	4b4dd1dffb	0	1
89656	sasi	kumar	9600960096	91-30	1	sasi@GMAIL.COM	image website link	No	79923888fd	0	1

Table structure for table combo

Column	Type	Null	Default
<i>id</i>	int(11)	No	
name	varchar(255)	No	
valid_from	varchar(255)	No	
valid_to	varchar(255)	No	
services	varchar(2083)	No	
gender	int(1)	No	
salon_id	int(11)	No	

Dumping data for table combo