```
PS D:\D '\labti\pjar\pert 3> set-ExecutionPolicy -ExecutionPolicy RemoteSigned -Scope Process
PS D:\D '\labti\pjar\pert 3>
```

```
(myenv) P5 D:\D '\labti\pjar\pert 3> pip install virtualenv
Collecting virtualenv
Using cached virtualenv-20.21.0-py3-none-any.whl (8.7 MB)
Collecting distlib<1,>=0.3.6
Using cached distlib-0.3.6-py2.py3-none-any.whl (468 kB)
Collecting filelock<4,>=3.4.1
Using cached filelock<3.11.0-py3-none-any.whl (10.0 kB)
Collecting platformdirs<4,>=2.4
Using cached platformdirs-3.2.0-py3-none-any.whl (14 kB)
Installing collected packages: distlib, platformdirs, filelock, virtualenv
Successfully installed distlib-0.3.6 filelock-3.11.0 platformdirs-3.2.0 virtualenv-20.21.0
(myenv) P5 D:\D '\labti\pjar\pert 3> []
```

```
    PS D:\D '\labti\pjar\pert 3> python main.py
    PS D:\D '\labti\pjar\pert 3> python main.py
        * Serving Flask app 'main'
        * Debug mode: off
    WARNING: This is a development server. Do not use it in a production dep
    loyment. Use a production WSGI server instead.
    * Running on http://127.0.0.1:5000
        Press CTRL+C to quit
```

Hello, World!

```
pert 3 > ② app.py > ③ tentang

1    from flask import Flask

2    app = Flask(__name__)

4    @app.route('/')

6    def home():
        return ' hello world'

9    @app.route('/about')

11    def tentang():
        return 'hai, ini adalah halaman tentang saya (Sinatra Kusuma 56419075)'

13

14    if __name__ == '__main__':
        app.run(debug=True)
```

hai, ini adalah halaman tentang saya (Sinatra Kusuma 56419075)