



# INTEGRATION GUIDE:

## Omniure for Android

### EDITION 1

Ooyala's cutting-edge technology helps you earn more, learn more, and turn online video into bottom-line results. If you're ready to succeed with video, today and in the future, Ooyala is the innovative partner you need.

Ooyala Copyright 2013  
Edition 1: 04/2013

Ooyala, Backlot, Ooyala Actionable Analytics, the Ooyala logo, and other Ooyala logos and product and service names are trademarks of Ooyala, Inc. ("Ooyala Marks"). Company agrees not to remove any Ooyala Marks that are contained within and/or affixed to the Services as provided to Company. Except with respect to the foregoing, Company agrees not to display or use in any manner the Ooyala Marks without Ooyala's prior written permission. All contents of the Ooyala website and Services are: Copyright 2008-2011. Ooyala, Inc. All rights reserved. Ooyala and Backlot are registered trademarks of Ooyala, Inc. in the United States, Japan, and European Community. All rights reserved. For complete information on terms of service, see: <http://www.ooyala.com/tos>

All other trademarks are the property of their respective companies.

# CONTENTS

[CONTENTS](#)

[INTRODUCTION TO OMNITURE INTEGRATION](#)

[What You Need](#)

[OPEN THE ANDROID SAMPLE APP](#)

[Open the Sample App Project](#)

[Import Required Libraries](#)

[Edit TrackingHelper.java](#)

[Build Your Project](#)

[TROUBLESHOOTING](#)

# INTRODUCTION TO OMNITURE INTEGRATION

The Ooyala Omniture Integration App demonstrates how you can integrate Omniture analytics capabilities into your Android SDK-based apps. Omniture analytics, now called The Adobe® Marketing Cloud Mobile libraries after Adobe's acquisition of Omniture, allows you to capture native app activity (user, usage, behavior, gestures, etc.) and send that information to Adobe servers for ingestion and use in SiteCatalyst® reporting. You can integrate Ooyala mobile SDK with Omniture SDKs through a step-by-step integration process using our sample app as a model.

## What You Need

To get started with Ooyala's Omniture for Android SDK Integration, you need to download the following items:

- The [Ooyala Android SDK](#).
- The [Ooyala Omniture Integration Sample App](#).
- The [Omniture SDK](#). Note that Omniture was purchased by Adobe and is now marketed as The Adobe® Marketing Cloud Mobile libraries.
- [Eclipse IDE](#). Note that in our guide, we use the Eclipse IDE to illustrate our integration steps.

As part of its capacity to capture analytics, Omniture draws from and provides information to the Adobe SiteCatalyst website. Before starting, you will also need to do the following:

1. Have or get an account with login credentials for Adobe's SiteCatalyst.
2. Login to [SiteCatalyst](#).
3. Get the following information:
  - a. Report Suite ID
  - b. Tracking Server
  - c. Configuration variables

You will use this information in the following procedures.

## OPEN THE ANDROID SAMPLE APP

To get started, all you need to do is open our sample app and integrate a few files into your project. In the following procedure, we are using the Eclipse IDE. The Eclipse tool will help with your Android development effort. To get started with your development project, launch your Eclipse app.

[Android](#)


## Open the Sample App Project

1. Click **Open Eclipse > File > Import**
2. Go to **Android > Existing Android Code into Workspace > Next**
3. Set the “Root Directory” to the extracted **OmnitureSampleAppActivity** folder.
4. Click **Finish**.

## Import Required Libraries

Your next step is to import some required libraries from the Omniture Android SDK into your Omniture Integration app.


1. Right-click **OmnitureSampleAppActivity** project name.
2. Select **Build Path > Configure Build Path...**
3. Select **Java Build Path > Libraries tab > Add External Jars.**
4. Add the **admsAppLibrary.jar** that you downloaded and extracted from the Omniture SDK.jar.
5. Add the **OoyalaSDK.jar** that you downloaded and extracted from the Ooyala Android SDK.
6. Click the **Order and Export** tab.
7. Make sure the **admsAppLibrary.jar** and **OoyalaSDK.jar** are selected.



## Edit TrackingHelper.java

The next step in setting up your environment is to add some code to the TrackingHelper. You will need to add the following lines.

1. Open the TrackingHelper.java file. You will make some modifications to this file with the information you saved from SiteCatalyst.
2. In your TrackingHelper.java file, **change**:
  - a. REPORTSUITEID to match the one you got from SiteCatalyst.
  - b. The TRACKING\_SERVER so that it matches the one from SiteCatalyst. The following image shows sample tracking server information from SiteCatalyst.
3. In the TrackingHelper.java file, you also need to change the following configuration variables so that they match the equivalent variables in SiteCatalyst:
  - **eVars** - (s.eVarN)
  - **s.props** – (s.propN)
  - **s.events** – (s.events)



```
// TrackingHelper.java
// OmnitureSampleApp
//
// A helper class for OmnitureSampleAppActivity
//

package com.ooyala.android.sampleapp;

import java.util.Hashtable;

import android.app.Activity;

import com.adobe.adms.measurement.ADMS_Measurement;
import com.adobe.adms.mediamasurement.ADMS_MediaMeasurement;

public class TrackingHelper {

    // Use your reportSuiteID and Tracking Server here
    private static final String TRACKING_RSID = "YOUR_REPORTSUITEID";
    private static final String TRACKING_SERVER = "YOUR_TRACKING_SERVER";

    public static void configureMediaMeasurement() {
        ADMS_MediaMeasurement mediaMeasurement = ADMS_MediaMeasurement.sharedInstance();
        Hashtable<String, Object> contextDataMapping = new Hashtable<String, Object>();

        // Put the Config variables that were set up in SiteCatalyst here. eVar, prop and event
        contextDataMapping.put("a.media.name", "eVar29,prop29");
        contextDataMapping.put("a.media.segment", "eVar55");
        contextDataMapping.put("a.contentType", "eVar5"); //note that this is not in the .medi
        contextDataMapping.put("a.media.timePlayed", "event26");
        contextDataMapping.put("a.media.view", "event8");
        contextDataMapping.put("a.media.segmentView", "event25");
        contextDataMapping.put("a.media.complete", "event12");

        mediaMeasurement.contextDataMapping = contextDataMapping;

        // track Milestones & segmentByMilestones:
        mediaMeasurement.trackMilestones = "25,50,75";
        mediaMeasurement.segmentByMilestones = true;
    }
}
```

4. If you followed these steps, your ReportSuiteID, TrackingServer and Configuration variables (evar, prop and events) should match your SiteCatalyst configurations.
5. Although the sample contains an embed code and pcode, replace these with your own embed code and pcode before running the build.
6. Run the OmnitureSampleAppActivity.java!
7. When you run your build, successfully, the Android Simulator is invoked.
8. That's it.

You now have everything in place to run your build and test your app.

## **Build Your Project**

After you have copied all the necessary components into your development environment, select **Run** to build your project. If successful, you will be able to see Omniture analytics display on the SiteCatalyst web page.

## **TROUBLESHOOTING**

If you have any trouble with your build or build results:

1. Check the SiteCatalyst web page to see if the analytics information is displaying properly.
2. Review your logs to look for any potential issues. Logs are your friend!
3. Remember that the Omniture code is developed by Adobe. If you find an issue with that code, you need to contact your relevant Adobe documentation or representative, if necessary.