OnStream MediaPlayer+ Player API Upgrade

An Application Guide for All Platforms
SDK Version 3.18.0

VisualOn, Inc.

http://www.visualon.com

January, 2016

20160111



Copyright/Confidentiality Notice

© 2016 VisualOn, Inc. All rights reserved.

VisualOn Trademarks

Trademarks and service marks of VisualOn, Inc. (VisualOn) contained in this document are attributed to VisualOn with the appropriate symbol. For queries regarding VisualOn's trademarks, contact the corporate legal department from VisualOn website.

VisualOn® OnStream®

All other trademarks are the property of their respective holders.

Proprietary and Confidential Information Notice

The information contained herein is the proprietary and/or confidential information, including trade secrets, of VisualOn or its licensors, and such information may not be used without prior written permission of VisualOn. Without limiting the foregoing, no part of this publication may be reproduced in whole or in part by any means (including photocopying or storage in an information storage/retrieval system) or transmitted in any form or by any means. By receiving and using the information in this document, the recipient agrees to maintain the confidentiality of the information contained herein, and to be liable for any damages resulting from the breach of confidentiality obligations. If the recipient is unauthorized to receive this document, please return it or destroy it immediately.

Information in this document is subject to change without notice and does not represent a commitment on the part of VisualOn. Except as may be explicitly set forth in an agreement between VisualOn and its customer, VisualOn does not: (a) make, and expressly disclaims, any representations or warranties as to the completeness, accuracy or usefulness of the information contained in this document; (b) warrant that use of such information will not infringe any third party rights; (c) assume any liability for damages or costs of any kind that may result from use of such information.

RESTRICTED RIGHTS LEGEND Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013.

UNPUBLISHED This document contains unpublished confidential information and is not to be disclosed or used except as authorized by prior, written permission of VisualOn. Rights reserved under the copyright laws of the United States.



Deprecated one function for plug-ins:

1 setInitialBufferTime

Added two functions for plug-ins:

setURLQueryString

2 setInitialBufferingTime

Added one parameter for all platforms:

3 VOLOG_KEYWORD_CONTROLLER_STARTUP_TIME

Added one parameter for Android and iOS:

VO_OSMP_SRC_ADAPTIVE_STREAMING_INFO_EVENT_SESSION_

4 DATA

Changed one function for DRM engines:

voGetDRMAPI -> voGetKKDRMAPI (KKBOX)

5 voGetDRMAPI -> voGetShowTimeDRMAPI (ShowTime)



- Deprecated one function for Android:
- setDRMUniqueIdentifierModified one function for Android:
- getDRMUniqueIdentifierAdded one function for plug-ins:
- 3 setZoomMode
 Removed one ID for all platforms:
- 4 VO_OSMP_PREF_BA_START_FAST



- 1 Added two functions for iOS: setSphericalVideoView enableSphericalVideo
- 2 Modified one function for iOS: **VOOSMPOpenParam**
- 3 Added one function for Android and iOS: enableDRMOfflineMode
- 4 Added two callback events for Windows and Mac OS: VO_OSMP_CB_AUDIO_RENDER_FAIL VO_OSMP_CB_VIDEO_RENDER_FAIL



1 Added one function for Android: setHWDecoderMaxResolution



- 1 Added one function for Android and iOS: enableSEIPostProcessVideo
- 2 Added one callback for Android, iOS, and plug-ins:

 VO_OSMP_SRC_ADAPTIVE_STREAMING_INFO_EVENT_PLAYLIST

 _DOWNLOADOK



- 1 Added one function for all platforms: enableSubtitleAutoAdjustment
- 2 Added one function for Android: enforceSoftwareVideoScaling



- 1 Added seven functions for Android:
 - setSubtitleFontPosition
 - setSmoothBAWhiteListFile
 - setView
 - setSubtitleFontPosition
 - setSurface
 - resume
 - setSubtitleTrim
- 2 Added three functions for Android and iOS:
 - enableAnalyticsFoundationLocation
 - getDRMKeyExpiredStatus
 - setPreference
- 3 Added five function for all platforms:
 - setAnalyticsFoundationCUID
 - setSubtitleGravity
 - setSubtitleBoundingBox
 - enableAnalyticsFoundation
 - setAudioEffectEndpointType
- 4 Changed two functions for Android:
 - resume
 - setView
- 5 Deleted one function for Android:
 - setSubtitleFontPosition
- 6 Added two event IDs for plug-ins:
 - VO_OSMP_CB_SUSPEND
 - VO_OSMP_CB_RESUME
- 7 Added three event IDs for all platform:
 - ${\tt VO_OSMP_SRC_RTSP_ERROR_HTTP_ERROR}$
 - VO_OSMP_SRC_RTSP_ERROR_URL_EXPIRED
 - VO_OSMP_CB_SUSPEND
- 8 Added two event IDs for Android and iOS:
 - VOOSMP_PID_ANALYTICS_FOUNDATION_LOCATION
 - VOOSMP_PID_ANALYTICS_FOUNDATION_CUID



1 Added five functions for all platform:

enableHTTPGzipRequest getProcessorType getErrorCode getValidBufferDuration getDownloadStatus

2 Added two functions for Android:

enableSEIPostProcessVideo

setVolume

3 Deprecated function for iOS and Plugin, to sync up with Android:

enableDolbyLibrary

replaced with enableAudioDecoderLibrary

4 Deprecated Events for API2:

VO_OSMP_SRC_CB_SYNC_AUTHENTICATION_DRM_SERVER_INFO VO_OSMP_SRC_CB_SYNC_IO_HTTP_START_DOWNLOAD VO_OSMP_SRC_CB_SYNC_IO_HTTP_DOWNLOAD_FAIL VO_OSMP_CB_OUTPUT_CONTROL_DOWNGRADE_RESOLUTION VOOSMP_CB_Downgrade_Resolution VOOSMP_PID_SUBTITLE_DISPALY VOOSMP_PID_MEDIACODEC_AUDIO_DECODER

5 Added Events for API2 as replacements:

VOOSMP_AUDIO_DECODER_TYPE_IOMX

VOOSMP_PID_AUDIO_DECODER_TYPE

VO_OSMP_DEC_AUDIO_IOMX

VOOSMP_PID_SUBTITLE_DISPLAY

VOOSMP_CB_Output_Control_Change_Resolution

VO_OSMP_CB_OUTPUT_CONTROL_CHANGE_RESOLUTION

VO_OSMP_SRC_CB_IO_HTTP_START_DOWNLOAD

VO_OSMP_SRC_CB_IO_HTTP_DOWNLOAD_FAIL

6 Added function for Android:

setDRMFilePath



- 1 Added four functions for all platform: getUTCPosition setRTSPMaxSocketErrorCount setRTSPConnectionTimeout
- 2 Added two functions for Android and iOS: enableAnalyticsDisplay setAnalyticsDisplayType
- 3 Added two functions for Android: getSeriesTitle enableVOAdaptivePlayback
- 4 Changed parameters for: init open
- 5 Deleted functions for iOS: getDRMUniqueIndentifier setDRMUniqueIndentifier
- Deleted functions for Android:
 getDRMUniqueIndentifier
 setDRMUniqueIndentifier
 getFileSize
 setFileSize



1 Added two functions for output control isOutputControlActive and isOutputControlEnforce



- 1 Added functions for iOS:
 - enableAudioDecoderLibrary setPreferredAudioLanguage setPreferredSubtitleLanguage setInitialBufferingTime setInitialBufferTime setMaxBufferingTime setMaxBufferTime
- 2 Added functions for Android:
 - enableAudioDecoderLibrary setPreferredAudioLanguage setPreferredSubtitleLanguage setInitialBufferingTime setInitialBufferTime setMaxBufferingTime setMaxBufferTime
 - **resume**Added functions for Plugin:
 - enableAudioDecoderLibrary setRenderType
- 4 Deprecated followings for Android and iOS, they will be removed in the future:
 - setDefaultAudioLanguage setDefaultSubtitleLanguage VO_OSMP_SRC_CB_ADAPTIVE_STREAM_WARNING VO_OSMP_CB_SRC_BUFFER_TIME
- 5 Added event IDs:
 - VO_OSMP_CB_SRC_BUFFERING_TIME
 VO_OSMP_SRC_CB_ADAPTIVE_STREAMING_WARNING
 VO_OSMP_SRC_FFSTREAMING_PUSHPD
 VO_OSMP_CB_OUTPUT_CONTROL_CAPTURE_SOFTWARE_RUNNING
- 6 Changed return value for Plugin API. getPlayingAsset.Returned JSON content changed.



- 1 Added functions for iOS:
 - notifyViewSizeChanged setDefaultAudioLanguage setDefaultSubtitleLanguage
- 2 Added event IDs:

```
VO_OSMP_CB_OUTPUT_CONTROL_BLOCK_PLAYBACK
VO_OSMP_CB_OUTPUT_CONTROL_BLOCK_OUTPUT
VO_OSMP_CB_OUTPUT_CONTROL_DOWNGRADE_RESOLUTION
VO_OSMP_OUTPUT_CONTROL_TYPE
VO_OSMP_CB_CODEC_NOT_SUPPORT
```

- 3 Updated comments for setZoomMode and setDisplayArea.
- 4 Added setDRMVerificationInfo, setDRMUniqueIdentifier, setDRMLibrary, getDuration, and deleteContent.



- 1 Added two keys for **getAudioProperty** API, "bitrate" and "channelcount"
- 2 Added error codes:

VO_OSMP_HTTP_CONNECT_FAILED VO_OSMP_HTTP_INVALID_RESPONSE VO_OSMP_HTTP_CLIENT_ERROR VO_OSMP_HTTP_SERVER_ERROR

- Added APIs playbackDuration, registerEventHandler, setOnEventHandler, getTotalCodecDropNum, getTotalDocodedNum, getTotalRenderDropNum, getTotalRenderedNum, and getTotalSourceDropNum
- 4 Added APIs getRootURL and getURL.
- 5 Added API of **setHTTPRetryTimeout**
- 6 Added types rootURL/URL/startTime/duration/timeScale into VOOSMPChunkInfo
- Added events of VO_OSMP_ERR_MULTIPLE_INSTANCES_NOT_SUPPORTED, VO_OSMP_CB_AUDIO_RENDER_FAIL, and VO_OSMP_MODULE_TYPE_DRM_VENDOR_A
- 8 Added **setSubtitleTypeface** (Typeface type)



- 1 Added new method **enableCPUAdaptation.**
- 2 Cleaned up API categorizations for iOS:
 - Moved followings to VOCommonPlayerStatus: getPlayerType, getPlayerStatus, canBePaused, isLiveStreaming, getPosition, getMinPosition, getMaxPosition, getDuration, getScreenBrightness, getDRMUniqueIndentifier, getDRMUniqueIdentifier, getVersion, and getSEIInfo
 - Moved followings to VOCommonPlayerAnalytics: enableAnalytics, startAnalyticsNotification, stopAnalyticsNotification, getAnalytics, getVideoDecodingBitrate, and getAudioDecodingBitrate



- For Android/API3, the arguments of setDRMAdapter() were changed. If you are using this API, you have to modify your code. Except for this particular case, others API changes were additions only and do not require changes to code.
- 2 From V3.7.2, there is a clear distinction between what is selected and what is playing. Please check getCurrentSelection() and getPlayingAsset().
- From 3.7.10, plugin, the function open added two more parameters. VO_OSMP_SRC_FORMAT sourceType, VOOSMPOpenParam* openParam. New added functions: getVideoDecodingBitrate, getAudioDecodingBitrate, getDRMUniqueIdentifier, setDRMUniqueIdentifier.
- 4 From V3.7.11, there are several functions changed return value. It can provide better debugging information.



API2: license check changed as below.

setParam(VOOSMP_PID_LICENSE_TEXT) is a must for formal licenses (it can be omitted on Android before). The general API call sequence for license check is:

- a. init()
- b. setParam(VOOSMP_PID_LICENSE_FILE_PATH, "Path here") or setParam(VOOSMP_PID_LICENSE_CONTENT, content)
- c. setParam(VOOSMP_PID_LICENSE_TEXT, "License key here")
- d. open()

API3: see guidelines below.

- 1 Type of parameter 1 of VOSyncEvent() was changed from VO_OSMP_CB_EVENT_ID to VO_OSMP_CB_SYNC_EVENT_ID. You must change the type in your code, otherwise you will get a compilation error.
- VOCommonPlayerControl.open() and VOCommonPlayerControl.init() were overloaded. Use the new one, i.e.
 VO_OSMP_RETURN_CODE open(String url, VO_OSMP_SRC_FLAG flag, VO_OSMP_SRC_FORMAT type, VOOSMPOpenParam openParam);
 VO_OSMP_RETURN_CODE init(VO_OSMP_PLAYER_ENGINE playEngineType, VOOSMPInitParam initParam);
- If you are using event ID VO_OSMP_SRC_CB_DRM_VERIFICATION, rename it to VO_OSMP_SRC_CB_SYNC_AUTHENTICATION_DRM_SERVER_INFO (It was actually moved from enum VO_OSMP_CB_EVENT_ID to VO_OSMP_CB_SYNC_EVENT_ID).
- setPreAgreedLicense() is a must for formal licenses (it can be omitted on Android before). The general API call sequence for license check is:
 - a. init()
 - b. setLicenseFilePath() or setLicenseContent()
 - c. setPreAgreedLicense("License key here")
 - d. open()
- 5 Known issues:

Event VO_OSMP_SRC_CB_SYNC_IO_HTTP_DOWNLOAD_FAIL is not correct (with wrong Object type); Implementation of enablePCMOutput() is not complete



| Category | Ver | Action | Туре | Platform | Name | Description |
|----------|----------|------------|----------|--------------------|---|---|
| API3 | V3.18.0 | add | function | Windows, Mac OS | setURLQueryString | set a token/string for HTTP requests |
| API3 | V3.18.0 | add | function | Windows, Mac OS | setInitialBufferingTime | set the buffering time of the source in milliseconds before the playback starts |
| API3 | V3.18.0 | deprecated | function | Windows, Mac OS | setInitialBufferTime | replaced with setInitialBufferingTime |
| API3 | V3.18.0 | add | Param ID | Android, iOS | VO_OSMP_SRC_ADAPTIVE_STREAMING_INF O EVENT SESSION DATA | |
| API3 | V3.18.0 | change | function | All | voGetDRMAPI | change to voGetShowTimeDRMAPI for KKBOX DRM; change to voGetShowTimeDRMAPI for ShowTime DRM |
| API3 | V3.18.0 | add | Param ID | All | VOLOG_KEYWORD_CONTROLLER_STARTUP_ TIME | new log message to identify the root cause of slow startup time |
| API3 | V3.17.10 | add | function | Windows, Mac OS | setZoomMode | Set the zoom mode for the plug-in players |
| API3 | V3.17.10 | deprecated | function | Android | setDRMUniqueldentifier | Deprecate this interface. Use getDRMUniqueIdentifier instead to get the unique ID |
| API3 | V3.17.10 | change | function | Android | getDRMUniqueIdentifier | Get the UID of device |
| API3 | V3.17.10 | deprecated | ID | All | VO_OSMP_PREF_BA_START_FAST | Deprecate this ID |
| API3 | V3.17.0 | add | Event ID | Windows, Mac OS | VO_OSMP_CB_VIDEO_RENDER_FAIL | Event is triggered when video rendering is failed. |
| API3 | V3.17.0 | add | Event ID | Windows, Mac OS | VO_OSMP_CB_AUDIO_RENDER_FAIL | Event is triggered when audio rendering is failed. |
| API3 | V3.17.0 | add | function | iOS | setSphericalVideoView | Configure the settings for decoding 360 degree video |
| API3 | V3.17.0 | add | function | iOS | enableSphericalVideo | Enable or disable the decoding of 360 degree video |
| API3 | V3.17.0 | change | function | iOS | VOOSMPOpenParam | Add settings of video decoder type |
| API3 | V3.17.0 | add | function | Android, iOS | enableDRMOfflineMode | Enable or disable DRM offline mode |
| API3 | V3.16.10 | add | fcuntion | Android | setHWDecoderMaxResolution | Configure the maximum resolution when initializing hardware decoder |
| API3 | V3.16.0 | change | Event ID | all | VO_OSMP_SRC_ADAPTIVE_STREAMING_INF O EVENT PLAYLIST DOWNLOADOK | callback for accessing the downloaded MasterPlaylist |
| API3 | V3.16.0 | add | function | Android, iOS | enableSEIPostProcessVideo | Enable or disable video post-processing with SEI |
| API3 | V3.15.0 | add | function | Android | enforceSoftwareVideoScaling | Enable or disable the video scaling using software. |
| API3 | V3.15.0 | add | function | all | enablesubtitle Auto Adjustment | Enable or disable the automatic adjustment of font size and position for subtitle. |
| API3 | V3.14.0 | add | function | Android, iOS | setPreference | Set preference for playback |
| API3 | V3.14.0 | add | function | Android | setSubtitleTrim | Trim String to make subtitle position correct |
| API2 | V3.14.0 | add | Event ID | Android, iOS | VOOSMP_PID_ANALYTICS_FOUNDATION_LO CATION | |
| API3 | V3.14.0 | add | function | all | setAnalyticsFoundationCUID | |
| API3 | V3.14.0 | change | function | Android | resume | Change parameter to Object, in case Surface is used only for video playback |



| Category | Ver | Action | Туре | Platform | Name | Description |
|----------|---------|------------|----------|--------------|--|---|
| API3 | V3.14.0 | add | function | Android | setSurface | Add new interface to use Surface for video playback |
| API3 | V3.14.0 | add | Event ID | all | VO_OSMP_SRC_RTSP_ERROR_HTTP_ERROR VO_OSMP_SRC_RTSP_ERROR_URL_EXPIRED | |
| API3 | V3.14.0 | add | function | all | setSubtitleGravity | Set gravity for subtitle |
| API3 | V3.14.0 | add | function | all | setSubtitleBoundingBox | Set bounding box for subtitle |
| API3 | V3.14.0 | add | function | Android | setDRMFilePath | Support multiple users with Verimatrix DRM |
| API3 | V3.14.0 | add | function | Android, iOS | getDRMKeyExpiredStatus | Add new interface to check license expiration of downloaded content |
| API3 | V3.14.0 | deprecated | function | Android | setSubtitleFontPosition | Rename to setSubtitleBoundingBox |
| API3 | V3.14.0 | change | function | Android | setView | Use voSurfaceView |
| API3 | V3.14.0 | add | function | all | setAudioEffectEndpointType | Speaker endpoint settings |
| API3 | V3.14.0 | add | Event ID | Plug-ins | VO_OSMP_CB_SUSPEND | Support session control events |
| API3 | V3.14.0 | add | Event ID | Plug-ins | VO_OSMP_CB_RESUME | Support session control events |
| API3 | V3.14.0 | add | function | Android | setSmoothBAWhiteListFile | Add device.xml related interface implementation |
| API3 | V3.14.0 | add | function | Android | setSubtitleFontPosition | Set position for subtitle |
| API3 | V3.13.0 | add | function | all | getValidBufferDuration | |
| API3 | V3.13.0 | add | function | all | getDownloadStatus | |
| API3 | V3.13.0 | add | function | Android | enableSEIPostProcessVideo | |
| API3 | V3.13.0 | add | function | all | enable HTTP Gzip Request | |
| API3 | V3.13.0 | add | function | Android | setVolume | |
| API3 | V3.13.0 | add | function | all | getProcessorType | |
| API3 | V3.13.0 | add | function | all | getErrorCode | |
| API3 | V3.13.0 | deprecated | function | iOS, Plugin | enableDolbyLibrary | sync up with Android: Replaced by enableAudioDecoderLibrary |
| API3 | V3.13.0 | add | Event ID | all | VO_OSMP_SRC_CB_IO_HTTP_START_DOWNLOAD VO_OSMP_SRC_CB_IO_HTTP_DOWNLOAD_F AIL | |
| API3 | V3.13.0 | deprecated | Event ID | all | VO_OSMP_SRC_CB_SYNC_AUTHENTICATION _DRM_SERVER_INFO VO_OSMP_SRC_CB_SYNC_IO_HTTP_START_D OWNLOAD VO_OSMP_SRC_CB_SYNC_IO_HTTP_DOWNL OAD_FAIL | replaced with above new added events |
| API2 | V3.13.0 | add | Event ID | all | VO_OSMP_CB_OUTPUT_CONTROL_CHANGE _RESOLUTION | |
| API2 | V3.13.0 | deprecated | Event ID | all | VO_OSMP_CB_OUTPUT_CONTROL_DOWNG RADE RESOLUTION | replaced with above new added event |
| API2 | V3.13.0 | add | Event ID | Android,iOS | VOOSMP_CB_Output_Control_Change_Resolution | |
| API2 | V3.13.0 | deprecated | Event ID | Android,iOS | VOOSMP CB Downgrade Resolution | replaced with above new added event |



| Category | Ver | Action | Туре | Platform | Name | Description |
|----------|----------|------------|----------|-------------|--|---|
| API2 | V3.13.0 | add | Event ID | Android | VO_OSMP_DEC_AUDIO_IOMX | |
| API2 | | add | Event ID | iOS | VOOSMP PID SUBTITLE DISPLAY | |
| API2 | | deprecated | Event ID | iOS | VOOSMP PID SUBTITLE DISPALY | replaced with VOOSMP_PID_SUBTITLE_DISPLAY |
| API2 | | add | Event ID | Android | VOOSMP_AUDIO_DECODER_TYPE_IOMX | |
| API2 | V3.13.0 | add | Event ID | Android | VOOSMP PID AUDIO DECODER TYPE | |
| API2 | V3.13.0 | deprecated | Event ID | Android | VOOSMP_PID_MEDIACODEC_AUDIO_DECOD ER | replaced by VOOSMP_PID_AUDIO_DECODER_TYPE |
| API3 | V3.12.0 | add | function | all | getUTCPosition | |
| API3 | V3.12.0 | add | function | Android | enable VOA daptive Playback | |
| API3 | | add | function | all | setRTSPMaxSocketErrorCount | |
| API3 | V3.12.0 | add | function | all | setRTSPConnectionTimeout | |
| API3 | V3.12.0 | add | function | Android | getSeriesTitle | |
| API3 | V3.12.0 | add | function | Android,iOS | enable Analytics Display | |
| API3 | V3.12.0 | add | function | Android,iOS | setAnalyticsDisplayType | |
| API3 | V3.12.0 | change | function | all | init | |
| API3 | V3.12.0 | change | function | all | open | |
| API3 | | delete | function | Android,iOS | getDRMUniqueIndentifier | |
| API3 | V3.12.0 | delete | function | Android,iOS | setDRMUniqueIndentifier | |
| API3 | V3.12.0 | delete | function | Android | getFileSize | |
| API3 | V3.12.0 | delete | function | Android | setFileSize | |
| API3 | V3.11.10 | add | function | all | isOutputControlActive | |
| API3 | V3.11.10 | add | function | all | isOutputControlEnforce | |
| API3 | V3.11.0 | deprecated | Event ID | Android,iOS | VO OSMP CB SRC BUFFER TIME | replaced with VO_OSMP_CB_SRC_BUFFERING_TIME |
| API3 | | add | Event ID | Android,iOS | VO_OSMP_CB_SRC_BUFFERING_TIME | |
| API3 | V3.11.0 | deprecated | Event ID | Android,iOS | VO_OSMP_SRC_CB_ADAPTIVE_STREAM_WARNING | replaced with VO_OSMP_SRC_CB_ADAPTIVE_STREAMING_WARNING |
| API3 | V3.11.0 | add | Event ID | Android,iOS | VO_OSMP_SRC_CB_ADAPTIVE_STREAMING_ WARNING | |
| API3 | V3.11.0 | add | Event ID | all | VO_OSMP_CB_OUTPUT_CONTROL_CAPTURE _SOFTWARE_RUNNING | |
| API3 | V3.11.0 | add | function | all | enableAudioDecoderLibrary | |
| API3 | V3.11.0 | add | function | Android | resume | |
| API3 | V3.11.0 | deprecated | function | Android,iOS | setDefaultAudioLanguage | replaced with setPreferredAudioLanguage |
| API3 | V3.11.0 | deprecated | function | Android,iOS | setDefaultSubtitleLanguage | replaced with setPreferredSubtitleLanguage |
| API3 | | add | function | Android,iOS | setPreferredAudioLanguage | |
| API3 | V3.11.0 | add | function | Android,iOS | setPreferredSubtitleLanguage | |
| API3 | V3.11.0 | add | Event ID | Android,iOS | VO_OSMP_SRC_FFSTREAMING_PUSHPD | |
| API3 | V3.11.0 | add | function | Android,iOS | setInitialBufferingTime | |
| API3 | V3.11.0 | deprecated | function | Android,iOS | setInitialBufferTime | |
| API3 | V3.11.0 | add | function | Android,iOS | setMaxBufferingTime | |
| API3 | V3.11.0 | deprecated | function | Android,iOS | setMaxBufferTime | |
| API3 | V3.11.0 | change | function | Plugin | getPlayingAsset | return value JSON object content changed |



| Category | Ver | Action | Туре | Platform | Name | Description |
|----------|---------|--------|----------|------------------|------------------------------------|---|
| API3 | V3.11.0 | add | function | Plugin | setRenderType | |
| API3 | V3.10.0 | add | Event ID | all | VO OSMP CB CODEC NOT SUPPORT | |
| ADIO | V2 10 0 | - 4 4 | Frank ID | A = d== : d : OC | VO_OSMP_CB_OUTPUT_CONTROL_BLOCK_O | |
| API3 | V3.10.0 | add | Event ID | Android,iOS | UTPUT | |
| API3 | V3.10.0 | add | Event ID | Android,iOS | VO_OSMP_CB_OUTPUT_CONTROL_BLOCK_P | |
| API3 | V3.10.0 | add | Eventib | Android,iOS | LAYBACK | |
| API3 | V3.10.0 | add | Event ID | Android,iOS | VO_OSMP_CB_OUTPUT_CONTROL_DOWNG | |
| AFIS | V3.10.0 | auu | Eventio | · | RADE_RESOLUTION | |
| API3 | V3.10.0 | add | Event ID | Android,iOS | VO_OSMP_OUTPUT_CONTROL_TYPE | |
| API3 | V3.10.0 | add | function | all | setDefaultAudioLanguage | |
| API3 | V3.10.0 | add | function | all | setDefaultSubtitleLanguage | |
| API3 | V3.10.0 | add | function | Android,iOS | deleteContent | |
| API3 | V3.10.0 | add | function | Android,iOS | getDuration | |
| API3 | V3.10.0 | add | function | Android,iOS | setDRMLibrary | |
| API3 | V3.10.0 | add | function | Android,iOS | setDRMUniqueIdentifier | |
| API3 | V3.10.0 | add | function | Android,iOS | setDRMVerificationInfo | |
| API3 | V3.10.0 | add | function | iOS | notifyViewSizeChanged | |
| API3 | V3.10.0 | change | function | iOS | setDisplayArea | only change on comment. |
| API3 | V3.10.0 | change | function | iOS | setZoomMode | only change on comment. |
| API3 | V3.9.3 | add | add | all | VO_OSMP_ERR_MULTIPLE_INSTANCES_NOT | new return code |
| Al 15 | V 3.3.3 | add | add | | SUPPORTED | |
| API3 | V3.9.3 | add | data | Plugin | VOOSMPChunkInfo | add type/rootURL/URL/startTime/duration/timeScale |
| API3 | V3.9.3 | add | Event ID | all | VO_OSMP_MODULE_TYPE_DRM_VENDOR_A | |
| API3 | V3.9.3 | add | Event ID | Android,iOS | VO_OSMP_CB_AUDIO_RENDER_FAIL | |
| API3 | V3.9.3 | add | function | all | getPlayebackDuration | |
| API3 | V3.9.3 | change | function | all | getRootURL | |
| API3 | V3.9.3 | add | function | all | getTotalCodecDropNum | |
| API3 | V3.9.3 | add | function | all | getTotalDocodedNum | |
| API3 | V3.9.3 | add | function | all | getTotalRenderDropNum | |
| API3 | V3.9.3 | add | function | all | getTotalRenderedNum | |
| API3 | V3.9.3 | add | function | all | getTotalSourceDropNum | |
| API3 | V3.9.3 | change | function | all | getURL | |
| API3 | V3.9.3 | add | function | all | setHTTPRetryTimeout | |
| API3 | V3.9.3 | add | function | Android | setSubtitleTypeface | |
| API3 | V3.9.3 | add | function | Android, iOS | previewSubtitle | |
| API3 | V3.9.3 | change | function | Android, iOS | startAnalyticsNotification | Removed to PlayerControl |
| API3 | V3.9.3 | change | function | Android, iOS | stopAnalyticsNotification | Removed to PlayerControl |
| API3 | V3.9.3 | change | function | Plugin | playbackDuration | |
| API3 | V3.9.3 | change | function | Plugin | registerEventHandler | |
| API3 | V3.9.3 | change | function | Plugin | setOnEventHandler | |
| API3 | V3.9.0 | add | function | all | enableRTSPOverHTTP | |
| API3 | V3.9.0 | add | function | all | getRTSPStatistics | |
| API3 | V3.9.0 | add | function | all | setRTSPOverHTTPConnectionPort | |



| Category | Ver | Action | Туре | Platform | Name | Description |
|----------|---------|--------|----------|--------------|---|--|
| API3 | V3.9.0 | add | function | all | setSegmentDownloadRetryCount | |
| API3 | V3.9.0 | add | function | Android | setSurfaceHolder | |
| API3 | V3.8.3 | add | function | all | enableCPUAdaptation | default is Enabled. |
| API3 | V3.7.11 | change | function | Android | getmProxyHost | returns String |
| API3 | V3.7.11 | change | function | Android | getmProxyPort | returns int |
| API3 | V3.7.11 | change | function | Android | setDataFlag | returns VO OSMP RETURN CODE |
| API3 | V3.7.11 | change | function | Android | setmProxyHost | returns VO OSMP RETURN CODE |
| API3 | V3.7.11 | change | function | Android | setmProxyPort | returns VO_OSMP_RETURN_CODE |
| API3 | V3.7.11 | change | function | Android | setResponseString | returns VO OSMP RETURN CODE |
| API3 | V3.7.11 | change | function | Android | setVerificationString | returns VO_OSMP_RETURN_CODE |
| API3 | V3.7.10 | add | function | all | getAudioDecodingBitrate | |
| API3 | V3.7.10 | add | function | all | getDRMUniqueIdentifier | |
| API3 | V3.7.10 | add | function | all | getVideoDecodingBitrate | |
| API3 | V3.7.10 | add | function | all | setDRMUniqueIdentifier | |
| API3 | V3.7.10 | change | function | Plugin | open | new added with parameters VO_OSMP_SRC_FORMAT sourceType, VOOSMPOpenParam* openParam. They are null by default. |
| API3 | V3.7.7 | add | Event ID | Android | VO_OSMP_AD_CB_PLAYBACKINFO | |
| API3 | V3.7.7 | add | function | all | enableLiveStreamingDVRPosition | The function will extend usage of getPosition, getMinPosition, getMaxPosition |
| API3 | V3.7.6 | add | Event ID | iOS | VO_OSMP_SRC_CB_PD_BUFFERING_PERCEN T | |
| API3 | V3.7.6 | add | Event ID | iOS | VO_OSMP_SRC_CB_PD_DOWNLOAD_POSITI ON | |
| API3 | V3.7.6 | add | function | Android | addTrackingServer | |
| API3 | V3.7.6 | add | function | Android | enableFullScreen | |
| API3 | V3.7.6 | add | function | Android, iOS | enableSEI | |
| API3 | V3.7.6 | add | function | Android, iOS | getSEIInfo | |
| API3 | V3.7.6 | add | function | Android, iOS | startSEINotification | |
| API3 | V3.7.6 | add | function | Android, iOS | stopSEINotification | |
| API3 | V3.7.6 | add | function | iOS | captureVideoImage | |
| API3 | V3.7.5 | add | function | Android | setAdTrackingAPI | |
| API3 | V3.7.5 | add | function | Plugin | getDRMUniqueIndentifier | |
| API3 | V3.7.5 | add | function | Plugin | showCursor | |
| API3 | V3.7.4 | add | constant | Android, iOS | VO_OSMP_SEI_INFO_FLAG | |
| API3 | V3.7.4 | add | Event ID | Android | VO_OSMP_AD_CB_AD_END | |
| API3 | V3.7.4 | add | Event ID | Android | VO_OSMP_AD_CB_AD_LOAD_ERROR | |
| API3 | V3.7.4 | add | Event ID | Android | VO_OSMP_AD_CB_AD_START | |
| API3 | V3.7.4 | add | Event ID | Android | VO_OSMP_AD_CB_CONTENT_END | |
| API3 | V3.7.4 | add | Event ID | Android | VO_OSMP_AD_CB_CONTENT_START | |
| API3 | V3.7.4 | add | Event ID | Android | VO_OSMP_AD_CB_DATA_LOAD_ERROR | |
| API3 | V3.7.4 | add | Event ID | Android | VO_OSMP_AD_CB_NO_AD_CONTENT | |
| API3 | V3.7.4 | add | Event ID | Android | VO_OSMP_AD_CB_PLAYLIST_END | |
| API3 | V3.7.4 | add | Event ID | Android | VO_OSMP_AD_CB_PLAYLIST_START | |



| Category | Ver | Action | Туре | Platform | Name | Description |
|----------|--------|--------|----------|--------------------|--|--|
| API3 | V3.7.4 | add | Event ID | Android | VO_OSMP_AD_CB_STATE_CHANGE | |
| API3 | V3.7.4 | add | Event ID | Android | VO OSMP AD CB VIDEO DONE | |
| API3 | V3.7.4 | add | Event ID | Android | VO OSMP AD CB VIDEO GEO BLOCKED | |
| API3 | V3.7.4 | add | Event ID | Android | VO_OSMP_AD_CB_VIDEO_NOT_AVAILABLE | |
| API3 | V3.7.4 | add | Event ID | Android | VO OSMP AD CB VIDEO PROGRESS | |
| API3 | V3.7.4 | add | Event ID | Android | VO OSMP AD STATUS | |
| API3 | V3.7.4 | add | Event ID | Android, iOS | VO OSMP CB SEI INFO | |
| API3 | V3.7.4 | add | Event ID | Plugin | VO_OSMP_SRC_CB_SYNC_AUTHENTICATION _DRM_SERVER_INFO | |
| API3 | V3.7.4 | add | Event ID | Plugin | VO_OSMP_SRC_CB_SYNC_IO_HTTP_DOWNL OAD_FAIL | |
| API3 | V3.7.4 | add | Event ID | Plugin | VO_OSMP_SRC_CB_SYNC_IO_HTTP_START_D OWNLOAD | |
| API3 | V3.7.4 | add | function | Android | getVideoAdClickThru | |
| API3 | V3.7.4 | add | function | Android | loadAdCall | |
| API3 | V3.7.4 | add | function | Android | loadVideoByUrl | |
| API3 | V3.7.4 | add | function | Android, iOS | enableSEI | |
| API3 | V3.7.4 | add | function | Android, iOS | getSEIInfo | |
| API3 | V3.7.4 | add | function | Android, iOS | startSEINotification | |
| API3 | V3.7.4 | add | function | Android, iOS | stopSEINotification | |
| API3 | V3.7.3 | add | function | Android | loadVideoByld | |
| API3 | V3.7.2 | add | constant | all | VO OSMP RATIO AUTO | |
| API3 | V3.7.2 | add | constant | all | VO OSMP RATIO ORIGINAL | |
| API3 | V3.7.2 | rename | constant | Android, Plugin | INDEX_VIDEO_AUTO | Rename to VO_OSMP_ASSET_AUTO_SELECTED |
| API3 | V3.7.2 | add | constant | Android, Plugin | VO_OSMP_ASSET_NOT_SELECTED | |
| API3 | V3.7.2 | add | Event ID | all | VO_OSMP_SRC_CB_NOT_APPLICABLE_MEDI A | |
| API3 | V3.7.2 | change | function | all | getPlayingAsset | Return the actual indices of video/audio/subtitle tracks which are being played. 1. If a track is being played, its index is returned through VOOSMPAssetIndex. 2. If no track of a specific type (mostly likely subtitle) is being played, then the corresponding index in VOOSMPAssetIndex is set to VO OSMP ASSET NOT SELECTED. |
| API3 | V3.7.2 | add | function | all | setAnewBufferingTime | |
| API3 | V3.7.2 | add | function | Android, Plugin | getCurrentSelection | |
| API3 | V3.7 | add | Event ID | Plugin | VO_OSMP_CB_FULLSCREEN_INDICATOR | |
| API3 | V3.7 | add | function | all | Configuration::setPresentationDelay | |
| API3 | V3.7 | change | function | Android | setDRMAdapter | Argument changed: from setDRMAdapter(int adapter) to setDRMAdapter(Object adapter, boolean isLibraryName) |



| Category | Ver | Action | Туре | Platform | Name | Description |
|----------|---------|----------|------------|--------------|--|--|
| API3 | V3.7 | add | function | Android, iOS | Configuration::getVersion | For plugin, use .version property of plug in object instead |
| API3 | V3.7 | add | function | iOS | getCurrentSelection | |
| API3 | V3.7 | add | function | Plugin | isFullScreen | |
| API3 | V3.7 | add | function | Plugin | toggleOverlayUI | |
| API3 | V3.6 | add | Error Code | all | VO_OSMP_ERR_LICENSE_FAIL | |
| API3 | V3.6 | add | Event ID | all | VO OSMP CB LICENSE FAIL | |
| API3 | V3.6 | add | Event ID | all | VO OSMP CB PCM OUTPUT | |
| API3 | V3.6 | rename | Event ID | all | VO OSMP SRC CB DRM VERIFICATION | to VO_OSMP_SRC_CB_SYNC_AUTHENTICATION_DRM_SERVER_INFO |
| API3 | V3.6 | add | function | all | Configuration: setAudioPlaybackSpeed | |
| API3 | V3.6 | change | function | all | onVOSyncEvent | type of argument 1: from VO_OSMP_CB_EVENT_ID to VO_OSMP_CB_SYNC_EVENT_ID |
| API3 | V3.6 | add | function | Android | OpenParam: getDecoderType | |
| API3 | V3.6 | add | function | Android | OpenParam: setDecoderType | |
| API3 | V3.6 | add | function | Android, iOS | Buffer: getBuffer | |
| API3 | V3.6 | add | function | Android, iOS | Buffer: getBufferSize | |
| API3 | V3.6 | add | function | Android, iOS | Buffer: getTimestamp | |
| API3 | V3.6 | add | function | Android, iOS | Configuration: enablePCMOutput | |
| API3 | V3.6 | add | function | Android, iOS | Configuration: setDRMAdapter | |
| API3 | V3.6 | add | function | Android, iOS | HTTPDownloadFailure: getReason | |
| API3 | V3.6 | add | function | Android, iOS | HTTPDownloadFailure: getResponse | |
| API3 | V3.6 | add | function | Android, iOS | HTTPDownloadFailure: getURL | |
| API3 | V3.6 | add | function | Plugin | Control: setOnEventHandler | |
| API3 | V3.6 | add | function | Plugin | RTSPConfiguration: getRTSPStatistics | |
| API3 | V3.6 | add | function | Plugin | RTSPConfiguration: setRTSPConnectionPort | |
| API3 | V3.6 | add | function | Plugin | RTSPConfiguration: setRTSPConnectionType | |
| API3 | V3.5 | overload | function | all | Control:init | |
| API3 | V3.5 | overload | function | all | Control:open | |
| API3 | V3.5 | add | function | all | onVOSyncEvent | |
| API2 | V3.10.0 | add | Param ID | Android, iOS | VOOSMP_PID_OUTPUT_CONTROL_ACTIVE | |
| API2 | V3.10.0 | add | Param ID | Android, iOS | VOOSMP_PID_OUTPUT_CONTROL_ENFORCE | |
| API2 | V3.7.4 | add | Event ID | Android | VOOSMP_PID_SUBTITLE_TIME_OFFSET | |
| API2 | V3.7.2 | add | constant | Android, iOS | VOOSMP_RATIO_2331 | API3 already has it |
| API2 | V3.7.2 | add | constant | Android, iOS | VOOSMP_RATIO_AUTO | |
| API2 | V3.7.2 | add | constant | Android, iOS | VOOSMP_RATIO_ORIGINAL | |
| API2 | V3.7.2 | add | Event ID | Android, iOS | VOOSMP_SRC_CB_Not_Applicable_Media | |
| API2 | V3.7 | add | Event ID | Android, iOS | VOOSMP SRC CB DRM Init Data | |
| API2 | V3.7 | add | Event ID | Plugin | VOOSMP CB FullScreen | |
| API2 | V3.7 | add | Param ID | Android, iOS | VOOSMP PID DRM UNIQUE IDENTIFIER | |
| API2 | V3.7 | add | Param ID | Android, iOS | VOOSMP_PID_MODULE_VERSION | |
| API2 | V3.7 | add | Param ID | Android, iOS | VOOSMP SRC PID PRESENTATION DELAY | |



| Category | Ver | Action | Туре | Platform | Name | Description |
|----------|------|--------|------------|----------|-----------------------------------|-------------|
| API2 | V3.6 | add | Error Code | all | VOOSMP_ERR_LicenseFailed | |
| API2 | V3.6 | add | Event ID | all | ID_STREAMING_VOLIBLICENSEERROR | |
| API2 | V3.6 | add | Event ID | all | VOOSMP_CB_LicenseFailed | |
| API2 | V3.6 | add | Param ID | all | VOOSMP_PID_AUDIO_PLAYBACK_SPEED | |
| API2 | V3.6 | define | Param ID | all | VOOSMP_PID_MODULE_VERSION | |
| API2 | V3.6 | add | Param ID | all | VOOSMP_SRC_PID_DRM_ADAPTER_OBJECT | |



Action Description

add type/constant/function added remove type/constant/function removed change argument changed in a function

rename function renamed; constant renamed or moved from one enum to another

define defined, but not really used or not implemented

overload added function with same name but different arguments

deprecated not recommended, will be remvoed in the future.