
Per-mother seed sampling and its aggregation to the location scale — distinct SRK alleles revealed
A. Per mother (15 seeds each)
32 alleles — species-wide SRK ceiling
19.7 of 32
18.6 of 28
11.1 of 12
4.0 of 4
15 seeds — operational cap (Rule 2, tetraploid)
the recipe never asks for more than this per mother
Expected number of distinct SRK alleles detected
Number of seeds genotyped per mother
Event size (per-mother pool)
1-2 fertile plants at event (local pool = 4 distinct alleles)
3-5 fertile plants at event (local pool = 12 distinct alleles)
6-10 fertile plants at event (local pool = 28 distinct alleles)
11-20 fertile plants at event (local pool = 32 distinct alleles)
21-50 fertile plants at event (local pool = 32 distinct alleles)
>50 fertile plants at event (local pool = 32 distinct alleles)
B. Aggregation across mothers at a location
31.9 of 32
27.9 of 28
12.0 of 12
4.0 of 4
5 mothers × 15 seeds
= 75 cumulative seeds at the location
Number of mother plants sampled at the location (15 seeds each)
Event size
1-2 fertile plants at event
3-5 fertile plants at event
6-10 fertile plants at event
11-20 fertile plants at event
21-50 fertile plants at event
>50 fertile plants at event