


Project Documentation

Commodore Keyboard Tester

Project number: 188

Revision: 1

Date: 10.08.2022



Commodore Keyboard Tester Rev. 1

Module Description

Introduction

The keyboard tester aims at testing Commodore matrix keyboards with an ohm meter (multi meter) without disassembling the keyboard.




Figure 1: Commodore Keyboard Tester Rev. 1

Each button in a matrix keyboard is connected to one column and one row signal. If all rows are connected to one lead of the multi meter and all columns are connected to the other lead of the multimeter, a key press will connect both sides, no matter, which key it is. Assuming, that no 2nd key is pressed, the reading on the ohm meter is the impedance of the pressed key plus the traces and cables.

Keyboard Matrices

C64/VIC-20/PET

The VIC-20, C64, and PET (Graphic and Business Keyboard) have the same connector (a 20 pin header with the 2nd pin missing as a keying for the direction.

| Connection | C64/VIC20 | Pin | Pin | PET/CBM | Connection |
|------------|-----------|-----|-----|----------|------------|
| COLS | GND | 1 | 12 | GND | (COLS) |
| - | No pin | 2 | 11 | No pin | - |
| ROWS | RESTORE | 3 | 10 | KEYSCAN9 | ROWS |
| (ROWS) | +5V | 4 | 9 | KEYSCAN8 | ROWS |
| ROWS | ROW3 | 5 | 8 | KEYSCAN7 | ROWS |
| ROWS | ROW6 | 6 | 7 | KEYSCAN6 | ROWS |
| ROWS | ROW5 | 7 | 6 | KEYSCAN5 | ROWS |
| ROWS | ROW4 | 8 | 5 | KEYSCAN4 | ROWS |
| ROWS | ROW7 | 9 | 4 | KEYSCAN3 | ROWS |
| ROWS | ROW2 | 10 | 3 | KEYSCAN2 | ROWS |
| ROWS | ROW1 | 11 | 2 | KEYSCAN1 | ROWS |
| ROWS | ROW0 | 12 | 1 | KEYSCAN0 | ROWS |
| COLS | COL0 | 13 | J | KIN7 | COLS |
| COLS | COL6 | 14 | H | KIN6 | COLS |
| COLS | COL5 | 15 | F | KIN5 | COLS |
| COLS | COL4 | 16 | E | KIN4 | COLS |
| COLS | COL3 | 17 | D | KIN3 | COLS |
| COLS | COL2 | 18 | C | KIN2 | COLS |
| COLS | COL1 | 19 | B | KIN1 | COLS |
| COLS | COL7 | 20 | A | KIN0 | COLS |

The PET/CBM-Keyboard connector has an unusual pin numbering, but the table above shows, which pin numbers are identical. Pin 4 of the C64/VIC-20 connector (+5) is not connected within the keyboard and pin 12 (GND) of the PET/CBM keyboard. Connecting them the way shown in the table, allows testing both kinds of keyboard at the same pin header.

C16

The C16 keyboard matrix is quite different from the C64/VIC-20 keyboard. It is missing the RESTORE key and the +5V and no key is referenced to GND.

| Connection | Signal | Pin |
|------------|--------|-----|
| COLS | COL5 | 1 |
| - | No pin | 2 |
| ROWS | ROW7 | 3 |
| - | GND | 4 |
| - | - | 5 |
| COLS | COL7 | 6 |
| ROWS | ROW4 | 7 |
| COLS | COL1 | 8 |
| ROWS | ROW5 | 9 |
| ROWS | ROW6 | 10 |
| COLS | COL3 | 11 |
| COLS | COL2 | 12 |
| COLS | COL4 | 13 |
| ROWS | ROW2 | 14 |
| ROWS | ROW1 | 15 |
| COLS | COL6 | 16 |
| ROWS | ROW3 | 17 |
| ROWS | ROW0 | 18 |
| COLS | COL0 | 19 |
| - | - | 20 |

C128

The C128 has a keyboard connector, which is a pin header (0.65 sq) that fits on the footprint of a female D-SUB connector. The pin numbering is identical to such a D-SUB connector. According to Bil Herd, this pin header was custom made for Commodore.

| Connection | Signal | Pin | Pin | Signal | Connection |
|------------|---------|-----|-----|-----------|------------|
| COLS | GND | 1 | 14 | COL6 | COLS |
| - | No Pin | 2 | 15 | COL5 | COLS |
| ROWS | RESTORE | 3 | 16 | COL4 | COLS |
| - | +5V | 4 | 17 | COL3 | COLS |
| ROWS | ROW3 | 5 | 18 | COL2 | COLS |
| ROWS | ROW6 | 6 | 19 | COL1 | COLS |
| ROWS | ROW5 | 7 | 20 | COL7 | COLS |
| ROWS | ROW4 | 8 | 21 | K0 | COLS |
| ROWS | ROW7 | 9 | 22 | K1 | COLS |
| ROWS | ROW2 | 10 | 23 | K2 | COLS |
| ROWS | ROW1 | 11 | 24 | 40/80 | ROWS |
| ROWS | ROW0 | 12 | 25 | CAPS LOCK | ROWS |
| COLS | COL0 | 13 | - | - | - |

RESTORE , 40/80 and CAPS LOCK are referenced to GND (Pin 1). K0...K2 are additional columns, they are connected to the 24 extra keys, which are not present in the C64 mode.

C128D & SX-64

The SX-64 keyboard cable does not fit with the female D-SUB 25 connector. Testing an SX-25 Keyboard requires an extra cable: two male D-SUB 25 connectors on a ribbon cable. This allows to connect the tester directly to the keyboard.

| Connection | C128D | Pin | SX-64 | Connection |
|------------|----------------|-----|----------------|-------------|
| COLS | GND | 1 | GND | COLS |
| - | No Pin | 2 | No Pin | - |
| ROWS | <u>RESTORE</u> | 3 | <u>RESTORE</u> | ROWS |
| - | +5V | 4 | +5V | - |
| ROWS | ROW3 | 5 | ROW3 | ROWS |
| ROWS | ROW6 | 6 | ROW6 | ROWS |
| ROWS | ROW5 | 7 | ROW5 | ROWS |
| ROWS | ROW4 | 8 | ROW4 | ROWS |
| ROWS | ROW7 | 9 | ROW7 | ROWS |
| ROWS | ROW2 | 10 | ROW2 | ROWS |
| ROWS | ROW1 | 11 | ROW1 | ROWS |
| ROWS | ROW0 | 12 | ROW0 | ROWS |
| COLS | COL0 | 13 | COL0 | COLS |
| COLS | COL6 | 14 | COL6 | COLS |
| COLS | COL5 | 15 | COL5 | COLS |
| COLS | COL4 | 16 | COL4 | COLS |
| COLS | COL3 | 17 | COL3 | COLS |
| COLS | COL2 | 18 | COL2 | COLS |
| COLS | COL1 | 19 | COL1 | COLS |
| COLS | COL7 | 20 | COL7 | COLS |
| COLS | K0 | 21 | SHIFT LOCK | ROWS |
| COLS | K1 | 22 | LED (+) | COLS |
| COLS | K2 | 23 | GND | COLS |
| ROWS | 40/80 | 24 | GND | COLS |
| ROWS | CAPS LOCK | 25 | n.c. | (ROWS) |

n.c.: not connected

RESTORE , 40/80, CAPS LOCK and SHIFT LOCK are referenced to GND (Pin 1). The LED (+) is also referenced to GND, it will not be tested. **Pin 21 and pin 24** are different for the C128D and the SX-64. They require to be configurable with jumpers or a slide switch (option).

Assembly

The C64 and C16 connector (J1 and J2)

These connectors are standard 20 pin headers with pin 2 pulled out. It could be cut off, I prefer to pull it with pliers, though.

The C128 connector (J3)

J3 is actually a square pin header (0.65mm) with the footprint of a 25 pin DSub (male). My first attempt was cutting the frame off a vertical DSub connector and using it for J3, but it did not work out, since the pins of the DSub are too thick to fit into the keyboard connector. It is not helpful to ruin the keyboard connector.

I had a short conversation with Bil Herd (the C128 engineer at Commodore) about the pin header. He said, it was custom made for Commodore. So, it cannot be sourced anywhere.

A DSub connector has a pin pitch of 110 mil, so the standard 100 mil pin header does not fit, either. A solution, that is not beautiful, but practical is using 25 single pin headers and insert them into the keyboard connector before soldering.




Figure 2: Alignment of the pins in a C128 keyboard connector




Figure 3: Soldered in C128 keyboard header (25 single pin headers)

The C128D/SX-64 connector (J4)

This is a 25p DSub (female) connector. No further comments required.

4mm Lab Jack for the Multimeter (TP1 & TP2)

The lab jacks for the multimeter have to be connected to TP1 and TP2 with a short piece of wire. Some sorts are pretty hard to solder and tend to deform/melt. It is a good idea to remove as many parts as possible before soldering.




Figure 4: 4mm jacks for the multimeter

The jacks should be installed with all plastic parts on the component side of the PCB to keep the profile below the PCB as low as possible.




Figure 5: 4mm jack connected with a piece of wire

Multimeter Pin Header (J5)

J5 is a standard pin header, which can be either vertical or a 90° type. It is optional. I am using it with a one pin Dupont connector on a cable with a 4mm plug and that is pretty handy, too. However, J5 is in parallel with the lab jacks and it is optional.

The C128D/SX-64 selection jumpers JP1 and JP2

These jumpers have a certain distance, so a little slide switch (DPDT) also fits on both of them.




Figure 6: Slide switch placed instead of JP1 and JP2




Figure 7: Mini slide switch

These mini slide switches can be found on Amazon, Ebay and AliExpress. A possible search term is "mini slide switch dpdt", which will not show these switches exclusively, but it should not be too hard to find the right ones.

The SX-64 Keyboard Cable

The original SX-64 keyboard cable does not fit with the female DSub on the Keyboard Tester, but a male

The Use of the Keyboard Tester

A multimeter is required for using this keyboard tester. A good impedance is between 0Ω and a few 100Ω . Probably, a keyboard works with even up to $3k\Omega$, but I would consider it as critical. Also, the different computers use different interface chips (VIA, CIA etc.) and even scanning is a bit different, so the limit for "good" might be different. In my opinion, everything above 600Ω requires inspection. $2k\Omega$ might still work.

The keyboard is connected to the proper pin header, the multimeter is set to continuity test ("beeper") mode or a low Ohms range. Every single key of the keyboard is pressed, one at a time and the value is read from the multimeter. **If a key does not produce a reading in continuity test mode, switch to normal Ohms mode.** This is slower, but sometimes the range in continuity test mode is too low to show a reading. The 121GW will display up to 550Ω , while the VC160 displays up to 400Ω in the continuity tester mode.

With the 121GW, it is possible to set the range from auto to $k\Omega$, which will speed up the measurement from about 5 seconds to "almost immediate".




Figure 8: Multimeters in continuity test mode

A key is high impedance, and now?

There are different reasons for that, all require opening the keyboard and inspecting the thing.

Sometimes, dirt has collected under the failing key. That can be fixed easily. Carefully remove the dust/dirt. You can use isopropanol (rubbing alcohol, IPA) on the conductive rubbers and also on a golden surface PCB. Do not rub IPA hard on carbon contact key pads. The carbon contact could be damaged. It requires a more careful use of IPA or maybe even just demineralized water without a detergent.

Many keyboard PCBs use a “two layers on one side” technology with conductive bridges adhered to some contact points, that are crossing several copper traces. Those can get high impedance. I have fixed this kind of problems with soldering botch wires to the poorly contacted copper trace. Those botch wires should run on the bottom side of the PCB to not mechanically interfere with the keyboard. This might require drilling little holes for switching sides.




Figure 9: Botch wire repair (top side) solder joints



Figure 10: Botch wire repair (bottom side)

In this case, I have made use of the already existing drills in the PCB.

Jeff Birt from the "Hey Birt!" Youtube channel has done some research on aging conductive keyboard rubbers. He found out, that high impedance keyboard rubbers are caused by oils, that are escaping the rubber. He said, that removing these oils requires a mild caustic solution.



Figure 11: Rejuvenation the keyboard rubbers with a NaOH (lye) solution

I am using a lye (NaOH/sodium hydroxide) solution (1 teaspoon in 125ml of demineralized water). The keyboard rubbers need to be submerged in it for about 24 hours. After this treatment, they should be rinsed carefully (use a big enough sieve to not lose any) in tap water and finally in demineralized water. Finally, let them dry on a kitchen paper over night.

This is quite a bit of work, but well worth it. Once, I had tried to get the rubbers out without disassembling the keyboard on a C16 keyboard and accidentally destroyed one. Also, it might be good to clean every single part of a keyboard on a newly acquired computer, anyway.


Revision History

Rev. 0


- The prototype worked with all, except the SX-64 Keyboard.

Rev. 0 → Rev. 1


- Jumper/Switch added for configuring the C128D or the SX-64 keyboard
- Fully functional




| | |
|--------------------------|-----------------------|
| Sven Petersen 2022 | Doc.-No.: 188-2-01-01 |
| Commodore_KB-Tester | Cu: 35µm Cu-Layers: 2 |
| 09.08.2022 11:50 | Rev.: 1 |
| placement component side | |




| | |
|---------------------|-----------------------------|
| Sven Petersen | Doc.-No.: 188-2-01-01 |
| 2022 | Cu: 35 μ m Cu-Layers: 2 |
| Commodore_KB_Tester | |
| 08.08.2022 14:48 | Rev.: 1 |
| top | |




| | |
|---------------------|-----------------------------|
| Sven Petersen | Doc.-No.: 188-2-01-01 |
| 2022 | Cu: 35 μ m Cu-Layers: 2 |
| Commodore_KB_Tester | |
| 08.08.2022 14:48 | Rev.: 1 |
| bottom | |




| | |
|-------------------------|------------------------|
| Sven Petersen | Doc.-No.: 188-2-01-01 |
| 2022 | Cu: 35 µm Cu-Layers: 2 |
| Commodore_KB_Tester | |
| 08.08.2022 14:48 | Rev.: 1 |
| stopmask component side | |




| | |
|----------------------|-----------------------------------|
| Sven Petersen | Doc.-No.: 188-2-01-01 |
| 2022 | Cu: 35 μm Cu-Layers: 2 |
| Commodore_KB_Tester | |
| 08.08.2022 14:48 | Rev.: 1 |
| stopmask solder side | |



| | |
|--------------------------|------------------------|
| Sven Petersen 2022 | Doc.-No.: 188-2-01-01 |
| Commodore_KB-Tester | Cu: 35 µm Cu-Layers: 2 |
| 09.08.2022 11:50 | Rev.: 1 |
| placement component side | measures |





Commodore Keyboard Tester Rev. 1

Testing

Test Setup

The test setup consisted of:

- A prototype of the keyboard tester rev. 1
- A multimeter (eevBlog 128GW)
- 2 4mm lab cables
- A working keyboard of the following computers:
 - C64
 - VIC-20
 - CBM3016 graphic keyboard
 - CBM8032 business keyboard
 - C16
 - C128
 - C128D
 - SX-64

The multimeter was set to Ohms, range 5kΩ.

Test Execution

C64

After connecting the keyboard, the meter showed OFL, which means “overflow” = the resistance is bigger than the range (open circuit).



Figure 1: Testing the C64 keyboard

Every key produced a reading which was within the range.

VIC-20

After connecting the keyboard, the meter showed OFL.



Figure 2: Testing the VIC-20 keyboard

Every key produced a reading which was within the range.

CBM3016 graphic keyboard

After connecting the keyboard, the meter showed OFL.



Figure 3: Testing the CBM3016 keyboard

Every key produced a reading which was within the range.

CBM8032 business keyboard

After connecting the keyboard, the meter showed OFL.



Figure 4: Testing the CBM8032 keyboard

Every key produced a reading which was within the range.

C16

After connecting the keyboard, the meter showed OFL.




Figure 5: Testing the C16 keyboard

Every key produced a reading which was within the range.

C128

After connecting the keyboard, the meter showed OFL.



Figure 6: Testing the C128 keyboard

Every key produced a reading which was within the range.

C128D

After connecting the keyboard, the meter showed OFL.



Figure 7: Testing the C128D keyboard

Every key produced a reading which was within the range.

SX-64

This required the ribbon cable (Drawing No. 188-3-01-01).

After connecting the keyboard, the meter showed OFL.



Figure 8: Testing the SX-64 keyboard

Every key produced a reading which was within the range.

Conclusion

The Commodore Keyboard Tester Rev. 1 is fully functional.

(Note: Rev. 0 was functional, except the SX-64 keyboard)

Commodore Keyboard Tester Rev. 1

Bill of Material Rev. 1.0

| Pos. | Qty | Value | Footprint | Ref.-No. | Comment |
|------|------|---|----------------------|-------------------------|---|
| 1 | 1 | 188-2-01-01 | 2 Layer | PCB Rev. 1 | 2 layer, Cu 35μ , HASL, 100mm x 77mm, 1.6mm FR4 |
| 2 | 2 | 1x3, 2.54mm pin header | 1X03 | JP1, JP2 | E.g. MPE Garry 087-1-003 (Reichelt MPE 087-1-003) |
| 3 | 2 | jumper, 2.54mm | jumper | (JP1), (JP2) | E.g. Reichelt MPE 149-1-002-F0 |
| 4 | 1 | mini slide switch, 2.54mm, DPDT, through hole | (JP1 & JP2) | | Option. Replaces JP1, JP2 and jumpers. Ali Express, ebay, Amazon, search term "MSS22D18", see module description |
| 5 | 1 | 1x2, 2.54mm pin header | 1X02 | J5 | Option. E.g. MPE Garry 087-1-002 (Reichelt MPE 087-1-002) |
| 6 | 2 | 1,3/2,0 | 1,3/2,0 | TP1, TP2 | 4mm panel jack, insulated, 6mm thread. E.g. Reichelt BIL 30 RT (red), BIL 30 SW (black) |
| 7 | 2 | 1x20, 2.54mm pin header | 1X20 | J1, J2 | pin 2 removed, e.g. MPE Garry 087-01-020, Reichelt MPE 087-1-020 |
| 8 | 1 | C128 KB Header | C128KB_HEADE J3 R | | assembled from 25 single pin headers (\square 0,64mm), see module description (doc no. 188-6-01-**), e.g. Distrelec 300-93-642 (RND 205-00622) |
| 9 | 1 | DSUB25 female/vertical PCB mount | DS25F-V | J4 | e.g. Reichelt D-SUB BU 25P |
| 10 | 34cm | ribbon cable, 25 pin, AWG28 | | drawing no. 188-3-01-01 | e.g. Reichelt AWG 28-25G 3M |
| 11 | 2 | Dsub 25/male, IDC | | drawing no. 188-3-01-01 | e.g. Reichelt D-SUB ST 25FB |
| 12 | 4 | 15mm stand off, M3 | | | male/female |
| 13 | 4 | nuts, M3 | | | |
| 13 | 5cm | wire, 0.25m ² /AWG24 | | | |