

API Documentation for Integration: Products & Suppliers

This documentation provides details for integrating external software with the Head Office (HO) backend for **Product** and **Supplier** entities. The API uses standard HTTP methods (GET, POST, PUT, DELETE) and JSON formatting.

[!NOTE] All endpoints are prefixed with the base API URL (e.g., `https://api.modernbazaarho.local/api/v1`). Authentication is required for most endpoints, typically via a Bearer token in the `Authorization` header.

1. Product API Endpoints

The Product API allows you to manage product information, barcodes, and outlet-specific pricing.

Core Product Management

- **List Products**
 - **Endpoint:** `GET /products`
 - **Description:** Retrieves a paginated list of products.
 - **Query Parameters:**
 - `page` (int, default: 1): Page number.
 - `per_page` (int, default: 50): Number of items per page.
 - `search` (string): Search by name, item code, or barcode.
 - `category_id`, `brand_id`, `classification_id` (int): Filter by specific IDs.
 - `is_active`, `is_expired`, `is_hidden_pos`, `low_stock` (boolean): Additional filters.
 - `status` (string): Status filter.
- **Create Product**
 - **Endpoint:** `POST /products`

- **Description:** Creates a new product.
- **Body:** JSON object containing product details (name, item_code, category_id, brand_id, etc.).
- **Get Product Details**
 - **Endpoint:** `GET /products/{product_id}`
 - **Description:** Retrieves detailed information for a specific product.
- **Update Product**
 - **Endpoint:** `PUT /products/{product_id}`
 - **Description:** Updates an existing product.
 - **Body:** JSON object containing the fields to update.
- **Delete/Deactivate Product**
 - **Endpoint:** `DELETE /products/{product_id}`
 - **Description:** Deactivates a product (soft delete).

Search and Barcode Lookup

- **Fast Search (QuickScan / Autocomplete)**
 - **Endpoint:** `GET /products/search`
 - **Description:** Optimized search for POS or autocomplete fields.
 - **Query Parameters:** `q` (search string), `limit` (int, default: 20).
- **Lookup by Barcode**
 - **Endpoint:** `GET /products/lookup/barcode/{code}`
 - **Description:** Finds a product exactly matching the given barcode or item code.
- **Get Product Barcodes**
 - **Endpoint:** `GET /products/{product_id}/barcodes`
 - **Description:** Lists all barcodes associated with a product.
- **Generate/Add Barcode**
 - **Endpoint:** `POST /products/barcode/generate`
 - **Description:** Adds a new barcode to a product or generates an EAN13 barcode.

- **Body:** { "product_id": int, "barcode": string (optional), "barcode_type": string, "is_primary": boolean }

- **Delete Barcode**

- **Endpoint:** DELETE /products/barcode/{barcode_id}
- **Description:** Removes a barcode (primary barcodes cannot be deleted without setting a new primary first).

Pricing & Activity

- **Get Outlet Pricing**

- **Endpoint:** GET /products/{product_id}/outlet-pricing
- **Description:** Retrieves the pricing configured for this product across all active outlets.

- **Update Outlet Pricing**

- **Endpoint:** POST /products/{product_id}/outlet-pricing
- **Description:** Updates pricing for specific outlets.
- **Body:** Array of pricing objects [{"outlet_id": int, "cost_price": float, "selling_price": float, ...}]

- **Get Product Activity**

- **Endpoint:** GET /products/{product_id}/activity
- **Description:** Returns the stock and sales/purchase activity for the last 7 days.

2. Supplier API Endpoints

The Supplier API handles vendor master data, onboarding, approvals, terms, and financial ledgers.

Core Supplier Management

- **List Suppliers**

- **Endpoint:** GET /suppliers
- **Description:** Retrieves a paginated list of suppliers.

- **Query Parameters:**
 - `page` , `per_page`
 - `search` (string): Search by name, phone, GST, or code.
 - `registration_status` (string, default: "approved")
 - `pending_review` (boolean): If true, returns suppliers awaiting approval.
- **Create Supplier**
 - **Endpoint:** `POST /suppliers`
 - **Description:** Directly creates a new supplier (Admin/Manager role).
 - **Body:** JSON object including basic info, `addresses` , `contacts` , `legal` , `financial` , `brands` , etc.
- **Get Supplier Details**
 - **Endpoint:** `GET /suppliers/{supplier_id}`
 - **Description:** Retrieves full details, including nested relationships (contacts, addresses, etc.).
- **Update Supplier**
 - **Endpoint:** `PUT /suppliers/{supplier_id}`
 - **Description:** Updates supplier information and nested entities.
- **Delete/Deactivate Supplier**
 - **Endpoint:** `DELETE /suppliers/{supplier_id}`
 - **Description:** Deactivates a supplier.

Vendor Onboarding & Registration (External Access)

- **Generate Onboarding Link**
 - **Endpoint:** `POST /suppliers/onboarding/link`
 - **Description:** Generates a unique token for a vendor to self-register.
 - **Query Parameters:** `phone` (string), `name` (string).
- **Get Public Registration**
 - **Endpoint:** `GET /suppliers/public/registration/{token}`
 - **Description:** Retrieves pending registration details via the public token.
- **Submit Public Registration**

- **Endpoint:** `POST /suppliers/public/registration/{token}`
- **Description:** Vendor submits their registration details. Changes status to submitted.

Approvals Workflow

- **Approve Supplier**

- **Endpoint:** `POST /suppliers/{supplier_id}/approve`
- **Description:** Approves a pending vendor. Assigns a unique Supplier Code.

- **Reject Supplier**

- **Endpoint:** `POST /suppliers/{supplier_id}/reject`
- **Description:** Rejects a vendor registration.
- **Body:** `{ "remarks": "Reason for rejection" }`

- **Hold Supplier**

- **Endpoint:** `POST /suppliers/{supplier_id}/hold`
- **Description:** Places a vendor registration on hold.

- **Request Correction**

- **Endpoint:** `POST /suppliers/{supplier_id}/request-correction`
- **Description:** Requests the vendor to correct specific fields.

- **Get Approval Logs**

- **Endpoint:** `GET /suppliers/{supplier_id}/approval-logs`
- **Description:** Lists the history of approval actions.

Financials & Operations

- **Get Supplier Ledger**

- **Endpoint:** `GET /suppliers/{supplier_id}/ledger`
- **Description:** Returns the financial ledger (opening balance, purchases, payments).

- **Get/Add/Delete Terms**

- **Endpoints:**

- GET /suppliers/{supplier_id}/terms
- POST /suppliers/{supplier_id}/terms
- DELETE /suppliers/{supplier_id}/terms/{term_id}

- **List/Create Challans**

- **Endpoints:**

- GET /suppliers/{supplier_id}/challans
 - POST /suppliers/{supplier_id}/challans

- **Add Internal Note**

- **Endpoint:** POST /suppliers/{supplier_id}/notes
 - **Description:** Adds an internal note to the supplier's profile.