

PILOT PRESENTATION

Operational command layer for real-world operations

Plan → Execute → Prove → Monitor → Share

One operating layer for site-based teams, evidence, incidents, reporting, and controlled client visibility.

Client viewer

Client-visible operational information for the active organization.

 →
Sites
1 visible

 →
Completed runs
1 visible

 →
Evidence
2 published

 →
Incidents
1 visible

Granted sites

Site summaries only; each visible zone requires its own active grant.

1 visible

Site	Code	Timezone	Open
Helsinki Distribution Center	HELSINKI-DC	Europe/Helsinki	<button>View</button>

Built for operational clarity

The operational gap

Most teams already have tools — but the operating picture is still fragmented.

01

Work instructions drift

Processes, checklists, photos, and handoffs live across chat, files, and memory.

02

Proof is hard to reconstruct

Evidence and incident context exist, but not always next to the work that produced them.

03

Client reporting is manual

Teams either share too much internal detail or spend time curating safe updates by hand.

ArkSpec turns the workflow itself into the source of truth.

The same run carries the process, assignment, checklist, evidence, incident context, audit trail, and client-safe publication.

One operating lifecycle

From setup to customer-facing proof — without breaking the context chain.



Plan

Sites, zones, teams,
reusable process versions



Execute

Assigned and team-scoped
work in a live run



Prove

Checklist values, photos,
evidence, status history



Monitor

Runs, incidents, reporting,
alerts, audit



Share

Explicit client grants +
published safe summaries

The key design choice

Visibility is contextual — Org Admin, Supervisor, Worker, and Client Viewer do not receive the same records or the same projection of those records.

That makes operational control and client transparency compatible instead of competing goals.

Set the operation up once

Model sites, zones, and reusable process versions so execution starts from a controlled baseline.

Helsinki Distribution Center

HELSINKI-DC

ADDRESS
Työpajankatu 13, 00580 Helsinki, Finland

COORDINATES GEOFENCE ZONES

60.2055, 24.9669 None 3 zones

🗺️ Manage zones

➤ Directions

Site	Status	Timezone	Coordinates	Geofence	Actions
Espoo Production Facility ESPOO-PRODUCTION Production facility for regional operations.	Active	Europe/Helsinki	60.205, 24.655	None	<button>🗺️ Manage zones</button> Edit
Helsinki Distribution Center HELSINKI-DC Helsinki hub for daily site-opening operations.	Active	Europe/Helsinki	60.2055, 24.9669	None	<button>🗺️ Manage zones</button> Edit
Vantaa Airport Service Hub VANTAA-AIRPORT Airport service facility for daily operations.	Active	Europe/Helsinki	60.3172, 24.9633	None	<button>🗺️ Manage zones</button> Edit

3 sites · Page 1 of 1

Rows per page

20 ▼

Previous

Next

SITES & ZONES

Sites carry address and coordinate context; zones create the hierarchy used by teams and client visibility.

Site Opening Checklist

SITE-OPENING-CHECKLIST

Daily site-opening workflow.

Active

Published v1

Draft v2

Edit process

Created
Sep 10, 2026, 3:36 PM

Updated
Sep 28, 2026, 2:30 PM

Published version
v1

Draft version
v2

Versions

Select a stable version to inspect, or work on the current draft when one exists.

Current versions

v2

Updated Sep 28, 2026, 2:30 PM

Draft

Cloned

Active

Zones under this site are operational.


Zone	Sort order	QR code value	Actions
Line 1 LINE-1 Primary production line.	1	zone:arkspec:ESP00-PRODUCTION:LINE-1	Add child zone Edit zone Delete zone
Line 2 LINE-2 Secondary production line.	2	zone:arkspec:ESP00-PRODUCTION:LINE-2	Add child zone Edit zone Delete zone
Hygiene Area HYGIENE-AREA	3	zone:arkspec:ESP00-PRODUCTION:HYGIENE-AREA	Add child zone Edit zone

PROCESS VERSIONING

Publish a stable version for execution while keeping the next revision safely in draft.

Field execution stays scoped and actionable

Workers see the work they can act on — across desktop and mobile, with offline continuity for previously loaded tasks when connectivity drops.



Pilot proof:
workers see assigned or team-scoped work only;
supervisor-only operations stay outside their view.

Prepare work areas

In progress

Urgent

Site Opening Checklist - Step 2

ASSIGNMENT

Team · 87eabd58

Any team member can act

DUE

Sep 28, 2026 at 3:10

PM

STARTED

Sep 28, 2026 at 2:30

PM

STARTED BY

Sami Virtanen

REVISION

6

CONNECTIVITY

Online

Server authorization is currently validated.

DRAFT STATE

Synced with server

No unsynced local checklist changes.

EXECUTION MODE

Server actions available

Checklist saves, status changes, and uploads can be confirmed immediately.

Task flow

Move the task through its allowed lifecycle transitions.

Completion readiness

Checklist

3

scoped runs

5

visible tasks

0

out-of-scope runs
exposed

FIELD READY Responsive browser UI + offline Worker task continuity

Previously loaded tasks can queue checklist changes and completion locally; replay uses normal server authorization and conflict checks when connectivity returns.

Supervisors see the whole operating picture

Review live and historical runs, risk, task state, ownership, and execution evidence across sites.

Process runs

Review live and historical process runs for the active organization.

Search

Search by process name or code

Status

All statuses

Reset filters

At-risk only

Process	Status	Location	Started	Finished	Open
Site Opening Checklist V1 site-opening-checklist	Completed	Espoo Production Facility	Sep 28, 2026 at 9:54 AM	Sep 28, 2026 at 10:24 AM	Open run
Site Opening Checklist V1 site-opening-checklist	Cancelled	Helsinki Distribution Center	Sep 28, 2026 at 11:24 PM	Sep 28, 2026 at 11:34 PM	Open run
Site Opening Checklist V1 site-opening-checklist	In progress	Helsinki Distribution Center	Sep 28, 2026 at 2:30 PM	Not scheduled	Open run
Site Opening Checklist V1 site-opening-checklist	Completed	Helsinki Distribution Center	Sep 28, 2026 at 10:24 PM	Sep 28, 2026 at 10:24 PM	Open run
Site Opening Checklist V1 site-opening-checklist	Completed	Helsinki Distribution Center Loading Area	Sep 24, 2026 at 9:27 AM	Sep 24, 2026 at 9:33 AM	Open run
Site Opening Checklist V1 site-opening-checklist	Completed	Helsinki Distribution Center Loading Area	Sep 23, 2026 at 3:55 PM	Sep 23, 2026 at 4:24 PM	Open run

Page size

Site Opening Checklist In progress

site-opening-checklist - v1

LOCATION

Helsinki Distribution Center

Directions

STARTED

Sep 28, 2026, 2:30 PM

COMPLETED

Not scheduled

CANCELLED

Not scheduled

Run progress At risk

1 / 3 tasks completed (33%)

2 overdue tasks

Pending tasks

1

In progress tasks

1

Completed tasks

1

Cancelled tasks

0

Generated tasks

Tasks are shown in step order for the selected run.

Supervisor execution proof

- Live, completed, and cancelled runs
- Cross-site status and ownership
- At-risk / overdue execution context
- Task-level drilldown and evidence

ARKSPEC

Operational command layer 6

Monitor performance, incidents, and accountability

Move from operational status to incidents, basic reporting, and traceability without losing the work context.

REPORTING

View details →

Overdue tasks

2

—0%

Current tasks that already missed their due time.

View details →

Due soon tasks

0

—

Upcoming work that is likely to need attention today.

View details →

At-risk runs

1

—0%

Live runs already carrying overdue execution work.

View details →

Open incidents

2

—0%

Current unresolved operational exceptions.

Execution performance

Current workload and completion quality for the selected reporting scope.

Task completion rate

72%

13/18 completed

On-time task rate

100%

13/13 on time

Active runs

1

Average run cycle time

0.2h

Incident visibility

Open incident pressure and whether incident flow is getting better or worse.

Opened

Resolved

2020-09-19

0/0

2020-09-20

0/0

2020-09-21

0/0

2020-09-22

0/0

2020-09-23

0/0

2020-09-24

1/0

2020-09-25

2/1

Low

0

Medium

1

High

1

Critical

0

Surface overdue work, at-risk runs, task completion, on-time performance, and incident pressure for the selected scope.

INCIDENTS

Incidents

Track operational exceptions, follow-up work, and evidence for ArkSpec Demo Organization.

+ Report incident

Incident number

Status

Severity

Site

Rows per page

Search by number

All statuses

All severities

All sites

20

Open only

Incident

Site

Severity

Status

As

INC-000011 · Entrance caution sign placement corrected

Helsinki Distribution Center Loading Area

Medium

Resolved

Shi

INC-000010 · Prep area access partially blocked

Helsinki Distribution Center Cold Storage

High

Investigating

Shi

INC-000003 · Test incident

Helsinki Distribution Center

Medium

Open

—

3 incidents · Page 1 of 1

Previous

Next

Track operational exceptions by site, severity, status, and follow-up state — from investigating to resolved.

AUDIT

Organization timeline

Newest changes appear first. Use the filters to narrow to a specific actor, resource family, or action scope.

Incident / Create

Trace 30cc2692-0804-4b30-8b01-d3b6027f8b4b · 1 events · Request 30cc2692-0804-4b30-8b01-d3b6027f8b4b

Filter to this operation

Open trace page

Incident created

Incident

ArkSpec Admin · Operations Admin · Sep 24, 2026 at 4:27 PM

HTTP

Title

Set

Empty

→ Test incident

Severity

Set

Empty

→ medium

Status

Set

Empty

→ open

Site id

Set

Empty

→ 93ab80c0-f1f6-47ce-94c7-b7204b76bc4a

Open trace page

Trace ID 30cc2692-0804-4b30-8b01-d3b6027f8b4b · Request ID 30cc2692-0804-4b30-8b01-d3b6027f8b4b · IP :192.172.18.0.5

Task / Complete

Trace 303c0c09-f789-4a70-af70-308ec858aa4d · 1 events · Request 303c0c09-f789-4a70-af70-308ec858aa4d

Filter to this operation

Open trace page

Task completed

Task

ArkSpec Admin · Operations Admin · Sep 24, 2026 at 9:33 AM

HTTP

Reason

Supervisor handoff sign-off

Keep an organization timeline with actor, action, timestamp, request, and trace context for accountability.

Operations stay connected: run → task → incident → report → audit trail.

Client transparency — without exposing internal operations

Grant location visibility explicitly, then publish only the records that are safe to share.

Client viewer

Client-visible operational information for the active organization.

Sites

1 visible

Completed runs

1 visible

Evidence

2 published

Incidents

1 visible

Granted sites

Site summaries only; each visible zone requires its own active grant.

Search sites

Site	Code	Timezone	Open
Helsinki Distribution Center	HELSINKI-DC	Europe/Helsinki	View

Completed runs

Published run summaries approved for this client view.

Search completed runs

Run	Location	Completed	Tasks	Evidence	Open
Site Opening Checklist site-opening-checklist	Helsinki Distribution Center No zone	28 Sep 2026	3/3	2	View

1 Site · 1 completed run · 2 published evidence items · 1 resolved incident

Site Opening Checklist

Completed

100% complete

site-opening-checklist · 28 Sep 2026 at 14:30

Location

Helsinki Distribution Center

No zone

Tasks

3/3

0 cancelled

Evidence

2 published

Client-safe summaries

Started

28 Sep 2026 at 14:30

Published summary

Completed Helsinki site-opening run prepared for client review.

All tasks

Site readiness sign-off

28 Sep 2026 at 14:30

Entrance inspection photo

28 Sep 2026 at 14:30

DEMO DISCLOSURE: Illustrative/synthetic data and evidence. Selected demo/presentation assets were created with AI assistance using ChatGPT (OpenAI). No customer data is shown.

Contextual visibility by role

The same operation is projected differently depending on who is looking.

1

Org Admin

- Sites, teams, members
- Processes & client access
- All org-authorized runs/incidents

2

Supervisor

- Operational review
- Organization-wide operations
- Internal task visibility

3

Worker

- Assigned / team-scoped operations
- Checklist execution & evidence
- No out-of-scope operations

4

Client Viewer

- Granted locations only
- Published records only
- No internal-only content

Each role sees the same operation through a deliberately constrained projection.

Least privilege is part of the product story
— not just an implementation detail.

A focused pilot — one real workflow

Prove one end-to-end operational loop, then expand only where the team sees measurable benefit.



What to validate in the pilot

- Can supervisors see progress and exceptions earlier?
- Is evidence complete enough to reduce follow-up?
- Does the worker flow fit the real operating rhythm?
- Is client visibility useful without revealing internal detail?

Pilot principle

Prove one end-to-end operational loop before broadening scope.

Ready to prove one real workflow?

Let's map one operating process, one team, and one client-facing outcome — then measure the result.

- 1 Select the pilot workflow
- 2 Configure the pilot operation
- 3 Run live work and capture proof
- 4 Review results and rollout decision

Client viewer

Client-visible operational information for the active organization.

**Sites**
1 visible

**Completed runs**
1 visible

**Evidence**
2 published

**Incidents**
1 visible

Granted sites

Site summaries only; each visible zone requires its own active grant.

Site	Code	Timezone	Open
Helsinki Distribution Center	HELSINKI-DC	Europe/Helsinki	<button>View</button>

Plan → Execute → Prove → Monitor → Share