
ARKSPEC

PILOT PRESENTATION

Operational command layer for real-world operations

Plan → Execute → Prove → Monitor → Share

One operating layer for site-based teams, evidence, incidents, reporting, and controlled client visibility.



Built for operational clarity

arkspec.fi

The operational gap

Most teams already have tools — but the operating picture is still fragmented.

01

Work instructions drift

Processes, checklists, photos, and handoffs live across chat, files, and memory.

02

Proof is hard to reconstruct

Evidence and incident context exist, but not always next to the work that produced them.

03

Client reporting is manual

Teams either share too much internal detail or spend time curating safe updates by hand.

ArkSpec turns the workflow itself into the source of truth.

The same run carries the process, assignment, checklist, evidence, incident context, audit trail, and client-safe publication.

One operating lifecycle

From setup to customer-facing proof — without breaking the context chain.



Plan

Sites, zones, teams, reusable process versions

Execute

Assigned and team-scoped work in a live run

Prove

Checklist values, photos, evidence, status history

Monitor

Runs, incidents, reporting, alerts, audit

Share

Explicit client grants + published safe summaries


The key design choice


Visibility is contextual — Org Admin, Supervisor, Worker, and Client Viewer do not receive the same records or the same projection of those records.

That makes operational control and client transparency compatible instead of competing goals.

Set the operation up once

Model sites, zones, and reusable process versions so execution starts from a controlled baseline.





SITES & ZONES


Sites carry address and coordinate context; zones create the hierarchy used by teams and client visibility.

PROCESS VERSIONING


Publish a stable version for execution while keeping the next revision safely in draft.

Field execution stays scoped and actionable

Workers see the work they can act on — across desktop and mobile, with offline continuity for previously loaded tasks when connectivity drops.



Pilot proof:
workers see assigned or team-scoped work only;
supervisor-only operations stay outside their view.



3
scoped runs


5
visible tasks


0
out-of-scope runs exposed

FIELD READY **Responsive browser UI + offline Worker task continuity**
Previously loaded tasks can queue checklist changes and completion locally; replay uses normal server authorization and conflict checks when connectivity returns.

Supervisors see the whole operating picture

Review live and historical runs, risk, task state, ownership, and execution evidence across sites.






Supervisor execution proof

- Live, completed, and cancelled runs
- Cross-site status and ownership
- At-risk / overdue execution context
- Task-level drilldown and evidence

Monitor performance, incidents, and accountability


Move from operational status to incidents, basic reporting, and traceability without losing the work context.

REPORTING




Surface overdue work, at-risk runs, task completion, on-time performance, and incident pressure for the selected scope.

INCIDENTS



Track operational exceptions by site, severity, status, and follow-up state — from investigating to resolved.

AUDIT



Keep an organization timeline with actor, action, timestamp, request, and trace context for accountability.

Operations stay connected: run → task → incident → report → audit trail.

Client transparency — without exposing internal operations

Grant location visibility explicitly, then publish only the records that are safe to share.

Client viewer

Client-visible operational information for the active organization.

Sites	Completed runs	Evidence	Incidents
1 visible	1 visible	2 published	1 visible

Granted sites

1 visible

Site summaries only; each visible zone requires its own active grant.

Search sites

Site	Code	Timezone	Open
Helsinki Distribution Center	HELSINKI-DC	Europe/Helsinki	View

Completed runs

1 visible

Published run summaries approved for this client view.

Search completed runs

Run	Location	Completed	Tasks	Evidence	Open
Site Opening Checklist site-opening-checklist	Helsinki Distribution Center No zone	28 Sep 2026	3/3	2	View

1 Site · 1 completed run · 2 published evidence items · 1 resolved incident

Site Opening Checklist

Completed

100% complete


site-opening-checklist · 28 Sep 2026 at 14:30

Location	Tasks	Evidence	Started
Helsinki Distribution Center No zone	3/3 0 cancelled	2 published Client-safe summaries	28 Sep 2026 at 14:30

Published summary

Completed Helsinki site-opening run prepared for client review.


All tasks



Signature

Site readiness sign-off

28 Sep 2026 at 14:30



Photo

Entrance inspection photo

28 Sep 2026 at 14:30

DEMO DISCLOSURE: Illustrative/synthetic data and evidence. Selected demo/presentation assets were created with AI assistance using ChatGPT (OpenAI). No customer data is shown.

Contextual visibility by role

The same operation is projected differently depending on who is looking.

1

Org Admin

- Sites, teams, members
- Processes & client access
- All org-authorized runs/incidents

2

Supervisor

- Operational review
- Organization-wide operations
- Internal task visibility

3

Worker

- Assigned / team-scoped operations
- Checklist execution & evidence
- No out-of-scope operations

4

Client Viewer

- Granted locations only
- Published records only
- No internal-only content

Each role sees the same operation through a deliberately constrained projection.

Least privilege is part of the product story — not just an implementation detail.

A focused pilot — one real workflow

Prove one end-to-end operational loop, then expand only where the team sees measurable benefit.

STEP 1

Choose the workflow

Pick a recurring process with a clear owner, location context, and proof requirement.

STEP 2

Model the baseline

Create sites/zones, publish the process, and assign a small operational team.

STEP 3

Run it in the field

Execute live work, capture checklist/evidence, and report exceptions as incidents.

STEP 4

Review & share

Use supervisor reporting and publish a client-safe result to one external viewer.

What to validate in the pilot

- Can supervisors see progress and exceptions earlier?
- Is evidence complete enough to reduce follow-up?
- Does the worker flow fit the real operating rhythm?
- Is client visibility useful without revealing internal detail?

Pilot principle


Prove one end-to-end operational loop before broadening scope.

ARKSPEC

Ready to prove one real workflow?

Let’s map one operating process, one team, and one client-facing outcome — then measure the result.

1. Select the pilot workflow
2. Configure the pilot operation
3. Run live work and capture proof
4. Review results and rollout decision



arkspec.fi

Operational command layer for site-based service teams

ARKSPEC

Thank you.

Let’s prove one real operational workflow.