

# SWTES1301-T931 (1.0) - [TG3][Svetoslav] Create registration positive - create profile with 3 characters for User Name

## Details

Key	SWTES1301-T931
Name	[TG3][Svetoslav] Create registration positive - create profile with 3 characters for User Name
Objective	The purpose of the test case is to check if the user can create a profile with correctly filled data.
Precondition	<ol style="list-style-type: none"><li>1. The application is started</li><li>2. The user is not logged in the application</li><li>3. The user has no registration in the application</li></ol>
Folder	TestGroup3/Svetoslav/Create registration
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 08:05:37 by Svetoslav Angelov Updated on 02/10/2022 08:08:02 by Svetoslav Angelov

## Test Script

1	<b>Step</b> Start the application page and click the Sign up button
	<b>Test Data</b>
	<b>Expected Result</b> The registration form is opened

2	<b>Step</b> Enter Full Name
	<b>Test Data</b> Veselin Minev
	<b>Expected Result</b> The name is visualized and accepted
3	<b>Step</b> Enter Username with 3 characters
	<b>Test Data</b> ves
	<b>Expected Result</b> The username is visualized and accepted
4	<b>Step</b> Enter valid email
	<b>Test Data</b> vesko88@abv.bg
	<b>Expected Result</b> The Email is visualized and accepted
5	<b>Step</b> Enter password
	<b>Test Data</b> vesko88
	<b>Expected Result</b> The password is hidden and accepted
6	<b>Step</b> Click on the button Register
	<b>Test Data</b>
	<b>Expected Result</b> The user`s registration is successfully done.

## SWTES1301-T932 (1.0) - [TG3][Svetoslav] Create registration positive - create profile with 15 characters for User Name

### Details

Key	SWTES1301-T932
Name	[TG3][Svetoslav] Create registration positive - create profile with 15 characters for User Name
Objective	The purpose of the test case is to check if the user can create a profile with correctly filled data.
Precondition	<ol style="list-style-type: none"><li>1. The application is started</li><li>2. The user is not logged in the application</li><li>3. The user has no registration in the application</li></ol>
Folder	TestGroup3/Svetoslav/Create registration
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 08:14:41 by Svetoslav Angelov Updated on 02/10/2022 08:22:00 by Svetoslav Angelov

### Test Script

1	<b>Step</b> Start the application page and click the Sign up button
	<b>Test Data</b>
	<b>Expected Result</b> The registration form is opened

2	<b>Step</b> Enter Full Name
	<b>Test Data</b> Teodora Pesheva
	<b>Expected Result</b> The name is visualized and accepted
3	<b>Step</b> Enter Username with 15 characters
	<b>Test Data</b> teddypesheva123
	<b>Expected Result</b> The username is visualized and accepted
4	<b>Step</b> Enter valid email
	<b>Test Data</b> teddy88@abv.bg
	<b>Expected Result</b> The Email is visualized and accepted
5	<b>Step</b> Enter password
	<b>Test Data</b> teddy88
	<b>Expected Result</b> The password is hidden and accepted
6	<b>Step</b> Click on the button Register
	<b>Test Data</b>
	<b>Expected Result</b> The user`s registration is successfully done.

## SWTES1301-T933 (1.0) - [TG3][Svetoslav] Create registration positive - create profile with 10 characters for User Name

### Details

Key	SWTES1301-T933
Name	[TG3][Svetoslav] Create registration positive - create profile with 10 characters for User Name
Objective	The purpose of the test case is to check if the user can create a profile with correctly filled data.
Precondition	<ol style="list-style-type: none"><li>1. The application is started</li><li>2. The user is not logged in the application</li><li>3. The user has no registration in the application</li></ol>
Folder	TestGroup3/Svetoslav/Create registration
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 08:23:49 by Svetoslav Angelov Updated on 02/10/2022 08:26:25 by Svetoslav Angelov

### Test Script

1	<b>Step</b> Start the application page and click the Sign up button
	<b>Test Data</b>
	<b>Expected Result</b> The registration form is opened

2	<b>Step</b> Enter Full Name
	<b>Test Data</b> Teodora Pesheva
	<b>Expected Result</b> The name is visualized and accepted
3	<b>Step</b> Enter Username with 10 characters
	<b>Test Data</b> tedpesheva
	<b>Expected Result</b> The username is visualized and accepted
4	<b>Step</b> Enter valid email
	<b>Test Data</b> teddy88@abv.bg
	<b>Expected Result</b> The Email is visualized and accepted
5	<b>Step</b> Enter password
	<b>Test Data</b> teddy88
	<b>Expected Result</b> The password is hidden and accepted
6	<b>Step</b> Click on the button Register
	<b>Test Data</b>
	<b>Expected Result</b> The user`s registration is successfully done.

## SWTES1301-T934 (1.0) - [TG3][Svetoslav] Create registration positive - create profile with 4 characters for Full Name

### Details

Key	SWTES1301-T934
Name	[TG3][Svetoslav] Create registration positive - create profile with 4 characters for Full Name
Objective	The purpose of the test case is to check if the user can create a profile with correctly filled data.
Precondition	<ol style="list-style-type: none"><li>1. The application is started</li><li>2. The user is not logged in the application</li><li>3. The user has no registration in the application</li></ol>
Folder	TestGroup3/Svetoslav/Create registration
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 08:28:54 by Svetoslav Angelov Updated on 02/12/2022 11:41:50 by Svetoslav Angelov

### Test Script

1	<b>Step</b> Start the application page and click the Sign up button <a href="http://poll-app5-20220113.softacad.bg/polls">http://poll-app5-20220113.softacad.bg/polls</a>
	<b>Test Data</b>

	<b>Expected Result</b> The registration form is opened
2	<b>Step</b> Enter Full Name with 4 characters
	<b>Test Data</b> Tedi
	<b>Expected Result</b> The name is visualized and accepted
3	<b>Step</b> Enter Username
	<b>Test Data</b> tedpeshevaa
	<b>Expected Result</b> The username is visualized and accepted
4	<b>Step</b> Enter valid email
	<b>Test Data</b> teddy88@abv.bg
	<b>Expected Result</b> The Email is visualized and accepted
5	<b>Step</b> Enter password
	<b>Test Data</b> teddy88
	<b>Expected Result</b> The password is hidden and accepted
6	<b>Step</b> Click on the button Register
	<b>Test Data</b>
	<b>Expected Result</b> The user`s registration is successfully done.



## SWTES1301-T935 (1.0) - [TG3][Svetoslav] Create registration positive - create profile with 40 characters for Full Name

### Details

Key	SWTES1301-T935
Name	[TG3][Svetoslav] Create registration positive - create profile with 40 characters for Full Name
Objective	The purpose of the test case is to check if the user can create a profile with correctly filled data.
Precondition	<ol style="list-style-type: none"><li>1. The application is started</li><li>2. The user is not logged in the application</li><li>3. The user has no registration in the application</li></ol>
Folder	TestGroup3/Svetoslav/Create registration
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 08:33:15 by Svetoslav Angelov Updated on 02/10/2022 08:35:37 by Svetoslav Angelov

### Test Script

1	<b>Step</b> Start the application page and click the Sign up button <a href="http://poll-app5-20220113.softacad.bg/polls">http://poll-app5-20220113.softacad.bg/polls</a>
	<b>Test Data</b>

	<b>Expected Result</b> The registration form is opened
2	<b>Step</b> Enter Full Name with 40 characters
	<b>Test Data</b> Tedito88Tedito88Tedito88Tedito88Tedito88
	<b>Expected Result</b> The name is visualized and accepted
3	<b>Step</b> Enter Username
	<b>Test Data</b> tedpesheva
	<b>Expected Result</b> The username is visualized and accepted
4	<b>Step</b> Enter valid email
	<b>Test Data</b> teddy88@abv.bg
	<b>Expected Result</b> The Email is visualized and accepted
5	<b>Step</b> Enter password
	<b>Test Data</b> teddy88
	<b>Expected Result</b> The password is hidden and accepted
6	<b>Step</b> Click on the button Register
	<b>Test Data</b>
	<b>Expected Result</b> The user`s registration is successfully done.

## SWTES1301-T937 (1.0) - [TG3][Svetoslav] Create registration positive - create profile with 6 characters for Password

### Details

Key	SWTES1301-T937
Name	[TG3][Svetoslav] Create registration positive - create profile with 6 characters for Password
Objective	The purpose of the test case is to check if the user can create a profile with correctly filled data.
Precondition	<ol style="list-style-type: none"><li>1. The application is started</li><li>2. The user is not logged in the application</li><li>3. The user has no registration in the application</li></ol>
Folder	TestGroup3/Svetoslav/Create registration
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 08:38:06 by Svetoslav Angelov Updated on 02/10/2022 08:54:21 by Svetoslav Angelov

### Test Script

1	<b>Step</b> Start the application page and click the Sign up button <a href="http://poll-app5-20220113.softacad.bg/polls">http://poll-app5-20220113.softacad.bg/polls</a>
	<b>Test Data</b>

	<b>Expected Result</b> The registration form is opened
2	<b>Step</b> Enter Full Name
	<b>Test Data</b> Tedito88Tedito88Tedito88Tedito88Tedito88
	<b>Expected Result</b> The name is visualized and accepted
3	<b>Step</b> Enter Username
	<b>Test Data</b> tedpesheva
	<b>Expected Result</b> The username is visualized and accepted
4	<b>Step</b> Enter valid email
	<b>Test Data</b> t@v.bg
	<b>Expected Result</b> The Email is visualized and accepted
5	<b>Step</b> Enter password with 6 characters
	<b>Test Data</b> tedi88
	<b>Expected Result</b> The password is hidden and accepted
6	<b>Step</b> Click on the button Register
	<b>Test Data</b>
	<b>Expected Result</b> The user`s registration is successfully done.

## SWTES1301-T938 (1.0) - [TG3][Svetoslav] Create registration positive - create profile with 12 characters for Password

### Details

Key	SWTES1301-T938
Name	[TG3][Svetoslav] Create registration positive - create profile with 12 characters for Password
Objective	The purpose of the test case is to check if the user can create a profile with correctly filled data.
Precondition	<ol style="list-style-type: none"><li>1. The application is started</li><li>2. The user is not logged in the application</li><li>3. The user has no registration in the application</li></ol>
Folder	TestGroup3/Svetoslav/Create registration
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 08:41:43 by Svetoslav Angelov Updated on 02/10/2022 08:55:14 by Svetoslav Angelov

### Test Script

1	<b>Step</b> Start the application page and click the Sign up button <a href="http://poll-app5-20220113.softacad.bg/polls">http://poll-app5-20220113.softacad.bg/polls</a>
	<b>Test Data</b>

	<b>Expected Result</b> The registration form is opened
2	<b>Step</b> Enter Full Name
	<b>Test Data</b> Tedito88Tedito88Tedito88Tedito88Tedito88
	<b>Expected Result</b> The name is visualized and accepted
3	<b>Step</b> Enter Username
	<b>Test Data</b> tedpesheva
	<b>Expected Result</b> The username is visualized and accepted
4	<b>Step</b> Enter valid email
	<b>Test Data</b> tedi8@abv.bg
	<b>Expected Result</b> The Email is visualized and accepted
5	<b>Step</b> Enter password with 12 characters
	<b>Test Data</b> teodorapes88
	<b>Expected Result</b> The password is hidden and accepted
6	<b>Step</b> Click on the button Register
	<b>Test Data</b>
	<b>Expected Result</b> The user`s registration is successfully done.

## SWTES1301-T939 (1.0) - [TG3][Svetoslav] Create registration positive - create profile with 20 characters for Password

### Details

Key	SWTES1301-T939
Name	[TG3][Svetoslav] Create registration positive - create profile with 20 characters for Password
Objective	The purpose of the test case is to check if the user can create a profile with correctly filled data.
Precondition	<ol style="list-style-type: none"><li>1. The application is started</li><li>2. The user is not logged in the application</li><li>3. The user has no registration in the application</li></ol>
Folder	TestGroup3/Svetoslav/Create registration
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 08:43:28 by Svetoslav Angelov Updated on 02/10/2022 08:47:12 by Svetoslav Angelov

### Test Script

1	<b>Step</b> Start the application page and click the Sign up button <a href="http://poll-app5-20220113.softacad.bg/polls">http://poll-app5-20220113.softacad.bg/polls</a>
	<b>Test Data</b>

	<b>Expected Result</b> The registration form is opened
2	<b>Step</b> Enter Full Name
	<b>Test Data</b> Tedito88Tedito88Tedito88Tedito88Tedito88
	<b>Expected Result</b> The name is visualized and accepted
3	<b>Step</b> Enter Username
	<b>Test Data</b> tedpesheva
	<b>Expected Result</b> The username is visualized and accepted
4	<b>Step</b> Enter valid email
	<b>Test Data</b> tedi8@abv.bg
	<b>Expected Result</b> The Email is visualized and accepted
5	<b>Step</b> Enter password with 20 characters
	<b>Test Data</b> teodorapesheva123456
	<b>Expected Result</b> The password is hidden and accepted
6	<b>Step</b> Click on the button Register
	<b>Test Data</b>
	<b>Expected Result</b> The user`s registration is successfully done.



## SWTES1301-T940 (1.0) - [TG3][Svetoslav] Create registration positive - create profile with 20 characters for Full Name

### Details

Key	SWTES1301-T940
Name	[TG3][Svetoslav] Create registration positive - create profile with 20 characters for Full Name
Objective	The purpose of the test case is to check if the user can create a profile with correctly filled data.
Precondition	<ol style="list-style-type: none"><li>1. The application is started</li><li>2. The user is not logged in the application</li><li>3. The user has no registration in the application</li></ol>
Folder	TestGroup3/Svetoslav/Create registration
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 08:48:50 by Svetoslav Angelov Updated on 02/10/2022 08:49:46 by Svetoslav Angelov

### Test Script

1	<b>Step</b> Start the application page and click the Sign up button <a href="http://poll-app5-20220113.softacad.bg/polls">http://poll-app5-20220113.softacad.bg/polls</a>
	<b>Test Data</b>

	<b>Expected Result</b> The registration form is opened
2	<b>Step</b> Enter Full Name with 20 characters
	<b>Test Data</b> TediTediTediTediTedi
	<b>Expected Result</b> The name is visualized and accepted
3	<b>Step</b> Enter Username
	<b>Test Data</b> tedpesheva
	<b>Expected Result</b> The username is visualized and accepted
4	<b>Step</b> Enter valid email
	<b>Test Data</b> teddy88@abv.bg
	<b>Expected Result</b> The Email is visualized and accepted
5	<b>Step</b> Enter password
	<b>Test Data</b> teddy88
	<b>Expected Result</b> The password is hidden and accepted
6	<b>Step</b> Click on the button Register
	<b>Test Data</b>
	<b>Expected Result</b> The user`s registration is successfully done.

## SWTES1301-T949 (1.0) - [TG3][Svetoslav] Create registration negative - create profile with 2 characters for User Name

### Details

Key	SWTES1301-T949
Name	[TG3][Svetoslav] Create registration negative - create profile with 2 characters for User Name
Objective	The purpose of the test case is to check if the user entering incorrect data will be able to create a registration
Precondition	<ol style="list-style-type: none"><li>1. The application is started</li><li>2. The user is not logged in the application</li><li>3. The user has no registration in the application</li></ol>
Folder	TestGroup3/Svetoslav/Create registration
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 12:18:57 by Svetoslav Angelov Updated on 02/11/2022 15:58:23 by Svetoslav Angelov

### Test Script

1	<b>Step</b> Start the application page and click the Sign up button
	<b>Test Data</b>
	<b>Expected Result</b> The registration form is opened

2	<b>Step</b> Enter Full Name
	<b>Test Data</b> Veselin Minev
	<b>Expected Result</b> The name is visualized and accepted
3	<b>Step</b> Enter Username with 2 characters
	<b>Test Data</b> ve
	<b>Expected Result</b> The username is visualized but not accepted
4	<b>Step</b> Enter valid email
	<b>Test Data</b> vesko88@abv.bg
	<b>Expected Result</b> The Email is visualized and accepted
5	<b>Step</b> Enter password
	<b>Test Data</b> vesko88
	<b>Expected Result</b> The password is hidden and accepted
6	<b>Step</b> Click on the button Register
	<b>Test Data</b>
	<b>Expected Result</b> The user`s registration is unsuccessful.

## SWTES1301-T972 (1.0) - [TG3][Svetoslav] Create registration negative - create profile with 5 characters for Password

### Details

Key	SWTES1301-T972
Name	[TG3][Svetoslav] Create registration negative - create profile with 5 characters for Password
Objective	The purpose of the test case is to check if the user entering incorrect data will be able to create a registration
Precondition	<ol style="list-style-type: none"><li>1. The application is started</li><li>2. The user is not logged in the application</li><li>3. The user has no registration in the application</li></ol>
Folder	TestGroup3/Svetoslav/Create registration
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 15:51:12 by Svetoslav Angelov Updated on 02/11/2022 15:59:17 by Svetoslav Angelov

### Test Script

1	<b>Step</b> Start the application page and click the Sign up button
	<b>Test Data</b>
	<b>Expected Result</b> The registration form is opened

2	<b>Step</b> Enter Full Name
	<b>Test Data</b> Veselin Minev
	<b>Expected Result</b> The name is visualized and accepted
3	<b>Step</b> Enter Username
	<b>Test Data</b> veselin88
	<b>Expected Result</b> The username is visualized and accepted
4	<b>Step</b> Enter valid email
	<b>Test Data</b> vesko88@abv.bg
	<b>Expected Result</b> The Email is visualized and accepted
5	<b>Step</b> Enter password with 5 characters
	<b>Test Data</b> ves88
	<b>Expected Result</b> The password is hidden but not accepted
6	<b>Step</b> Click on the button Register
	<b>Test Data</b>
	<b>Expected Result</b> The user`s registration is unsuccessful.

## SWTES1301-T987 (1.0) - [TG3][Svetoslav] Create registration negative - create profile with 3 characters for Full Name

### Details

Key	SWTES1301-T987
Name	[TG3][Svetoslav] Create registration negative - create profile with 3 characters for Full Name
Objective	The purpose of the test case is to check if the user entering incorrect data will be able to create a registration
Precondition	<ol style="list-style-type: none"><li>1. The application is started</li><li>2. The user is not logged in the application</li><li>3. The user has no registration in the application</li></ol>
Folder	TestGroup3/Svetoslav/Create registration
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/10/2022 16:39:12 by Svetoslav Angelov Updated on 02/11/2022 15:59:50 by Svetoslav Angelov

### Test Script

1	<b>Step</b> Start the application page and click the Sign up button
	<b>Test Data</b>
	<b>Expected Result</b> The registration form is opened

2	<b>Step</b> Enter Full Name with 3 characters
	<b>Test Data</b> Ves
	<b>Expected Result</b> The name is visualized but not accepted
3	<b>Step</b> Enter Username
	<b>Test Data</b> veselin88
	<b>Expected Result</b> The username is visualized and accepted
4	<b>Step</b> Enter valid email
	<b>Test Data</b> vesko88@abv.bg
	<b>Expected Result</b> The Email is visualized and accepted
5	<b>Step</b> Enter password
	<b>Test Data</b> ves88
	<b>Expected Result</b> The password is hidden and accepted
6	<b>Step</b> Click on the button Register
	<b>Test Data</b>
	<b>Expected Result</b> The user`s registration is unsuccessful.



