


SWTES1301-T163 (1.0) - [TG3] [Svetoslav] Login positive with e-mail and password as User


Details

Key	SWTES1301-T163
Name	[TG3] [Svetoslav] Login positive with e-mail and password as User
Objective	The main purpose of the the test case is to check if the user can log in the application with correct email and correct password
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/03/2022 08:54:47 by Svetoslav Angelov Updated on 02/07/2022 11:41:45 by Svetoslav Angelov

Test Script

1	Step
	Go to the URL link and start the application
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The application is loaded successfully

2	Step Click on the button Login on the top right corner of the screen
	Test Data 
	Expected Result The login form is visualized. Login Username or Email <input type="text"/> Password <input type="password"/> <input type="button" value="Login"/>
3	Step Enter the correct Email credentials
	Test Data test@test.org
	Expected Result The Email is visualized and accepted
4	Step Enter the correct password credentials
	Test Data 123456
	Expected Result The entered password is masked and accepted.
5	Step Click on the button Login
	Test Data <input type="button" value="Login"/>

	<div></div>
	<div><div>Expected Result</div><div>The user is successfully logged in the application</div></div>
6	<div><div>Step</div><div>Click on the button on the right top corner of the screen</div></div>
	<div><div>Test Data</div><div></div></div>
	<div><div>Expected Result</div><div>The user is logged with the correct account- Ivan Ivanov</div></div>



SWTES1301-T187 (1.0) - [TG3] [Svetoslav] Login positive with username and password as User


Details

Key	SWTES1301-T187
Name	[TG3] [Svetoslav] Login positive with username and password as User
Objective	The main purpose of the the test case is to check if the user can log in the application with correct username and correct password
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/03/2022 11:58:33 by Svetoslav Angelov Updated on 02/07/2022 11:44:57 by Svetoslav Angelov

Test Script

1	Step Go to the URL link and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result The application is loaded successfully

2	<div data-bbox="191 111 253 149">Step</div> <div data-bbox="191 163 984 199">Click on the button Login on the top right corner of the screen</div> <div data-bbox="191 228 321 262">Test Data</div> <div data-bbox="203 279 415 396">  </div> <div data-bbox="191 436 409 470">Expected Result</div> <div data-bbox="191 487 553 520">The login form is visualized.</div> <div data-bbox="217 529 381 596"><h1>Login</h1></div> <div data-bbox="217 615 487 648">Username or Email</div> <div data-bbox="220 672 1265 747"><input type="text"/></div> <div data-bbox="217 787 354 821">Password</div> <div data-bbox="220 844 1265 919"><input type="password"/></div> <div data-bbox="220 951 1265 1026">  </div>
3	<div data-bbox="191 1073 253 1108">Step</div> <div data-bbox="191 1125 701 1159">Enter the correct Username credentials</div> <div data-bbox="191 1190 321 1224">Test Data</div> <div data-bbox="191 1243 358 1276">normalUser1</div> <div data-bbox="191 1308 409 1341">Expected Result</div> <div data-bbox="191 1358 735 1392">The Username is visualized and accepted</div>
4	<div data-bbox="191 1423 253 1459">Step</div> <div data-bbox="191 1476 691 1509">Enter the correct password credentials</div> <div data-bbox="191 1541 321 1575">Test Data</div> <div data-bbox="191 1593 293 1627">123456</div> <div data-bbox="191 1659 409 1692">Expected Result</div> <div data-bbox="191 1709 813 1743">The entered password is masked and accepted.</div>
5	<div data-bbox="191 1776 253 1812">Step</div> <div data-bbox="191 1829 514 1862">Click on the button Login</div> <div data-bbox="191 1892 321 1925">Test Data</div>

	<div>Login</div>
	<div><div>Expected Result</div><div>The user is successfully logged in the application</div></div>
6	<div><div>Step</div><div>Click on the button on the right top corner of the screen</div></div>
	<div><div>Test Data</div><div></div></div>
	<div><div>Expected Result</div><div>The user is logged with the correct account- Ivan Ivanov</div></div>


SWTES1301-T190 (1.0) - [TG3] [Svetoslav] Login negative with incorrect username as User

Details

Key	SWTES1301-T190
Name	[TG3] [Svetoslav] Login negative with incorrect username as User
Objective	The main purpose of the test case is to test if the user can log in the application with incorrect username and correct password.
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/03/2022 13:17:55 by Svetoslav Angelov Updated on 02/07/2022 11:45:43 by Svetoslav Angelov

Test Script

1	Step Go to the URL address and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result The application is loaded successfully

2	Step Go to the button Login at the top right corner
	Test Data 
	Expected Result The login page is loaded successfully
3	Step The user types incorrect username
	Test Data alabala
	Expected Result The username is visualized and accepted
4	Step The user types correct password
	Test Data 123456
	Expected Result The password is hidden and accepted
5	Step Click on the button Login
	Test Data

Login

Username or Email

Password

	Expected Result
--	------------------------

	The user cannot login the application. There is a message for bad credentials and the user is turned back to the Login screen.
--	--


SWTES1301-T192 (1.0) - [TG3] [Svetoslav] Login negative with incorrect Email as User

Details

Key	SWTES1301-T192
Name	[TG3] [Svetoslav] Login negative with incorrect Email as User
Objective	The main purpose of the test case is to test if the user can log in the application with incorrect Email and correct password.
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/03/2022 13:26:51 by Svetoslav Angelov Updated on 02/07/2022 11:46:16 by Svetoslav Angelov

Test Script

1	Step Go to the URL address and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result The application is loaded successfully

2	Step Go to the button Login at the top right corner
	Test Data 
	Expected Result The login page is loaded successfully
3	Step The user types incorrect Email address
	Test Data alabala@abv.bg
	Expected Result The Email is visualized and accepted
4	Step The user types correct password
	Test Data 123456
	Expected Result The password is hidden and accepted
5	Step Click on the button Login
	Test Data

Login

Username or Email

Password

	<p>Expected Result</p> <p>The user cannot login the application. There is a message for bad credentials and the user is turned back to the Login screen.</p>


SWTES1301-T228 (1.0) - [TG3] [Svetoslav] Login negative with correct email and missing password as User

Details

Key	SWTES1301-T228
Name	[TG3] [Svetoslav] Login negative with correct email and missing password as User
Objective	The purpose of the test case is to check if the user entering correct email and no password, will be able to log into the application
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/03/2022 17:11:40 by Svetoslav Angelov Updated on 02/07/2022 11:46:47 by Svetoslav Angelov

Test Script

1	Step Go to the URL address and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result The application is loaded successfully

2	<p>Step</p> <p>Go to the button Login at the top right corner</p> <p>Test Data</p>  <p>Expected Result</p> <p>The login page is loaded successfully</p>
3	<p>Step</p> <p>The user types correct Email</p> <p>Test Data</p> <p>test@test.orgg</p> <p>Expected Result</p> <p>The Email is visualized and accepted</p>
4	<p>Step</p> <p>The user types nothing in the password field and press the Login button</p> <p>Test Data</p> <p>Login</p> <p>Username or Email</p> <input data-bbox="198 1449 781 1491" type="text" value="test@test.orgg"/> <p>Password</p> <input data-bbox="198 1543 781 1585" type="password"/> <p>Please input your Password!</p> <p>Login</p> <p>Expected Result</p> <p>The user receive a message that the password should be entered. The user cannot log into the application.</p>


SWTES1301-T229 (1.0) - [TG3] [Svetoslav] Login negative with correct Username and missing password as User

Details

Key	SWTES1301-T229
Name	[TG3] [Svetoslav] Login negative with correct Username and missing password as User
Objective	The purpose of the test case is to check if the user entering correct Username and no password, will be able to log into the application
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/03/2022 17:19:31 by Svetoslav Angelov Updated on 02/07/2022 11:47:27 by Svetoslav Angelov

Test Script

1	Step
	Go to the URL address and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result The application is loaded successfully

2	<p>Step</p> <p>Go to the button Login at the top right corner</p> <p>Test Data</p>  <p>Expected Result</p> <p>The login page is loaded successfully</p>
3	<p>Step</p> <p>The user types correct Username</p> <p>Test Data</p> <p>normalUser1</p> <p>Expected Result</p> <p>The Username is visualized and accepted</p>
4	<p>Step</p> <p>The user types nothing in the password field and press the Login button</p> <p>Test Data</p> <div data-bbox="203 1367 784 1673"><p>Login</p><p>Username or Email</p><input data-bbox="203 1451 784 1493" type="text" value="normalUser1"/><p>Password</p><input data-bbox="203 1545 784 1587" type="password"/><p>Please input your Password!</p><p>Login</p></div> <p>Expected Result</p> <p>The user receive a message that the password should be entered. The user cannot log into the application.</p>



SWTES1301-T559 (1.0) - [TG3] [Svetoslav] Login positive with e-mail and password as Admin


Details

Key	SWTES1301-T559
Name	[TG3] [Svetoslav] Login positive with e-mail and password as Admin
Objective	The main purpose of the the test case is to check if the user (Admin) can log in the application with correct email and correct password
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 12:26:28 by Svetoslav Angelov Updated on 02/07/2022 11:47:55 by Svetoslav Angelov

Test Script

1	Step
	Go to the URL link and start the application
	Test Data
	http://poll-app5-20220113.softacad.bg/polls
	Expected Result
	The application is loaded successfully

2	<div data-bbox="191 111 1502 210"> <p>Step</p> <p>Click on the button Login on the top right corner of the screen</p> </div> <div data-bbox="191 210 1502 420"> <p>Test Data</p>  </div> <div data-bbox="191 420 1502 1050"> <p>Expected Result</p> <p>The login form is visualized.</p>  </div>
3	<div data-bbox="191 1071 1502 1169"> <p>Step</p> <p>Enter the correct Email credentials</p> </div> <div data-bbox="191 1169 1502 1289"> <p>Test Data</p> <p>tg3admin@test.org</p> </div> <div data-bbox="191 1289 1502 1402"> <p>Expected Result</p> <p>The Email is visualized and accepted</p> </div>
4	<div data-bbox="191 1423 1502 1522"> <p>Step</p> <p>Enter the correct password credentials</p> </div> <div data-bbox="191 1522 1502 1642"> <p>Test Data</p> <p>123456</p> </div> <div data-bbox="191 1642 1502 1755"> <p>Expected Result</p> <p>The entered password is masked and accepted.</p> </div>
5	<div data-bbox="191 1776 1502 1875"> <p>Step</p> <p>Click on the button Login</p> </div> <div data-bbox="191 1875 1502 1932"> <p>Test Data</p> </div>

	<div>Login</div>
	<div><div>Expected Result</div><div>The user is successfully logged in the application</div></div>
6	<div><div>Step</div><div>Click on the button on the right top corner of the screen</div></div>
	<div><div>Test Data</div><div></div></div>
	<div><div>Expected Result</div><div>The user is logged with the correct account</div></div>



SWTES1301-T560 (1.0) - [TG3] [Svetoslav] Login positive with username and password as Admin


Details

Key	SWTES1301-T560
Name	[TG3] [Svetoslav] Login positive with username and password as Admin
Objective	The main purpose of the the test case is to check if the user (Admin) can log in the application with correct username and correct password
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 12:29:39 by Svetoslav Angelov Updated on 02/07/2022 11:48:26 by Svetoslav Angelov

Test Script

1	Step Go to the URL link and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result The application is loaded successfully

2	<div data-bbox="191 111 1502 210"> <p>Step</p> <p>Click on the button Login on the top right corner of the screen</p> </div> <div data-bbox="191 210 1502 420"> <p>Test Data</p>  </div> <div data-bbox="191 420 1502 1050"> <p>Expected Result</p> <p>The login form is visualized.</p>  </div>
3	<div data-bbox="191 1071 1502 1169"> <p>Step</p> <p>Enter the correct username credentials</p> </div> <div data-bbox="191 1169 1502 1289"> <p>Test Data</p> <p>tg3admin</p> </div> <div data-bbox="191 1289 1502 1402"> <p>Expected Result</p> <p>The username is visualized and accepted</p> </div>
4	<div data-bbox="191 1423 1502 1522"> <p>Step</p> <p>Enter the correct password credentials</p> </div> <div data-bbox="191 1522 1502 1642"> <p>Test Data</p> <p>123456</p> </div> <div data-bbox="191 1642 1502 1755"> <p>Expected Result</p> <p>The entered password is masked and accepted.</p> </div>
5	<div data-bbox="191 1776 1502 1875"> <p>Step</p> <p>Click on the button Login</p> </div> <div data-bbox="191 1875 1502 1934"> <p>Test Data</p> </div>

	<div>Login</div>
	<div><div>Expected Result</div><div>The user is successfully logged in the application</div></div>
6	<div><div>Step</div><div>Click on the button on the right top corner of the screen</div></div>
	<div><div>Test Data</div><div></div></div>
	<div><div>Expected Result</div><div>The user is logged with the correct account</div></div>


SWTES1301-T561 (1.0) - [TG3] [Svetoslav] Login negative with incorrect username as Admin

Details

Key	SWTES1301-T561
Name	[TG3] [Svetoslav] Login negative with incorrect username as Admin
Objective	The main purpose of the test case is to test if the user (Admin) can log in the application with incorrect username and correct password.
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 12:34:14 by Svetoslav Angelov Updated on 02/07/2022 11:48:56 by Svetoslav Angelov

Test Script

1	Step Go to the URL address and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result The application is loaded successfully

2	Step Go to the button Login at the top right corner
	Test Data 
	Expected Result The login page is loaded successfully
3	Step The user types incorrect username
	Test Data alabala
	Expected Result The username is visualized and accepted
4	Step The user types correct password
	Test Data 123456
	Expected Result The password is hidden and accepted
5	Step Click on the button Login
	Test Data

Login

Username or Email

Password

	Expected Result
--	------------------------

	The user cannot login the application. There is a message for bad credentials and the user is turned back to the Login screen.
--	--


SWTES1301-T562 (1.0) - [TG3] [Svetoslav] Login negative with incorrect Email as Admin

Details

Key	SWTES1301-T562
Name	[TG3] [Svetoslav] Login negative with incorrect Email as Admin
Objective	The main purpose of the test case is to test if the user (Admin) can log in the application with incorrect Email and correct password.
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 12:38:56 by Svetoslav Angelov Updated on 02/07/2022 11:49:28 by Svetoslav Angelov

Test Script

1	Step Go to the URL address and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result The application is loaded successfully

2	Step Go to the button Login at the top right corner
	Test Data 
	Expected Result The login page is loaded successfully
3	Step The user types incorrect Email address
	Test Data alabala@abv.bg
	Expected Result The Email is visualized and accepted
4	Step The user types correct password
	Test Data 123456
	Expected Result The password is hidden and accepted
5	Step Click on the button Login
	Test Data

Login

Username or Email

Password

	<p>Expected Result</p> <p>The user cannot login the application. There is a message for bad credentials and the user is turned back to the Login screen.</p>


SWTES1301-T563 (1.0) - [TG3] [Svetoslav] Login negative with correct email and missing password as Admin

Details

Key	SWTES1301-T563
Name	[TG3] [Svetoslav] Login negative with correct email and missing password as Admin
Objective	The purpose of the test case is to check if the user (Admin) entering correct email and no password, will be able to log into the application
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 12:43:13 by Svetoslav Angelov Updated on 02/07/2022 11:50:07 by Svetoslav Angelov

Test Script

1	Step Go to the URL address and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result

	The application is loaded successfully
2	<p>Step</p> <p>Go to the button Login at the top right corner</p> <p>Test Data</p>  <p>Expected Result</p> <p>The login page is loaded successfully</p>
3	<p>Step</p> <p>The user types correct Email</p> <p>Test Data</p> <p>tg3admin@test.org</p> <p>Expected Result</p> <p>The Email is visualized and accepted</p>
4	<p>Step</p> <p>The user types nothing in the password field and press the Login button</p> <p>Test Data</p> <p>Login</p> <p>Username or Email</p> <input type="text" value="tg3admin@test.org"/> <p>Password</p> <input type="password"/> <p>Please input your Password!</p> <p>Login</p> <p>Expected Result</p> <p>The user receive a message that the password should be entered. The user cannot log into the application.</p>


SWTES1301-T566 (1.0) - [TG3] [Svetoslav] Login negative with correct Username and missing password as Admin

Details

Key	SWTES1301-T566
Name	[TG3] [Svetoslav] Login negative with correct Username and missing password as Admin
Objective	The purpose of the test case is to check if the user (Admin) entering correct Username and no password, will be able to log into the application
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/06/2022 12:46:43 by Svetoslav Angelov Updated on 02/07/2022 11:50:34 by Svetoslav Angelov

Test Script

1	Step
	Go to the URL address and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result The application is loaded successfully

2	<p>Step</p> <p>Go to the button Login at the top right corner</p> <p>Test Data</p>  <p>Expected Result</p> <p>The login page is loaded successfully</p>
3	<p>Step</p> <p>The user types correct Username</p> <p>Test Data</p> <p>tg3admin</p> <p>Expected Result</p> <p>The Username is visualized and accepted</p>
4	<p>Step</p> <p>The user types nothing in the password field and press the Login button</p> <p>Test Data</p> <p>Login</p> <p>Username or Email</p> <input type="text" value="tg3admin"/> <p>Password</p> <input type="password"/> <p>Please input your Password!</p> <p>Login</p> <p>Expected Result</p> <p>The user receive a message that the password should be entered. The user cannot log into the application.</p>


SWTES1301-T769 (1.0) - [TG3] [Svetoslav] Login negative with missing email and correct password as User

Details

Key	SWTES1301-T769
Name	[TG3] [Svetoslav] Login negative with missing email and correct password as User
Objective	The purpose of the test case is to check if the user entering no email and correct password, will be able to log into the application
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/08/2022 08:55:41 by Svetoslav Angelov Updated on 02/08/2022 09:08:24 by Svetoslav Angelov

Test Script

1	Step Go to the URL address and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result The application is loaded successfully

2	Step Go to the button Login at the top right corner 
	Test Data
	Expected Result The login page is loaded successfully
3	Step The user types nothing in the Email field
	Test Data
	Expected Result The user receives a message that Email or username should be entered
	Login Username or Email <input data-bbox="207 1232 768 1272" type="text"/> <small>Please input your username or email!</small>
4	Step The user types the correct password and press the Login button
	Test Data 123456
	Expected Result The password is accepted and hidden but the user is not be able to login.


SWTES1301-T772 (1.0) - [TG3] [Svetoslav] Login negative with missing email and correct password as Admin

Details

Key	SWTES1301-T772
Name	[TG3] [Svetoslav] Login negative with missing email and correct password as Admin
Objective	The purpose of the test case is to check if the user Admin entering no email and correct password, will be able to log into the application
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/08/2022 09:37:53 by Svetoslav Angelov Updated on 02/08/2022 09:42:32 by Svetoslav Angelov

Test Script

1	Step Go to the URL address and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result

	The application is loaded successfully
2	Step Go to the button Login at the top right corner 
	Test Data
	Expected Result The login page is loaded successfully
3	Step The user types nothing in the Email field
	Test Data
	Expected Result The user receives a message that Email or username should be entered Login Username or Email <input type="text"/> <small>Please input your username or email!</small>
4	Step The user types the correct password and press the Login button
	Test Data 123456
	Expected Result The password is accepted and hidden but the user is not be able to login. Login Username or Email <input type="text"/> <small>Please input your username or email!</small> Password <input type="password"/>

	<div>Login</div>


SWTES1301-T773 (1.0) - [TG3] [Svetoslav] Login negative with missing Username and correct password as User

Details

Key	SWTES1301-T773
Name	[TG3] [Svetoslav] Login negative with missing Username and correct password as User
Objective	The purpose of the test case is to check if the user entering no Username and correct password, will be able to log into the application
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/08/2022 09:43:52 by Svetoslav Angelov Updated on 02/08/2022 09:47:08 by Svetoslav Angelov

Test Script

1	Step Go to the URL address and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result

	The application is loaded successfully
2	Step Go to the button Login at the top right corner 
	Test Data
	Expected Result The login page is loaded successfully
3	Step The user types nothing in the Email/username field
	Test Data
	Expected Result The user receives a message that Email or username should be entered Login Username or Email <input data-bbox="207 1295 768 1337" type="text"/> <small>Please input your username or email!</small>
4	Step The user types the correct password and press the Login button
	Test Data 123456
	Expected Result The password is accepted and hidden but the user is not be able to login. Login Username or Email <input data-bbox="207 1820 782 1862" type="text"/> <small>Please input your username or email!</small> Password <input data-bbox="207 1942 782 1984" type="password"/>

	<div>Login</div>


SWTES1301-T774 (1.0) - [TG3] [Svetoslav] Login negative with missing Username and correct password as Admin

Details

Key	SWTES1301-T774
Name	[TG3] [Svetoslav] Login negative with missing Username and correct password as Admin
Objective	The purpose of the test case is to check if the user Admin entering no Username and correct password, will be able to log into the application
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/08/2022 09:48:28 by Svetoslav Angelov Updated on 02/08/2022 09:51:03 by Svetoslav Angelov

Test Script

1	Step Go to the URL address and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result

	The application is loaded successfully
2	Step Go to the button Login at the top right corner 
	Test Data
	Expected Result The login page is loaded successfully
3	Step The user types nothing in the Email/username field
	Test Data
	Expected Result The user receives a message that Email or username should be entered Login Username or Email <input data-bbox="207 1295 768 1337" type="text"/> <small>Please input your username or email!</small>
4	Step The user types the correct password and press the Login button
	Test Data 123456
	Expected Result The password is accepted and hidden but the user is not be able to login. Login Username or Email <input data-bbox="207 1820 782 1862" type="text"/> <small>Please input your username or email!</small> Password <input data-bbox="207 1942 782 1984" type="password"/>

	<div>Login</div>



SWTES1301-T775 (1.0) - [TG3] [Svetoslav] Login negative with missing email/ username and missing password as User

Details

Key	SWTES1301-T775
Name	[TG3] [Svetoslav] Login negative with missing email/ username and missing password as User
Objective	The purpose of the test case is to check if the user entering no email/ no username and no password, will be able to log into the application
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/08/2022 09:51:58 by Svetoslav Angelov Updated on 02/08/2022 09:55:40 by Svetoslav Angelov

Test Script

1	Step Go to the URL address and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result

	The application is loaded successfully
2	Step Go to the button Login at the top right corner 
	Test Data
	Expected Result The login page is loaded successfully
3	Step The user types nothing in the Email/ username field
	Test Data
	Expected Result The user receives a message that Email or username should be entered Login Username or Email <input type="text"/> <small>Please input your username or email!</small>
4	Step The user types nothing in the password field and press the Login button
	Test Data
	Expected Result The the user is not be able to login. Login Username or Email <input type="text"/> <small>Please input your username or email!</small> Password <input type="password"/> <small>Please input your Password!</small> 

	<div>Login</div>



SWTES1301-T776 (1.0) - [TG3] [Svetoslav] Login negative with missing email/ username and missing password as Admin

Details

Key	SWTES1301-T776
Name	[TG3] [Svetoslav] Login negative with missing email/ username and missing password as Admin
Objective	The purpose of the test case is to check if the user Admin entering no email/ no username and no password, will be able to log into the application
Precondition	<ol style="list-style-type: none">1. The user can load the application2. The user has registration and granted permissions
Folder	TestGroup3/Svetoslav/Login functionality
Status	Draft
Priority	High
Component	-
Owner	Svetoslav Angelov
Estimated Time	-
Labels	
Traceability	Polling App - Software Requirement Specification
Attachments	
Dates	Created on 02/08/2022 09:56:11 by Svetoslav Angelov Updated on 02/08/2022 09:57:13 by Svetoslav Angelov

Test Script

1	Step Go to the URL address and start the application
	Test Data http://poll-app5-20220113.softacad.bg/polls
	Expected Result

	The application is loaded successfully
2	Step Go to the button Login at the top right corner 
	Test Data
	Expected Result The login page is loaded successfully
3	Step The user types nothing in the Email/ username field
	Test Data
	Expected Result The user receives a message that Email or username should be entered Login Username or Email <input data-bbox="207 1295 766 1337" type="text"/> <small>Please input your username or email!</small>
4	Step The user types nothing in the password field and press the Login button
	Test Data
	Expected Result The the user is not be able to login. Login Username or Email <input data-bbox="203 1778 777 1820" type="text"/> <small>Please input your username or email!</small> Password <input data-bbox="203 1898 777 1940" type="password"/> <small>Please input your Password!</small> 

	<div>Login</div>

