Sign up with valid credentials

Severity	Priority	Behavior	Type
— Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon

Steps to reproduce

Step	1
Action	Enter a valid first name and surname
Input data	Име: Svetoslava Фамилия: Stoyanova
Expected result	

Step	2
Action	Enter a valid email
Input data	Email: svetoslavatest123@abv.bg
Expected result	Email should be entered succesffully

Step	3
Action	Enter a valid password
Input data	test123
Expected result	Password should be encrypted

Step	4
Action	Enter a valid password conformation
Input data	test123
Expected result	Password conformation should be encrypted

Step	5

Action	Click on all the required checkboxes
Input data	
Expected result	Checkboxex should be checked successfully

Step	6
Action	Click on the 'Регистрация' button
Input data	
Expected result	User should be redirected to the login page and a verification e-mail should be send to the user

Sign up with an invalid first name

Severity	Priority	Behavior	Type
— Not set	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon
3. Click on the 'Регистрация' button

Steps to reproduce

Step	1
Action	Enter an invalid first name
Input data	123456
Expected result	First name should be entered in a wrong format

Step	2
Action	Enter a valid surname
Input data	Фамилия: Stoyanova
Expected result	Surname should be entered successfully

Step	3
Action	Enter a valid email
Input data	Email: svetoslavatest123@abv.bg
Expected result	Email should be entered successffully

Step	4
Action	Enter a valid password and valid password conformation
Input data	test123 test123
Expected result	Passwords should be encrypted

Step	5

Action	Click on all the required checkboxes
Input data	
Expected result	Checkboxex should be checked successfully

Step	6
Action	Click on the 'Регистрация' button
Input data	
Expected result	Error message should be displayed

Sign up with an invalid surname

Severity	Priority	Behavior	Type
─ Not set	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon
3. Click on the 'Регистрация' button

Steps to reproduce

Step	1
Action	Enter a valid first name
Input data	Име: Svetoslava
Expected result	First name should be entered successfully

Step	2
Action	Enter an invalid surname
Input data	123456
Expected result	Surname should be entered in a wrong format

Step	3
Action	Enter a valid email
Input data	Email: svetoslavatest123@abv.bg
Expected result	Email should be entered succesffully

Step	4
Action	Enter a valid password and valid password conformation
Input data	test123 test123
Expected result	Password should be encrypted

Step	5

Action	Click on all the required checkboxes
Input data	
Expected result	Checkboxex should be checked successfully

Step	6
Action	Click on the 'Регистрация' button
Input data	
Expected result	Error message should be displayed

Sign up with an invalid email

Severity	Priority	Behavior	Type
— Not set	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon
3. Click on the 'Регистрация' button

Steps to reproduce

Step	1
Action	Enter a valid first name and surname
Input data	Име: Svetoslava Фамилия: Stoyanova
Expected result	

Step	2
Action	Enter an invalid email format
Input data	Email: svetoslava
Expected result	Email should be entered in a wrong format

Step	3
Action	Enter a valid password
Input data	test123
Expected result	Password should be encrypted

Step	4
Action	Enter a valid password conformation
Input data	test123
Expected result	Password conformation should be encrypted

Step	5

Action	Click on all the required checkboxes
Input data	
Expected result	Checkboxex should be checked successfully

Step	6
Action	Click on the 'Регистрация' button
Input data	
Expected result	Error message should be displayed

Sign up with a very short password

Severity	Priority	Behavior	Type
— Not set	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon
3. Click on the 'Регистрация' button

Steps to reproduce

Step	1
Action	Enter a valid first name and surname
Input data	Име: Svetoslava Фамилия: Stoyanova
Expected result	

Step	2
Action	Enter a valid email
Input data	Email: svetoslavatest123@abv.bg
Expected result	Email should be entered succesfully

Step	3
Action	Enter a very short password
Input data	123
Expected result	Password should consist of only three symbols

Step	4
Action	Enter a valid password conformation
Input data	test123
Expected result	Password conformation should be encrypted

Step	5

Action	Click on all the required checkboxes
Input data	
Expected result	Checkboxex should be checked successfully

Step	6
Action	Click on the 'Регистрация' button
Input data	
Expected result	Error message should be dsiplayed

Sign up with a different conformation password

Severity	Priority	Behavior	Type
▬ Not set	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon
3. Click on the 'Регистрация' button

Steps to reproduce

Step	1
Action	Enter a valid first name and surname
Input data	Име: Svetoslava Фамилия: Stoyanova
Expected result	

Step	2
Action	Enter a valid email
Input data	Email: svetoslavatest123@abv.bg
Expected result	Email should be entered succesfully

Step	3
Action	Enter a valid password
Input data	test123
Expected result	Password should be entered succesfully

Step	4
Action	Enter a different password in the password conformation field
Input data	test122
Expected result	Password conformation should be different than the password

Step	5

Action	Click on all the required checkboxes
Input data	
Expected result	Checkboxex should be checked successfully

Step	6
Action	Click on the 'Регистрация' button
Input data	
Expected result	Error message should be displayed

Sign up with an unchecked required field

Severity	Priority	Behavior	Type
— Not set	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon
3. Click on the 'Регистрация' button

Steps to reproduce

Step	1
Action	Enter a valid first name and surname
Input data	Име: Svetoslava Фамилия: Stoyanova
Expected result	

Step	2
Action	Enter a valid email
Input data	Email: svetoslavatest123@abv.bg
Expected result	Email should be entered succesfully

Step	3
Action	Enter a valid password
Input data	test123
Expected result	Password should be entered succesfully

Step	4
Action	Enter a valid password conformation
Input data	test123
Expected result	Password conformation should be entered succesfully

Step	5

Action	Leave one of the required checkboxes unchecked
Input data	"Запознах се с общите условия и ги приемам"
Expected result	"Запознах се с общите условия и ги приемам" checkbox should be left unchecked

Step	6
Action	Click on the 'Регистрация' button
Input data	
Expected result	Error message should be displayed

Sign up with an empty email field

Severity	Priority	Behavior	Type
— Not set	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon
3. Click on the 'Регистрация' button

Steps to reproduce

Step	1
Action	Enter a valid first name and surname
Input data	Име: Svetoslava Фамилия: Stoyanova
Expected result	

Step	2
Action	Leave the email field empty
Input data	
Expected result	Email field should be left empty

Step	3
Action	Enter a valid password
Input data	test123
Expected result	Password should be entered succesfully

Step	4
Action	Enter a valid password conformation
Input data	test123
Expected result	Password conformation should be be entered succesfully

Step	5

Action	Click on all the required checkboxes
Input data	
Expected result	Checkboxex should be checked successfully

Step	6
Action	Click on the 'Регистрация' button
Input data	
Expected result	Error message should be displayed

Sign up with an empty password field

Severity	Priority	Behavior	Type
— Not set	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon
3. Click on the 'Регистрация' button

Steps to reproduce

Step	1
Action	Enter a valid first name and surname
Input data	Име: Svetoslava Фамилия: Stoyanova
Expected result	

Step	2
Action	Enter a valid email
Input data	email: svetoslavatest123@abv.bg
Expected result	Email should be entered succesfully

Step	3
Action	Leave the password field empty
Input data	
Expected result	Password field should be left empty

Step	4
Action	Enter a valid password conformation
Input data	test123
Expected result	Password conformation should be succesfully entered

Step	5

Action	Click on all the required checkboxes
Input data	
Expected result	Checkboxex should be checked successfully

Step	6
Action	Click on the 'Регистрация' button
Input data	
Expected result	Error message should be displayed

Action	Click on all the required checkboxes
Input data	
Expected result	Checkboxex should be checked successfully

Sign up with an already existing email

Severity	Priority	Behavior	Type
— Not set	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon
3. Click on the 'Регистрация' button

Steps to reproduce

Step	1
Action	Enter a valid first name and surname
Input data	Име: Svetoslava Фамилия: Stoyanova
Expected result	

Step	2
Action	Enter an already existing email
Input data	email: svetoslavatest123@abv.bg
Expected result	A valid but an already existing email should be entered

Step	3
Action	Enter a valid password
Input data	test123
Expected result	Password should be entered succesfully

Step	4
Action	Enter a valid password conformation
Input data	test123
Expected result	Password conformation should be succesfully entered

Step	5

Action	Click on all the required checkboxes
Input data	
Expected result	Checkboxex should be checked successfully

Step	6
Action	Click on the 'Регистрация' button
Input data	
Expected result	Error message should be displayed

Login with valid credentials

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon

Steps to reproduce

Step	1
Action	Enter a valid email
Input data	svetoslava123@abv.bg
Expected result	Email should be entered successfully

Step	2
Action	Enter a valid password
Input data	test123
Expected result	Password should be entered successfully

Step	3
Action	Click on the 'Вход' button
Input data	
Expected result	User should be successfully logged in

Login with a wrong email

Severity	Priority	Behavior	Type
O Normal	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon

Steps to reproduce

Step	1
Action	Enter an invalid email
Input data	svetla@abv.bg
Expected result	A wrong email should be entered

Step	2
Action	Enter a valid password
Input data	test123
Expected result	A valid password should be entered

Step	3
Action	Click on the 'Вход' button
Input data	
Expected result	Error message should be displayed

Login with an invalid email format

Severity	Priority	Behavior	Type
O Normal	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon

Steps to reproduce

Step	1
Action	Enter a wrong email format
Input data	svetla
Expected result	A wrong email format should be entered

Step	2
Action	Enter a valid password
Input data	test123
Expected result	A valid password should be entered

Step	3
Action	Click on the 'Вход' button
Input data	
Expected result	An error message should be displayed

Login with an empty email field

Severity	Priority	Behavior	Type
O Normal	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon

Steps to reproduce

Step	1
Action	Leave the email field empty
Input data	
Expected result	Email field should be left empty

Step	2
Action	Enter a valid password
Input data	test123
Expected result	A valid password should be entered

Step	3
Action	Click on the 'Вход' button
Input data	
Expected result	An errow message should be displayed

Login with a wrong password

Severity	Priority	Behavior	Type
O Normal	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon

Steps to reproduce

Step	1
Action	Enter a valid email
Input data	svetoslavatest123@abv.bg
Expected result	Email should be entered successfully

Step	2
Action	Enter a wrong password
Input data	test
Expected result	A wrong password should be entered

Step	3
Action	Click on the 'Вход' button
Input data	
Expected result	An error message should be displayed

Login with an empty password field

Severity	Priority	Behavior	Type
O Normal	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon

Steps to reproduce

Step	1
Action	Enter a valid email
Input data	svetoslavatest123@abv.bg
Expected result	Email should be entered successfully

Step	2
Action	Leave the password field empty
Input data	
Expected result	Password field should be left empty

Step	3
Action	Click on the 'Вход' button
Input data	
Expected result	An errow message should be displayed

Enter a valid email in the 'Забравена парола' field

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon
3. Enter wrong credentials in the email/password fields
4. Click on the 'Забравена парола'

Steps to reproduce

Step	1
Action	Enter a valid email
Input data	svetoslavatest123@abv.bg
Expected result	Email should be entered successfully

Step	2
Action	Click on the 'Нова парола' button
Input data	
Expected result	Message should be displayed

Step	3
Action	Click on the link provided in the email
Input data	
Expected result	A new page should be opened with a reset password fields

Step	4
Action	Enter a valid password in the 'Нова парола' field
Input data	test123
Expected result	New password should be entered successfully

Step	5
Action	Enter a valid password conformation in the 'Потвърди паролата' field
Input data	test123
Expected result	Password conformation should be the same as the password

Step	6
Action	Click on the 'Промени паролата' field
Input data	
Expected result	A message should be displayed

Login with changed password

Severity	**Priority**	**Behavior**	**Type**
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website www.teodor.bg
2. Click on the profile icon

Steps to reproduce

Step	1
Action	Enter a valid email
Input data	svetoslavatest123@abv.bg
Expected result	Email should be entered successfully

Step	2
Action	Enter the valid new password
Input data	
Expected result	The new password should be entered successfully

Step	3
Action	Click on the 'Вход' button
Input data	
Expected result	User should be successfully logged in with the new password

Successful expiration of the password reset link

Severity	Priority	Behavior	Type
Severity	**Priority**	**Behavior**	**Type**
O Normal	O Medium	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Open the 'Задайте нова парола 'link sent to the email
Input data	
Expected result	

Step	2
Action	Change the old password with a new one
Input data	
Expected result	

Step	3
Action	Open the "Задайте нова парола" link sent to the email after you have successfully changed the password with a new one
Input data	
Expected result	An error message should be displayed

Logout successfully

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'
2. Enter a valid username
3. Enter a valid password

Steps to reproduce

Step	1
Action	Click on the profile icon
Input data	
Expected result	

Step	2
Action	Click on the 'Изход' button in the section 'Моят профил' positioned on the left side
Input data	
Expected result	A message should be displayed

User is redirected to the home page in under 5 seconds after loging out

Severity	Priority	Behavior	Type
O Normal	O Medium	Positive	Performance

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'
2. Enter a valid username
3. Enter a valid password
4. Click on the profile icon

Steps to reproduce

Step	1
Action	Click on the 'Изход' button in the section 'Моят профил' positioned on the left side
Input data	
Expected result	A message should be displayed

Step	2
Action	Count five seconds
Input data	
Expected result	User should be successfully redirected to the home page

Add a product to cart

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1.Open the website 'www.tedor.bg'
2.User must be logged in

Steps to reproduce

Step	1
Action	Click on section 'Обувки' in the nav bar
Input data	
Expected result	

Step	2
Action	Click on the subcategory 'Официални обувки' from the dropdown menu of 'Категории' section
Input data	
Expected result	

Step	3
Action	Select a product from the displayed options and click on it
Input data	'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3'
Expected result	The page of the selected product should open correctly

Step	4
Action	Select a preferred size and click on it
Input data	Размер: 42
Expected result	User should be able to select only one of the sizes and when clicked the size should be successfully selected

Step	5

Action	Click on the button 'Добави'
Input data	
Expected result	The product should be successfully added to the cart and a message should be displayed

Add a product to cart without selecting a size

Severity	Priority	Behavior	Type
O Normal	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. The user should be logged in

Steps to reproduce

Step	1
Action	Click on section 'Обувки' in the nav bar
Input data	
Expected result	The page 'Обувки' should open correctly

Step	2
Action	Click on the subcategory 'Официални обувки' from the dropdown menu of 'Категории' section
Input data	
Expected result	The page 'ОФИЦИАЛНИ МЪЖКИ ОБУВКИ' should open correctly

Step	3
Action	Select a product from the listed product options
Input data	'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3'
Expected result	The page of the selected item should open correctly

Step	4
Action	Don't select any of the size options
Input data	
Expected result	An error message should appear telling the user that the size field is a required one: 'Това е задължително поле.'

User is able to view the added product in his cart

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. User must be logged in
2. User should have one item in the cart

Steps to reproduce

Step	1
Action	Click on the cart item
Input data	
Expected result	User should be able to see the added to cart item and all of its details

Increase the quantity of an already added to the cart product by one

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website teodor.bg
2. A product should already be in the cart

Steps to reproduce

Step	1
Action	Click on the cart icon
Input data	
Expected result	User should be able to see the added to cart item and all of its details

Step	2
Action	Increase the quantity of the added item by one by using the '+' button
Input data	Количество: 1
Expected result	The item quantity should be equal to '2'

Decrease the quantity of an already added to the cart product by one

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. User must be logged in
2. A product should already be in the cart

Steps to reproduce

Step	1
Action	Click on the cart icon
Input data	
Expected result	User should be able to see the added to cart item and all of its details

Step	2
Action	Decrease the quantity of the added item by one by clicking on the '-' button
Input data	Количество: 2
Expected result	The item quantity should be equal to '1'

Edit the size of an added to the cart product

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. User must be logged in
2. A product should already be in the cart

Steps to reproduce

Step	1
Action	Click on the cart item
Input data	
Expected result	User should be able to see the added to cart item and all of its details

Step	2
Action	Click on the edit button of the added item
Input data	
Expected result	A new page with all the details of the item should open

Step	3
Action	Select the size '43' from the provided size options
Input data	
Expected result	Color should be replaced with 'черен' and the button 'Актуализирай количката' should be presented to the user

Step	4
Action	CLick on the 'Актуализирай количката' button
Input data	
Expected result	The size of the item should be successfully edited and a message should be displayed

Edit the color of an added to the cart product

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. User must be logged in
2. A product should already be in the cart

Steps to reproduce

Step	1
Action	Click on the cart item
Input data	
Expected result	User should be able to see the added to cart item and all of its details

Step	2
Action	Click on the edit button of the added item
Input data	
Expected result	A new page with all the details of the item should be opened

Step	3
Action	Select the color 'черен' from the provided color options
Input data	черен
Expected result	Color should be replaced with 'черен' and the button 'Актуализирай количката' should be presented to the user

Add the same product to the cart twice

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. User must be logged in
2. A product should already be in the cart

Steps to reproduce

Step	1
Action	Click on section 'Обувки' in the nav bar
Input data	
Expected result	The page 'Обувки' should open correctly

Step	2
Action	Click on the subcategory 'Официални обувки' from the dropdown menu of 'Категории' section
Input data	
Expected result	The page 'ОФИЦИАЛНИ МЪЖКИ ОБУВКИ' should open correctly

Step	3
Action	Choose the same item for a second time
Input data	
Expected result	The page of the select item should open correctly

Step	4
Action	Select the size '43' and click on it
Input data	Рамер: 43
Expected result	User should be able to select only one of the size options and when clicked the size should be successfully selected

Step	5
Action	Click on the button 'Добави'
Input data	
Expected result	The item should be successfully added to the cart and a message should be displayed

Step	6
Action	Click on the cart icon
Input data	
Expected result	User should see the only one product with a quantity of '2'

Add a second prodcut to cart

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. User must be logged in
2. A product should already be in the cart

Steps to reproduce

Step	1
Action	Click on section 'Обувки' in the nav bar
Input data	
Expected result	The page 'Обувки' should open correctly

Step	2
Action	Click on the subcategory 'Официални обувки' from the dropdown menu of 'Категории' section
Input data	
Expected result	The page 'ОФИЦИАЛНИ МЪЖКИ ОБУВКИ' should open correctly

Step	3
Action	Select one product from the displayed options and click on it
Input data	'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3'
Expected result	The page of the selected item should open correctly

Step	4
Action	Select the size '43' and click on it
Input data	Рамер: 43
Expected result	User should be able to select only one of the sizes and when clicked the size should be successfully chosen

Step	5

Action	Click on the button 'Добави'
Input data	
Expected result	The item should be successfully added to the cart and a message should be displayed

Step	6
Action	Click on the cart icon
Input data	
Expected result	User should see two products added in the cart

Added products are saved in the cart if the user logs out

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. User must be logged in
2. User should have 2 items in the cart

Steps to reproduce

Step	1
Action	Click on the 'Изход' button in the section 'Моят профил' positioned on the left side
Input data	
Expected result	A message should be displayed

Step	2
Action	Click on the profile icon
Input data	
Expected result	

Step	3
Action	Enter a valid email
Input data	Email: svetoslavatest123@abv.bg
Expected result	Email should be entered successfully

Step	4
Action	Enter a valid password
Input data	Password: test123
Expected result	Password should be entered successfully

Step	5

Action	Click on the 'Вход' button
Input data	
Expected result	User should be successfully logged in

Step	6
Action	Open the cart icon
Input data	
Expected result	User should be able to see the 2 added items and all of their details

Delete a product from the cart

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. User must be logged in
2. A product should already be in the cart

Steps to reproduce

Step	1
Action	Click on the cart item
Input data	
Expected result	User should be able to see the added to cart item and all of its details

Step	2
Action	Click on the delete button of the item
Input data	
Expected result	The product should be successfully deleted

Total price calculation works as expected if the quntity of a product is increased by one

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. User must be logged in
2. A product should already be in the cart

Steps to reproduce

Step	1
Action	Click on the cart item
Input data	
Expected result	User should be able to see the added to cart item and all of its details

Step	2
Action	Increase the quantity of the added item by one by clicking on the '+' button
Input data	Количество: 1 Цена: 249,99
Expected result	The item quantity should be equal to '2' and the total price of the item should be equal to '499,98'

Search box element is visible and clickabale

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Navigate to the top of the page where the search box element is located
Input data	
Expected result	Search box should be visible for the user

Step	2
Action	Click on the search box icon
Input data	
Expected result	Search box should be clickable

Search box accepts input from the user

Severity	Priority	Behavior	Type
Severity	**Priority**	**Behavior**	**Type**
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.tedor.bg'

Steps to reproduce

Step	1
Action	Click on the search bar icon
Input data	
Expected result	Search bar should open correctly

Step	2
Action	Click on the search field and start typing
Input data	a
Expected result	Placeholder should be replaced by 'a'

Search for a valid item in the search bar field

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.tedor.bg'
2. Click on the search box icon

Steps to reproduce

Step	1
Action	Enter a valid search term or item name in the search box
Input data	лен
Expected result	

Step	2
Action	Press Enter
Input data	
Expected result	A new page with the desired results should be opened

Search for an invalid item in the search bar field

Severity	Priority	Behavior	Type
O Normal	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.tedor.bg'
2. Click on the search box icon

Steps to reproduce

Step	1
Action	Enter a word consist of only one character
Input data	a
Expected result	Placeholder should be replaced by 'a'

Step	2
Action	Press Enter
Input data	
Expected result	A new page with an error message should open: 'Минималаната дължина на заявката за търсене 3'

Search functionality works correctly when the search field is empty

Severity	Priority	Behavior	Type
O Normal	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.tedor.bg'
2. Click on the search box icon

Steps to reproduce

Step	1
Action	Leave the search bar field empty
Input data	
Expected result	

Step	2
Action	Press Enter
Input data	
Expected result	A message should appear with no results displayed

Search for an unexisting product

Severity	Priority	Behavior	Type
O Normal	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.tedor.bg'
2. Click on the search box icon

Steps to reproduce

Step	1
Action	Enter an unexisting search term or item name in the search box
Input data	телефон
Expected result	

Step	2
Action	Press Enter
Input data	
Expected result	A new page with an error message should be displayed

Search for a misspelled term

Severity	Priority	Behavior	Type
O Normal	↑ High	Negative	Functional

Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.tedor.bg'
2. Click on the search box icon

Steps to reproduce

Step	1
Action	Enter a misspelled search term or item name in the search box
Input data	панаталон
Expected result	Placeholder should be replaced by 'панаталон'

Step	2
Action	Press Enter
Input data	
Expected result	A new page should open with an error message consisted of a link which leads to the correct term: 'Вашето търсене " панаталон " не съответства на продукти. Имаше в предвид: 'панталон'

The link to a misspelled word works correctly

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.tedor.bg'
2. Click on the search box icon

Steps to reproduce

Step	1
Action	Enter a misspelled search term or item name in the search box
Input data	панаталон
Expected result	

Step	2
Action	Press Enter
Input data	
Expected result	A new page should open with an error message consisted of a link which leads to the correct term: 'Вашето търсене " панаталон " не съответства на продукти. Имаше в предвид: 'панталон'

Step	3
Action	Click on the provided link
Input data	
Expected result	The link should be clickable and should lead to the correct term

Search for an existing term with multiple words entered

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.tedor.bg'
2. Click on the search box icon

Steps to reproduce

Step	1
Action	Enter two existing terms in the search bar field
Input data	червена вратовръзка
Expected result	

Step	2
Action	Press Enter
Input data	
Expected result	A new page with the desired results should be opened

Product page opens correctly

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg

Steps to reproduce

Step	1
Action	Hover on the category 'Обувки' placed in the nav bar
Input data	
Expected result	The category should be underlined when hovered and a drop down menu should appear under it

Step	2
Action	Hover on the subcategory 'Официални обувки' of the category 'Обувки'
Input data	
Expected result	The subcategory should be underlined when hovered

Step	3
Action	Click on the subcategory 'Официални обувки'
Input data	
Expected result	A new page consisted of the products in the subcategory 'Официални обувки' should open

Step	4
Action	Select the item 'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3' and click on it
Input data	
Expected result	The correct endpoint for the selected item should be opened

Zoom in works corectly for the selected product's images

Severity	**Priority**	**Behavior**	**Type**
O Normal	O Medium	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'teodor.bg'
2. The item 'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3' from the subcategory 'Официални обувки' of the category 'Обувки' should be already selected

Steps to reproduce

Step	1
Action	Hover on one of the product's images
Input data	
Expected result	The image should become darker when hovered and a zoom in icon should appear in the centre of the image

Step	2
Action	Click on the zoom in icon
Input data	
Expected result	A gallery slide show with keyboard arrow keys and a zoom in and zoom out button should appear on the screen

Step	3
Action	Click on the zoom in button
Input data	
Expected result	The image should be successfully zoomed in

Zoom out works corectly for the selected product's images

Severity	Priority	Behavior	Type
O Normal	O Medium	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'teodor.bg'
2. The item 'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3' from the subcategory 'Официални обувки' of the category 'Обувки' should be already selected

Steps to reproduce

Step	1
Action	Hover on one of the product's images
Input data	
Expected result	The image should become darker when hovered and a zoom in icon should appear in the centre of the image

Step	2
Action	Click on the zoom in icon
Input data	
Expected result	A gallery slide show with keyboard arrow keys and a zoom in and zoom out button should appear on the screen

Step	3
Action	Click on the zoom out button
Input data	
Expected result	The image should be successfully zoomed in

Store availability link works as expected when a size of a product is selected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'teodor.bg'
2. The item 'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3' from the subcategory 'Официални обувки' of the category 'Обувки' should be already selected

Steps to reproduce

Step	1
Action	Select a szie of the item
Input data	42
Expected result	The size should be successfully selected

Step	2
Action	Click on the 'Виж наличност по магазини' button
Input data	
Expected result	The store availability for the product should be listed by their names if there is any

Store availability link works as expected when a size of a product is not selected

Severity	Priority	Behavior	Type
O Normal	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status
Actual

Pre-conditions

1. Open the website 'teodor.bg'
2. The item 'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3' from the subcategory 'Официални обувки' of the category 'Обувки' should be already selected

Steps to reproduce

Step	1
Action	Don't select any of the size options
Input data	
Expected result	

Step	2
Action	Click on the 'Виж наличност по магазини' button
Input data	
Expected result	A meesage should appear telling the user to selectone of the size options: 'Моля, изберете опция, за да видите информация за магазина.'

Quick order button works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'teodor.bg'
2. The item 'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3' from the subcategory 'Официални обувки' of the category 'Обувки' should be already selected

Steps to reproduce

Step	1
Action	Click on the 'Улеснена поръчка' button
Input data	
Expected result	Pop-up form should appear on the screen

Step	2
Action	Enter a valid email in the email field
Input data	svetoslavatest123@abv.bg
Expected result	Email should be entered successfully

Step	3
Action	Enter a valid first name in the first name field
Input data	test123
Expected result	First name should be entered successfully

Step	4
Action	Enter a valid phone number
Input data	123456789
Expected result	Phone number should be successfully entered

Step	5

Action	Select a size from the 'Размер' drop down menu
Input data	
Expected result	All the size options should be visible for the user

Step	6
Action	Check the reCaptcha widget checkbox
Input data	
Expected result	

Step	7
Action	Click on the 'Поръчай' button
Input data	
Expected result	User should successfully make a quick order

The button to delete an item from a wishlist works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'teodor.bg'
2. The item 'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3' should already be in the user's wishlist

Steps to reproduce

Step	1
Action	Hover on the desired item from the wishlist
Input data	ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3
Expected result	A delete button should appear at the bottom of the hovered item

Step	2
Action	Click on the delete button
Input data	
Expected result	The selected item should be removed from the wishlist and a message should appear: 'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ has been removed from your Wish List.'

Add to wishlist button works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'teodor.bg'
2. The item 'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3' from the subcategory 'Официални обувки' of the category 'Обувки' should be already selected

Steps to reproduce

Step	1
Action	Hover on the 'Добави в любими' button
Input data	
Expected result	The text inside the button should be underlined when hovered

Step	2
Action	Click on the 'Добави в любими' button
Input data	
Expected result	A message should appear:'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ е добавен към вашия списък с желани продукти Натиснете тук за да продължите с пазаруването.' and a new page with the correct endpoint of the wishlist should be opened

Add two items to the wishlist

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'teodor.bg'
2. Hover on the category 'Обувки' placed in the nav bar
3. Hover on the subcategory 'Официални обувки' of the category 'Обувки'
4. Click on the subcategory 'Официални обувки'
5. Select the item 'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3' and click on it

Steps to reproduce

Step	1
Action	Click on the 'Добави в любими' button
Input data	
Expected result	A message should appear:'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ е добавен към вашия списък с желани продукти Натиснете тук за да продължите с пазаруването.' and a new page with the correct endpoint of the wishlist should be opened

Step	2
Action	Hover on the category 'Обувки' placed in the nav bar
Input data	
Expected result	

Step	3
Action	Hover on the subcategory 'Официални обувки' of the category 'Обувки'
Input data	
Expected result	

Step	4
Action	Click on the subcategory 'Официални обувки'

Input data	

Expected result	

Step	5

Action	Select the item 'ЧЕРНИ КЛАСИЧЕСКИ ОБУВКИ ТИП ОКСФОРД ОТ ГЛАДКА КОЖА 230151172072-1'

Input data	

Expected result	

Step	6

Action	Click on the 'Добави в любими' button

Input data	

Expected result	A message should appear:'ЧЕРНИ КЛАСИЧЕСКИ ОБУВКИ ТИП ОКСФОРД ОТ ГЛАДКА КОЖА е добавен към вашия списък с желани продукти Натиснете тук за да продължите с пазаруването.' and a new page with the correct endpoint of the wishlist should be opened

Step	7

Action	Click on the wishlist icon placed in the header of the page

Input data	

Expected result	The wishlist page should open correctly and the two items should be visible for the user

Add the same item to the wishlist twice

Severity	**Priority**	**Behavior**	**Type**
O Normal	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'teodor.bg'
2. Hover on the category 'Обувки' placed in the nav bar
3. Hover on the subcategory 'Официални обувки' of the category 'Обувки'
4. Click on the subcategory 'Официални обувки'
5. Select the item 'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3' and click on it

Steps to reproduce

Step	1
Action	Click on the 'Добави в любими' button
Input data	
Expected result	A message should appear telling the user that this item has already been added to the wishlist

Size table chart works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'teodor.bg'
2. Hover on the category 'Обувки' placed in the nav bar
3. Hover on the subcategory 'Официални обувки' of the category 'Обувки'
4. Click on the subcategory 'Официални обувки'
5. Select the item 'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3' and click on it

Steps to reproduce

Step	1
Action	Click on the 'Таблица с размери' button
Input data	
Expected result	A size chart pop-up should appear on the screen with the information about the number and the sizes of the item

Toggle buttons work as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'teodor.bg'
2. Hover on the category 'Обувки' placed in the nav bar
3. Hover on the subcategory 'Официални обувки' of the category 'Обувки'
4. Click on the subcategory 'Официални обувки'
5. Select the item 'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3' and click on it

Steps to reproduce

Step	1
Action	Select the tab 'Описание' from the tab list and click on the '+' button
Input data	
Expected result	The content of the tab 'Описание' must be extended and visible to the user

Step	2
Action	Click on the '-' button of the 'Описание' tab
Input data	
Expected result	The content of the tab 'Описание' should be closed and not visible to the user anymore

Interaction between two of the tabs in the tablist

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Integration

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'teodor.bg'
2. Hover on the category 'Обувки' placed in the nav bar
3. Hover on the subcategory 'Официални обувки' of the category 'Обувки'
4. Click on the subcategory 'Официални обувки'
5. Select the item 'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3' and click on it

Steps to reproduce

Step	1
Action	Select the tab 'Описание' from the tab list and click on the '+' button
Input data	
Expected result	The content of the tab 'Описание' should be extended and visible to the user

Step	2
Action	Select the tab 'Тъкан/Поддръжка' from the tab list and click on the '+' button
Input data	
Expected result	The content of the tab 'Описание' should be closed and not visible to the user anymore and the content of the tab 'Тъкан/Поддръжка' should be opened and visible to the user

Share tab from the tab list works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'teodor.bg'
2. Hover on the category 'Обувки' placed in the nav bar
3. Hover on the subcategory 'Официални обувки' of the category 'Обувки'
4. Click on the subcategory 'Официални обувки'
5. Select the item 'ТЪМНО КАФЯВИ КЛАСИЧЕСКИ ОБУВКИ ТИП ДЕРБИ 230151172026-3' and click on it

Steps to reproduce

Step	1
Action	Select the tab 'Сподели' from the tab list and click on the '+' button
Input data	
Expected result	The content of the tab 'Сподели' should be extended and visible to the user

Step	2
Action	Click on the facebook icon
Input data	
Expected result	A new pop-up window should appear with a facebook login page

Step	3
Action	Enter valid username and password for the facebook account
Input data	
Expected result	Username and password should be succesfully entered

Step	4
Action	Click on the 'Влизане' button
Input data	
Expected result	User should be succesfully logged in to his facebook profile

Step	5
Action	Click on the 'Публикуване във Facebook' button
Input data	
Expected result	A link to the selected item should be successfully shared in your facebook profile

Categories in nav bar are underlined when hovered over

Severity	Priority	Behavior	Type
O Normal	O Medium	Positive	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Open the website 'www.tedor.bg'
Input data	
Expected result	

Step	2
Action	Hover on every category in the nav bar
Input data	
Expected result	All the categories should be underlined when hovered

Drop-down menus are triggered when hovering over categories in the nav bar

Severity	Priority	Behavior	Type
O Normal	O Medium	Positive	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Steps to reproduce

Step	1
Action	Open the website 'www.teodor.bg'
Input data	
Expected result	

Step	2
Action	Hover over all of the categories in the nav bar
Input data	
Expected result	Drop-down menus should be triggered by hovering over the categories

Text of the list elements in the drop-down menus is properly aligned

Severity	Priority	Behavior	Type
O Normal	O Medium	Positive	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Open the website 'www.tedor.bg'
Input data	
Expected result	

Step	2
Action	Hover over all of the subcategories
Input data	
Expected result	The text in all of the drop-down menus should be properly aligned

Subcategories are underlined when hovered over

Severity	Priority	Behavior	Type
O Normal	O Medium	Positive	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Steps to reproduce

Step	1
Action	Open the website 'www.tedor.bg'
Input data	
Expected result	

Step	2
Action	Hover over every subcategory of the main categories
Input data	
Expected result	All subcategories should be underlined when hovered over

Clicking on categories navigates to their corresponding end points

Severity	Priority	Behavior	Type
O Normal	O Medium	Positive	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Steps to reproduce

Step	1
Action	Open the website 'www.tedor.bg'
Input data	
Expected result	

Step	2
Action	Click on all of the categories in the nav bar
Input data	
Expected result	All categories should navigate to their proper page when clicked

Clicking on subcategories navigates to their corresponding end points

Severity	Priority	Behavior	Type
O Normal	O Medium	Positive	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Steps to reproduce

Step	1
Action	Open the website 'www.tedor.bg'
Input data	
Expected result	

Step	2
Action	Click on all of the subcategories in the nav bar
Input data	
Expected result	All subcategories should navigate to their proper page when clicked

'Категории' tab of the 'Филтри' tablist in a main category is working as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category and click on it
Input data	
Expected result	

Step	2
Action	Click on the down arrow icon of the 'Категории' tab of the 'Филтри' tablist
Input data	
Expected result	The content of the tab should be extended and visible to the user

Step	3
Action	Click on the up arrow icon of the 'Категории' tab of the 'Филтри' tablist
Input data	
Expected result	The content of the tab should be closed and not visible to the user anymore

'Цвят' tab of the 'Филтри' tablist in a main category is working as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category and click on it
Input data	
Expected result	

Step	2
Action	Click on the down arrow icon of the 'Цвят' tab of the 'Филтри' tablist
Input data	
Expected result	The content of the tab should be extended and visible to the user

Step	3
Action	Click on the up arrow icon of the 'Цвят' tab of the 'Филтри' tablist
Input data	
Expected result	The content of the tab should be closed and not visible to the user anymore

'Цвят' tab of the 'Филтри' tablist shows results with the right color

Severity	**Priority**	**Behavior**	**Type**
O Normal	↑ High	Positive	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category and click on it
Input data	
Expected result	

Step	2
Action	Select the 'Бежов' цвят from the 'Цвят' tab
Input data	
Expected result	Only products with beige color should be shown on the screen

'Размер' filter is opening and closing when clicked

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category and click on it
Input data	
Expected result	

Step	2
Action	Click on the down arrow icon of the size filter
Input data	
Expected result	The content of the size filter should be extended and visible to the user

Step	3
Action	Click on the up arrow icon of size filter
Input data	
Expected result	The content of the size filter should be closed and not visible to the user anymore

'Размер' filter is working as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category and click on it
Input data	
Expected result	

Step	2
Action	Select the smallest size of the size options
Input data	39
Expected result	Only products with size '39' should be displayed or products for which '39' size is avaliable

Step	3
Action	Select the middle size of the size options
Input data	44
Expected result	Only products with size '44' should be displayed or products for which '44' size is avaliable

Step	4
Action	Select the largest size of the size options
Input data	46
Expected result	Only products with size '46' should be displayed or products for which '44' size is avaliable

'Тъкан' filter is opening and closing when clicked

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category and click on it
Input data	
Expected result	

Step	2
Action	Click on the down arrow icon of the fabric filter
Input data	
Expected result	The content of the fabric filter should be extended and visible to the user

Step	3
Action	Click on the up arrow icon of fabric filter
Input data	
Expected result	The content of the fabric filter should be closed and not visible to the user anymore

'Тъкан' filter's checklist is working as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category and click on it
Input data	
Expected result	

Step	2
Action	Put a tick in checkbox of the fabric filter
Input data	'Естествена кожа'
Expected result	Only products with the selected fabric shiuld be displayed

Step	3
Action	Put a tick in all of the ckeckbox to make sure they all work as expected
Input data	
Expected result	All of the ticked checkboxes should display products corresponding to the chosen fabric

'Цена' filter is opening and closing when clicked

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category and click on it
Input data	
Expected result	

Step	2
Action	Click on the down arrow icon of the price filter
Input data	
Expected result	Only products with the selected price should be displayed

Step	3
Action	Click on the up arrow icon of price filter
Input data	
Expected result	The content of the price filter should be closed and not visible to the user anymore

Price range slider works correctly when moved to the right

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category and click on it
Input data	
Expected result	

Step	2
Action	Start sliding the slider to the right until reaching the desired result
Input data	
Expected result	Slider should be sliding correctly to the pointed direction

Step	3
Action	Click on the right arrow which is the filter button
Input data	
Expected result	Only products in the price range '49,00 - 149,00' should be displayed

Price range slider works correctly when moved to the left

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category and click on it
Input data	
Expected result	

Step	2
Action	Start sliding the slider to the left until reaching the desired result
Input data	
Expected result	Slider should be sliding correctly to the pointed direction

Step	3
Action	Click on the right arrow which is the filter button
Input data	49,00 - 94,00
Expected result	Only products in the price range '49,00 - 94,00' should be displayed

Custom price input field works as expected with a valid value entered

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg

Steps to reproduce

Step	1
Action	Select the 'Обувки' category and click on it
Input data	
Expected result	

Step	2
Action	Enter a valid maximum range in the custom price input field
Input data	80
Expected result	

Step	3
Action	Click on the right arrow which is the filter button
Input data	
Expected result	Only products in the price range '49,00 - 80,00' should be displayed

Custom price input field works as expected with an out of range value

Severity	Priority	Behavior	Type
O Normal	↑ High	Negative	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg

Steps to reproduce

Step	1
Action	Select the 'Обувки' category and click on it
Input data	
Expected result	

Step	2
Action	Enter some out of range value in the minimum custom price input field
Input data	20
Expected result	

Step	3
Action	Click on the right arrow which is the filter button
Input data	
Expected result	An eror message should be displayed or the price filter should be reset and no results should be displayed on the screen

'Сортирай по позиция (Възх.)' works as expected for product positions

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Select sort position by descending order from the sorter options
Input data	
Expected result	Positions of the products should be displayed by descending order

'Сортирай по Позиция (Низх.)' works as expected for product positions

Severity	**Priority**	**Behavior**	**Type**
O Normal	↑ High	Positive	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Select sort position by ascending order from the sorter options
Input data	
Expected result	Position of the products should be displayed by ascending order

'Сортирай по Име (Възх.)' works as expected for product titles

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Select sort title by descending order from the sorter options
Input data	
Expected result	Product's titles should be displayed by descending order

'Сортирай по Име (Низх.)' works as expected for product titles

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Select sort title by ascending order from the sorter options
Input data	
Expected result	Product's titles should be displayed by ascending order

'Сортирай по Цена (Възх.)' works as expected for product prices

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Select sort price by descending order from the sorter options
Input data	
Expected result	Product's prices should be displayed by descending order

'Сортирай по Цена (Низх.)' works as expected for product prices

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Select sort price by ascending order from the sorter options
Input data	
Expected result	Product's prices should be displayed by ascending order

'Сортирай по Най-продавани' works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Select most sold products sorting type from the sorter options
Input data	
Expected result	Most sold products should be displayed

'Сортирай по Брой оценки' works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Select number of reviwes from the sorter options
Input data	
Expected result	Products with most reviews should be displayed

'Сортирай по Най-нови' works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Select newest products from the sorter options
Input data	
Expected result	Newest products should be displayed first

'Сортирай по % Отстъпка' works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Select discount percentage from the sorter options
Input data	
Expected result	Porducts with biggest discount percentage should be displayed first

Pagination displays the correct number of products per page by default

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Count the number of products displayed on the page
Input data	
Expected result	By default the number pf products listed on ne page should be 40

Pagination left arrow navigates to the previous page

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Click on the left arrow of the pagination bar
Input data	
Expected result	User should be navigated to the previous page

Pagination right arrow navigates to the next page

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status
Actual

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Click on the right arrow of the pagination bar
Input data	
Expected result	User should be navigated to the next page

Page indicator works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Select one of the page indicators and click on it
Input data	2
Expected result	Page indicator should be highlighted amd underlined when selected and should open the second page of total of three pages

Images of the listed products are properly aligned

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Check if all the images of the listed products in the selected subcategory are properly aligned
Input data	
Expected result	Images should be properly aligned

Images are enlarged when hovered on and a 'Добави' button is added on their bottoms

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'

Steps to reproduce

Step	1
Action	Select the 'Обувки' category
Input data	
Expected result	

Step	2
Action	Open its 'Официални обувки' subcategory
Input data	
Expected result	

Step	3
Action	Hover over all of the listed products
Input data	
Expected result	Images should be enlarged and a button 'Добави' should become visible on the bottom of all the product cards

Edit first name works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'
2. User must be logged in
3. Click on the profile icon

Steps to reproduce

Step	1
Action	Click on the 'Редактирай' button in the 'Информация за контакт' section
Input data	
Expected result	

Step	2
Action	Change the first name with a new name
Input data	Светослав
Expected result	First name should be changed successfully

Step	3
Action	Leave the surname unchanged
Input data	Стоянова
Expected result	

Step	4
Action	Click on the 'Запази' button
Input data	
Expected result	First name should be successfully changed and a meesage should appear on screen

Edit surname works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'
2. User must be logged in
3. Click on the profile icon

Steps to reproduce

Step	1
Action	Click on the 'Редактирай' button in the 'Информация за контакт' section
Input data	
Expected result	

Step	2
Action	Leave the first name unchanged
Input data	Светослава
Expected result	

Step	3
Action	Change the surname with a new one
Input data	Стоянов
Expected result	First name should be changed successfully

Step	4
Action	Click on the 'Запази' button
Input data	
Expected result	Surname should be successfully changed and a meesage should appear on screen

Change password works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'
2. User must be logged in
3. Click on the profile icon

Steps to reproduce

Step	1
Action	Click on the 'Промени паролата' button in the 'Информация за контакт' section
Input data	
Expected result	

Step	2
Action	Enter a current password in the 'Текуща парола' field
Input data	test123
Expected result	

Step	3
Action	Enter a new password in the 'Нова парола' field
Input data	test1234
Expected result	New password should be changed successfully

Step	4
Action	Enter the same password again in the 'Потвърдете новата парола' field
Input data	test1234
Expected result	Password conformation should be entered successfully

Step	5

Action	Click on the 'Запази' button
Input data	
Expected result	Surname should be successfully changed and a meesage should appear on screen

Change password to a current password works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'
2. User must be logged in
3. Click on the profile icon

Steps to reproduce

Step	1
Action	Click on the 'Промени паролата' button in the 'Информация за контакт' section
Input data	
Expected result	

Step	2
Action	Enter a current password in the 'Текуща парола' field
Input data	test1234
Expected result	

Step	3
Action	Enter the current password in the new password in the 'Нова парола' field
Input data	test1234
Expected result	

Step	4
Action	Enter the same password again in the 'Потвърдете новата парола' field
Input data	test1234
Expected result	

Step	5

Action	Click on the 'Запази' button
Input data	
Expected result	An error message should be displayed

Password reveal button works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'
2. User must be logged in
3. Click on the profile icon

Steps to reproduce

Step	1
Action	Click on the 'Промени паролата' button in the 'Информация за контакт' section
Input data	
Expected result	

Step	2
Action	Enter a current password in the 'Текуща парола' field
Input data	
Expected result	

Step	3
Action	Click on the 'Покажи паролата' button
Input data	
Expected result	Password should be visible to the user

'Абониране за бюлетини' button works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'
2. User must be logged in
3. Click on the profile icon

Steps to reproduce

Step	1
Action	Click on the 'Редактирай' button in the 'Бюлетини' section
Input data	
Expected result	

Step	2
Action	Click on the 'Абониране за бюлетини' checkbox
Input data	
Expected result	Checkbox should be checked successfully

Step	3
Action	Click on the 'Запази' button
Input data	
Expected result	A message should appear on the screen

Add an adress in the adress form should work as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'
2. User must be logged in
3. Click on the profile icon
4. Click on the 'Редактирай' button in the 'Адрес за доставка' section

Steps to reproduce

Step	1
Action	Enter a valid phone number in the phone number field
Input data	
Expected result	

Step	2
Action	Select a delivery address from the 'Доставка' radio buttons
Input data	
Expected result	

Step	3
Action	Enter a valid address
Input data	София, Люлин 1
Expected result	

Step	4
Action	Enter a valid postcode
Input data	1343
Expected result	

Step	5

Action	Select an office from the 'Офис' drop down menu
Input data	Люлин 1
Expected result	

Step	6
Action	Click on the 'Запиши адрес'
Input data	
Expected result	Infromation should be successfully added

Action	Select an office from the 'Офис' drop down menu
Input data	Люлин 1
Expected result	

Change email works as expected

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'
2. User must be logged in
3. Click on the profile icon
4. Open the 'Настройки на профил' section

Steps to reproduce

Step	1
Action	Click on the 'Промени E-mail' radio button
Input data	
Expected result	Current email should be visible in the email field

Step	2
Action	Enter a new email in the email field
Input data	the_shy_butterfly@abv.bg
Expected result	

Step	3
Action	Enter the current password
Input data	
Expected result	

Step	4
Action	Click on the 'Запази' button
Input data	
Expected result	Information should be successfully changed and a message shiuld appear on the screen

Login successfully with changed email

Severity	Priority	Behavior	Type
O Normal	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Open the website 'www.teodor.bg'
2. Click on the profile icon

Steps to reproduce

Step	1
Action	Enter the new email
Input data	the_shy_butterfly@abv.bg
Expected result	

Step	2
Action	Enter a valid password
Input data	test1234
Expected result	

Step	3
Action	Click on the 'Вход' button
Input data	
Expected result	User should successfully log in with the new email

Change email with a previous one

Severity	Priority	Behavior	Type
O Normal	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Open the website 'www.teodor.bg'
2. User must be logged in
3. Click on the profile icon
4. Open the 'Настройки на профил' section

Steps to reproduce

Step	1
Action	Click on the 'Промени E-mail' radio button
Input data	
Expected result	Current email should be visible in the email field

Step	2
Action	Enter previous email in the email field
Input data	
Expected result	

Step	3
Action	Enter the current password
Input data	
Expected result	

Step	4
Action	Click on the 'Запази' button
Input data	
Expected result	Error message should be displayed