



ANDROID STATIC ANALYSIS REPORT



Notes (6.1.0)

File Name:	notes.apk
Package Name:	com.simplmobiletools.notes
Average CVSS Score:	6.0
App Security Score:	10/100 (CRITICAL RISK)
Trackers Detection:	8/432
Scan Date:	May 27, 2026, 3:24 p.m.



FILE INFORMATION

File Name: notes.apk
Size: 16.8MB
MD5: e5a4b0331cf82d2687b9b58fb4c0d354
SHA1: af4b9ff52144f7ee518659e342687a16b84fc389
SHA256: 0273ba7c7dc1bdd19cb00ecf3bd524afe2ec8a1967dd73a49874eac0b521befb

i APP INFORMATION

App Name: Notes
Package Name: com.simplmobiletools.notes
Main Activity:
Target SDK: 33
Min SDK: 23
Max SDK:
Android Version Name: 6.1.0
Android Version Code: 98



APP COMPONENTS

Activities: 39
Services: 19
Receivers: 13
Providers: 8
Exported Activities: 21
Exported Services: 3
Exported Receivers: 3
Exported Providers: 1



CERTIFICATE INFORMATION

APK is signed
v1 signature: True
v2 signature: True
v3 signature: True
Found 1 unique certificates
Subject: CN=tibor
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2016-04-25 21:21:24+00:00
Valid To: 2041-04-19 21:21:24+00:00
Issuer: CN=tibor
Serial Number: 0x571cd64b
Hash Algorithm: sha256
md5: 339f76fde3af503aac261781e3d2d3c
sha1: bcc01ace31b3c9c0fae3d7a13f1df784148ea492
sha256: 5cb83882c182722fd0b02ae95692c76773f721bf31151e06e03eb53998d63668

sha512:
8f7e8e3146885a7e852836cea5f749c2ff2d035080b2cc01348027003194ec40f4045ec9f96681ebc858a4d23921a9e4077c59d353c58aa3bd24cd5542e0c118

PublicKey Algorithm: rsa
Bit Size: 2048
Fingerprint: 41833b5da1dcb060d6e737cb8707d66a373ba2c84610c0f00910fce7054bd762

STATUS	DESCRIPTION
secure	Application is signed with a code signing certificate
warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android <7.0

≡ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete SD card contents	Allows an application to write to the SD card.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.INTERNET	dangerous	full Internet access	Allows an application to create network sockets.
android.permission.WAKE_LOCK	dangerous	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.USE_FINGERPRINT	normal	allow use of fingerprint	This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead
com.google.android.gms.permission.AD_ID	dangerous	Unknown permission from android reference	Unknown permission from android reference
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.POST_NOTIFICATIONS	dangerous	Unknown permission from android reference	Unknown permission from android reference
com.google.android.c2dm.permission.RECEIVE	signature	C2DM permissions	Permission for cloud to device messaging.

PERMISSION	STATUS	INFO	DESCRIPTION
com.applovin.array.apphub.permission.BIND_APPHUB_SERVICE	dangerous	Unknown permission from android reference	Unknown permission from android reference
com.android.vending.BILLING	dangerous	Unknown permission from android reference	Unknown permission from android reference
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	dangerous	Unknown permission from android reference	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE	normal		Allows a regular application to use Service.startForeground
com.simplmobiletools.notes.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	dangerous	Unknown permission from android reference	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
assets/audience_network.dex	FINDINGS	DETAILS
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	unknown (please file detection issue!)
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check SIM operator check network operator name check possible VM check
	Compiler	dx

FILE	DETAILS	
classes2.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check possible VM check
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	dx
classes3.dex	FINDINGS	DETAILS
	Anti Debug Code	Debug.isDebuggerConnected() check
	Anti-VM Code	Build.MANUFACTURER check SIM operator check network operator name check
	Compiler	dx

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

MANIFEST ANALYSIS

NO	ISSUE	SEVERITY	DESCRIPTION
1	Application Data can be Backed up [android:allowBackup=true]	medium	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
2	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Grey_black) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
3	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Blue_grey) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
4	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Brown) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
5	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Deep_orange) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Orange) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Amber) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
8	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Yellow) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
9	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Lime) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
10	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Light_green) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
11	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Green) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
12	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Teal) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
13	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Cyan) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
14	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Light_blue) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
15	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Blue) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
16	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Indigo) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
17	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Deep_purple) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
18	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Purple) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
19	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Pink) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
20	Activity-Alias (com.simplmobiletools.notes.activities.SplashActivity.Red) is not Protected. [android:exported=true]	high	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
21	Activity (com.simplmobiletools.notes.activities.MainActivity) is not Protected. [android:exported=true]	high	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
22	Activity (com.simplmobiletools.notes.activities.WidgetConfigureActivity) is not Protected. [android:exported=true]	high	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
23	Broadcast Receiver (com.simplmobiletools.notes.helpers.MyWidgetProvider) is not Protected. [android:exported=true]	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
24	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	high	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
25	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
26	Content Provider (com.yandex.metrca.PreloadInfoContentProvider) is not Protected. [android:exported=true]	high	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
27	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	high	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
28	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
29	Service (com.google.android.play.core.assetpacks.AssetPackExtractionService) is not Protected. [android:exported=true]	high	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

</> CODE ANALYSIS

NO	ISSUE	SEVERITY	STANDARDS	FILES
				o0/a.java f2/j.java k4/q.java r2/b.java x0/m0.java i0/d.java ch/qos/logback/classic/pattern/TargetLengthBasedClassNameAbbreviator.java u1/q.java q5/h.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				v/a.java y7/b.java com/yandex/mobile/ads/impl/o9.java o0/c.java a5/l.java y1/d.java w1/e.java q/d.java g5/b0.java u1/k.java b2/n.java r4/a.java z6/g.java t4/b.java com/yandex/mobile/ads/impl/ci1.jav a g5/n.java x2/k.java g5/p1.java t1/e.java i4/e.java o4/n0.java ch/qos/logback/classic/spi/Throwable Proxy.java h2/s.java b7/f.java ge/d.java com/yandex/metrica/impl/ob/C0904 n3.java o4/b.java g5/d1.java u4/h.java s3/l1.java k0/a.java f2/d.java k4/a.java b2/d.java cc/a.java k4/u.java com/yandex/mobile/ads/impl/bu0.jav a k4/z.java v1/j.java m2/b.java b2/k.java d0/b.java b2/m.java k4/t.java com/yandex/mobile/ads/impl/ia1.jav a o4/u.java org/slf4j/helpers/Util.java s2/b.java z7/c.java k4/n.java h6/g.java e6/d.java af/a.java k4/i.java k4/o.java com/yandex/metrica/gpllibrary/a.java g5/o0.java y1/c.java com/yandex/mobile/ads/impl/hn1.jav a com/yandex/metrica/impl/ob/C09531

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CVSS V2: 7.5 None (high) CWE: CWE-532 Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/yandex/metrica/impl/ob/C0855r 2.java u1/i.java com/applovin/impl/sdk/y.java v1/i.java y1/s.java y1/f.java com/yandex/metrica/impl/ob/C1091 ug.java f2/a.java com/applovin/impl/sdk/utills/d0.java k2/d.java k4/g.java a0/d.java u1/h.java com/yandex/mobile/ads/impl/x60.jav a b2/e0.java t1/c.java dc/b.java a3/a.java g5/u1.java g5/g2.java com/yandex/mobile/ads/impl/d9.java b2/c.java i2/d.java ja/b0.java v6/d.java com/applovin/exoplayer2/l/q.java k4/w.java com/yandex/metrica/impl/ob/C0942 og.java com/yandex/mobile/ads/impl/am1.ja va d0/d.java h2/r.java ch/qos/logback/classic/android/Logca tAppender.java com/yandex/mobile/ads/impl/o60.jav a z6/o.java x1/a.java com/bumptech/glide/load/data/l.java b2/a0.java ec/a.java u4/u.java k2/j.java l5/a.java com/yandex/mobile/ads/impl/jk0.jav a o5/a.java t/f.java r1/e.java t0/j.java com/yandex/mobile/ads/impl/ym1.ja va com/bumptech/glide/load/data/b.jav a ch/qos/logback/classic/net/SimpleSoc ketServer.java r1/d.java com/yandex/mobile/ads/impl/p90.jav a com/applovin/impl/sdk/a/f.java o4/x.java h2/t.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/yandex/metrica/impl/ob/C1116v g.java k4/b.java c0/c.java com/bumptechnology/load/data/j.java n0/d.java h2/p.java h2/f.java h2/o.java ch/qos/logback/core/net/SocketConn ectorBase.java s2/a.java com/yandex/metrica/impl/ob/B2.java g0/a.java com/bumptechnology/request/i.java com/iab/omid/library/applovin/utills/ d.java y4/b.java o6/c0.java f6/b.java w0/b.java o2/a.java w1/i.java pe/c.java g5/h0.java ch/qos/logback/core/net/DefaultSock etConnector.java a2/a.java db/g.java u1/z.java com/bumptechnology/b.java s2/c.java o6/e.java g5/l.java n1/a.java r0/b.java y1/t.java b2/r.java com/yandex/mobile/ads/impl/yw0.ja va o4/i0.java ch/qos/logback/core/subst/Node.java u4/v.java k4/e.java
				com/simplemobiletools/notes/model s/Widget.java com/yandex/mobile/ads/nativeads/te mplate/appearance/ImageAppearanc e.java com/applovin/impl/c/k.java com/yandex/mobile/ads/nativeads/N ativeAdImage.java com/yandex/metrica/identifiers/impl/ g.java com/zipapps/premiumhelper/toto/T otoFeature.java com/applovin/exoplayer2/common/a /ao.java com/yandex/metrica/impl/ob/C4.java com/yandex/mobile/ads/impl/ma0.ja va vb/s2.java ch/qos/logback/classic/spi/LoggerCon

NO	ISSUE	SEVERITY	STANDARDS	FILES
				textVO.java com/yandex/mobile/ads/impl/t2.java com/yandex/mobile/ads/impl/w9.java a oe/b.java com/yandex/div/internal/widget/d.java a com/yandex/mobile/ads/exo/metadata/mp4/SlowMotionData.java com/yandex/mobile/ads/impl/yp.java com/yandex/mobile/ads/impl/oy0.java a n2/l.java com/yandex/metrica/impl/ob/K7.java vc/l.java com/applovin/exoplayer2/i/g/c.java com/yandex/mobile/ads/exo/metadata/id3/GeobFrame.java com/yandex/mobile/ads/nativeads/f.java fe/t.java com/yandex/mobile/ads/impl/pe.java com/yandex/metrica/impl/ob/Ei.java f7/h.java q5/h.java com/yandex/mobile/ads/embedded/guava/collect/p.java com/applovin/impl/sdk/l.java com/yandex/mobile/ads/exo/metadata/id3/ChapterTocFrame.java com/yandex/mobile/ads/impl/dr0.java a com/applovin/exoplayer2/g/d/a.java com/yandex/mobile/ads/embedded/guava/collect/f.java fc/f.java com/yandex/mobile/ads/impl/mw0.java va com/yandex/mobile/ads/embedded/guava/collect/g0.java com/yandex/mobile/ads/impl/r80.java a com/applovin/exoplayer2/g/e/k.java com/yandex/mobile/ads/impl/wg1.java va com/yandex/mobile/ads/impl/f71.java a f7/g.java com/applovin/exoplayer2/f/l.java com/yandex/mobile/ads/impl/ta0.java a vb/pf0.java com/yandex/mobile/ads/impl/m.java com/yandex/mobile/ads/impl/y21.java a com/yandex/metrica/impl/ob/C1148wi.java com/yandex/metrica/impl/ob/Fg.java com/yandex/mobile/ads/impl/jc0.java a ch/qos/logback/classic/spi/ThrowableProxyVO.java com/yandex/mobile/ads/impl/m71.java va f1/a.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				bd/a.java com/applovin/exoplayer2/common/a /s.java com/applovin/exoplayer2/common/a /p.java n2/b.java org/threeten/bp/chrono/w.java com/applovin/exoplayer2/common/a /f.java com/applovin/exoplayer2/common/b ase/Predicates.java com/yandex/mobile/ads/impl/py.java fe/g0.java com/yandex/metrica/impl/ob/ko.java com/yandex/metrica/impl/ob/Hc.java com/yandex/mobile/ads/impl/p01.jav a com/applovin/exoplayer2/common/b ase/d.java bd/u.java v1/m.java com/yandex/mobile/ads/impl/oy.java com/yandex/mobile/ads/video/mode ls/ad/JavaScriptResource.java com/applovin/exoplayer2/g/c/b.java com/yandex/mobile/ads/exo/metada ta/flac/VorbisComment.java y1/m.java com/yandex/mobile/ads/impl/e41.jav a com/yandex/mobile/ads/impl/fb.java com/applovin/exoplayer2/common/b ase/Equivalence.java lb/e.java com/yandex/div/internal/widget/slide r/b.java com/yandex/mobile/ads/impl/ug.java com/yandex/mobile/ads/exo/metada ta/id3/ApicFrame.java com/applovin/exoplayer2/m/h.java com/yandex/metrica/impl/ob/X3.java com/yandex/mobile/ads/impl/za.java com/applovin/impl/c/a.java com/yandex/mobile/ads/common/Ad Request.java u8/a.java e3/b.java com/yandex/mobile/ads/embedded/ guava/collect/g.java com/yandex/mobile/ads/impl/vc0.jav a com/yandex/mobile/ads/video/parse r/vmap/configurator/a.java v2/e.java com/yandex/metrica/impl/ob/C0648c l.java com/yandex/mobile/ads/exo/metada ta/id3/ChapterFrame.java jd/c.java z8/b.java lb/d.java com/zipoapps/ads/config/AdManager Configuration.java com/yandex/mobile/ads/impl/sg0.jav a

NO	ISSUE	SEVERITY	STANDARDS	Files
				com/yandex/metrica/impl/ob/A.java com/yandex/mobile/ads/nativeads/te mplate/appearance/PromoTemplateA ppearance.java ue/l.java com/yandex/mobile/ads/impl/m80.ja va com/yandex/mobile/ads/impl/yv.java com/zipoapps/premiumhelper/perfor mance/StartupPerformanceTracker.ja va com/yandex/mobile/ads/impl/g80.jav a com/simplemobiletools/notes/model s/TextHistoryItem.java zb/c.java v2/d.java com/yandex/mobile/ads/impl/l30.jav a r7/a.java com/yandex/mobile/ads/impl/t01.jav a com/yandex/mobile/ads/impl/ac1.jav a com/applovin/exoplayer2/l/l.java j8/g.java com/yandex/mobile/ads/impl/js0.jav a com/yandex/mobile/ads/nativeads/te mplate/appearance/BannerAppearan ce.java com/applovin/exoplayer2/g/e/a.java rb/b.java com/applovin/exoplayer2/e/g/l.java com/applovin/exoplayer2/j/c.java com/yandex/metrica/impl/ob/C0867l g.java z7/a.java com/yandex/mobile/ads/embedded/ guava/collect/j0.java com/applovin/exoplayer2/g/b/a.java com/applovin/impl/communicator/b.j ava ch/qos/logback/core/rolling/helper/Fi leNamePattern.java com/yandex/mobile/ads/impl/sn.java s3/x0.java com/applovin/impl/c/c.java com/yandex/metrica/impl/ob/C0631c 4.java com/yandex/metrica/impl/ob/C1173x i.java u8/b.java com/yandex/mobile/ads/impl/hh1.jav a com/yandex/mobile/ads/impl/cj0.jav a ue/r.java kb/f.java com/yandex/mobile/ads/impl/ao0.jav a com/yandex/mobile/ads/common/Ad RequestError.java com/applovin/impl/sdk/t.java

NO	ISSUE	SEVERITY	STANDARDS	u1/x.java FILES com/zipoapps/premiumhelper/configuration/appconfig/PremiumHelperConfiguration.java com/applovin/exoplayer2/j/i.java fe/m.java com/applovin/exoplayer2/i/e/b.java f8/a.java com/yandex/mobile/ads/exo/metadata/id3/InternalFrame.java com/yandex/mobile/ads/impl/f51.java a org/threeten/bp/chrono/c.java com/applovin/impl/c/i.java com/yandex/mobile/ads/impl/po.java we/f.java u2/a.java com/yandex/mobile/ads/nativeads/template/appearance/TextAppearance.java re/a.java com/yandex/mobile/ads/impl/lj.java w2/b.java com/applovin/impl/sdk/network/b.java va com/zipoapps/premiumhelper/toto/TotoService.java com/applovin/exoplayer2/common/b/b.java com/yandex/mobile/ads/impl/qh0.java a cb/b.java f7/l.java com/applovin/exoplayer2/g/e/b.java org/threeten/bp/chrono/s.java com/yandex/metrica/impl/ob/D4.java d3/c.java com/yandex/mobile/ads/impl/je0.java a f1/g.java org/threeten/bp/chrono/f.java z7/b.java com/simplemobiletools/notes/models/CheckListItem.java sd/a.java com/yandex/metrica/impl/ob/C0733g6.java com/applovin/exoplayer2/common/a/w.java com/applovin/impl/sdk/array/ArrayService.java com/applovin/exoplayer2/i/f/a.java com/yandex/mobile/ads/impl/u71.java a p/f.java vb/i20.java com/applovin/exoplayer2/common/a/ar.java com/yandex/mobile/ads/impl/j60.java a com/yandex/mobile/ads/embedded/guava/collect/h0.java com/applovin/impl/mediation/MaxNetworkResponseInfoImpl.java oa/l.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/applovin/exoplayer2/g/e/i.java com/yandex/mobile/ads/impl/tr.java com/applovin/exoplayer2/ae.java ue/u.java com/applovin/impl/c/h.java com/yandex/mobile/ads/impl/qb0.java com/yandex/mobile/ads/impl/fj1.java cc/i.java com/yandex/mobile/ads/impl/e81.java g5/o0.java com/yandex/metrica/impl/ob/C0728g1.java f7/r.java o8/a.java xa/a.java fe/v.java com/applovin/exoplayer2/common/a/v.java com/applovin/impl/sdk/network/j.java com/applovin/exoplayer2/l/u.java f7/b.java com/applovin/impl/mediation/debugger/b/b/b.java h1/p.java com/applovin/impl/sdk/a/d.java com/applovin/impl/sdk/nativeAd/AppLovinNativeAdImpl.java x2/b.java com/applovin/exoplayer2/ab.java org/threeten/bp/chrono/h.java i4/a.java v1/i.java y9/d.java com/yandex/mobile/ads/impl/wh0.java com/zipoapps/blytics/SessionManager.java com/yandex/mobile/ads/impl/yc.java x0/s.java z6/r.java com/yandex/mobile/ads/impl/ql.java com/applovin/exoplayer2/g/c.java com/yandex/metrica/impl/ob/C0699em.java ch/qos/logback/classic/spi/ClassPackingData.java com/yandex/mobile/ads/impl/d10.java fe/a.java org/threeten/bp/chrono/g.java fe/f0.java com/yandex/mobile/ads/impl/f41.java com/yandex/mobile/ads/impl/ef0.java kotlinx/coroutines/t1.java com/yandex/mobile/ads/impl/v61.java fe/x.java vb/qf0.java com/applovin/impl/sdk/AppLovinError.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
2	This App uses Java Hash Code. It is a weak hash function and should never be used in Secure Crypto Implementation.	info	CVSS V2: 2.3 None (low) CWE: CWE-327 Use of a Broken or Risky Cryptographic Algorithm OWASP MASVS: MSTG-CRYPTO-4	ec/d.java p/g.java vh/j20.java com/yandex/mobile/ads/impl/bh1.java a com/yandex/mobile/ads/impl/z11.java a ch/qos/logback/classic/spi/LoggingEventVO.java sd/s.java com/yandex/mobile/ads/impl/te0.java a com/yandex/metrica/impl/ob/Zb.java com/applovin/exoplayer2/e/v.java y9/k.java com/yandex/mobile/ads/impl/n4.java sd/f.java com/yandex/mobile/ads/embedded/guava/collect/r.java vb/k2.java ba/e.java f7/j.java com/yandex/mobile/ads/impl/da1.java a com/yandex/mobile/ads/impl/xo.java com/yandex/mobile/ads/impl/t81.java a f7/u.java pa/b.java com/applovin/exoplayer2/l/p.java com/applovin/exoplayer2/common/a/aq.java com/applovin/exoplayer2/an.java com/applovin/exoplayer2/i/i.java com/applovin/exoplayer2/i/g/b.java com/yandex/mobile/ads/impl/hs0.java a com/zipoapps/premiumhelper/util/ActivePurchaseInfo.java h1/d.java v2/c.java com/applovin/impl/mediation/f.java com/yandex/mobile/ads/impl/ti.java com/yandex/mobile/ads/common/AdRequestConfiguration.java xa/i.java com/yandex/mobile/ads/exo/metadata/mp4/SmtaMetadataEntry.java com/yandex/mobile/ads/impl/tc0.java a f7/b0.java com/applovin/impl/sdk/ad/f.java com/yandex/metrica/impl/ob/C0791ie.java y1/g.java com/yandex/mobile/ads/impl/zb1.java a f7/t.java j8/b.java com/yandex/mobile/ads/impl/fw0.java a com/yandex/mobile/ads/impl/ce0.java a com/yandex/mobile/ads/impl/nl.java fd/r.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/yandex/mobile/ads/impl/e7.java com/yandex/metrica/impl/ob/Qb.java v2/i.java com/yandex/mobile/ads/exo/metadata/icy/IcyHeaders.java v2/f.java com/yandex/mobile/ads/impl/ju.java com/yandex/metrica/impl/ob/Jc.java ch/qos/logback/core/pattern/parser/FormattingNode.java j/b.java com/yandex/mobile/ads/impl/vb0.java com/yandex/metrica/impl/ob/Yn.java com/yandex/metrica/impl/ob/C0764hc.java com/yandex/mobile/ads/impl/bc0.java com/yandex/mobile/ads/impl/wa0.java f7/n.java f2/f.java v6/d.java com/yandex/mobile/ads/impl/c4.java com/yandex/mobile/ads/nativeads/template/appearance/ButtonAppearance.java kotlinx/coroutines/z.java b2/o.java com/yandex/mobile/ads/impl/lb1.java f7/p.java m2/d.java com/yandex/mobile/ads/common/AdImpressionData.java f7/o.java com/applovin/exoplayer2/g/e/e.java kotlinx/coroutines/b0.java com/applovin/exoplayer2/g/d/b.java x8/b.java gd/c.java com/applovin/exoplayer2/common/base/Converter.java ch/qos/logback/core/status/StatusBase.java qd/a.java w2/d.java com/yandex/mobile/ads/exo/drm/DrmInitData.java com/applovin/impl/adview/k.java sd/k.java com/yandex/metrica/impl/ob/Ec.java x0/o0.java com/applovin/impl/sdk/ad/d.java com/yandex/metrica/impl/ob/R1.java com/yandex/mobile/ads/impl/k51.java com/yandex/mobile/ads/nativeads/i0.java yb/b.java ue/m.java ga/e.java ja/p.java fe/h.java

NO	ISSUE	SEVERITY	STANDARDS	com/applovin/exoplayer2/g/e/d.java com/yandex/mobile/ads/impl/tg/ES4j/helpers/SubstituteLogger.java
				ch/qos/logback/core/subst/Token.java a f1/b.java j8/h.java fb/a.java v8/v0.java v2/g.java com/yandex/mobile/ads/impl/cj1.java a com/yandex/mobile/ads/impl/r1.java com/applovin/exoplayer2/l/m.java n9/a.java com/applovin/exoplayer2/g/c/a.java r0/g.java fe/g.java com/yandex/metrica/impl/ob/L7.java com/yandex/mobile/ads/exo/metadata/id3/TextInformationFrame.java com/yandex/mobile/ads/base/model/AdUnitIdBiddingSettings.java f7/e.java f7/y.java u1/d.java xe/z.java vb/s.java com/yandex/metrica/impl/ob/C1043si.java ea/a.java com/yandex/mobile/ads/impl/tg.java f7/q.java ch/qos/logback/core/joran/spi/ElementSelector.java com/applovin/impl/sdk/z.java com/applovin/exoplayer2/g/e/m.java t7/a.java ja/m0.java com/applovin/exoplayer2/g/e/l.java com/applovin/impl/c/b.java com/applovin/exoplayer2/c/h.java f7/d.java ch/qos/logback/core/joran/spi/HostClassAndPropertyDouble.java com/applovin/exoplayer2/d/e.java z6/q.java com/yandex/mobile/ads/exo/metadata/emsg/EventMessage.java com/applovin/exoplayer2/common/a/al.java fd/n.java u1/l.java com/yandex/mobile/ads/embedded/guava/collect/m0.java com/yandex/metrica/impl/ob/Oi.java com/yandex/mobile/ads/impl/sb1.java a org/threeten/bp/chrono/b.java com/applovin/exoplayer2/i/i/c.java com/yandex/mobile/ads/impl/no0.java a com/yandex/mobile/ads/exo/metadata/id3/CommentFrame.java ch/qos/logback/core/pattern/parser/

NO	ISSUE	SEVERITY	STANDARDS	FILES
				b.java com/yandex/mobile/ads/impl/h61.java com/yandex/mobile/ads/embedded/guava/collect/e.java com/yandex/mobile/ads/impl/j20.java com/zipoapps/premiumhelper/toto/WeightedValueParameter.java f7/k.java p/b.java f7/m.java com/yandex/metrica/impl/ob/C0624bm.java vc/i.java com/yandex/mobile/ads/base/model/BiddingSettings.java com/yandex/mobile/ads/impl/nz0.java com/yandex/mobile/ads/impl/d11.java vb/t2.java com/applovin/exoplayer2/h/o.java com/yandex/metrica/impl/ob/H.java com/applovin/impl/c/j.java d3/b.java cc/r.java com/yandex/mobile/ads/impl/k11.java ec/f.java k9/c.java com/applovin/exoplayer2/g/f/a.java sd/x.java com/applovin/exoplayer2/i/i/f.java ue/a.java xa/d.java ja/k.java com/applovin/exoplayer2/i/e/a.java com/applovin/exoplayer2/common/a/e.java com/yandex/mobile/ads/impl/ip.java com/yandex/mobile/ads/impl/cn.java va/a.java com/yandex/mobile/ads/impl/ua0.java ch/qos/logback/core/pattern/parser/SimpleKeywordNode.java sa/h.java com/yandex/mobile/ads/impl/cr.java com/applovin/impl/mediation/debugger/b/a/c.java ne/c.java com/yandex/mobile/ads/nativeads/template/appearance/NativeTemplateAppearance.java f7/w.java com/zipoapps/premiumhelper/performance/d.java com/yandex/mobile/ads/impl/qv.java k9/f.java com/yandex/metrica/impl/ob/C1132w2.java com/yandex/mobile/ads/exo/metadata/id3/PrivFrame.java com/applovin/impl/sdk/utils/d.java

NO	ISSUE	SEVERITY	STANDARDS	Files
				vb/t90.java com/yandex/metrica/impl/ob/C1093ui.java com/yandex/mobile/ads/impl/n71.java org/slf4j/helpers/BasicMarker.java com/yandex/metrica/impl/ob/C1093ui.java com/simplemobiletools/notes/models/Note.java o7/c.java com/applovin/exoplayer2/h/a/a.java f7/v.java com/yandex/mobile/ads/impl/re.java aa/f.java com/yandex/mobile/ads/embedded/guava/collect/n0.java y3/c.java com/simplemobiletools/notes/activities/MainActivity.java com/bumptechnology/glide/request/i.java com/yandex/mobile/ads/impl/fx.java com/applovin/exoplayer2/g/f/c.java com/applovin/impl/c/n.java com/yandex/mobile/ads/impl/v81.java com/applovin/exoplayer2/ba.java com/applovin/exoplayer2/i/e/c.java com/yandex/mobile/ads/impl/r10.java s3/z1.java com/yandex/mobile/ads/impl/mh.java com/yandex/metrica/impl/ob/P3.java com/yandex/mobile/ads/impl/qa.java com/applovin/exoplayer2/common/a/m.java ch/qos/logback/core/pattern/parser/CompositeNode.java com/applovin/impl/c/o.java fd/m.java com/applovin/impl/mediation/debugger/b/b/a.java w2/c.java com/applovin/impl/sdk/network/c.java y3/o.java y1/j.java com/yandex/metrica/impl/ob/ll.java s1/h.java f7/x.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/applovin/impl/sdk/ad/c.java com/applovin/impl/sdk/ad/d.java com/yandex/mobile/ads/impl/g11.java a com/applovin/exoplayer2/g/e/c.java ch/qos/logback/core/spi/AbstractComponentTracker.java z8/g.java com/simplemobiletools/notes/models/OldNote.java ch/qos/logback/core/pattern/parser/Node.java bd/q.java h1/g.java org/threeten/bp/chrono/p.java s1/g.java com/yandex/metrica/impl/ob/C0850L.java f7/z.java g7/g.java com/applovin/exoplayer2/e/g/i.java com/yandex/metrica/o.java g5/l.java com/yandex/mobile/ads/nativeads/template/SizeConstraint.java com/yandex/mobile/ads/impl/ny.java com/yandex/mobile/ads/impl/i71.java a cc/n.java com/yandex/metrica/identifiers/impl/f.java com/yandex/mobile/ads/impl/g9.java j3/g.java com/yandex/mobile/ads/impl/cv.java com/yandex/mobile/ads/impl/lt.java zb/d.java com/applovin/exoplayer2/g/e/f.java we/e.java u1/n.java jc/b.java y3/y.java com/yandex/mobile/ads/impl/tp.java com/yandex/mobile/ads/impl/yn.java com/yandex/mobile/ads/exo/offline/DownloadRequest.java com/yandex/mobile/ads/impl/b71.java a com/yandex/mobile/ads/impl/bb.java gd/d0.java com/yandex/mobile/ads/impl/o.java vb/l2.java ue/h.java com/yandex/mobile/ads/embedded/guava/collect/j.java f7/c.java com/yandex/mobile/ads/impl/nh.java com/applovin/exoplayer2/v.java x2/c.java com/applovin/exoplayer2/e/e/d.java com/applovin/impl/c/d.java y3/g.java we/d.java ka/a.java fb/e.java com/yandex/mobile/ads/exo/metada

NO	ISSUE	SEVERITY	STANDARDS	Files
				ta/id3/UrlLinkFrame.java Files ch/qos/logback/core/subst/Node.java com/yandex/metrica/impl/ob/Uc.java com/yandex/mobile/ads/impl/kc0.java a w2/h.java y7/a.java f7/s.java g5/y0.java com/yandex/mobile/ads/impl/tv.java va/g.java f7/i.java com/yandex/metrica/impl/ob/Kl.java q5/i.java f7/f.java com/yandex/mobile/ads/impl/dn.java com/yandex/mobile/ads/impl/nb0.java a com/yandex/mobile/ads/impl/pn.java com/yandex/mobile/ads/nativeads/NativeAdAssets.java com/yandex/mobile/ads/impl/sa.java fb/d.java
3	The App uses an insecure Random Number Generator.	high	CVSS V2: 7.5 None (high) CWE: CWE-330 Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	ce/h.java com/applovin/impl/c/m.java com/applovin/exoplayer2/h/z.java q3/e.java com/yandex/metrica/impl/ob/Bm.java a com/yandex/mobile/ads/impl/m11.java va c5/c.java vd/a.java com/yandex/mobile/ads/impl/i11.java a w8/c1.java wd/a.java vd/b.java com/yandex/mobile/ads/impl/bb1.java a com/yandex/mobile/ads/impl/jo.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	Files may contain hardcoded sensitive informations like usernames, passwords, keys etc.	high	CVSS V2: 7.4 None (high) CWE: CWE-312 Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/applovin/mediation/ads/MaxAdView.java com/yandex/metrica/impl/ob/C4.java com/applovin/mediation/AppLovinUtils.java ch/qos/logback/core/rolling/helper/IntegerTokenConverter.java ch/qos/logback/core/net/ssl/SSL.java u1/x.java ch/qos/logback/classic/joran/action/ConfigurationAction.java ch/qos/logback/core/CoreConstants.java com/applovin/impl/sdk/o.java ch/qos/logback/core/rolling/helper/DateTokenConverter.java com/applovin/mediation/ads/MaxInterstitialAd.java com/applovin/sdk/AppLovinSdkSettings.java com/applovin/impl/mediation/b/a/a.java com/applovin/mediation/ads/MaxRewardedInterstitialAd.java com/applovin/mediation/ads/MaxRewardedAd.java u1/d.java f7/d.java com/applovin/mediation/ads/MaxAppOpenAd.java com/applovin/mediation/nativeAds/MaxNativeAdLoader.java com/yandex/metrica/impl/ob/vo.java com/applovin/sdk/AppLovinSdk.java com/yandex/metrica/impl/ob/X4.java ch/qos/logback/classic/sift/ContextBasedDiscriminator.java u1/p.java com/applovin/sdk/AppLovinWebViewActivity.java
				com/yandex/metrica/impl/ob/C8.java com/yandex/metrica/impl/ob/C0586a9.java com/yandex/metrica/impl/ob/V8.java ch/qos/logback/classic/android/SQLiteAppender.java com/yandex/metrica/impl/ob/C1109v9.java e3/t0.java com/yandex/metrica/impl/ob/C1189y9.java com/yandex/metrica/impl/ob/W8.java com/yandex/metrica/impl/ob/C0661d9.java com/yandex/metrica/impl/ob/Z8.java com/yandex/mobile/ads/impl/ug.java com/yandex/metrica/impl/ob/B9.java com/yandex/metrica/impl/ob/C0711f9.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
5	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	high	CVSS V2: 5.9 None (medium) CWE: CWE-89 Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/yandex/metrica/impl/ob/C1008r E1bES com/yandex/metrica/impl/ob/C1009r 9.java com/yandex/metrica/impl/ob/C0761 h9.java com/yandex/metrica/impl/ob/C0885 m9.java com/yandex/metrica/impl/ob/C0611 b9.java com/yandex/metrica/impl/ob/X8.java com/yandex/metrica/impl/ob/C1164x 9.java com/yandex/metrica/impl/ob/C0786i 9.java com/yandex/metrica/impl/ob/C0910 n9.java com/yandex/metrica/impl/ob/C1084 u9.java com/yandex/metrica/impl/ob/Y8.java com/yandex/metrica/impl/ob/C1139 w9.java com/yandex/metrica/impl/ob/R8.java com/yandex/metrica/impl/ob/Q8.java e3/q0.java com/yandex/metrica/impl/ob/C1034s 9.java com/yandex/metrica/impl/ob/C0810j 9.java com/yandex/mobile/ads/impl/h41.jav a com/yandex/metrica/impl/ob/C1033s 8.java com/yandex/metrica/impl/ob/C0835k 9.java com/yandex/metrica/impl/ob/C0636c 9.java com/yandex/metrica/impl/ob/C1058t 8.java com/yandex/metrica/impl/ob/C0776i. java com/yandex/mobile/ads/impl/xb1.jav a com/yandex/metrica/impl/ob/T8.java com/yandex/mobile/ads/exo/offline/ a.java com/yandex/metrica/impl/ob/C0736g 9.java com/yandex/metrica/impl/ob/C0935 o9.java com/yandex/metrica/impl/ob/C0985 q9.java k9/c.java com/yandex/metrica/impl/ob/U8.java u0/a.java com/yandex/metrica/impl/ob/C0860l 9.java com/yandex/metrica/impl/ob/A9.java e3/m0.java com/yandex/mobile/ads/impl/mg.jav a com/yandex/metrica/impl/ob/C0960 p9.java com/yandex/metrica/impl/ob/C0686e 9.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				i9/c.java com/yandex/metrica/impl/ob/C1214z9.java com/yandex/metrica/impl/ob/S8.java
6	IP Address disclosure	warning	CVSS V2: 4.3 None (medium) CWE: CWE-200 Information Exposure OWASP MASVS: MSTG-CODE-2	com/applovin/mediation/adapters/NimbusMediationAdapter.java com/applovin/mediation/adapters/googleadmanager/BuildConfig.java com/applovin/mediation/adapters/google/BuildConfig.java com/zipoapps/premiumhelper/performance/StartupPerformanceTracker.java com/applovin/mediation/BuildConfig.java com/applovin/mediation/adapters/GoogleMediationAdapter.java com/applovin/mediation/adapters/facebook/BuildConfig.java com/applovin/mediation/adapters/GoogleAdManagerMediationAdapter.java com/applovin/mediation/adapters/yandex/BuildConfig.java com/zipoapps/premiumhelper/PremiumHelper.java bd/l.java
7	App creates temp file. Sensitive information should never be written into a temp file.	high	CVSS V2: 5.5 None (medium) CWE: CWE-276 Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	o0/c.java od/g.java ja/b0.java pd/c.java y7/c.java
8	Remote WebView debugging is enabled.	high	CVSS V2: 5.4 None (medium) CWE: CWE-919 - Weaknesses in Mobile Applications OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-RESILIENCE-2	com/applovin/impl/adview/d.java
9	SHA-1 is a weak hash known to have hash collisions.	high	CVSS V2: 5.9 None (medium) CWE: CWE-327 Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/simplemobiletools/commons/views/PinTab.java bd/t.java l1/a.java com/applovin/impl/sdk/utills/r.java com/applovin/impl/sdk/utills/StringUtils.java
10	MD5 is a weak hash known to have hash collisions.	high	CVSS V2: 7.4 None (high) CWE: CWE-327 Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/yandex/metrica/impl/ob/C1097um.java com/yandex/metrica/impl/ob/C1202ym.java g5/z0.java
11	This App may have root detection capabilities.	secure	CVSS V2: 0 None (info) OWASP MASVS: MSTG-RESILIENCE-1	o6/s.java com/yandex/metrica/impl/ob/C1002r2.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
12	App can read/write to External Storage. Any App can read data written to External Storage.	high	CVSS V2: 5.5 None (medium) CWE: CWE-276 Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/yandex/mobile/ads/impl/bv.java ch/qos/logback/core/android/AndroidContextUtil.java w8/q0.java w8/l0.java v8/w.java i9/a.java
13	This app has capabilities to prevent tapjacking attacks.	secure	CVSS V2: 0 None (info) OWASP MASVS: MSTG-PLATFORM-9	da/f.java
14	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	CVSS V2: 0 None (info) OWASP MASVS: MSTG-STORAGE-10	w8/l0.java oa/k.java
15	Insecure WebView Implementation. WebView ignores SSL Certificate errors and accept any SSL Certificate. This application is vulnerable to MITM attacks	high	CVSS V2: 7.4 None (high) CWE: CWE-295 Improper Certificate Validation OWASP Top 10: M3: Insecure Communication OWASP MASVS: MSTG-NETWORK-3	com/yandex/mobile/ads/impl/yz.java com/yandex/mobile/ads/impl/e2.java

URLs

URL	FILE
https://accounts.google.com/o/oauth2/revoke?token=	i4/d.java
http://www.slf4j.org/codes.html#no_static_mdc_binder http://www.slf4j.org/codes.html#null_MDCA	org/slf4j/MDC.java
http://www.slf4j.org/codes.html http://www.slf4j.org/codes.html#loggerNameMismatch http://www.slf4j.org/codes.html#multiple_bindings http://www.slf4j.org/codes.html#StaticLoggerBinder http://www.slf4j.org/codes.html#null_LF http://www.slf4j.org/codes.html#replay http://www.slf4j.org/codes.html#substituteLogger http://www.slf4j.org/codes.html#unsuccessfulInit http://www.slf4j.org/codes.html#version_mismatch	org/slf4j/LoggerFactory.java
http://logback.qos.ch/codes.html#null_CS	org/slf4j/impl/StaticLoggerBinder.java

URL	FILE
data:image	y1/e. java
https://play.google.com/store/apps/details https://play.google.com/store/apps/details?id=	bd/t.j ava
http://ns.adobe.com/xap/1.0/	g0/a. java
data:image/png;base64,	g5/o 0.jav a
https://fundingchoicesmessages.google.com/a/consent	g5/g 2.jav a
https://play.google.com/store/apps/dev?id=9070296388022589266 www.simplmobiletools.com.	t8/e.j ava
https://plus.google.com/	o4/r 0.jav a
https://play.google.com/store/apps/details?id=	w8/l 0.jav a
www.google.com	p3/q. java
http://logback.qos.ch/css/classic.css	ch/q os/lo gbac k/cla ssic/ html /UrlC ssBui lder.j ava
http://logback.qos.ch/codes.html#receiver_no_port http://logback.qos.ch/codes.html#receiver_no_host	ch/q os/lo gbac k/cla ssic/ net/S ocket Recei ver.j ava

URL	FILE
http://logback.qos.ch/codes.html http://logback.qos.ch/manual/ http://logback.qos.ch/codes.html#tbr_fnp_not_set http://logback.qos.ch/codes.html#sat_missing_integer_token	ch/q os/lo gbac k/cor e/Co reCo nsta nts.ja va
http://logback.qos.ch/codes.html#earlier_fa_collision	ch/q os/lo gbac k/cor e/Fil eApp ende r.jav a
http://logback.qos.ch/codes.html#layoutInsteadOfEncoder	ch/q os/lo gbac k/cor e/Ou tputS trea mAp pend er.ja va
http://logback.qos.ch/manual/appenders.html#SizeAndTimeBasedRollingPolicy	ch/q os/lo gbac k/cor e/roll ing/S izeAn dTim eBas edFN ATP.j ava
http://logback.qos.ch/codes.html#rfa_collision http://logback.qos.ch/codes.html#rfa_file_after http://logback.qos.ch/codes.html#rfa_no_rp http://logback.qos.ch/codes.html#rfa_no_tp	ch/q os/lo gbac k/cor e/roll ing/R ollin gFile Appe nder. java

URL	FILE
http://logback.qos.ch/codes.html#sbtpr_size_format	ch/qos/logback/core/rolling/SizeBasedTriggeringPolicy.java
http://logback.qos.ch/codes.html#tbr_fnp_prudent_unsupported http://logback.qos.ch/codes.html#fwrp_parentFileName_not_set http://logback.qos.ch/codes.html#tbr_fnp_not_set	ch/qos/logback/core/rolling/FixedWindowRollingPolicy.java
http://logback.qos.ch/codes.html#rfa_collision_in_dateFormat	ch/qos/logback/core/rolling/TimeBasedFileNamingAndTriggeringPolicyBased.java
http://logback.qos.ch/codes.html#tbr_fnp_not_set	ch/qos/logback/core/rolling/TimeBasedRollingPolicy.java

URL	FILE
http://logback.qos.ch/codes.html#renamingError	ch/q os/lo gbac k/cor e/roll ing/h elper /Ren ame Util.j ava
http://xml.org/sax/features/validation http://xml.org/sax/features/namespace	ch/q os/lo gbac k/cor e/jor an/e vent/ SaxE vent Reco rder.j ava
http://logback.qos.ch/codes.html#appender_order	ch/q os/lo gbac k/cor e/jor an/a ction /App ende rRefA ction .java
http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd	ch/q os/lo gbac k/cor e/ht ml/H TMLL ayout tBas e.jav a

URL	FILE
http://logback.qos.ch/codes.html#syslog_layout	ch/q os/lo gbac k/cor e/net /Sysl ogAp pend erBa se.ja va
http://logback.qos.ch/codes.html#smtp_no_layout	ch/q os/lo gbac k/cor e/net /SMT PApp ende rBas e.jav a
http://logback.qos.ch/codes.html#socket_no_port http://logback.qos.ch/codes.html#socket_no_host	ch/q os/lo gbac k/cor e/net /Abst ractS ocket Appe nder. java
http://logback.qos.ch/codes.html#missingRightParenthesis	ch/q os/lo gbac k/cor e/pat tern/ pars er/Pa rser.j ava

URL	FILE
http://logback.qos.ch/codes.html#1andOnly1	ch/q os/lo gbac k/cor e/sift /Sifti ngJor anCo nfigu rator Base. java
https://googlemobileadssdk.page.link/admob-android-update-manifest https://googlemobileadssdk.page.link/ad-manager-android-update-manifest.	q3/s 1.jav a
https://yandex.com/dev/appmetrica/doc/mobile-sdk-dg/concepts/android-initialize.html	com/ yand ex/m etric a/im pl/ob /vo.j ava
https://startup.mobile.yandex.net/	com/ yand ex/m etric a/im pl/ob /C08 43kh .java
data:d},c)}function data:a.data}};function	com/ yand ex/m obile /ads/ impl/ ko0.j ava
https://exoplayer.dev/issues/cleartext-not-permitted	com/ yand ex/m obile /ads/ impl/ o00.j ava

URL	FILE
https://market.android http://market.android https://play.google http://play.google https://map http://map https://maps http://maps http://mobile.maps http://m.maps http://maps.yandex.ru	com/yandex/mobile/ads/impl/s91.java
http://xmlpull.org/v1/doc/features.html#process-namespaces	com/yandex/mobile/ads/impl/jb1.java
https://yandex.ru	com/yandex/mobile/ads/impl/oe.java
https://mobile.yandexadexchange.net	com/yandex/mobile/ads/impl/s10.java
https://yandex.ru/appcry	com/yandex/mobile/ads/impl/b.java
http://xmlpull.org/v1/doc/features.html#process-namespaces	com/yandex/mobile/ads/impl/uh1.java

URL	FILE
https://mobile.yandexadexchange.net	com/ yand ex/m obile /ads/ impl/ yh1.j ava
http://www.w3.org/ns/ttml#parameter	com/ yand ex/m obile /ads/ impl/ v81.j ava
https://yandex.ru/dev/mobile-ads/doc/android/quick-start/android-ads-component.html https://yandex.ru/dev/mobile-ads/doc/intro/changelog-android.html	com/ yand ex/m obile /ads/ impl/ ia1.ja va
https://exoplayer.dev/issues/player-accessed-on-wrong-thread	com/ yand ex/m obile /ads/ impl/ rs.jav a

URL	FILE
http://ns.adobe.com/xap/1.0/	ex/ mobile/ ads/ impl/ o70.j ava
https://aomedia.org/emsg/ID3 https://developer.apple.com/streaming/emsg-id3	com/ yand ex/m obile /ads/ exo/ meta data/ emsg /Eve ntMe ssag e.jav a
https://x	com/ yand ex/m obile /ads/ exo/ drm/ n.jav a
http://schemas.microsoft.com/DRM/2007/03/protocols/AcquireLicense	com/ yand ex/m obile /ads/ exo/ drm/ o.jav a
http://schemas.applovin.com/android/1.0	com/ appl ovin/ advie w/Ap pLovi nAdV iew.j ava

URL	FILE
http://schemas.android.com/apk/res/android	com/ appl ovin/ medi ation /ads/ Max AdVi ew.ja va
https://ms.applovin.com/1.0/sdk/error	com/ appl ovin/ impl/ sdk/s .java
data,;	com/ appl ovin/ impl/ sdk/ ae.ja va
http://developer.android.com/google/play-services/setup.html .	com/ appl ovin/ impl/ sdk/ utils/ d.jav a

URL	FILE
https://assets.applovin.com/gdpr/flow_v1/gdpr-flow-1.html https://vid.applovin.com/,https://stage-vid.applovin.com/,https://pdn.applovin.com/,https://stage-pdn.applovin.com/,https://img.applovin.com/,https://stage-img.applovin.com/,https://d.applovin.com/,https://assets.applovin.com/,https://stage-assets.applovin.com/,https://cdnjs.cloudflare.com/,http://vid.applovin.com/,http://stage-vid.applovin.com/,http://pdn.applovin.com/,http://stage-pdn.applovin.com/,http://img.applovin.com/,http://stage-img.applovin.com/,http://d.applovin.com/,http://assets.applovin.com/,http://stage-assets.applovin.com/,http://cdnjs.cloudflare.com/,http://u.appl.vn/,https://u.appl.vn/,https://res.applovin.com/,https://res1.applovin.com/,https://res2.applovin.com/,https://res3.applovin.com/,http://res.applovin.com/,http://res1.applovin.com/,http://res2.applovin.com/,http://res3.applovin.com/ https://prod-a.applovin.com,https://rt.applovin.com/4.0/pix,https://rt.applvn.com/4.0/pix,https://ms.applovin.com/,https://ms.applvn.com/https://ms.applovin.com/https://ms.applvn.com/https://a.applovin.com/https://a.applvn.com/https://d.applovin.com/https://d.applvn.com/https://rt.applovin.com/https://rt.applvn.com/https://dash.applovin.com/documentation/mediation/android/getting-started/integration#enabling-max-built-in-consent-flowhttps://dash.applovin.com/documentation/mediation/unity/getting-started/integration#max-built-in-consent-flowhttps://corp.aarki.com/privacy,https://www.adcolony.com/consumer-privacy/,https://www.adikteev.com/privacy-policy-eng,https://advertising.amazon.com/resources/ad-policy/eu-data-protection-and-privacy,https://www.appier.com/privacy-policy/,https://www.appnexus.com/en/company/privacy-policy,https://www.beeswax.com/privacy.html,https://bidease.com/privacy-policy,https://www.bigabid.com/Legal/,https://www.pangleglobal.com/privacy,https://answers.chartboost.com/en-us/articles/200780269,https://clearpier.com/privacy-policy/,https://www.criteo.com/privacy/,https://dataseat.com/privacy-policy,https://nend.net/privacy/sdkpolicy,https://www.fyber.com/services-privacy-statement/,https://privacy-policy.cyberagent.ai/,https://policies.google.com/privacy,https://www.inmobi.com/privacy-policy/,https://www.is.com/privacy-policy/,https://www.jampp.com/privacy-policy-terms-and-conditions,https://www.lifestreet.com/privacy/,https://liftoff.io/privacy-policy/,https://terms2.line.me/creators_privacy_policy,https://www.linkedin.com/legal/privacy-policy?src=or-search&veh=www.google.comLiqui,https://loopme.com/end-user-privacy-policy/,https://mediasmart.io/privacy-policy/,https://www.facebook.com/privacy/explanation/,https://www.mintegral.com/en/privacy/#privacy-Services,https://www.moloco.com/privacy-policy,https://www.motiv-i.com/en/privacy/,https://ogury.com/privacy-policy/,https://persona.ly/privacy_dsp,https://www.opera.com/privacy,https://pubmatic.com/legal/privacy/,https://kayzen.io/data-privacy-policy,https://www.remerge.io/privacy-policy.html,https://revx.io/privacy-policy,https://www.rtbhouse.com/privacy-center/services-privacy-policy/,https://simplifi.com/simplifi-services-privacy-policy/,https://www.smaato.com/privacy/,https://smadex.com/end-user-privacy-policy,https://snap.com/en-US/privacy/privacy-policy,https://www.stackadapt.com/privacy,https://www.start.io/policy/privacy-policy-site/,https://www.tapjoy.com/legal/general/privacy-policy/,https://taurusx.com/privacy-policy.html,https://rubiconproject.com/privacy-policy/,https://www.thetradedesk.com/general/privacy-policy,https://appreciate.mobi/page.html#!/end-user-privacy-policy,https://twitter.com/privacy,https://uni-corn.net/privacy.html,https://unity3d.com/legal/privacy-policy,https://www.valassis.com/legal/privacy-policy/,https://pubnative.net/privacy-notice/,https://vungle.com/privacy/,https://wildlifestudios.com/policy-center/privacy-policy/wildlife-studios-privacy-policy/,https://www.groundtruth.com/privacy-policy/,https://yandex.com/legal/confidential/,https://www.youappicon.com/privacy-policyhttps://www.adjust.com/terms/privacy-policy/,https://www.appsflyer.com/legal/privacy-policy/,https://branch.io/policies/privacy-policy/	com/ appl lovin/ impl/ sdk/c /b.java
https://ms.applovin.com/ https://ms.applvn.com/	com/ appl lovin/ impl/ sdk/c /a.java

URL	FILE
https://www.applovin.com/privacy/	com/ appl ovin/ impl/ sdk/ nativ eAd/ AppL ovin Nativ eAdI mpl.j ava
https://monetization-support.applovin.com/hc/en-us/articles/236114328-How-can-I-expose-verbose-logging-for-the-SDK	com/ appl ovin/ impl/ sdk/ e/q.j ava
javascript:al_onFailedExpand(); javascript:al_onAdViewRendered();	com/ appl ovin/ impl/ advie w/b.j ava
javascript:al_onCloseTapped(); javascript:al_onBackPressed();	com/ appl ovin/ impl/ advie w/m. java
javascript:al_setVideoMuted(javascript:al_showPostitial();	com/ appl ovin/ impl/ advie w/ac tivity /b/g.j ava
javascript:al_onPoststitialShow();	com/ appl ovin/ impl/ advie w/ac tivity /b/b.j ava

URL	FILE
javascript:al_onPoststitialShow(	com/ appl ovin/ impl/ advie w/ac tivity /b/e.j ava
javascript:al_onCloseButtonTapped(javascript:al_muteSwitchOff(); javascript:al_muteSwitchOn(); javascript:al_mute(); javascript:al_unmute(); javascript:al_onWindowFocusChanged(javascript:al_onAppResumed(); javascript:al_onAppPaused(); javascript:al_onPoststitialDismiss(); javascript:onBackPressed();	com/ appl ovin/ impl/ advie w/ac tivity /b/a.j ava
javascript:al_onPoststitialShow(	com/ appl ovin/ impl/ advie w/ac tivity /b/f.j ava
https://api.taboola.com/	com/ appl ovin/ impl/ medi ation /b/b/ a.jav a
https://dash.applovin.com/o/account?r=2#app_ads_txt https://dash.applovin.com/documentation/mediation/android/getting-started/integration	com/ appl ovin/ impl/ medi ation /deb ugge r/ui/ b/b.j ava

URL	FILE
https://applovin.com .	com/ appl ovin/ impl/ medi ation /deb ugge r/ui/ b/a.j ava
https://dash.applovin.com/documentation/mediation/android/getting-started/integration	com/ appl ovin/ impl/ medi ation /deb ugge r/ui/c /b.ja va
https://play.google.com/store/apps/details?id=	com/ appl ovin/ impl/ medi ation /deb ugge r/c/b. java
https://exoplayer.dev/issues/player-accessed-on-wrong-thread	com/ appl ovin/ exop layer 2/aw .java
http://www.w3.org/ns/ttml#parameter	com/ appl ovin/ exop layer 2/i/g/ c.jav a

URL	FILE
https://exoplayer.dev/issues/cleartext-not-permitted	com/ appl ovin/ exop layer 2/k/t. java
http://schemas.microsoft.com/DRM/2007/03/protocols/AcquireLicense	com/ appl ovin/ exop layer 2/d/ p.java
https://x	com/ appl ovin/ exop layer 2/d/ o.java
https://aomedia.org/emsg/ID3 https://developer.apple.com/streaming/emsg-id3	com/ appl ovin/ exop layer 2/g/b /a.java
http://ns.adobe.com/xap/1.0/	com/ appl ovin/ exop layer 2/e/d /a.java
https://config.toto.zipoapps.com/ https://staging.config.toto.zipoapps.com/	com/ zipoa pps/ prem iumh elper /toto /Toto Servi ce.java
https://developer.android.com/reference/com/google/android/play/core/install/model/InstallErrorCode#	n6/a. java

URL	FILE
https://support.google.com/dfp_premium/answer/7160685#push	s3/v.j ava
https://firebase-settings.crashlytics.com/spi/v2/platforms/android/gmp/%s/settings	k7/f.j ava
https://%s/%s/%s	z7/c.j ava
https://developer.android.com/reference/com/google/android/play/core/assetpacks/model/AssetPackErrorCode.html#	k6/a. java
https://www.gnu.org/licenses/ https://github.com/naman14/TAndroidLame https://www.apache.org/licenses/LICENSE-2.0 https://github.com/penfeizhou/APNG4Android https://github.com/Armen101/AudioRecordView https://github.com/grantland/android-autofittextview https://github.com/SimpleMobileTools/General-Discussion#how-can-i-suggest-an-edit-to-a-file https://github.com/ArthurHub/Android-Image-Cropper https://play.google.com/store/apps/details?id=com.simplmobiletools.xxx.pro https://play.google.com/store/apps/details?id=com.simplmobiletools.thankyou https://simplmobiletools.com/donate http://www.apache.org/licenses/LICENSE-2.0 https://developer.android.com/training/testing/espresso/index.html https://github.com/greenrobot/EventBus https://github.com/google/ExoPlayer https://github.com/ravi8x/AndroidPhotoFilters https://github.com/alexvasilkov/GestureViews https://github.com/koral-/android-gif-drawable https://github.com/bumptech/glide https://github.com/google/gson https://github.com/reddit/IndicatorFastScroll https://github.com/JodaOrg/joda-time https://github.com/JetBrains/kotlin https://github.com/square/leakcanary https://github.com/BjoernPetersen/m3u-parser https://simplmobiletools.com https://github.com/ShawnLin013/NumberPicker https://github.com/square/otto https://github.com/googlevr/gvr-android-sdk https://github.com/aritraroy/PatternLockView https://github.com/voghDev/PdfViewPager https://simplmobiletools.com/simplenotes/privacy https://simplmobiletools.com/simplenotes/terms https://github.com/chrisbanes/PhotoView https://github.com/square/picasso https://github.com/ajalt/reprint https://github.com/robolectric/robolectric https://github.com/duolingo/rtl-viewpager https://mvnrepository.com/artifact/org.apache.sanselan/sanselan/0.97-incubator https://github.com/klinker41/android-smsmms https://github.com/facebook/stetho https://github.com/davemorrissey/subsampling-scale-image-view https://play.google.com/store/apps/details?id=com.simplmobiletools.дзякуй	Andr oid S tring Reso urce

EMAIL	FILE
test@gmail.com	bd/l.java
hello@simplemobiletools.com noreply@simplemobiletools.com support.simplenotes@simplemobiletools.com port.simplenotes.vip@simplemobiletools.com хелло@симплемобиленоолс.цом hello@simplemobiletools.com	Android String Resource

TRACKERS

TRACKER	URL
AppLovin (MAX and SparkLabs)	https://reports.exodus-privacy.eu.org/trackers/72
AppMetrica	https://reports.exodus-privacy.eu.org/trackers/140
Facebook Ads	https://reports.exodus-privacy.eu.org/trackers/65
Google AdMob	https://reports.exodus-privacy.eu.org/trackers/312
Google CrashLytics	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	https://reports.exodus-privacy.eu.org/trackers/49
IAB Open Measurement	https://reports.exodus-privacy.eu.org/trackers/328
Yandex Ad	https://reports.exodus-privacy.eu.org/trackers/124

App Security Score Calculation

Every app is given an ideal score of 100 to begin with.
 For every findings with severity **high** we reduce 15 from the score.
 For every findings with severity **warning** we reduce 10 from the score.
 For every findings with severity **good** we add 5 to the score.
 If the calculated score is greater than 100, then the app security score is considered as 100.
 And if the calculated score is less than 0, then the app security score is considered as 10.

Risk Calculation

APP SECURITY SCORE	RISK
0 - 15	CRITICAL
16 - 40	HIGH
41 - 70	MEDIUM
71 - 100	LOW

Report Generated by - MobSF v3.1.1 Beta

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).