



ANDROID STATIC ANALYSIS REPORT



 NewPipe (0.28.5)

File Name:

org.schabi.newpipe_1010_cb84069.apk

Package Name:

org.schabi.newpipe


Scan Date:

May 27, 2026, 4:58 p.m.

App Security Score:

47/100 (MEDIUM RISK)

Grade:



Trackers Detection:

1/432

FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
1	16	1	0	1

FILE INFORMATION

File Name: org.schabi.newpipe_1010_cb84069.apk

Size: 10.38MB

MD5: bbb8eede5346690531a61daf3c25a713

SHA1: f6f1676c6a60c7ac62c93ab25fbd2a95785b53ca

SHA256: 12e28bdeec5a9512ec550ba233dc890276f4e73e757ca0e787acede42dc6c1c

APP INFORMATION

App Name: NewPipe

Package Name: org.schabi.newpipe

Main Activity: org.schabi.newpipe.MainActivity

Target SDK: 35

Min SDK: 21

Max SDK:

Android Version Name: 0.28.5

Android Version Code: 1010

APP COMPONENTS

Activities: 12

Services: 12

Receivers: 10

Providers: 3
Exported Activities: 3
Exported Services: 2
Exported Receivers: 3
Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed
v1 signature: True
v2 signature: True
v3 signature: True
v4 signature: False
X.509 Subject: C=DE, CN=Christian Schabesberger
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2017-04-13 20:57:47+00:00
Valid To: 2042-04-07 20:57:47+00:00
Issuer: C=DE, CN=Christian Schabesberger
Serial Number: 0x2c910744
Hash Algorithm: sha256
md5: 7cc4415d125f57b3854fbaa3ed6b4d30
sha1: b02e907c1cd6fc57c335f088d08f505f94e4d215
sha256: cb84069bd68116bafae5ee4ee5b08a567aa6d898404e7cb12f9e756df5cf5cab
sha512: ebae2c2204c568d5da362f6eb6d97711b07df608622deb78b85296d54afe6af44c8feefc4703dfbd6a7d3c5036de6fc571f23d2dc7e62309d98ed242268405ce
PublicKey Algorithm: rsa
Bit Size: 2048
Fingerprint: a50b4188de7cbdf9c67124ccb8ee24b9a424f92d3ccac6b3d415af01b4233bc4
Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.SYSTEM_ALERT_WINDOW	dangerous	display system-level alerts	Allows an application to show system-alert windows. Malicious applications can take over the entire screen of the phone.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
android.permission.FOREGROUND_SERVICE_DATA_SYNC	normal	permits foreground services for data synchronization.	Allows a regular application to use Service.startForeground with the type "dataSync".
android.permission.FOREGROUND_SERVICE_MEDIA_PLAYBACK	normal	enables foreground services for media playback.	Allows a regular application to use Service.startForeground with the type "mediaPlayback".
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
org.schabi.newpipe.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check possible Build.SERIAL check
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	r8
classes2.dex	FINDINGS	DETAILS
	Compiler	r8

BROWSABLE ACTIVITIES

ACTIVITY	INTENT
org.schabi.newpipe.RouterActivity	Schemes: http://, https://, vnd.youtube://, vnd.youtube.launch://, Hosts: youtube.com, m.youtube.com, www.youtube.com, music.youtube.com,youtu.be, www.youtube-nocookie.com, hooktube.com, *.hooktube.com, tubus.eduvid.org, invidio.us, dev.invidio.us, www.invidio.us, redirect.invidious.io, invidious.snopyta.org, yewtu.be, tube.connect.cafe, invidious.kavin.rocks, invidious-us.kavin.rocks, piped.kavin.rocks, invidious.site, vid.mint.lgbt, invidiou.site, invidious.fdn.fr, invidious.048596.xyz, invidious.zee.li, vid.puffyan.us, ytprivate.com, invidious.namazso.eu, invidious.silkky.cloud, invidious.exonip.de, inv.riverside.rocks, invidious.blamefran.net, invidious.moomoo.me, ytb.trom.tf, yt.cyberhost.uk, y.com.cm, y2u.be, soundcloud.com, m.soundcloud.com, on.soundcloud.com, www.soundcloud.com, media.ccc.de, eduvid.org, framatube.org, indymotion.fr, media.assassinate-you.net, media.fsfe.org, peertube.co.uk, peertube.cpy.re, peertube.fr, peertube.mastodon.host, peertube.stream, skeptikon.fr, tilvids.com, video.lqdn.fr, video.ploud.fr, subscribeto.me, *.bandcamp.com, Mime Types: text/plain, Path Prefixes: /v/, /embed/, /watch/, /attribution_link/, /shorts/, /live/, /channel/, /user/, /c/, /@/, /playlist/, /, /b/, /videos/, /w/, /w/p/, /accounts/, /a/, /video-channels/,

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.

MANIFEST ANALYSIS

HIGH: 1 | WARNING: 9 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 5.0-5.0.2, [minSdk=21]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
3	Broadcast Receiver (androidx.media.session.MediaButtonReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
4	Service (org.schabi.newpipe.player.PlayerService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
5	Activity (org.schabi.newpipe.PanicResponderActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Activity (org.schabi.newpipe.util.FilePickerActivityHelper) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Activity (org.schabi.newpipe.RouterActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
8	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
9	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
10	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 4 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				coil3/decode/StaticImageDecoderKt.java com/livefront/bridge/Bridge.java io/noties/markwon/RegistryImpl.java io/noties/markwon/core/spans/LinkSpan.java okio/Okio.java okio/Options.java okio/Path.java org/acra/builder/ReportExecutor.java org/jsoup/helper/Regex.java org/jsoup/internal/SoftPool.java org/jsoup/nodes/NodeUtils.java org/jsoup/nodes/Printer.java org/jsoup/parser/ParseError.java org/jsoup/parser/TokenData.java org/jsoup/select/QueryParser.java org/mozilla/classfile/ClassFileWriter.java org/mozilla/javascript/Interpreter.java org/mozilla/javascript/ScriptRuntime.java org/mozilla/javascript/optimizer/BaseFunctionLinker.java org/mozilla/javascript/optimizer/BooleanLinker.java org/mozilla/javascript/optimizer/ConsStringLinker.java org/mozilla/javascript/optimizer/ConstAwareLinker.java org/mozilla/javascript/optimizer/DefaultLinker.java org/mozilla/javascript/optimizer/DoubleLinker.java org/mozilla/javascript/optimizer/IntegerLinker.java org/mozilla/javascript/optimizer/NativeArrayLinker.java org/mozilla/javascript/optimizer/StringLinker.java org/mozilla/javascript/typedarrays/NativeUint8Array\$\$ExternalSyntheticLambda0.java org/schabi/newpipe/App.java org/schabi/newpipe/MainActivity.java org/schabi/newpipe/NewVersionWorker.java org/schabi/newpipe/RouterActivity.java org/schabi/newpipe/databinding/DrawerHeaderBinding.java org/schabi/newpipe/download/DownloadDialog\$\$ExternalSyntheticLambda1.java org/schabi/newpipe/download/DownloadDialog.java org/schabi/newpipe/error/ErrorActivity.java org/schabi/newpipe/extractor/localization/TimeAgoParser.java org/schabi/newpipe/fragments/MainFragment.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	org/schabi/newpipe/fragments/detail/VideoDetailFragment.java org/schabi/newpipe/fragments/detail/VideoDetailFragment.java org/schabi/newpipe/fragments/detail/VideoDetailFragment.java org/schabi/newpipe/fragments/list/channel/ChannelTabFragment.java org/schabi/newpipe/fragments/list/search/SearchFragment.java org/schabi/newpipe/info_list/StreamSegmentAdapter.java org/schabi/newpipe/local/LocalItemListAdapter.java org/schabi/newpipe/local/feed/FeedFragment\$listenerStreamItem\$1.java org/schabi/newpipe/local/feed/FeedViewModel\$\$ExternalSyntheticLambda0.java org/schabi/newpipe/local/feed/notifications/NotificationWorker\$createWork\$1.java org/schabi/newpipe/local/feed/service/FeedLoadService\$onStartCommand\$1.java org/schabi/newpipe/player/Player\$\$ExternalSyntheticLambda1.java org/schabi/newpipe/player/Player.java org/schabi/newpipe/player/PlayerService.java org/schabi/newpipe/player/datasource/YouTubeHttpDataSource.java org/schabi/newpipe/player/helper/AudioReactor.java org/schabi/newpipe/player/helper/PlayerDataSource.java org/schabi/newpipe/player/mediasource/FailedMediaSource.java org/schabi/newpipe/player/playback/MediaSourceManager\$\$ExternalSyntheticLambda3.java org/schabi/newpipe/player/playback/MediaSourceManager.java org/schabi/newpipe/player/playqueue/AbstractInfoPlayQueue.java org/schabi/newpipe/player/playqueue/PlayQueueAdapter.java org/schabi/newpipe/player/seekbarpreview/SeekBarPreviewThumbnailHolder\$\$ExternalSyntheticLambda1.java org/schabi/newpipe/player/ui/PopupPlayerUi.java org/schabi/newpipe/player/ui/VideoPlayerUi.java org/schabi/newpipe/settings/ContentSettingsFragment.java org/schabi/newpipe/settings/DownloadSettingsFragment.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				org/schabi/newpipe/settings/SettingsActivity.java org/schabi/newpipe/streams/io/StoredFileHelper.java org/schabi/newpipe/util/NavigationHelper\$\$ExternalSyntheticLambda5.java org/schabi/newpipe/util/SerializedCache.java org/schabi/newpipe/util/StateSaver.java org/schabi/newpipe/views/FocusOverlayView.java org/schabi/newpipe/views/NewPipeRecyclerView.java us/shandian/giga/get/DownloadInitializer.java us/shandian/giga/get/DownloadMission\$\$ExternalSyntheticLambda0.java us/shandian/giga/get/DownloadMission.java us/shandian/giga/get/DownloadMissionRecover.java us/shandian/giga/io/CircularFileWriter.java us/shandian/giga/io/FileStreamSAF.java us/shandian/giga/postprocessing/M4aNoDash.java us/shandian/giga/service/DownloadManager.java us/shandian/giga/service/DownloadManagerService.java us/shandian/giga/ui/adapters/MissionAdapter.java
2	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/nononsenseapps/filepicker/FilePickerActivity.java okio/SegmentedByteString.java org/acra/file/Directory.java org/schabi/newpipe/download/DownloadDialog\$\$ExternalSyntheticLambda1.java org/schabi/newpipe/streams/io/StoredFileHelper.java org/schabi/newpipe/util/FilePickerActivityHelper.java us/shandian/giga/service/DownloadManager.java us/shandian/giga/ui/adapters/MissionAdapter.java
3	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	coil3/intercept/EngineInterceptor.java coil3/memory/MemoryCache\$Key.java coil3/request/ImageRequest.java coil3/request/Options.java coil3/request/SuccessResult.java org/jsoup/nodes/Element.java org/jsoup/parser/TokeniserState.java org/mozilla/javascript/ClassCache.java org/mozilla/javascript/ImporterTopLevel.java org/mozilla/javascript/NativeError.java org/mozilla/javascript/NativeJavaObject.java org/mozilla/javascript/ScriptRuntime.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	j\$/util/concurrent/ThreadLocalRandom.java org/schabi/newpipe/extractor/services/youtube/YoutubeParsingHelper.java org/schabi/newpipe/extractor/Utils/JavaScript.java
5	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	us/shandian/giga/get/sqlite/FinishedMissionStore.java

SHARED LIBRARY BINARY ANALYSIS

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
----	---------------	----	-----	-----------------	-------	-------	---------	---------	---------------------

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
1	x86/libandroidx.graphics.path.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
2	arm64-v8a/libandroidx.graphics.path.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
3	armeabi-v7a/libandroidx.graphics.path.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
4	x86_64/libandroidx.graphics.path.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
5	x86/libandroidx.graphics.path.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
6	arm64-v8a/libandroidx.graphics.path.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
7	armeabi-v7a/libandroidx.graphics.path.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
8	x86_64/libandroidx.graphics.path.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/livefront/bridge/disk/FileDiskHandler.java j\$/desugar/sun/nio/fs/l.java okio/JvmSystemFileSystem.java okio/Okio.java org/acra/util/StreamReader.java org/schabi/newpipe/util/StateSaver.java us/shandian/giga/io/FileStreamSAF.java us/shandian/giga/service/DownloadManager.java
00063	Implicit intent(view a web page, make a phone call, etc.)	control	io/noties/markwon/core/spans/LinkSpan.java okio/Options.java org/jsoup/nodes/NodeUtils.java org/schabi/newpipe/NewVersionWorker.java org/schabi/newpipe/download/DownloadDialog\$\$ExternalSyntheticLambda1.java org/schabi/newpipe/error/ErrorActivity\$\$ExternalSyntheticLambda4.java org/schabi/newpipe/fragments/detail/VideoDetailFragment\$\$ExternalSyntheticLambda11.java org/schabi/newpipe/local/subscription/workers/SubscriptionImportWorker.java org/schabi/newpipe/player/PlayerService.java org/schabi/newpipe/player/ui/VideoPlayerUi\$\$ExternalSyntheticLambda8.java org/schabi/newpipe/settings/BackupRestoreSettingsFragment.java org/schabi/newpipe/settings/DownloadSettingsFragment.java org/schabi/newpipe/streams/io/StoredFileHelper.java org/schabi/newpipe/util/text/UrlLongPressClickableSpan.java us/shandian/giga/service/DownloadManagerService.java us/shandian/giga/ui/adapters/MissionAdapter.java us/shandian/giga/util/Utility.java
00022	Open a file from given absolute path of the file	file	coil3/disk/UtilsKt\$\$ExternalSyntheticLambda0.java com/nononsenseapps/filepicker/FilePickerFragment.java org/acra/collector/SimpleValuesCollector.java org/schabi/newpipe/App.java org/schabi/newpipe/download/DownloadDialog\$\$ExternalSyntheticLambda1.java org/schabi/newpipe/streams/io/StoredFileHelper.java org/schabi/newpipe/util/StateSaver.java us/shandian/giga/service/DownloadManager.java us/shandian/giga/ui/adapters/MissionAdapter.java
00033	Query the IMEI number	collection	org/acra/collector/DeviceIdCollector.java

RULE ID	BEHAVIOUR	LABEL	FILES
---------	-----------	-------	-------

00004	Get filename and put it to JSON object	file collection	org/acra/builder/ReportBuilder.java
00187	Query a URI and check the result	collection sms calllog calendar	org/schabi/newpipe/streams/io/StoredDirectoryHelper.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	org/jsoup/nodes/NodeUtils.java org/schabi/newpipe/streams/io/StoredDirectoryHelper.java
00104	Check if the given path is directory	file	com/nononsenseapps/filepicker/AbstractFilePickerFragment.java org/schabi/newpipe/util/FilePickerActivityHelper.java
00036	Get resource file from res/raw directory	reflection	io/noties/markwon/core/spans/LinkSpan.java okio/Options.java org/jsoup/nodes/NodeUtils.java org/schabi/newpipe/fragments/detail/VideoDetailFragment\$\$ExternalSyntheticLambda11.java org/schabi/newpipe/settings/DownloadSettingsFragment.java us/shandian/giga/util/Utility.java
00121	Create a directory	file command	org/jsoup/internal/SoftPool.java
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	org/schabi/newpipe/error/ErrorActivity\$\$ExternalSyntheticLambda4.java org/schabi/newpipe/fragments/detail/VideoDetailFragment\$\$ExternalSyntheticLambda11.java org/schabi/newpipe/local/subscription/workers/SubscriptionImportWorker.java org/schabi/newpipe/util/text/UrlLongPressClickableSpan.java
00096	Connect to a URL and set request method	command network	org/schabi/newpipe/player/datasource/YoutubeHttpDataSource.java
00089	Connect to a URL and receive input stream from the server	command network	org/mozilla/javascript/commonjs/module/provider/UrlModuleSourceProvider.java org/schabi/newpipe/player/datasource/YoutubeHttpDataSource.java
00030	Connect to the remote server through the given URL	network	org/mozilla/javascript/commonjs/module/provider/UrlModuleSourceProvider.java org/schabi/newpipe/player/datasource/YoutubeHttpDataSource.java

RULE ID	BEHAVIOUR	LABEL	FILES
00109	Connect to a URL and get the response code	network command	org/mozilla/javascript/commons/module/provider/UrlModuleSourceProvider.java org/schabi/newpipe/player/datasource/YoutubeHttpDataSource.java us/shandian/giga/get/DownloadMission.java
00094	Connect to a URL and read data from it	command network	org/schabi/newpipe/player/datasource/YoutubeHttpDataSource.java
00108	Read the input stream from given URL	network command	org/schabi/newpipe/player/datasource/YoutubeHttpDataSource.java us/shandian/giga/get/DownloadRunnable.java us/shandian/giga/get/DownloadRunnableFallback.java
00125	Check if the given file path exist	file	org/schabi/newpipe/download/DownloadDialog.java
00056	Modify voice volume	control	org/schabi/newpipe/player/gesture/MainPlayerGestureListener.java
00023	Start another application from current application	reflection control	org/jsoup/nodes/NodeUtils.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	org/jsoup/nodes/NodeUtils.java
00026	Method reflection	reflection	org/jsoup/nodes/NodeUtils.java
00192	Get messages in the SMS inbox	sms	us/shandian/giga/service/DownloadManager.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	6/25	android.permission.INTERNET, android.permission.WAKE_LOCK, android.permission.ACCESS_NETWORK_STATE, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.SYSTEM_ALERT_WINDOW, android.permission.RECEIVE_BOOT_COMPLETED

TYPE	MATCHES	PERMISSIONS
Other Common Permissions	1/44	android.permission.FOREGROUND_SERVICE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
developer.android.com	ok	IP: 172.217.19.238 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
w.soundcloud.com	ok	IP: 13.226.244.19 Country: France Region: Ile-de-France City: Paris Latitude: 48.853409 Longitude: 2.348800 View: Google Map
api.media.ccc.de	ok	IP: 185.106.84.58 Country: Germany Region: Berlin City: Berlin Latitude: 52.524368 Longitude: 13.410530 View: Google Map
streaming.media.ccc.de	ok	IP: 193.203.16.35 Country: Germany Region: Bremen City: Bremen Latitude: 53.075161 Longitude: 8.807770 View: Google Map
bandcamp.com	ok	IP: 151.101.193.91 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
schemas.android.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
square.github.io	ok	IP: 185.199.111.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
soundcloud.com	ok	IP: 52.84.150.35 Country: Germany Region: Rheinland-Pfalz City: Isenburg Latitude: 50.483330 Longitude: 7.600000 View: Google Map
takeout.google.com	ok	IP: 64.233.161.101 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
charts.youtube.com	ok	IP: 142.251.1.198 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api-v2.soundcloud.com	ok	IP: 65.9.175.41 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
xmlpull.org	ok	IP: 185.199.108.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
music.youtube.com	ok	IP: 142.251.1.198 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
f4.bcbits.com	ok	IP: 151.101.5.91 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
newpipe.net	ok	IP: 159.69.138.33 Country: Germany Region: Sachsen City: Falkenstein Latitude: 50.477879 Longitude: 12.371290 View: Google Map
sepiasearch.org	ok	IP: 116.202.193.227 Country: Germany Region: Bayern City: Gunzenhausen Latitude: 48.323330 Longitude: 11.601220 View: Google Map
api.soundcloud.com	ok	IP: 3.167.227.100 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
i.ytimg.com	ok	IP: 64.233.162.119 Country: Brazil Region: Sao Paulo City: Sao Paulo Latitude: -23.547501 Longitude: -46.636108 View: Google Map

DOMAIN	STATUS	GEOLOCATION
suggestqueries-clients6.youtube.com	ok	IP: 64.233.164.100 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
hosted.weblate.org	ok	IP: 116.203.108.97 Country: Germany Region: Bayern City: Gunzenhausen Latitude: 48.323330 Longitude: 11.601220 View: Google Map
coil-kt.github.io	ok	IP: 185.199.108.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
api-widget.soundcloud.com	ok	IP: 65.9.62.90 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map

DOMAIN	STATUS	GEOLOCATION
github.com	ok	IP: 140.82.121.3 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.youtube.com	ok	IP: 142.251.1.198 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
joinpeertube.org	ok	IP: 94.130.212.178 Country: Germany Region: Bayern City: Gunzenhausen Latitude: 48.323330 Longitude: 11.601220 View: Google Map
www.invidio.us	ok	IP: 93.95.230.186 Country: Iceland Region: Hofudborgarsvaedi City: Reykjavik Latitude: 64.135483 Longitude: -21.895411 View: Google Map

DOMAIN	STATUS	GEOLOCATION
keepandroidopen.org	ok	IP: 185.199.111.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
www.youtube-nocookie.com	ok	IP: 142.251.1.198 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
youtubei.googleapis.com	ok	IP: 216.239.38.223 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
media.ccc.de	ok	IP: 185.106.84.58 Country: Germany Region: Berlin City: Berlin Latitude: 52.524368 Longitude: 13.410530 View: Google Map

DOMAIN	STATUS	GEOLOCATION
framatube.org	ok	IP: 178.63.240.148 Country: Germany Region: Bayern City: Nuremberg Latitude: 49.447781 Longitude: 11.068330 View: Google Map
www.w3.org	ok	IP: 8.47.69.0 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

EMAILS

EMAIL	FILE
crashreport@newpipe.schabi	org/schabi/newpipe/error/ErrorActivity\$\$ExternalSyntheticLambda4.java

TRACKERS

TRACKER	CATEGORIES	URL
ACRA	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/444

HARDCODED SECRETS

POSSIBLE SECRETS
"list_view_mode_card_key" : "card"
"night_theme_key" : "night_theme"
"image_quality_none_key" : "image_quality_none"
"show_local_search_suggestions_key" : "show_local_search_suggestions"
"minimize_on_exit_none_key" : "minimize_on_exit_none_key"
"video_3gp_key" : "video_3gp"
"metadata_privacy_private" : "Şəxsi"
"metadata_privacy_private" : "□□□□□□□□"
"auto_device_theme_key" : "auto_device_theme"
"right_gesture_control_key" : "right_gesture_control"
"feed_use_dedicated_fetch_method_key" : "feed_use_dedicated_fetch_method"
"kao_last_checked_key" : "kao_last_checked"
"popup_saved_x_key" : "popup_saved_x"
"metadata_privacy_private" : "Privat"
"download_path_audio_key" : "download_path_audio"
"allow_disposed_exceptions_key" : "allow_disposed_exceptions_key"
"image_quality_high_key" : "image_quality_high"

POSSIBLE SECRETS
"clear_search_history_key" : "clear_search_history"
"settings_file_replacement_character_key" : "file_replacement_character"
"metadata_privacy_private" : "Súkromné"
"ignore_hardware_media_buttons_key" : "ignore_hardware_media_buttons_key"
"metadata_privacy_private" : "Անձնական"
"metadata_privacy_private" : "■■■■■"
"autoplay_key" : "autoplay_key"
"disable_media_tunneling_key" : "disable_media_tunneling_key"
"last_download_type_audio_key" : "last_dl_type_audio"
"add_to_playlist_key" : "add_to_playlist"
"brightness_control_key" : "brightness_control"
"private_content" : "NewPipe"
"metadata_privacy_private" : ""
"allow_heap_dumping_key" : "allow_heap_dumping_key"
"show_remote_search_suggestions_key" : "show_remote_search_suggestions"
"show_search_suggestions_key" : "show_search_suggestions"
"stream_info_selected_tab_key" : "stream_info_selected_tab"

POSSIBLE SECRETS
"image_quality_key" : "image_quality_key"
"black_theme_key" : "black_theme"
"image_quality_low_key" : "image_quality_low"
"default_video_format_key" : "default_video_format"
"none_control_key" : "none_control"
"clear_views_history_key" : "clear_play_history"
"default_popup_resolution_key" : "default_popup_resolution"
"saved_tabs_key" : "saved_tabs_key"
"metadata_privacy_private" : "■■■■■■■■■■"
"audio_webm_key" : "audio_webm"
"show_meta_info_key" : "show_meta_info"
"use_inexact_seek_key" : "use_inexact_seek_key"
"metadata_privacy_private" : "تاییه تی"
"auto_queue_key" : "auto_queue_key"
"peertube_instance_list_key" : "peertube_instance_list"
"notification_colorize_key" : "notification_colorize_key"
"notification_slot_compact_2_key" : "notification_slot_compact_2_key"

POSSIBLE SECRETS
"metadata_privacy_private" : "Privāts"
"playback_skip_silence_key" : "playback_skip_silence_key"
"show_memory_leaks_key" : "show_memory_leaks_key"
"app_language_key" : "app_language_key"
"show_original_time_ago_key" : "show_original_time_ago_key"
"metadata_privacy_private" : "Pribado"
"import_subscriptions_key" : "import_subscriptions_key"
"export_subscriptions_key" : "export_subscriptions_key"
"start_main_player_fullscreen_key" : "start_main_player_fullscreen_key"
"notification_slot_2_key" : "notification_slot_2_key"
"use_external_audio_player_key" : "use_external_audio_player"
"metadata_privacy_private" : "████"
"adjustment_step_key" : "adjustment_step_key"
"tablet_mode_on_key" : "on"
"streams_notifications_channels_key" : "streams_notifications_channels"
"content_country_key" : "content_country"
"feed_show_watched_items_key" : "feed_show_played_items"

POSSIBLE SECRETS

```
"private_content": "\x00\x00\x00\x00\x00\x00NewPipe\x00\x00\x00\x00\x00\x00\x00\x00\x00"
```

"metadata_privacy_private": "خاص"

```
"screen_brightness_timestamp_key": "screen_brightness_timestamp_key"
```

```
"default_resolution_key" : "default_resolution"
```

```
"prefer_original_audio_key": "prefer_original_audio"
```

```
"popup_saved_y_key" : "popup_saved_y"
```

```
"metadata_privacy_private" : "Private"
```

```
"metadata_privacy_private": "Prywatny"
```

```
"exoplayer_settings_key" : "exoplayer_settings_key"
```

```
"enable_watch_history_key" : "enable_watch_history"
```

```
"minimize_on_exit_popup_key" : "minimize_on_exit_popup_key"
```

```
"metadata_privacy_private" : "Privé"
```

```
"popup_remember_size_pos_key": "popup_remember_size_pos_key"
```

```
"feed_show_future_items_key": "feed_show_future_items"
```

```
"metadata_privacy_private" : ""
```

```
"clear_playback_states_key": "clear_playback_states"
```

```
"tablet_mode_auto_key": "auto"
```

POSSIBLE SECRETS
"notification_slot_4_key" : "notification_slot_4_key"
"show_higher_resolutions_key" : "show_higher_resolutions"
"notification_slot_1_key" : "notification_slot_1_key"
"metadata_privacy_private" : "Einka"
"peertube_selected_instance_key" : "peertube_selected_instance"
"metadata_privacy_private" : "■■■■■■■■■■"
"enqueue_key" : "enqueue"
"enable_search_history_key" : "enable_search_history"
"notification_slot_3_key" : "notification_slot_3_key"
"seekbar_preview_thumbnail_key" : "seekbar_preview_thumbnail_key"
"enable_playback_resume_key" : "enable_playback_resume"
"streams_notifications_interval_key" : "streams_notifications_interval"
"prefer_descriptive_audio_key" : "prefer_descriptive_audio"
"default_audio_format_key" : "default_audio_format"
"metadata_cache_wipe_key" : "cache_wipe_key"
"settings_file_charset_key" : "file_rename_charset"
"metadata_privacy_private" : "პირადი"

POSSIBLE SECRETS

```
"feed_fetch_channel_tabs_key": "feed_fetch_channel_tabs"
```

```
"metadata_privacy_private" : "Privado"
```

```
"peertube_instance_setup_key": "peertube_instance_setup"
```

```
"default_localization_key" : "system"
```

```
"use_external_video_player_key" : "use_external_video_player"
```

```
"debug_pref_screen_key" : "debug_pref_screen_key"
```

```
"metadata_privacy_private": "المُتَمَرِّص"
```

```
"tablet_mode_off_key" : "off"
```

```
"notification_slot_0_key": "notification_slot_0_key"
```

```
"metadata_privacy_private" : "Soukromé"
```

```
"screen_brightness_key" : "screen_brightness_key"
```

```
"metadata_privacy_private": "████████████████"
```

```
"tablet_mode_key" : "tablet_mode"
```

```
"limit_mobile_data_usage_key": "limit_mobile_data_usage"
```

```
"caption_user_set_key": "caption_user_set_key"
```

```
"metadata_privacy_private" : "Pribatua"
```

```
"dark_theme_key" : "dark_theme"
```

POSSIBLE SECRETS
"playback_adjust_by_semitones_key" : "playback_adjust_by_semitones_key"
"metadata_privacy_private" : "Частен"
"autoplay_wifi_key" : "autoplay_wifi_key"
"player_notification_screen_key" : "player_notification_screen"
"metadata_privacy_private" : "Privát"
"popup_saved_width_key" : "popup_saved_width"
"seek_duration_key" : "seek_duration"
"feed_show_partially_watched_items_key" : "feed_show_partially_watched_items"
"playback_unhook_key" : "playback_unhook_key"
"content_language_key" : "content_language"
"metadata_privacy_private" : "Privasi"
"minimize_on_exit_key" : "minimize_on_exit_key"
"best_resolution_key" : "best_resolution"
"metadata_privacy_private" : "□□□"
"disabled_media_tunneling_automatically_key" : "disabled_media_tunneling_automatically_key"
"show_comments_key" : "show_comments"
"video_player_key" : "video_player"

POSSIBLE SECRETS

"metadata_privacy_private" : "Privatus"

"metadata_privacy_private" : "Privadu"

"autoplay_never_key" : "autoplay_never_key"

"download_path_video_key" : "download_path"

"show_thumbnail_key" : "show_thumbnail_key"

"main_tabs_position_key" : "main_tabs_position"

"video_mp4_key" : "video_mp4"

"metadata_privacy_private" : "Privata"

"light_theme_key" : "light_theme"

"metadata_privacy_private" : "■■■■■■"

"left_gesture_control_key" : "left_gesture_control"

"show_channel_tabs_key" : "channel_tabs"

"scale_to_square_image_in_notifications_key" : "scale_to_square_image_in_notifications"

"list_view_mode_auto_key" : "auto"

"playback_pitch_key" : "playback_pitch_key"

"playback_speed_key" : "playback_speed_key"

"clear_cookie_key" : "clear_cookie"

POSSIBLE SECRETS
"metadata_privacy_private" : "■■■■■■■■■■"
"use_exoplayer_decoder_fallback_key" : "use_exoplayer_decoder_fallback_key"
"progressive_load_interval_key" : "progressive_load_interval"
"metadata_privacy_private" : "خصوصی"
"metadata_privacy_private" : "Прыватная"
"minimize_on_exit_background_key" : "minimize_on_exit_background_key"
"resume_on_audio_focus_gain_key" : "resume_on_audio_focus_gain"
"metadata_privacy_private" : "Приватная"
"streams_notifications_network_key" : "streams_notifications_network"
"metadata_privacy_private" : "Peribadi"
"audio_m4a_key" : "audio_m4a"
"recaptcha_cookies_key" : "recaptcha_cookies_key"
"metadata_privacy_private" : "Privato"
"image_quality_medium_key" : "image_quality_medium"
"notification_slot_compact_0_key" : "notification_slot_compact_0_key"
"show_next_video_key" : "show_next_video"
"metadata_privacy_private" : "□□□□□□"

POSSIBLE SECRETS

"metadata_privacy_private" : "Приватно"

"list_view_mode_list_key" : "list"

"show_play_with_kodi_key" : "show_play_with_kodi"

"background_player_key" : "background_player"

"metadata_privacy_private" : "Privatno"

"show_info_key" : "show_info"

"notification_slot_compact_1_key" : "notification_slot_compact_1_key"

"metadata_privacy_private" : "Приватне"

"enable_playback_state_lists_key" : "enable_playback_state_lists"

"last_download_type_video_key" : "last_dl_type_video"

"caption_settings_key" : "caption_settings_key"

"always_use_exoplayer_set_output_surface_workaround_key" : "always_use_exoplayer_set_output_surface_workaround_key"

"metadata_privacy_private" : "Gizli"

"metadata_privacy_private" : "פרטי"

"list_view_mode_grid_key" : "grid"

"main_page_content_key" : "main_page_content"

"limit_data_usage_none_key" : "limit_data_usage_none"

POSSIBLE SECRETS
"metadata_privacy_private" : "■■■■■"
"metadata_privacy_private" : "Ιδιωτικό"
"download_key" : "download"
"metadata_privacy_private" : "□□□"
"video_webm_key" : "video_webm"
"metadata_privacy_private" : "Privaatne"
"autoplay_always_key" : "autoplay_always_key"
"list_view_mode_key" : "list_view_mode"
"theme_key" : "theme"
"volume_control_key" : "volume_control"
"app_language_android_13_and_up_key" : "app_language_android_13_and_up_key"
"popup_player_key" : "popup_player"
"metadata_privacy_private" : "Yksityinen"
"show_description_key" : "show_description"
86254750241babac4b8d52996a675549
1cbd3130fa23b59692c061c594c16cc0
cb84069bd68116bafae5ee4ee5b08a567aa6d898404e7cb12f9e756df5cf5cab

POSSIBLE SECRETS
edef8ba9-79d6-4ace-a3c8-27dcd51d21ed
a-95ed6082-b8e9-46e8-a73f-ff56f00f5d9d
7591e8039faa74d8c0517dc867af9d3e
d3fe862898d1b6d0c97c76386b82dd78
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a
9a04f079-9840-4286-ab92-e65be0885f95
e2719d58-a985-b3c9-781a-b030af78d30e

SCAN LOGS

Timestamp	Event	Error
2026-05-27 16:58:05	Generating Hashes	OK
2026-05-27 16:58:05	Extracting APK	OK
2026-05-27 16:58:05	Unzipping	OK
2026-05-27 16:58:06	Parsing APK with androguard	OK

2026-05-27 16:58:08	Extracting APK features using aapt/aapt2	OK
2026-05-27 16:58:10	Getting Hardcoded Certificates/Keystores	OK
2026-05-27 16:58:16	Parsing AndroidManifest.xml	OK
2026-05-27 16:58:16	Extracting Manifest Data	OK
2026-05-27 16:58:16	Manifest Analysis Started	OK
2026-05-27 16:58:16	Performing Static Analysis on: NewPipe (org.schabi.newpipe)	OK
2026-05-27 16:58:18	Fetching Details from Play Store: org.schabi.newpipe	OK
2026-05-27 16:58:23	Checking for Malware Permissions	OK
2026-05-27 16:58:23	Fetching icon path	OK
2026-05-27 16:58:23	Library Binary Analysis Started	OK
2026-05-27 16:58:23	Analyzing apktool_out/lib/x86/libandroidx.graphics.path.so	OK
2026-05-27 16:58:23	Analyzing apktool_out/lib/arm64-v8a/libandroidx.graphics.path.so	OK

2026-05-27 16:58:23	Analyzing apktool_out/lib/armeabi-v7a/libandroidx.graphics.path.so	OK
2026-05-27 16:58:23	Analyzing apktool_out/lib/x86_64/libandroidx.graphics.path.so	OK
2026-05-27 16:58:23	Analyzing lib/x86/libandroidx.graphics.path.so	OK
2026-05-27 16:58:23	Analyzing lib/arm64-v8a/libandroidx.graphics.path.so	OK
2026-05-27 16:58:23	Analyzing lib/armeabi-v7a/libandroidx.graphics.path.so	OK
2026-05-27 16:58:23	Analyzing lib/x86_64/libandroidx.graphics.path.so	OK
2026-05-27 16:58:23	Reading Code Signing Certificate	OK
2026-05-27 16:58:23	Running APKiD 3.0.0	OK
2026-05-27 16:58:29	Detecting Trackers	OK
2026-05-27 16:58:29	Decompiling APK to Java with JADX	OK
2026-05-27 16:58:48	Converting DEX to Smali	OK
2026-05-27 16:58:48	Code Analysis Started on - java_source	OK

2026-05-27 16:58:52	Android SBOM Analysis Completed	OK
2026-05-27 16:58:53	Android SAST Completed	OK
2026-05-27 16:58:53	Android API Analysis Started	OK
2026-05-27 16:58:55	Android API Analysis Completed	OK
2026-05-27 16:58:55	Android Permission Mapping Started	OK
2026-05-27 16:58:56	Android Permission Mapping Completed	OK
2026-05-27 16:58:56	Android Behaviour Analysis Started	OK
2026-05-27 16:58:58	Android Behaviour Analysis Completed	OK
2026-05-27 16:58:58	Extracting Emails and URLs from Source Code	OK
2026-05-27 16:59:00	Email and URL Extraction Completed	OK
2026-05-27 16:59:00	Extracting String data from APK	OK
2026-05-27 16:59:01	Extracting String data from SO	OK

2026-05-27 16:59:01	Extracting String data from Code	OK
2026-05-27 16:59:01	Extracting String values and entropies from Code	OK
2026-05-27 16:59:03	Performing Malware check on extracted domains	OK
2026-05-27 16:59:19	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).