



ANDROID STATIC ANALYSIS REPORT



 Telegram (12.7.3)

File Name:

Telegram.apk

Package Name:

org.telegram.messenger.web


Scan Date:

May 30, 2026, 11:36 a.m.

App Security Score:

51/100 (MEDIUM RISK)

Grade:



 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
3	48	4	3	1

FILE INFORMATION

File Name: Telegram.apk

Size: 77.9MB

MD5: 391a3540d6128e50e03c6cf60e4c7d2e

SHA1: 3617cf4ca8534696ba733e26d7ccfd0a5169f6c3

SHA256: 27e3f9b21d257607bcd013780c53ccc06be11916297503b76bb50f72f94d18f9

APP INFORMATION

App Name: Telegram

Package Name: org.telegram.messenger.web

Main Activity: org.telegram.ui.LaunchActivity

Target SDK: 35

Min SDK: 21

Max SDK:

Android Version Name: 12.7.3

Android Version Code: 67509

APP COMPONENTS

Activities: 19

Services: 29

Receivers: 27

Providers: 7

Exported Activities: 14

Exported Services: 15
Exported Receivers: 4
Exported Providers: 1

CERTIFICATE INFORMATION

Binary is signed
v1 signature: True
v2 signature: True
v3 signature: False
v4 signature: False
X.509 Subject: L=Saint-Petersburg, O=VK, OU=VK, CN=Nikolay Kudashov
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2013-08-29 19:13:13+00:00
Valid To: 2038-08-23 19:13:13+00:00
Issuer: L=Saint-Petersburg, O=VK, OU=VK, CN=Nikolay Kudashov
Serial Number: 0x521f9d49
Hash Algorithm: sha1
md5: 26bab62540ef0c20bfc6bacf3d3b1f5
sha1: 9723e5838612e9c7c08ca2c6573b6026d7a51f8f
sha256: 49c1522548ebacd46ce322b6fd47f6092bb745d0f88082145caf35e14dcc38e1
sha512: b47593b965b36396b06296546de386e452f84180968bca894ac90c5dfdbdedae97c3701f0454ec90f1a616e0bb5ab2c8b4bd8efdbd7b8649268fc7b1f614d648
PublicKey Algorithm: rsa
Bit Size: 1024
Fingerprint: 5a75db88b7dde612c71b129469a376894dee2c4d8c3266380b658d837ee46677
Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
org.telegram.messenger.web.permission.MAPS_RECEIVE	unknown	Unknown permission	Unknown permission from android reference
com.google.android.providers.gsf.permission.READ_GSERVICES	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
android.permission.ACCESS_MEDIA_LOCATION	dangerous	access any geographic locations	Allows an application to access any geographic locations persisted in the user's shared collection.
android.permission.CALL_PHONE	dangerous	directly call phone numbers	Allows the application to call phone numbers without your intervention. Malicious applications may cause unexpected calls on your phone bill. Note that this does not allow the application to call emergency numbers.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
android.permission.FOREGROUND_SERVICE_DATA_SYNC	normal	permits foreground services for data synchronization.	Allows a regular application to use Service.startForeground with the type "dataSync".
android.permission.FOREGROUND_SERVICE_REMOTE_MESSAGING	normal	allows foreground services for remote messaging.	Allows a regular application to use Service.startForeground with the type "remoteMessaging".
android.permission.FOREGROUND_SERVICE_MEDIA_PLAYBACK	normal	enables foreground services for media playback.	Allows a regular application to use Service.startForeground with the type "mediaPlayback".

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.FOREGROUND_SERVICE_MEDIA_PROJECTION	normal	allows foreground services for media projection.	Allows a regular application to use Service.startForeground with the type "mediaProjection".
android.permission.FOREGROUND_SERVICE_CAMERA	normal	allows foreground services with camera use.	Allows a regular application to use Service.startForeground with the type "camera".
android.permission.FOREGROUND_SERVICE_LOCATION	normal	allows foreground services with location use.	Allows a regular application to use Service.startForeground with the type "location".
android.permission.FOREGROUND_SERVICE_MICROPHONE	normal	permits foreground services with microphone use.	Allows a regular application to use Service.startForeground with the type "microphone".
android.permission.FOREGROUND_SERVICE_PHONE_CALL	normal	enables foreground services during phone calls.	Allows a regular application to use Service.startForeground with the type "phoneCall".
android.permission.READ_CALL_LOG	dangerous	grants read access to the user's call log.	Allows an application to read the user's call log.
android.permission.USE_FULL_SCREEN_INTENT	normal	required for full screen intents in notifications.	Required for apps targeting Build.VERSION_CODES.Q that want to use notification full screen intents.
android.permission.READ_PHONE_STATE	dangerous	read phone state and identity	Allows the application to access the phone features of the device. An application with this permission can determine the phone number and serial number of this phone, whether a call is active, the number that call is connected to and so on.
android.permission.READ_PHONE_NUMBERS	dangerous	allows reading of the device's phone number(s).	Allows read access to the device's phone number(s). This is a subset of the capabilities granted by READ_PHONE_STATE but is exposed to instant applications.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.SEND_SMS	dangerous	send SMS messages	Allows application to send SMS messages. Malicious applications may cost you money by sending messages without your confirmation.
android.permission.READ_CLIPBOARD	unknown	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_CONNECT	dangerous	necessary for connecting to paired Bluetooth devices.	Required to be able to connect to paired Bluetooth devices.
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.RECORD_AUDIO	dangerous	record audio	Allows application to access the audio record path.
android.permission.MODIFY_AUDIO_SETTINGS	normal	change your audio settings	Allows application to modify global audio settings, such as volume and routing.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.READ_MEDIA_IMAGES	dangerous	allows reading image files from external storage.	Allows an application to read image files from external storage.
android.permission.READ_MEDIA_VIDEO	dangerous	allows reading video files from external storage.	Allows an application to read video files from external storage.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.READ_MEDIA_AUDIO	dangerous	allows reading audio files from external storage.	Allows an application to read audio files from external storage.
android.permission.GET_ACCOUNTS	dangerous	list accounts	Allows access to the list of accounts in the Accounts Service.
android.permission.READ_CONTACTS	dangerous	read contact data	Allows an application to read all of the contact (address) data stored on your phone. Malicious applications can use this to send your data to other people.
android.permission.WRITE_CONTACTS	dangerous	write contact data	Allows an application to modify the contact (address) data stored on your phone. Malicious applications can use this to erase or modify your contact data.
android.permission.MANAGE_ACCOUNTS	dangerous	manage the accounts list	Allows an application to perform operations like adding and removing accounts and deleting their password.
android.permission.READ_PROFILE	dangerous	read the user's personal profile data	Allows an application to read the user's personal profile data.
android.permission.WRITE_SYNC_SETTINGS	normal	write sync settings	Allows an application to modify the sync settings, such as whether sync is enabled for Contacts.
android.permission.READ_SYNC_SETTINGS	normal	read sync settings	Allows an application to read the sync settings, such as whether sync is enabled for Contacts.
android.permission.AUTHENTICATE_ACCOUNTS	dangerous	act as an account authenticator	Allows an application to use the account authenticator capabilities of the Account Manager, including creating accounts as well as obtaining and setting their passwords.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.SYSTEM_ALERT_WINDOW	dangerous	display system-level alerts	Allows an application to show system-alert windows. Malicious applications can take over the entire screen of the phone.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.USE_FINGERPRINT	normal	allow use of fingerprint	This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead.
android.permission.USE_BIOMETRIC	normal	allows use of device-supported biometric modalities.	Allows an app to use device supported biometric modalities.
android.permission.INSTALL_SHORTCUT	normal	permits installation of shortcuts in Launcher.	Allows an application to install a shortcut in Launcher.
com.android.launcher.permission.INSTALL_SHORTCUT	unknown	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.UNINSTALL_SHORTCUT	unknown	Unknown permission	Unknown permission from android reference
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.
android.permission.MANAGE_OWN_CALLS	normal	enables a calling app to manage its own calls.	Allows a calling application which manages it own calls through the self-managed ConnectionService APIs.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.REQUEST_INSTALL_PACKAGES	dangerous	Allows an application to request installing packages.	Malicious applications can use this to try and trick users into installing additional malicious packages.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
com.sec.android.provider.badge.permission.READ	normal	show notification count on app	Show notification count or badge on application launch icon for samsung phones.
com.sec.android.provider.badge.permission.WRITE	normal	show notification count on app	Show notification count or badge on application launch icon for samsung phones.
com.htc.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for htc phones.
com.htc.launcher.permission.UPDATE_SHORTCUT	normal	show notification count on app	Show notification count or badge on application launch icon for htc phones.
com.sonyericsson.home.permission.BROADCAST_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for sony phones.
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for sony phones.
com.anddoes.launcher.permission.UPDATE_COUNT	normal	show notification count on app	Show notification count or badge on application launch icon for apex.
com.majeur.launcher.permission.UPDATE_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for solid.
com.huawei.android.launcher.permission.CHANGE_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.
com.huawei.android.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.

PERMISSION	STATUS	INFO	DESCRIPTION
com.huawei.android.launcher.permission.WRITE_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.
android.permission.READ_APP_BADGE	normal	show app notification	Allows an application to show app icon badges.
com.oppo.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for oppo phones.
com.oppo.launcher.permission.WRITE_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for oppo phones.
me.everything.badger.permission.BADGE_COUNT_READ	unknown	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	unknown	Unknown permission	Unknown permission from android reference
com.android.vending.BILLING	normal	application has in-app purchases	Allows an application to make in-app purchases from Google Play.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.ACCESS_BACKGROUND_LOCATION	dangerous	access location in background	Allows an app to access location in the background.
org.telegram.messenger.web.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference



FILE	DETAILS
------	---------

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.HARDWARE check Build.BOARD check Build.TAGS check
	Compiler	r8
classes2.dex	FINDINGS	DETAILS
	Compiler	r8
classes3.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check possible Build.SERIAL check device ID check subscriber ID check ro.hardware check ro.product.device check ro.kernel.qemu check emulator file check
	Compiler	r8

FILE	DETAILS	
classes4.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.MANUFACTURER check
	Compiler	r8
classes5.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.MANUFACTURER check possible VM check
	Compiler	r8
lib/arm64-v8a/libtmessages.49.so	FINDINGS	DETAILS
	anti_hook	syscalls

BROWSABLE ACTIVITIES

ACTIVITY	INTENT
org.telegram.ui.LaunchActivity	Schemes: http://, https://, tonsite://, tg://, Hosts: telegram.me, telegram.dog, t.me, Mime Types: image/*, video/*, text/plain, */*, vnd.android.cursor.item/vnd.org.telegram.messenger.android.profile,
org.telegram.ui.ShareActivity	Schemes: tgb://,

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 2 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.
Certificate algorithm might be vulnerable to hash collision	warning	Application is signed with SHA1withRSA. SHA1 hash algorithm is known to have collision issues. The manifest file indicates SHA256withRSA is in use.

MANIFEST ANALYSIS

HIGH: 2 | WARNING: 37 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 5.0-5.0.2, [minSdk=21]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.

NO	ISSUE	SEVERITY	DESCRIPTION
2	Clear text traffic is Enabled For App[android:usesCleartextTraffic=true]	high	The app intends to use cleartext network traffic, such as cleartext HTTP, FTP stacks, DownloadManager, and MediaPlayer. The default value for apps that target API level 27 or lower is "true". Apps that target API level 28 or higher default to "false". The key reason for avoiding cleartext traffic is the lack of confidentiality, authenticity, and protections against tampering; a network attacker can eavesdrop on transmitted data and also modify it without being detected.
3	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
4	Service (org.telegram.messenger.GcmPushListenerService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
5	Service (org.telegram.messenger.GoogleVoiceClientService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Activity (org.telegram.messenger.GoogleVoiceClientActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Service (org.telegram.messenger.SMSJobsNotification) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
8	Activity-Alias (org.telegram.messenger.DefaultIcon) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
9	Activity-Alias (org.telegram.ui.CallsActivity) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.CALL_PHONE [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
10	Activity-Alias (org.telegram.messenger.Noxlcon) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
11	Activity-Alias (org.telegram.messenger.Turbolcon) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
12	Activity-Alias (org.telegram.messenger.Premiumlcon) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
13	Activity-Alias (org.telegram.messenger.Aqualcon) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
14	Activity-Alias (org.telegram.messenger.Vintagelcon) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
15	Activity (org.telegram.ui.ShareActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
16	Activity (org.telegram.ui.ExternalActionActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
17	Activity (org.telegram.ui.ChatsWidgetConfigActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
18	Activity (org.telegram.ui.ContactsWidgetConfigActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
19	Activity (org.telegram.messenger.OpenChatReceiver) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
20	Activity (org.telegram.messenger.OpenAttachedMenuBotReceiver) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
21	TaskAffinity is set for activity (org.telegram.ui.VoIPPermissionActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
22	TaskAffinity is set for activity (org.telegram.ui.VoIPFeedbackActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
23	Broadcast Receiver (org.telegram.messenger.SmsReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
24	Service (org.telegram.messenger.AuthenticatorService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
25	Service (org.telegram.messenger.ContactsSyncAdapterService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
26	Service (org.telegram.messenger.BringAppForegroundService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
27	Service (org.telegram.messenger.NotificationsService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
28	Service (org.telegram.messenger.VideoEncodingService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
29	Service (org.telegram.ui.Stories.recorder.StoryUploadingService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
30	Service (org.telegram.messenger.ImportingService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
31	Service (org.telegram.messenger.LocationSharingService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
32	Service (org.telegram.messenger.MusicPlayerService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
33	Service (org.telegram.messenger.voip.TelegramConnectionService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_TELECOM_CONNECTION_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
34	Broadcast Receiver (org.telegram.messenger.RefererReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.INSTALL_PACKAGES [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
35	Content Provider (org.telegram.messenger.voip.CallNotificationSoundProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
36	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
37	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
38	Service (androidx.sharetarget.ChooserTargetServiceCompat) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_CHOOSER_TARGET_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
39	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 1 | WARNING: 8 | INFO: 3 | SECURE: 1 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				me/vkryl/android/animotor/FactorAnimator.java org/scilab/forge/jlatexmath/DefaultTeXFont.java org/telegram/DispatchQueuePriority.java org/telegram/PhoneFormat/PhoneFormat.java org/telegram/SQLite/SQLiteCursor.java org/telegram/SQLite/SQLiteDatabase.java org/telegram/SQLite/SQLitePreparedStatement.j ava org/telegram/messenger/AiTonesController.java org/telegram/messenger/AndroidUtilities.java org/telegram/messenger/AnimatedFileDrawable Stream.java org/telegram/messenger/AppGlobalConfig.java org/telegram/messenger/ApplicationLoader.java org/telegram/messenger/ApplicationLoaderImpl .java org/telegram/messenger/AuthTokensHelper.java org/telegram/messenger/AutoDeleteMediaTask.j ava org/telegram/messenger/BillingController.java org/telegram/messenger/BirthdayController.jav a org/telegram/messenger/BotForumHelper.java org/telegram/messenger/BuildVars.java org/telegram/messenger/CaptchaController.java org/telegram/messenger/ChatObject.java org/telegram/messenger/ChatThemeController.j ava org/telegram/messenger/ChatsRemoteViewsFact ory.java org/telegram/messenger/CodeHighlighting.java org/telegram/messenger/ContactsController.jav a org/telegram/messenger/ContactsRemoteViews Factory.java org/telegram/messenger/ContactsSyncAdapterS ervice.java org/telegram/messenger/DatabaseMigrationHel per.java org/telegram/messenger/DispatchQueue.java org/telegram/messenger/DispatchQueuePoolBa

NO	ISSUE	SEVERITY	STANDARDS	ckground.java FILES org/telegram/messenger/DocumentObject.java org/telegram/messenger/DownloadController.java va org/telegram/messenger/Emoji.java org/telegram/messenger/EmulInputDevicesDetector.java org/telegram/messenger/FactCheckController.java va org/telegram/messenger/FeedRemoteViewsFactory.java org/telegram/messenger/FileLoadOperation.java a org/telegram/messenger/FileLoader.java org/telegram/messenger/FileLog.java org/telegram/messenger/FilePathDatabase.java org/telegram/messenger/FileRefController.java org/telegram/messenger/FileStreamLoadOperation.java org/telegram/messenger/FileUploadOperation.java va org/telegram/messenger/FilesMigrationService.java va org/telegram/messenger/FingerprintController.java va org/telegram/messenger/GcmPushListenerService.java org/telegram/messenger/ImageLoader.java org/telegram/messenger/ImageReceiver.java org/telegram/messenger/ImportingService.java org/telegram/messenger/KeepAliveJob.java org/telegram/messenger/LanguageDetector.java org/telegram/messenger/LinkifyPort.java org/telegram/messenger/LiteMode.java org/telegram/messenger/LocaleController.java org/telegram/messenger/LocationController.java a org/telegram/messenger/LocationSharingService.java org/telegram/messenger/MediaController.java org/telegram/messenger/MediaDataController.java va org/telegram/messenger/MessageObject.java org/telegram/messenger/MessagePreviewPara

NO	ISSUE	SEVERITY	STANDARDS	FILES
				ms.java org/telegram/messenger/MessagesController.java org/telegram/messenger/MessagesStorage.java org/telegram/messenger/MusicBrowserService.java org/telegram/messenger/MusicPlayerService.java org/telegram/messenger/NativeLoader.java org/telegram/messenger/NotchInfoUtils.java org/telegram/messenger/NotificationBadge.java org/telegram/messenger/NotificationCenter.java org/telegram/messenger/NotificationDismissReceiver.java org/telegram/messenger/NotificationImageProvider.java org/telegram/messenger/NotificationsController.java org/telegram/messenger/NotificationsDisabledReceiver.java org/telegram/messenger/OpenAttachedMenuBotReceiver.java org/telegram/messenger/OpenChatReceiver.java org/telegram/messenger/PasskeysController.java org/telegram/messenger/PushListenerController.java org/telegram/messenger/SMSJobController.java org/telegram/messenger/SMSJobsNotification.java org/telegram/messenger/SavedMessagesController.java org/telegram/messenger/ScreenReceiver.java org/telegram/messenger/SecretChatHelper.java org/telegram/messenger/SendMessagesHelper.java org/telegram/messenger/SharedConfig.java org/telegram/messenger/SmsReceiver.java org/telegram/messenger/SvgHelper.java org/telegram/messenger/Timer.java org/telegram/messenger/TopicsController.java org/telegram/messenger/TranslateController.java org/telegram/messenger/UnconfirmedAuthCont

NO	ISSUE	SEVERITY	STANDARDS	FILES
				roller.java org/telegram/messenger/UserConfig.java org/telegram/messenger/UserNameResolver.jav a org/telegram/messenger/Utilities.java org/telegram/messenger/VideoEditedInfo.java org/telegram/messenger/VideoEncodingService.j ava org/telegram/messenger/XiaomiUtilities.java org/telegram/messenger/audioinfo/OtherAudioI nfo.java org/telegram/messenger/browser/Browser.java org/telegram/messenger/camera/Camera2Sessi on.java org/telegram/messenger/camera/CameraContro ller.java org/telegram/messenger/camera/CameraSessio n.java org/telegram/messenger/camera/CameraView.ja va org/telegram/messenger/chromecast/Chromeca stController.java org/telegram/messenger/chromecast/Chromeca stFileServer.java org/telegram/messenger/pip/PipActivityControll er.java org/telegram/messenger/pip/PipActivityHandler. java org/telegram/messenger/pip/source/PipSource HandlerState2.java org/telegram/messenger/ringtone/RingtoneData Store.java org/telegram/messenger/secretmedia/Extended DefaultDataSource.java org/telegram/messenger/support/JobIntentServi ce.java org/telegram/messenger/support/customtabscli ent/shared/CustomTabsHelper.java org/telegram/messenger/support/fingerprint/Fi ngerprintManagerCompatApi23.java org/telegram/messenger/utils/BillingUtilities.jav a org/telegram/messenger/utils/BitmapsCache.jav a

NO	ISSUE	SEVERITY	STANDARDS	FILES
				org/telegram/messenger/utils/CopyUtilities.java org/telegram/messenger/video/AudioDecoder.java org/telegram/messenger/video/AudioRecorder.java org/telegram/messenger/video/MediaCodecVideoConvertor.java org/telegram/messenger/video/OutputSurface.java org/telegram/messenger/video/TextureRenderer.java org/telegram/messenger/video/VideoFramesRewinder.java org/telegram/messenger/video/VideoPlayerHolderBase.java org/telegram/messenger/video/WebmEncoder.java org/telegram/messenger/voip/AudioRecordJNI.java org/telegram/messenger/voip/AudioTrackJNI.java org/telegram/messenger/voip/ConferenceCall.java org/telegram/messenger/voip/GroupCallMessagesController.java org/telegram/messenger/voip/Instance.java org/telegram/messenger/voip/JNIUtilities.java org/telegram/messenger/voip/NativeInstance.java org/telegram/messenger/voip/TelegramConnectionService.java org/telegram/messenger/voip/VideoCapturerDevice.java org/telegram/messenger/voip/VoIPDebugToSend.java org/telegram/messenger/voip/VoIPGroupNotification.java org/telegram/messenger/voip/VoIPPreNotificationService.java org/telegram/messenger/voip/VoIPServerConfig.java org/telegram/messenger/voip/VoIPService.java org/telegram/messenger/wallpaper/WallpaperGiftPatternPosition.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				org/telegram/tgnet/ConnectionsManager.java org/telegram/tgnet/NativeByteBuffer.java org/telegram/tgnet/SerializedData.java org/telegram/tgnet/TLClassStore.java org/telegram/tgnet/TLParseException.java org/telegram/tgnet/TLRPC.java org/telegram/tgnet/json/TLJsonBuilder.java org/telegram/tgnet/json/TLJsonParser.java org/telegram/ui/AccountFrozenAlert.java org/telegram/ui/ActionBar/ActionBarLayout.java org/telegram/ui/ActionBar/ActionBarPopupWind ow.java org/telegram/ui/ActionBar/AlertDialog.java org/telegram/ui/ActionBar/BaseFragment.java org/telegram/ui/ActionBar/BottomSheet.java org/telegram/ui/ActionBar/BottomSheetTabDial og.java org/telegram/ui/ActionBar/BottomSheetTabs.jav a org/telegram/ui/ActionBar/DrawerLayoutContai ner.java org/telegram/ui/ActionBar/EmojiThemes.java org/telegram/ui/ActionBar/Theme.java org/telegram/ui/ActionBar/ThemeDescription.ja va org/telegram/ui/ActionIntroActivity.java org/telegram/ui/Adapters/ContactsAdapter.java org/telegram/ui/Adapters/DialogsAdapter.java org/telegram/ui/Adapters/DialogsSearchAdapter .java org/telegram/ui/Adapters/SearchAdapter.java org/telegram/ui/Adapters/SearchAdapterHelper.j ava org/telegram/ui/ArticleViewer.java org/telegram/ui/BasePermissionsActivity.java org/telegram/ui/BubbleActivity.java org/telegram/ui/Business/BusinessLinksControll er.java org/telegram/ui/Business/BusinessRecipientsHel per.java org/telegram/ui/Business/LocationActivity.java org/telegram/ui/Business/QuickRepliesControlle r.java org/telegram/ui/CacheControlActivity.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				org/telegram/ui/CachedMediaLayout.java org/telegram/ui/CameraScanActivity.java org/telegram/ui/CastSync.java org/telegram/ui/Cells/AboutLinkCell.java org/telegram/ui/Cells/AudioPlayerCell.java org/telegram/ui/Cells/BaseCell.java org/telegram/ui/Cells/BotHelpCell.java org/telegram/ui/Cells/ChannelRecommendation sCell.java org/telegram/ui/Cells/ChatActionCell.java org/telegram/ui/Cells/ChatMessageCell.java org/telegram/ui/Cells/ContextLinkCell.java org/telegram/ui/Cells/DialogCell.java org/telegram/ui/Cells/DialogMeUrlCell.java org/telegram/ui/Cells/ProfileChannelCell.java org/telegram/ui/Cells/SettingsSuggestionCell.jav a org/telegram/ui/Cells/SharedAudioCell.java org/telegram/ui/Cells/SharedLinkCell.java org/telegram/ui/Cells/SharedPhotoVideoCell2.ja va org/telegram/ui/Cells/SlideIntChooseView.java org/telegram/ui/Cells/TextSelectionHelper.java org/telegram/ui/Cells/ThemesHorizontalListCell.j ava org/telegram/ui/ChangeUsernameActivity.java org/telegram/ui/ChannelAdminLogActivity.java org/telegram/ui/ChannelColorActivity.java org/telegram/ui/ChannelCreateActivity.java org/telegram/ui/ChannelMonetizationLayout.jav a org/telegram/ui/ChatActivity.java org/telegram/ui/ChatEditActivity.java org/telegram/ui/ChatRightsEditActivity.java org/telegram/ui/ChatUsersActivity.java org/telegram/ui/Components/AIEditorAlert.java org/telegram/ui/Components/AlertsCreator.java org/telegram/ui/Components/AnimatedEmojiDr awable.java org/telegram/ui/Components/AnimatedFileDraw able.java org/telegram/ui/Components/AnimatedLinearLa yout.java org/telegram/ui/Components/AudioPlayerAlert.j

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	ava Files org/telegram/ui/Components/AvatarDrawable.java org/telegram/ui/Components/BlurBehindDrawable.java org/telegram/ui/Components/ChatActivityEnterView.java org/telegram/ui/Components/ChatAttachAlert.java org/telegram/ui/Components/ChatAttachAlertAudioLayout.java org/telegram/ui/Components/ChatAttachAlertDocumentLayout.java org/telegram/ui/Components/ChatAttachAlertLocationLayout.java org/telegram/ui/Components/ChatAttachAlertPhotoLayout.java org/telegram/ui/Components/ChatAttachAlertPollLayout.java org/telegram/ui/Components/ChatAvatarContainer.java org/telegram/ui/Components/ChatThemeBottomSheet.java org/telegram/ui/Components/ClippingImageView.java org/telegram/ui/Components/Crop/CropView.java org/telegram/ui/Components/DialogsBotsAdapter.java org/telegram/ui/Components/DrawingInBackgroundThreadDrawable.java org/telegram/ui/Components/EarListener.java org/telegram/ui/Components/EditTextBoldCursor.java org/telegram/ui/Components/EditTextCaption.java org/telegram/ui/Components/EditTextEffects.java org/telegram/ui/Components/EditTextEmoji.java org/telegram/ui/Components/EmbedBottomSheet.java org/telegram/ui/Components/EmojiColorPickerWindow.java org/telegram/ui/Components/EmojiPacksAlert.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				org/telegram/ui/Components/EmojiView.java org/telegram/ui/Components/FilterGLThread.java org/telegram/ui/Components/FilterShaders.java org/telegram/ui/Components/FireworksOverlay.java org/telegram/ui/Components/ForegroundDetector.java org/telegram/ui/Components/GroupCallPipAlertView.java org/telegram/ui/Components/GroupVoipInviteAlert.java org/telegram/ui/Components/ImageUpdater.java org/telegram/ui/Components/InstantCameraVideoEncoderOverlayHelper.java org/telegram/ui/Components/InstantCameraView.java org/telegram/ui/Components/JoinCallAlert.java org/telegram/ui/Components/LetterDrawable.java org/telegram/ui/Components/LinkActionView.java org/telegram/ui/Components/LinkSpanDrawable.java org/telegram/ui/Components/MarkdownParser.java org/telegram/ui/Components/MentionsContainerView.java org/telegram/ui/Components/MessagePreviewView.java org/telegram/ui/Components/MotionBackgroundDrawable.java org/telegram/ui/Components/Paint/PaintTypeface.java org/telegram/ui/Components/Paint/RenderView.java org/telegram/ui/Components/Paint/Shader.java org/telegram/ui/Components/Paint/ShapeDetector.java org/telegram/ui/Components/Paint/Slice.java org/telegram/ui/Components/Paint/Texture.java org/telegram/ui/Components/Paint/Utils.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				org/telegram/ui/Components/Paint/Views/LPhotoView.java org/telegram/ui/Components/Paint/Views/PhotoView.java org/telegram/ui/Components/Paint/Views/StickerMakerView.java org/telegram/ui/Components/PasscodeView.java org/telegram/ui/Components/PathAnimator.java org/telegram/ui/Components/PermissionRequest.java org/telegram/ui/Components/PhonebookShareAlert.java org/telegram/ui/Components/PhotoViewerWebView.java org/telegram/ui/Components/PipRoundVideoView.java org/telegram/ui/Components/Premium/GLLcon/GLLconTextureView.java org/telegram/ui/Components/Premium/PremiumAppIconsPreviewView.java org/telegram/ui/Components/Premium/PremiumFeatureBottomSheet.java org/telegram/ui/Components/Premium/PremiumNotAvailableBottomSheet.java org/telegram/ui/Components/Premium/boosts/ReassignBoostBottomSheet.java org/telegram/ui/Components/Premium/boosts/cells/msg/GiveawayResultsMessageCell.java org/telegram/ui/Components/ProfileGalleryView.java org/telegram/ui/Components/ProximitySheet.java org/telegram/ui/Components/QRCodeBottomSheet.java org/telegram/ui/Components/RLottieDrawable.java org/telegram/ui/Components/Reactions/ChatCustomReactionsEditActivity.java org/telegram/ui/Components/RecyclerView.java org/telegram/ui/Components/SearchDownloadsContainer.java org/telegram/ui/Components/SeekBar.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				org/telegram/ui/Components/SeekBarView.java org/telegram/ui/Components/ShareAlert.java org/telegram/ui/Components/SharedMediaLayout.java org/telegram/ui/Components/SizeNotifierFrameLayout.java org/telegram/ui/Components/SlotsDrawable.java org/telegram/ui/Components/StaticLayoutEx.java org/telegram/ui/Components/StickerCategoriesListView.java org/telegram/ui/Components/StickersAlert.java org/telegram/ui/Components/TermsOfServiceView.java org/telegram/ui/Components/ThanosEffect.java org/telegram/ui/Components/ThemeEditorView.java org/telegram/ui/Components/TimerDrawable.java org/telegram/ui/Components/TranscribeButton.java org/telegram/ui/Components/TranslateAlert2.java org/telegram/ui/Components/TranslateAlert3.java org/telegram/ui/Components/UndoView.java org/telegram/ui/Components/VideoPlayer.java org/telegram/ui/Components/VideoPlayerSeekBar.java org/telegram/ui/Components/VideoSeekPreviewImage.java org/telegram/ui/Components/VideoTimelinePlayView.java org/telegram/ui/Components/VideoTimelineView.java org/telegram/ui/Components/WallpaperUpdater.java org/telegram/ui/Components/WebPlayerView.java org/telegram/ui/Components/chat/ChatActivity org/telegram/ui/Components/chat/ChatMessageMetricsView.java org/telegram/ui/Components/chat/ChatListView org/telegram/ui/Components/chat/ChatListPaddingAnimator.java

NO	ISSUE	SEVERITY	STANDARDS	org/telegram/ui/Components/spoilers/SpoilerEff Files org/telegram/ui/Components/spoilers/SpoilersT extView.java org/telegram/ui/Components/voip/VoIPHelper.j ava org/telegram/ui/Components/voip/VoIPPiPView. java org/telegram/ui/ContactsActivity.java org/telegram/ui/ContentPreviewViewer.java org/telegram/ui/CountrySelectActivity.java org/telegram/ui/DialogsActivity.java org/telegram/ui/EditWidgetActivity.java org/telegram/ui/EmojiAnimationsOverlay.java org/telegram/ui/ExternalActionActivity.java org/telegram/ui/FilterChatlistActivity.java org/telegram/ui/FilterCreateActivity.java org/telegram/ui/FilteredSearchView.java org/telegram/ui/FiltersSetupActivity.java org/telegram/ui/Gifts/AuctionBidSheet.java org/telegram/ui/GroupCallActivity.java org/telegram/ui/GroupCreateActivity.java org/telegram/ui/GroupCreateFinalActivity.java org/telegram/ui/GroupInviteActivity.java org/telegram/ui/GroupStickersActivity.java org/telegram/ui/IdenticonActivity.java org/telegram/ui/IntroActivity.java org/telegram/ui/InviteContactsActivity.java org/telegram/ui/LanguageSelectActivity.java org/telegram/ui/LaunchActivity.java org/telegram/ui/LinkEditActivity.java org/telegram/ui/LinkManager.java org/telegram/ui/LocationActivity.java org/telegram/ui/LoginActivity.java org/telegram/ui/ManageLinksActivity.java org/telegram/ui/MessageSendPreview.java org/telegram/ui/NewContactBottomSheet.java org/telegram/ui/NotificationsCustomSettingsActi vity.java org/telegram/ui/NotificationsSettingsActivity.jav a org/telegram/ui/NotificationsSoundActivity.java org/telegram/ui/PasscodeActivity.java org/telegram/ui/PassportActivity.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				org/telegram/ui/PaymentFormActivity.java org/telegram/ui/PhotoCropActivity.java org/telegram/ui/PhotoViewer.java org/telegram/ui/PollCreateActivity.java org/telegram/ui/PopupNotificationActivity.java org/telegram/ui/PremiumPreviewFragment.java org/telegram/ui/PrivacySettingsActivity.java org/telegram/ui/ProfileActivity.java org/telegram/ui/ProfileBirthdayEffect.java org/telegram/ui/ProfileNotificationsActivity.java org/telegram/ui/QrActivity.java org/telegram/ui/RestrictedLanguagesSelectActivity.java org/telegram/ui/SMSStatsActivity.java org/telegram/ui/SecretMediaViewer.java org/telegram/ui/SelectAnimatedEmojiDialog.java org/telegram/ui/SessionsActivity.java org/telegram/ui/SettingsActivity.java org/telegram/ui/ShareActivity.java org/telegram/ui/Stars/BotStarsActivity.java org/telegram/ui/Stars/StarsController.java org/telegram/ui/Stars/StarsIntroActivity.java org/telegram/ui/StickersActivity.java org/telegram/ui/Stories/HighlightMessageSheet.java org/telegram/ui/Stories/LivePlayer.java org/telegram/ui/Stories/PeerStoriesView.java org/telegram/ui/Stories/SelfStoryViewsPage.java org/telegram/ui/Stories/SelfStoryViewsView.java org/telegram/ui/Stories/StoriesController.java org/telegram/ui/Stories/StoriesStorage.java org/telegram/ui/Stories/StoriesViewPager.java org/telegram/ui/Stories/StoryCaptionView.java org/telegram/ui/Stories/StoryViewer.java org/telegram/ui/Stories/recorder/CaptionContainerView.java org/telegram/ui/Stories/recorder/DownloadButton.java org/telegram/ui/Stories/recorder/DraftsController.java org/telegram/ui/Stories/recorder/DualCameraView.java org/telegram/ui/Stories/recorder/EmojiBottomSheet.java

NO	ISSUE	SEVERITY	STANDARDS	org/telegram/ui/Stories/recorder/LivePlayerView.java org/telegram/ui/Stories/recorder/PaintView.java org/telegram/ui/Stories/recorder/ScannedLinkPreview.java org/telegram/ui/Stories/recorder/SelectAudioAlert.java org/telegram/ui/Stories/recorder/StoryEntry.java org/telegram/ui/Stories/recorder/StoryLinkSheet.java org/telegram/ui/Stories/recorder/StoryPrivacySelector.java org/telegram/ui/Stories/recorder/StoryRecorder.java org/telegram/ui/Stories/recorder/StoryUploadingService.java org/telegram/ui/Stories/recorder/TimelineView.java org/telegram/ui/Stories/recorder/Weather.java org/telegram/ui/TON/TONIntroActivity.java org/telegram/ui/ThemeActivity.java org/telegram/ui/ThemePreviewActivity.java org/telegram/ui/ThemeSetUrlActivity.java org/telegram/ui/TopicsFragment.java org/telegram/ui/TwoStepVerificationActivity.java org/telegram/ui/TwoStepVerificationSetupActivity.java org/telegram/ui/VoIPFragment.java org/telegram/ui/VoIPPermissionActivity.java org/telegram/ui/WallpapersListActivity.java org/telegram/ui/WebViewActivity.java org/telegram/ui/bots/BotBiometry.java org/telegram/ui/bots/BotDownloads.java org/telegram/ui/bots/BotLocation.java org/telegram/ui/bots/BotShareSheet.java org/telegram/ui/bots/BotStorage.java org/telegram/ui/bots/BotWebViewSheet.java org/telegram/ui/bots/WebViewRequestProps.java org/telegram/ui/web/AddressBarList.java org/telegram/ui/web/BotWebViewContainer.java org/telegram/ui/web/BrowserHistory.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				org/telegram/ui/web/HttpGetFileTask.java org/telegram/ui/web/RestrictedDomainsList.java org/telegram/ui/web/SearchEngine.java
				org/telegram/ui/web/WebBrowserSettings.java org/telegram/ui/web/WebInstantView.java org/telegram/ui/web/WebMetadataCache.java
2	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	org/webRTC/AndroidVideoDecoder.java org/webRTC/FullRenderView.java org/webRTC/GlGenericDrawers.java org/webRTC/HardwareVideoEncoder.java org/webRTC/ScreenCapturerAndroid.java org/webRTC/YuvConverter.java org/webRTC/audio/WebRtcAudioTrack.java org/webRTC/voiceengine/WebRtcAudioRecord.java org/webRTC/voiceengine/WebRtcAudioTrack.java org/telegram/ui/web/BotWebViewContainer.java org/telegram/ui/web/WebInstantView.java org/telegram/ui/web/WebMetadataCache.java
3	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	org/telegram/messenger/AndroidUtilities.java org/telegram/messenger/EmuDetector.java org/telegram/messenger/FilesMigrationService.java org/telegram/messenger/ImageLoader.java org/telegram/messenger/MediaController.java org/telegram/messenger/SharedConfig.java org/telegram/messenger/voip/VoIPController.java org/telegram/ui/Components/ChatAttachAlertDocumentLayout.java org/telegram/ui/Components/voip/VoIPHelper.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	org/telegram/messenger/AndroidUtilities.java org/telegram/ui/ChangeUsernameActivity.java org/telegram/ui/ChatActivity.java org/telegram/ui/Components/EmbedBottomSheet.java org/telegram/ui/Components/InviteMembersBottomSheet.java org/telegram/ui/Components/LinkActionView.java org/telegram/ui/Components/PhonebookShareAlert.java org/telegram/ui/Components/ShareAlert.java org/telegram/ui/GroupInviteActivity.java org/telegram/ui/ManageLinksActivity.java org/telegram/ui/PrivacyControlActivity.java org/telegram/ui/ProfileActivity.java org/telegram/ui/SessionBottomSheet.java org/telegram/ui/StickersActivity.java org/telegram/ui/ThemeSetUrlActivity.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
5	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	io/noties/markwon/html/jsoup/parser/Tokenise rState.java org/telegram/messenger/BuildVars.java org/telegram/messenger/ImageLoader.java org/telegram/messenger/ImageReceiver.java org/telegram/messenger/MediaDataController.j ava org/telegram/messenger/NotificationCenter.java org/telegram/messenger/voip/Instance.java org/telegram/ui/Adapters/MentionsAdapter.java org/telegram/ui/ArticleViewer.java org/telegram/ui/Cells/BotHelpCell.java org/telegram/ui/ChannelCreateActivity.java org/telegram/ui/ChatEditTypeActivity.java org/telegram/ui/Components/CreateBotAlert.jav a org/telegram/ui/Components/Reactions/Reactio nsLayoutInBubble.java org/telegram/ui/DataAutoDownloadActivity.java org/telegram/ui/PollItemMenu.java org/telegram/ui/PremiumPreviewFragment.java org/telegram/ui/QrActivity.java org/telegram/ui/Stories/recorder/DualCameraVi ew.java org/telegram/ui/TodoItemMenu.java org/telegram/ui/TopicsFragment.java
6	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG-CODE-2	fi/iki/elonen/NanoHTTPD.java org/telegram/messenger/EmuDetector.java org/telegram/ui/Components/PhotoViewerWeb View.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
7	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/carrotsearch/randomizedtesting/Xoroshiro128PlusRandom.java j\$/util/concurrent/ThreadLocalRandom.java org/telegram/messenger/Utilities.java org/telegram/ui/Components/AudioVisualizerDrawable.java org/telegram/ui/Components/AvatarsDrawable.java org/telegram/ui/Components/BlobDrawable.java org/telegram/ui/Components/CircleBezierDrawable.java org/telegram/ui/Components/FlickerLoadingView.java org/telegram/ui/Components/GroupCallPipButton.java org/telegram/ui/Components/LineBlobDrawable.java org/telegram/ui/Components/MotionBackgroundDrawable.java org/telegram/ui/Components/Reactions/ReactionsEffectOverlay.java org/telegram/ui/Components/SharedMediaFastScrollTooltip.java org/telegram/ui/EmojiAnimationsOverlay.java org/telegram/ui/Stars/BagRandomizer.java
8	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	org/telegram/messenger/FileUploadOperation.java org/telegram/messenger/MessagesController.java org/telegram/messenger/Utilities.java
9	This App uses SafetyNet API.	secure	OWASP MASVS: MSTG-RESILIENCE-7	org/telegram/ui/LoginActivity.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
10	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	org/telegram/messenger/Utilities.java org/telegram/ui/PassportActivity.java
11	The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks.	high	CWE: CWE-649: Reliance on Obfuscation or Encryption of Security-Relevant Inputs without Integrity Checking OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-3	org/telegram/ui/bots/BotBiometry.java
12	This app listens to Clipboard changes. Some malware also listen to Clipboard changes.	info	OWASP MASVS: MSTG-PLATFORM-4	org/telegram/ui/ProxySettingsActivity.java
13	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	org/telegram/ui/Components/Paint/Slice.java

SHARED LIBRARY BINARY ANALYSIS

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
----	---------------	----	-----	--------------	-------	-------	---------	---------	------------------

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
1	x86_64/libtmessages.49.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memmove_chk', '__memset_chk', '__strlen_chk', '__vsprintf_chk', '__strchr_chk', '__read_chk', '__FD_SET_chk', '__FD_ISSET_chk', '__FD_CLR_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
2	x86_64/liblanguage_id_l2c_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
3	armeabi-v7a/libtmessages.49.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_FD_SET_chk', '_FD_ISSET_chk', '_FD_CLR_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
4	armeabi-v7a/liblanguage_id_l2c_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
5	arm64-v8a/libtmessages.49.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memmove_chk', '__memset_chk', '__strlen_chk', '__vsprintf_chk', '__strchr_chk', '__read_chk', '__FD_SET_chk', '__FD_ISSET_chk', '__FD_CLR_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
6	arm64-v8a/liblanguage_id_l2c_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
7	x86/libtmessages.49.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_FD_SET_chk', '_FD_ISSET_chk', '_FD_CLR_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
8	x86/liblanguage_id_l2c_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
9	x86_64/libtmessages.49.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memmove_chk', '__memset_chk', '__strlen_chk', '__vsprintf_chk', '__strchr_chk', '__read_chk', '__FD_SET_chk', '__FD_ISSET_chk', '__FD_CLR_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
10	x86_64/liblanguage_id_l2c_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
11	armeabi-v7a/libtmessages.49.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_FD_SET_chk', '_FD_ISSET_chk', '_FD_CLR_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
12	armeabi-v7a/liblanguage_id_l2c_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
13	arm64-v8a/libtmessages.49.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memmove_chk', '__memset_chk', '__strlen_chk', '__vsprintf_chk', '__strchr_chk', '__read_chk', '__FD_SET_chk', '__FD_ISSET_chk', '__FD_CLR_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
14	arm64-v8a/liblanguage_id_l2c_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
15	x86/libtmessages.49.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_FD_SET_chk', '_FD_ISSET_chk', '_FD_CLR_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
16	x86/liblanguage_id_l2c_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	org/telegram/messenger/AndroidUtilities.java org/telegram/messenger/AutoDeleteMediaTask.java org/telegram/messenger/ChatThemeController.java org/telegram/messenger/DatabaseMigrationHelper.java org/telegram/messenger/FileLoader.java org/telegram/messenger/FileLog.java org/telegram/messenger/FilePathDatabase.java org/telegram/messenger/FilesMigrationService.java org/telegram/messenger/ImageLoader.java org/telegram/messenger/LocaleController.java org/telegram/messenger/MediaController.java org/telegram/messenger/MessageObject.java org/telegram/messenger/MessagesController.java org/telegram/messenger/MusicPlayerService.java org/telegram/messenger/NativeLoader.java org/telegram/messenger/NotificationsController.java org/telegram/messenger/SecretChatHelper.java org/telegram/messenger/SendMessagesHelper.java org/telegram/messenger/SharedConfig.java org/telegram/messenger/VideoEditedInfo.java org/telegram/messenger/audioinfo/AudioInfo.java org/telegram/messenger/audioinfo/OtherAudioInfo.java org/telegram/messenger/camera/CameraController.java org/telegram/messenger/chromecast/ChromecastControllerState.java org/telegram/messenger/video/VideoFramesRewinder.java org/telegram/messenger/video/WebmEncoder.java org/telegram/messenger/voip/VoIPController.java org/telegram/messenger/voip/VoIPDebugToSend.java org/telegram/messenger/voip/VoIPService.java org/telegram/ui/ActionBar/EmojiThemes.java org/telegram/ui/ActionBar/Theme.java org/telegram/ui/CacheControlActivity.java org/telegram/ui/CachedMediaLayout.java org/telegram/ui/Cells/ContextLinkCell.java org/telegram/ui/Cells/ThemesHorizontalListCell.java org/telegram/ui/Cells/WallpaperCell.java org/telegram/ui/ChannelColorActivity.java org/telegram/ui/ChatActivity.java org/telegram/ui/Components/AnimatedFileDrawable.java org/telegram/ui/Components/AudioPlayerAlert.java org/telegram/ui/Components/ChatActivityEnterView.java

RULE ID	BEHAVIOUR	LABEL	FILES
			org/telegram/ui/Components/ChatAttachAlert.java org/telegram/ui/Components/ChatAttachAlertDocumentLayout.java org/telegram/ui/Components/ChatAttachAlertLocationLayout.java org/telegram/ui/Components/ChatAttachAlertPhotoLayout.java org/telegram/ui/Components/ChatThemeBottomSheet.java org/telegram/ui/Components/Crop/CropView.java org/telegram/ui/Components/ImageUpdater.java org/telegram/ui/Components/InstantCameraView.java org/telegram/ui/Components/Paint/Views/LPhotoPaintView.java org/telegram/ui/Components/Paint/Views/PhotoView.java org/telegram/ui/Components/Paint/Views/StickerMakerView.java org/telegram/ui/Components/RLottieDrawable.java org/telegram/ui/Components/StickersAlert.java org/telegram/ui/Components/ThemePreviewDrawable.java org/telegram/ui/Components/VideoSeekPreviewImage.java org/telegram/ui/Components/WallpaperUpdater.java org/telegram/ui/Components/voip/PrivateVideoPreviewDialog.java org/telegram/ui/Components/voip/PrivateVideoPreviewDialogNew.java org/telegram/ui/Components/voip/VoIPHelper.java org/telegram/ui/Components/voip/VoIPTextureView.java org/telegram/ui/DataSettingsActivity.java org/telegram/ui/LaunchActivity.java org/telegram/ui/PassportActivity.java org/telegram/ui/PhotoViewer.java org/telegram/ui/ProfileActivity.java org/telegram/ui/SecretMediaViewer.java org/telegram/ui/Stories/StoriesController.java org/telegram/ui/Stories/recorder/DownloadButton.java org/telegram/ui/Stories/recorder/DraftsController.java org/telegram/ui/Stories/recorder/LivePlayerView.java org/telegram/ui/Stories/recorder/PaintView.java org/telegram/ui/Stories/recorder/PreviewView.java org/telegram/ui/Stories/recorder/StoryEntry.java org/telegram/ui/Stories/recorder/StoryRecorder.java org/telegram/ui/ThemePreviewActivity.java org/telegram/ui/bots/BotDownloads.java org/telegram/ui/bots/BotShareSheet.java org/telegram/ui/web/BotWebViewContainer.java org/telegram/ui/web/WebInstantView.java

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	org/scilab/forgexml/DefaultTeXFont.java org/scilab/forgexml/SymbolAtom.java org/scilab/forgexml/TeXFormula.java org/telegram/messenger/AndroidUtilities.java org/telegram/messenger/ChatThemeController.java org/telegram/messenger/EmuDetector.java org/telegram/messenger/EmulInputDevicesDetector.java org/telegram/messenger/FileLoadOperation.java org/telegram/messenger/ImageLoader.java org/telegram/messenger/LocaleController.java org/telegram/messenger/MediaController.java org/telegram/messenger/SendMessagesHelper.java org/telegram/messenger/SvgHelper.java org/telegram/messenger/Utilities.java org/telegram/messenger/audioinfo/AudioInfo.java org/telegram/messenger/chromecast/ChromecastFileServer.java org/telegram/messenger/secretmedia/EncryptedFileInputStream.java org/telegram/messenger/voip/VoIPService.java org/telegram/tgnet/SerializedData.java org/telegram/ui/ActionBar/Theme.java org/telegram/ui/Cells/ThemesHorizontalListCell.java org/telegram/ui/ChannelColorActivity.java org/telegram/ui/Components/ChatThemeBottomSheet.java org/telegram/ui/Components/MarkdownParser.java org/telegram/ui/Components/Paint/Slice.java org/telegram/ui/ProfileActivity.java org/telegram/ui/bots/BotStorage.java org/telegram/ui/web/MHTML.java

RULE ID	BEHAVIOUR	LABEL	FILES
00125	Check if the given file path exist	file	org/telegram/messenger/AndroidUtilities.java org/telegram/messenger/MusicPlayerService.java org/telegram/messenger/SendMessagesHelper.java org/telegram/ui/ArticleViewer.java org/telegram/ui/CacheControlActivity.java org/telegram/ui/ChannelAdminLogActivity.java org/telegram/ui/ChatActivity.java org/telegram/ui/Components/AudioPlayerAlert.java org/telegram/ui/Components/ChatActivityEnterView.java org/telegram/ui/Components/ChatThemeBottomSheet.java org/telegram/ui/Components/ImageUpdater.java org/telegram/ui/LaunchActivity.java org/telegram/ui/NotificationsSoundActivity.java org/telegram/ui/PassportActivity.java org/telegram/ui/PhotoCropActivity.java org/telegram/ui/PhotoViewer.java org/telegram/ui/ProfileActivity.java org/telegram/ui/SecretVoicePlayer.java org/telegram/ui/Stories/PeerStoriesView.java org/telegram/ui/Stories/recorder/PaintView.java org/telegram/ui/ThemePreviewActivity.java org/telegram/ui/bots/BotShareSheet.java org/telegram/ui/web/BotWebViewContainer.java
00079	Hide the current app's icon	evasion	org/telegram/ui/LauncherIconController.java
00123	Save the response to JSON after connecting to the remote server	network command	org/telegram/messenger/ImageLoader.java org/telegram/ui/Components/WebPlayerView.java org/telegram/ui/web/BotWebViewContainer.java

RULE ID	BEHAVIOUR	LABEL	FILES
00089	Connect to a URL and receive input stream from the server	command network	com/stripe/android/net/StripeApiHandler.java org/telegram/messenger/ImageLoader.java org/telegram/ui/Components/PhotoViewerWebView.java org/telegram/ui/Components/WebPlayerView.java org/telegram/ui/PaymentFormActivity.java org/telegram/ui/bots/BotDownloads.java org/telegram/ui/web/BotWebViewContainer.java org/telegram/ui/web/HttpGetBitmapTask.java org/telegram/ui/web/HttpGetFileTask.java org/telegram/ui/web/HttpGetTask.java
00163	Create new Socket and connecting to it	socket	org/telegram/messenger/ImageLoader.java org/telegram/tgnet/ConnectionsManager.java org/telegram/ui/Components/WebPlayerView.java
00030	Connect to the remote server through the given URL	network	org/telegram/messenger/ImageLoader.java org/telegram/ui/Components/WebPlayerView.java org/telegram/ui/web/BotWebViewContainer.java
00109	Connect to a URL and get the response code	network command	com/stripe/android/net/StripeApiHandler.java org/telegram/messenger/ImageLoader.java org/telegram/ui/Components/PhotoViewerWebView.java org/telegram/ui/Components/WebPlayerView.java org/telegram/ui/PaymentFormActivity.java org/telegram/ui/bots/BotDownloads.java org/telegram/ui/web/BotWebViewContainer.java org/telegram/ui/web/HttpGetBitmapTask.java org/telegram/ui/web/HttpGetFileTask.java org/telegram/ui/web/HttpGetTask.java
00094	Connect to a URL and read data from it	command network	org/telegram/messenger/ImageLoader.java org/telegram/tgnet/ConnectionsManager.java org/telegram/ui/Components/PhotoViewerWebView.java org/telegram/ui/Components/WebPlayerView.java org/telegram/ui/web/HttpGetFileTask.java

RULE ID	BEHAVIOUR	LABEL	FILES
00108	Read the input stream from given URL	network command	org/telegram/messenger/ImageLoader.java org/telegram/ui/Components/PhotoViewerWebView.java org/telegram/ui/Components/TranslateAlert2.java org/telegram/ui/Components/WebPlayerView.java org/telegram/ui/web/HttpGetFileTask.java
00003	Put the compressed bitmap data into JSON object	camera	org/telegram/messenger/ImageLoader.java org/telegram/messenger/SendMessagesHelper.java org/telegram/ui/ActionBar/Theme.java org/telegram/ui/web/BotWebViewContainer.java
00014	Read file into a stream and put it into a JSON object	file	org/telegram/messenger/ImageLoader.java org/telegram/messenger/SendMessagesHelper.java org/telegram/messenger/voip/VoIPService.java org/telegram/ui/ActionBar/Theme.java org/telegram/ui/bots/BotStorage.java
00005	Get absolute path of file and put it to JSON object	file	org/telegram/messenger/ImageLoader.java org/telegram/messenger/SendMessagesHelper.java org/telegram/messenger/SharedConfig.java org/telegram/messenger/voip/VoIPService.java org/telegram/ui/ActionBar/Theme.java org/telegram/ui/PassportActivity.java org/telegram/ui/bots/BotDownloads.java org/telegram/ui/web/BotWebViewContainer.java org/telegram/ui/web/WebInstantView.java
00024	Write file after Base64 decoding	reflection file	org/telegram/messenger/camera/CameraController.java org/telegram/ui/ActionBar/Theme.java

RULE ID	BEHAVIOUR	LABEL	FILES
00004	Get filename and put it to JSON object	file collection	org/telegram/messenger/ImageLoader.java org/telegram/messenger/SendMessagesHelper.java org/telegram/messenger/SharedConfig.java org/telegram/messenger/voip/VoIPService.java org/telegram/ui/ActionBar/Theme.java org/telegram/ui/ArticleViewer.java org/telegram/ui/bots/BotDownloads.java org/telegram/ui/bots/BotStorage.java org/telegram/ui/web/BotWebViewContainer.java
00063	Implicit intent(view a web page, make a phone call, etc.)	control	org/telegram/messenger/AndroidUtilities.java org/telegram/messenger/BillingController.java org/telegram/messenger/ChatsWidgetProvider.java org/telegram/messenger/ContactsWidgetProvider.java org/telegram/messenger/FeedWidgetProvider.java org/telegram/messenger/ImageLoader.java org/telegram/messenger/MediaController.java org/telegram/messenger/MusicBrowserService.java org/telegram/messenger/MusicPlayerService.java org/telegram/messenger/NotificationBadge.java org/telegram/messenger/NotificationsController.java org/telegram/messenger/SMSJobsNotification.java org/telegram/messenger/browser/Browser.java org/telegram/messenger/support/customtabsclient/shared/CustomTabsHelper.java org/telegram/messenger/voip/VoIPPreNotificationService.java org/telegram/messenger/voip/VoIPService.java org/telegram/ui/ActionIntroActivity.java org/telegram/ui/ArticleViewer.java org/telegram/ui/BasePermissionsActivity.java org/telegram/ui/CameraScanActivity.java org/telegram/ui/ChannelAdminLogActivity.java org/telegram/ui/ChatActivity.java org/telegram/ui/Components/AlertsCreator.java org/telegram/ui/Components/EmbedBottomSheet.java org/telegram/ui/Components/PermissionRequest.java org/telegram/ui/Components/PhonebookShareAlert.java org/telegram/ui/Components/PhotoViewerWebView.java org/telegram/ui/Components/Premium/PremiumNotAvailableBottomSheet.java org/telegram/ui/DialogsActivity.java org/telegram/ui/InviteContactsActivity.java

RULE ID	BEHAVIOUR	LABEL	FILES
			org/telegram/ui/LaunchActivity.java org/telegram/ui/LocationActivity.java org/telegram/ui/LoginActivity.java org/telegram/ui/NewContactBottomSheet.java org/telegram/ui/NotificationsSettingsActivity.java org/telegram/ui/NotificationsSoundActivity.java org/telegram/ui/PassportActivity.java org/telegram/ui/PaymentFormActivity.java org/telegram/ui/PhotoViewer.java org/telegram/ui/PopupNotificationActivity.java org/telegram/ui/PremiumPreviewFragment.java org/telegram/ui/ProfileActivity.java org/telegram/ui/ProfileNotificationsActivity.java org/telegram/ui/QrActivity.java org/telegram/ui/SessionsActivity.java org/telegram/ui/Stories/PeerStoriesView.java org/telegram/ui/Stories/recorder/StoryRecorder.java org/telegram/ui/WebViewActivity.java org/telegram/ui/bots/BotLocation.java org/telegram/ui/web/BotWebViewContainer.java

RULE ID	BEHAVIOUR	LABEL	FILES
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	org/telegram/messenger/AndroidUtilities.java org/telegram/messenger/ChatsWidgetProvider.java org/telegram/messenger/ContactsWidgetProvider.java org/telegram/messenger/FeedWidgetProvider.java org/telegram/messenger/MusicPlayerService.java org/telegram/messenger/NotificationsController.java org/telegram/messenger/SMSJobsNotification.java org/telegram/ui/ActionIntroActivity.java org/telegram/ui/BasePermissionsActivity.java org/telegram/ui/ChatActivity.java org/telegram/ui/Components/AlertsCreator.java org/telegram/ui/Components/PermissionRequest.java org/telegram/ui/DialogsActivity.java org/telegram/ui/LocationActivity.java org/telegram/ui/LoginActivity.java org/telegram/ui/NewContactBottomSheet.java org/telegram/ui/PassportActivity.java org/telegram/ui/PhotoViewer.java org/telegram/ui/PopupNotificationActivity.java org/telegram/ui/PremiumPreviewFragment.java org/telegram/ui/ProfileActivity.java org/telegram/ui/ProfileNotificationsActivity.java org/telegram/ui/QrActivity.java org/telegram/ui/SessionsActivity.java org/telegram/ui/Stories/recorder/StoryRecorder.java org/telegram/ui/bots/BotLocation.java
00054	Install other APKs from file	reflection	org/telegram/messenger/AndroidUtilities.java org/telegram/messenger/ApplicationLoaderImpl.java org/telegram/ui/ChannelAdminLogActivity.java org/telegram/ui/ChatActivity.java
00192	Get messages in the SMS inbox	sms	org/telegram/messenger/AndroidUtilities.java
00121	Create a directory	file command	org/telegram/messenger/AndroidUtilities.java org/telegram/ui/ChannelAdminLogActivity.java org/telegram/ui/ChatActivity.java org/telegram/ui/web/BotWebViewContainer.java

RULE ID	BEHAVIOUR	LABEL	FILES
00012	Read data and put it into a buffer stream	file	org/telegram/messenger/AndroidUtilities.java org/telegram/messenger/audioinfo/AudioInfo.java org/telegram/messenger/chromecast/ChromecastFileServer.java org/telegram/ui/ProfileActivity.java org/telegram/ui/web/MHTML.java
00092	Send broadcast	command	org/telegram/messenger/AndroidUtilities.java
00104	Check if the given path is directory	file	org/telegram/messenger/AndroidUtilities.java org/telegram/ui/CacheControlActivity.java org/telegram/ui/ProfileActivity.java org/telegram/ui/web/BotWebViewContainer.java
00112	Get the date of the calendar event	collection calendar	org/telegram/messenger/AndroidUtilities.java org/telegram/messenger/LocaleController.java org/telegram/ui/Components/AlertsCreator.java

RULE ID	BEHAVIOUR	LABEL	FILES
00036	Get resource file from res/raw directory	reflection	org/telegram/messenger/AndroidUtilities.java org/telegram/messenger/BillingController.java org/telegram/messenger/ChatsWidgetProvider.java org/telegram/messenger/ContactsWidgetProvider.java org/telegram/messenger/FeedWidgetProvider.java org/telegram/messenger/MusicBrowserService.java org/telegram/messenger/NotificationBadge.java org/telegram/messenger/browser/Browser.java org/telegram/messenger/voip/VoIPPreNotificationService.java org/telegram/ui/ActionIntroActivity.java org/telegram/ui/ArticleViewer.java org/telegram/ui/BasePermissionsActivity.java org/telegram/ui/Cells/ChatMessageCell.java org/telegram/ui/ChatActivity.java org/telegram/ui/Components/AlertsCreator.java org/telegram/ui/DialogsActivity.java org/telegram/ui/LaunchActivity.java org/telegram/ui/LocationActivity.java org/telegram/ui/LoginActivity.java org/telegram/ui/PassportActivity.java org/telegram/ui/PopupNotificationActivity.java org/telegram/ui/ProfileActivity.java org/telegram/ui/QrActivity.java org/telegram/ui/SessionsActivity.java org/telegram/ui/Stories/recorder/StoryRecorder.java org/telegram/ui/WebViewActivity.java org/telegram/ui/bots/BotLocation.java org/telegram/ui/web/BotWebViewContainer.java
00039	Start a web server	control network	fi/iki/elonen/NanoHTTPD.java
00183	Get current camera parameters and change the setting.	camera	org/telegram/messenger/camera/CameraController.java org/telegram/messenger/camera/CameraSession.java org/webRTC/Camera1Session.java
00038	Query the phone number	collection	org/telegram/messenger/EmuDetector.java org/telegram/ui/LoginActivity.java org/telegram/ui/PassportActivity.java org/telegram/ui/PaymentFormActivity.java

RULE ID	BEHAVIOUR	LABEL	FILES
00096	Connect to a URL and set request method	command network	com/stripe/android/net/StripeApiHandler.java org/telegram/ui/Components/PhotoViewerWebView.java org/telegram/ui/PaymentFormActivity.java org/telegram/ui/bots/BotDownloads.java org/telegram/ui/web/BotWebViewContainer.java org/telegram/ui/web/HttpGetBitmapTask.java org/telegram/ui/web/HttpGetFileTask.java org/telegram/ui/web/HttpGetTask.java
00151	Send phone number over Internet	phone privacy	org/telegram/ui/PaymentFormActivity.java
00065	Get the country code of the SIM card provider	collection	org/telegram/messenger/LocaleController.java org/telegram/messenger/SMSJobController.java org/telegram/ui/ChatActivity.java org/telegram/ui/NewContactBottomSheet.java org/telegram/ui/PassportActivity.java org/telegram/ui/PaymentFormActivity.java
00202	Make a phone call	control	org/telegram/messenger/NotificationsController.java org/telegram/ui/ChatActivity.java org/telegram/ui/PhotoViewer.java org/telegram/ui/PremiumPreviewFragment.java org/telegram/ui/ProfileActivity.java
00203	Put a phone number into an intent	control	org/telegram/messenger/NotificationsController.java org/telegram/ui/ChatActivity.java org/telegram/ui/PhotoViewer.java org/telegram/ui/PremiumPreviewFragment.java org/telegram/ui/ProfileActivity.java
00075	Get location of the device	collection location	org/telegram/ui/Components/ChatAttachAlertLocationLayout.java org/telegram/ui/LocationActivity.java org/telegram/ui/Stories/recorder/Weather.java org/telegram/ui/ThemeActivity.java org/telegram/ui/bots/BotLocation.java

RULE ID	BEHAVIOUR	LABEL	FILES
00137	Get last known location of the device	location collection	org/telegram/messenger/LocationController.java org/telegram/messenger/SendMessagesHelper.java org/telegram/ui/Components/ChatAttachAlertLocationLayout.java org/telegram/ui/LocationActivity.java org/telegram/ui/ThemeActivity.java
00115	Get last known location of the device	collection location	org/telegram/messenger/LocationController.java org/telegram/messenger/SendMessagesHelper.java org/telegram/ui/Components/ChatAttachAlertLocationLayout.java org/telegram/ui/LocationActivity.java org/telegram/ui/Stories/recorder/Weather.java org/telegram/ui/ThemeActivity.java org/telegram/ui/bots/BotLocation.java
00189	Get the content of a SMS message	sms	org/telegram/messenger/ContactsController.java org/telegram/messenger/MediaController.java org/telegram/messenger/NotificationBadge.java
00188	Get the address of a SMS message	sms	org/telegram/messenger/ContactsController.java org/telegram/messenger/MediaController.java org/telegram/messenger/NotificationBadge.java
00052	Deletes media specified by a content URI(SMS, CALL_LOG, File, etc.)	sms	org/telegram/messenger/ContactsController.java org/telegram/messenger/MediaController.java
00053	Monitor data identified by a given content URI changes(SMS, MMS, etc.)	sms	org/telegram/messenger/ContactsController.java org/telegram/messenger/MediaController.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	org/telegram/messenger/ContactsController.java org/telegram/messenger/MediaController.java org/telegram/messenger/NotificationBadge.java
00191	Get messages in the SMS inbox	sms	org/telegram/messenger/ContactsController.java org/telegram/messenger/MediaController.java org/telegram/messenger/NotificationBadge.java org/telegram/ui/bots/BotDownloads.java

RULE ID	BEHAVIOUR	LABEL	FILES
00200	Query data from the contact list	collection contact	org/telegram/messenger/ContactsController.java org/telegram/messenger/MediaController.java org/telegram/messenger/NotificationBadge.java
00187	Query a URI and check the result	collection sms calllog calendar	org/telegram/messenger/ContactsController.java org/telegram/messenger/MediaController.java org/telegram/messenger/NotificationBadge.java
00201	Query data from the call log	collection calllog	org/telegram/messenger/ContactsController.java org/telegram/messenger/MediaController.java org/telegram/messenger/NotificationBadge.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	org/telegram/messenger/ContactsController.java org/telegram/messenger/MediaController.java org/telegram/messenger/NotificationBadge.java
00199	Stop recording and release recording resources	record	org/telegram/messenger/camera/CameraController.java org/webRTC/CameraCapturer.java
00056	Modify voice volume	control	org/telegram/ui/CastSync.java org/telegram/ui/PhotoViewer.java org/telegram/ui/Stories/StoriesVolumeControl.java org/webRTC/audio/WebRtcAudioTrack.java org/webRTC/voiceengine/WebRtcAudioTrack.java
00009	Put data in cursor to JSON object	file	org/telegram/messenger/SendMessagesHelper.java org/telegram/ui/bots/BotDownloads.java
00204	Get the default ringtone	collection	org/telegram/ui/NotificationsSettingsActivity.java org/telegram/ui/NotificationsSoundActivity.java org/telegram/ui/ProfileNotificationsActivity.java
00018	Get JSON object prepared and fill in location info	location collection	org/telegram/messenger/SendMessagesHelper.java org/telegram/ui/bots/BotLocation.java

RULE ID	BEHAVIOUR	LABEL	FILES
00113	Get location and put it into JSON	collection location	org/telegram/messenger/SendMessagesHelper.java org/telegram/ui/bots/BotLocation.java
00001	Initialize bitmap object and compress data (e.g. JPEG) into bitmap object	camera	org/telegram/messenger/ImageLoader.java org/telegram/messenger/SendMessagesHelper.java org/telegram/messenger/camera/CameraController.java org/telegram/messenger/Utils/BitmapsCache.java
00016	Get location info of the device and put it to JSON object	location collection	org/telegram/messenger/SendMessagesHelper.java org/telegram/ui/bots/BotLocation.java
00146	Get the network operator name and IMSI	telephony collection	org/telegram/messenger/EmuDetector.java
00078	Get the network operator name	collection telephony	org/telegram/messenger/EmuDetector.java
00117	Get the IMSI and network operator name	telephony collection	org/telegram/messenger/EmuDetector.java
00033	Query the IMEI number	collection	org/telegram/messenger/EmuDetector.java
00067	Query the IMSI number	collection	org/telegram/messenger/EmuDetector.java
00072	Write HTTP input stream into a file	command network file	org/telegram/messenger/ImageLoader.java org/telegram/ui/web/BotWebViewContainer.java org/telegram/ui/web/HttpGetFileTask.java
00208	Capture the contents of the device screen	collection screen	org/webRTC/ScreenCapturerAndroid.java
00064	Monitor incoming call status	control	org/telegram/messenger/voip/VoIPService.java
00102	Set the phone speaker on	command	org/telegram/messenger/MediaController.java org/telegram/messenger/voip/VoIPService.java org/telegram/ui/Stories/LivePlayer.java
00209	Get pixels from the latest rendered image	collection	org/telegram/messenger/camera/Camera2Session.java

RULE ID	BEHAVIOUR	LABEL	FILES
00002	Open the camera and take picture	camera	org/telegram/messenger/camera/CameraController.java
00195	Set the output path of the recorded file	record file	org/telegram/messenger/camera/CameraController.java
00198	Initialize the recorder and start recording	record	org/telegram/messenger/camera/CameraController.java
00007	Use absolute path of directory for the output media file path	file	org/telegram/messenger/camera/CameraController.java
00193	Send a SMS message	sms	org/telegram/messenger/SMSJobController.java
00110	Query the ICCID number	collection telephony	org/telegram/messenger/SMSJobController.java

FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://tmessages2.firebaseio.com
Firebase Remote Config disabled	secure	Firebase Remote Config is disabled for https://firebaseremoteconfig.googleapis.com/v1/projects/760348033671/namespaces/firebase:fetch?key=AlzaSyA-t0jLPjUt2FxrA8VPK2EiYHcYcbolR6k . This is indicated by the response: The response code is 403

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	19/25	android.permission.ACCESS_COARSE_LOCATION, android.permission.ACCESS_FINE_LOCATION, android.permission.READ_CALL_LOG, android.permission.READ_PHONE_STATE, android.permission.SEND_SMS, android.permission.INTERNET, android.permission.RECORD_AUDIO, android.permission.ACCESS_NETWORK_STATE, android.permission.ACCESS_WIFI_STATE, android.permission.WAKE_LOCK, android.permission.READ_EXTERNAL_STORAGE, android.permission.GET_ACCOUNTS, android.permission.READ_CONTACTS, android.permission.VIBRATE, android.permission.SYSTEM_ALERT_WINDOW, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.CAMERA, android.permission.REQUEST_INSTALL_PACKAGES, android.permission.WRITE_EXTERNAL_STORAGE
Other Common Permissions	9/44	com.google.android.c2dm.permission.RECEIVE, android.permission.CALL_PHONE, android.permission.FOREGROUND_SERVICE, android.permission.MODIFY_AUDIO_SETTINGS, android.permission.WRITE_CONTACTS, android.permission.AUTHENTICATE_ACCOUNTS, com.android.launcher.permission.INSTALL_SHORTCUT, android.permission.BLUETOOTH, android.permission.ACCESS_BACKGROUND_LOCATION

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

 DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
--------	--------	-------------

DOMAIN	STATUS	GEOLOCATION
policies.google.com	ok	IP: 142.251.142.238 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
privacy.microsoft.com	ok	IP: 23.12.158.97 Country: United States of America Region: Illinois City: Chicago Latitude: 41.850029 Longitude: -87.650047 View: Google Map
static-maps.yandex.ru	ok	IP: 213.180.204.41 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map
desktop.telegram.org	ok	IP: 149.154.167.99 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Lowestoft Latitude: 52.475201 Longitude: 1.751590 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api.bing.com	ok	IP: 150.171.73.13 Country: United States of America Region: Washington City: Redmond Latitude: 47.682899 Longitude: -122.120903 View: Google Map
search.yahoo.com	ok	IP: 212.82.100.137 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
youtube.googleapis.com	ok	IP: 216.239.34.223 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.instagram.com	ok	IP: 31.13.72.174 Country: Sweden Region: Stockholms lan City: Stockholm Latitude: 59.332581 Longitude: 18.064899 View: Google Map

DOMAIN	STATUS	GEOLOCATION
tgb-playground.smart-glocal.com	ok	IP: 63.177.11.93 Country: United States of America Region: Virginia City: Reston Latitude: 38.925961 Longitude: -77.397331 View: Google Map
ns.adobe.com	ok	No Geolocation information available.
api.twitch.tv	ok	IP: 3.164.230.56 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
ss3.4sqi.net	ok	IP: 151.101.2.132 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.example.com	ok	IP: 172.66.147.243 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
twitter.com	ok	IP: 162.159.140.229 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
legal.yahoo.com	ok	IP: 87.248.100.208 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
play.google.com	ok	IP: 172.217.20.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.youtube.com	ok	IP: 142.251.38.110 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
dns.google.com	ok	IP: 8.8.4.4 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
duckduckgo.com	ok	IP: 40.114.177.156 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map
search.brave.com	ok	IP: 65.9.46.31 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
suggestqueries.google.com	ok	IP: 142.250.74.14 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
stripe.com	ok	IP: 198.202.176.231 Country: United States of America Region: New York City: New York City Latitude: 40.797550 Longitude: -73.946190 View: Google Map
www.webrtc.org	ok	IP: 172.217.20.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
web.telegram.org	ok	IP: 149.154.167.99 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Lowestoft Latitude: 52.475201 Longitude: 1.751590 View: Google Map
attheme.org	ok	No Geolocation information available.
getdesktop.telegram.org	ok	IP: 149.154.167.99 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Lowestoft Latitude: 52.475201 Longitude: 1.751590 View: Google Map

DOMAIN	STATUS	GEOLOCATION
cocoon.org	ok	IP: 149.154.167.99 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Lowestoft Latitude: 52.475201 Longitude: 1.751590 View: Google Map
www.w3.org	ok	IP: 104.18.23.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
maps.googleapis.com	ok	IP: 142.250.74.10 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.bing.com	ok	IP: 184.51.252.50 Country: United States of America Region: Texas City: San Antonio Latitude: 29.424120 Longitude: -98.493629 View: Google Map

DOMAIN	STATUS	GEOLOCATION
appgallery.huawei.com	ok	IP: 80.158.49.80 Country: Germany Region: Schleswig-Holstein City: Kiel Latitude: 54.321331 Longitude: 10.134890 View: Google Map
aomediadecodec.github.io	ok	IP: 185.199.108.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
sugg.search.yahoo.net	ok	IP: 212.82.100.137 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
usher.ttvnw.net	ok	IP: 108.157.229.104 Country: United States of America Region: Washington City: Redmond Latitude: 47.682899 Longitude: -122.120903 View: Google Map

DOMAIN	STATUS	GEOLOCATION
maps.google.com	ok	IP: 216.58.201.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
maps.googleapis	ok	No Geolocation information available.
mozilla.cloudflare-dns.com	ok	IP: 172.64.41.4 Country: Japan Region: Tokyo City: Tokyo Latitude: 35.689507 Longitude: 139.691696 View: Google Map
www.aparat.com	ok	IP: 185.147.179.11 Country: Iran (Islamic Republic of) Region: Tehran City: Tehran Latitude: 35.694389 Longitude: 51.421509 View: Google Map
youtube.com	ok	IP: 142.251.143.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
player.vimeo.com	ok	IP: 162.159.128.61 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
coub.com	ok	IP: 95.213.253.92 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map
tonviewer.com	ok	IP: 104.26.7.189 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
tgb.smart-glocal.com	ok	IP: 18.193.246.150 Country: Germany Region: Hessen City: Frankfurt am Main Latitude: 50.115520 Longitude: 8.684170 View: Google Map

DOMAIN	STATUS	GEOLOCATION
instagram.com	ok	IP: 31.13.72.174 Country: Sweden Region: Stockholms lan City: Stockholm Latitude: 59.332581 Longitude: 18.064899 View: Google Map
t.me	ok	IP: 149.154.167.99 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Lowestoft Latitude: 52.475201 Longitude: 1.751590 View: Google Map
www.google.com	ok	IP: 142.251.153.119 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
promote.telegram.org	ok	IP: 149.154.167.99 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Lowestoft Latitude: 52.475201 Longitude: 1.751590 View: Google Map

DOMAIN	STATUS	GEOLOCATION
messenger.telegram.org	ok	IP: 149.154.167.99 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Lowestoft Latitude: 52.475201 Longitude: 1.751590 View: Google Map
core.telegram.org	ok	IP: 149.154.167.99 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Lowestoft Latitude: 52.475201 Longitude: 1.751590 View: Google Map
api.stripe.com	ok	IP: 34.250.89.120 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
www.ietf.org	ok	IP: 104.16.45.99 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map

DOMAIN	STATUS	GEOLOCATION
translations.telegram.org	ok	IP: 149.154.167.99 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Lowestoft Latitude: 52.475201 Longitude: 1.751590 View: Google Map
fragment.com	ok	IP: 104.20.26.203 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
ns.google.com	ok	IP: 216.239.32.10 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
translate.googleapis.com	ok	IP: 216.58.201.202 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
webrtc.googleusercontent.com	ok	IP: 64.233.161.82 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
tmessages2.firebaseio.com	ok	IP: 35.201.97.85 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
telegram.org	ok	IP: 149.154.167.99 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Lowestoft Latitude: 52.475201 Longitude: 1.751590 View: Google Map
www.tensorflow.org	ok	IP: 142.251.142.238 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
crbug.com	ok	IP: 216.239.32.29 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
ads.telegram.org	ok	IP: 149.154.167.99 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Lowestoft Latitude: 52.475201 Longitude: 1.751590 View: Google Map

EMAILS

EMAIL	FILE
sms@telegram.org	org/telegram/ui/PassportActivity.java
login@stel.com sms@telegram.org recover@telegram.org	org/telegram/ui/LoginActivity.java
support@stripe.com	com/stripe/android/net/StripeApiHandler.java
reports@stel.com sms@telegram.org reports@stel.com	Android String Resource
appro@openssl.org	lib/x86_64/libtmessages.49.so

EMAIL	FILE
android-sdk-releaser@oouc14.prod	lib/x86_64/liblanguage_id_l2c_jni.so
android-sdk-releaser@oouc14.prod	lib/armeabi-v7a/liblanguage_id_l2c_jni.so
appro@openssl.org	lib/arm64-v8a/libtmessages.49.so
android-sdk-releaser@oouc14.prod	lib/arm64-v8a/liblanguage_id_l2c_jni.so
android-sdk-releaser@oouc14.prod	lib/x86/liblanguage_id_l2c_jni.so
appro@openssl.org	apktool_out/lib/x86_64/libtmessages.49.so
android-sdk-releaser@oouc14.prod	apktool_out/lib/x86_64/liblanguage_id_l2c_jni.so
android-sdk-releaser@oouc14.prod	apktool_out/lib/armeabi-v7a/liblanguage_id_l2c_jni.so
appro@openssl.org	apktool_out/lib/arm64-v8a/libtmessages.49.so
android-sdk-releaser@oouc14.prod	apktool_out/lib/arm64-v8a/liblanguage_id_l2c_jni.so
android-sdk-releaser@oouc14.prod	apktool_out/lib/x86/liblanguage_id_l2c_jni.so

HARDCODED SECRETS

POSSIBLE SECRETS
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Palavra-passe"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Fjalëkalimi"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "■■■■■■■■"

POSSIBLE SECRETS
"TypePrivate" : "Private"
"TypePrivateGroup" : "Private"
"UseProxyPassword" : "Senha"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "گذرواژه"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "■■■■■■■"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Wagwoordsleutel"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Aðgangskyll"
"UseProxyUsername" : "Usuario"
"NotificationsPrivateChats" : "Einzelchats"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "□□"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Passkey"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "□□□□"
"YourPassword" : "Пароль"
"BotStarsButtonWithdrawShortUntil" : "Withdraw"
"LoginPassword" : "Password"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Zaporka"
"UseProxySecret" : "Segredo"

POSSIBLE SECRETS
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Pasahitza"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "■■■■■■■"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "ກະແຈຜ່າງ"
"UseProxyPassword" : "Wachtwoord"
"LoginPassword" : "□□□□"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "■■■■■■■■■"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Parool"
"ProfileActionsEditUsername" : "Username"
"NotificationHiddenChatUserName" : "مستخدم"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Jelszó"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "■□■□■■■■□■□■■■"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "■■■■■■■"
"ReplyToUser" : "Responder"
"UseProxyUsername" : "Benutzername"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Avainkoodi"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Iphasiwedi"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Lösenord"

POSSIBLE SECRETS
"UseProxyUsername" : "□□□□"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "□□"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Adgangsnøgle"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "□□□□"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Passwort"
"YourPassword" : "□□□□"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "■ ■ ■ ■ ■ ■ ■ ■"
"NotificationHiddenChatUserName" : "Gebruiker"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Лозинка"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Şifre"
"Passkey" : "Paskeys"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Contrasinal"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "პაროლი"
"firebase_database_url" : "https://tmessages2.firebaseio.com"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Contrasenya"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Senha"
"CreateManagedBotUsername" : "Username"

POSSIBLE SECRETS
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Aðgangsorð"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Parolă"
"NotificationHiddenChatUserName" : "Usuario"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Heslo"
"UseProxySecret" : "السّر"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Lozinka"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "■■■■■■■■■"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Passkey"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "■■■■■■■■■"
"LoginPassword" : "Пароль"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Contraseña"
"ReplyToUser" : "Antworten"
"NotificationsPrivateChats" : "Privéchats"
"Username" : "Username"
"UseProxySecret" : "Schlüssel"
"UseProxySecret" : "Segreto "
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Գաղտնաբառ"

POSSIBLE SECRETS

```
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL": "0000"
```

```
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Password"
```

```
"LoginPassword" : "Senha"
```

```
"NotificationHiddenChatUserName" : "Nutzer"
```

```
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Wagwoord"
```

```
"UseProxySecret" : "Secret"
```

```
"android.credentials.TYPE_PASSWORD_CREDENTIAL": "סיסמה"
```

```
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "ລະຫັດຜ່ານ"
```

```
"NotificationHiddenChatUserName" : "□□□"
```

```
"LoginPassword" : "Contraseña"
```

```
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL": "Passnøkkel"
```

```
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL": "████████████████████"
```

```
"ReplyToUser" : ""
```

```
"ReplyToUser" : "رد"
```

```
"google_api_key" : "AlzaSyA-t0jLPjUt2FxrA8VPK2EiYHcYcbolR6k"
```

```
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL": "0000"
```

```
"google_crash_reporting_api_key": "AlzaSyA-t0jLPjUt2FxrA8VPK2EiYHcYcboIR6k"
```

POSSIBLE SECRETS
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Pääsuvõti"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "■■■■■■■□□"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Toegangssleutel"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "■■■■■■■■■"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Wachtwoord"
"UseProxySecret" : "Clave"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Nenosiri"
"UseProxyUsername" : "Username"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "■■■■■■■"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "■■■■■■■■■■■■■"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "■■■■■■■"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "■■■■■■■■■"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Haslo"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "■■■■■■■■■■■■■"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Пароль"
"NotificationHiddenChatUserName" : "User"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "■■■■■■■■■■■"

POSSIBLE SECRETS
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Parol"
"NotificationHiddenChatUserName" : "Usuário"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "■■■■■■■■■■"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "■■■■■■■■■■"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Сырсәз"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Nyckel"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Geslo"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "■■■■■■■■■■■■■■"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Passord"
"AutodownloadPrivateChats" : "Chats"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "■■■■■"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Password"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "■■■■■"
"UseProxyPassword" : "□□□□"
"UseProxyPassword" : "Contraseña"
"LoginPassword" : "Passwort"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "■■■■■■■■■■■■■■■■"

POSSIBLE SECRETS
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "□□"
"UseProxyUsername" : "Gebruiker"
"AutodownloadPrivateChats" : "Einzelchats"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "□□□"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Sarbide-gakoa"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "■ ■ ■ ■ ■ ■ ■ ■ ■ ■"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Sandi"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Salasana"
"Username" : "Gebruikersnaam"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Azonosítókulcs"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "■ ■ ■ ■ ■ . ■ ■"
"UseProxyPassword" : "Password"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Adgangskode"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "■ ■ ■ ■ ■ ■ ■ ■"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Slaptažodis"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "□□□□□"

POSSIBLE SECRETS
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Parole"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "گذر کلید"
"ReplyToUser" : "Rispondi"
"UseProxyPassword" : "Passwort"
"NotificationHiddenChatUserName" : "Utente"
"UseProxySecret" : "Sleutel"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Парола"
"LoginPassword" : "Wachtwoord"
"ReplyToUser" : "Reageren"
9a04f079-9840-4286-ab92-e65be0885f95
ABVGDE2JZIKLMNOPRSTUFHC34WXY9678
edef8ba9-79d6-4ace-a3c8-27dcd51d21ed
014b35b6184100b085b0d0572f9b5103
1234567891011123654897566536223
bb392ec0-8d4d-11e0-a896-0002a5d5c51b
BoostingGiveawayHowItWorksSubTextSeveralEnd1
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a

POSSIBLE SECRETS
c06c8400-8e06-11e0-9cb6-0002a5d5c51b
BoostingGiveawayHowItWorksSubTextDateSeveralEnd1
e2719d58-a985-b3c9-781a-b030af78d30e

SCAN LOGS

Timestamp	Event	Error
2026-05-30 11:37:58	Generating Hashes	OK
2026-05-30 11:37:58	Extracting APK	OK
2026-05-30 11:37:58	Unzipping	OK
2026-05-30 11:38:00	Parsing APK with androguard	OK
2026-05-30 11:38:01	Extracting APK features using aapt/aapt2	OK
2026-05-30 11:38:02	Getting Hardcoded Certificates/Keystores	OK
2026-05-30 11:38:02	Parsing AndroidManifest.xml	OK

2026-05-30 11:38:02	Extracting Manifest Data	OK
2026-05-30 11:38:02	Manifest Analysis Started	OK
2026-05-30 11:38:02	Performing Static Analysis on: Telegram (org.telegram.messenger.web)	OK
2026-05-30 11:38:03	Fetching Details from Play Store: org.telegram.messenger.web	OK
2026-05-30 11:38:03	Checking for Malware Permissions	OK
2026-05-30 11:38:03	Fetching icon path	OK
2026-05-30 11:38:03	Library Binary Analysis Started	OK
2026-05-30 11:38:03	Analyzing lib/x86_64/libtmessages.49.so	OK
2026-05-30 11:38:05	Analyzing lib/x86_64/liblanguage_id_l2c_jni.so	OK
2026-05-30 11:38:05	Analyzing lib/armeabi-v7a/libtmessages.49.so	OK
2026-05-30 11:38:06	Analyzing lib/armeabi-v7a/liblanguage_id_l2c_jni.so	OK
2026-05-30 11:38:06	Analyzing lib/arm64-v8a/libtmessages.49.so	OK

2026-05-30 11:38:07	Analyzing lib/arm64-v8a/liblanguage_id_l2c_jni.so	OK
2026-05-30 11:38:07	Analyzing lib/x86/libtmessages.49.so	OK
2026-05-30 11:38:08	Analyzing lib/x86/liblanguage_id_l2c_jni.so	OK
2026-05-30 11:38:08	Analyzing apktool_out/lib/x86_64/libtmessages.49.so	OK
2026-05-30 11:38:09	Analyzing apktool_out/lib/x86_64/liblanguage_id_l2c_jni.so	OK
2026-05-30 11:38:09	Analyzing apktool_out/lib/armeabi-v7a/libtmessages.49.so	OK
2026-05-30 11:38:10	Analyzing apktool_out/lib/armeabi-v7a/liblanguage_id_l2c_jni.so	OK
2026-05-30 11:38:10	Analyzing apktool_out/lib/arm64-v8a/libtmessages.49.so	OK
2026-05-30 11:38:11	Analyzing apktool_out/lib/arm64-v8a/liblanguage_id_l2c_jni.so	OK
2026-05-30 11:38:11	Analyzing apktool_out/lib/x86/libtmessages.49.so	OK
2026-05-30 11:38:12	Analyzing apktool_out/lib/x86/liblanguage_id_l2c_jni.so	OK
2026-05-30 11:38:12	Reading Code Signing Certificate	OK

2026-05-30 11:38:17	Running APKiD 3.0.0	OK
2026-05-30 11:38:22	Detecting Trackers	OK
2026-05-30 11:38:24	Decompiling APK to Java with JADX	OK
2026-05-30 11:38:47	Decompiling with JADX failed, attempting on all DEX files	OK
2026-05-30 11:38:47	Decompiling classes.dex with JADX	OK
2026-05-30 11:38:55	Decompiling classes4.dex with JADX	OK
2026-05-30 11:39:11	Decompiling classes2.dex with JADX	OK
2026-05-30 11:39:13	Decompiling classes5.dex with JADX	OK
2026-05-30 11:39:20	Decompiling classes3.dex with JADX	OK
2026-05-30 11:39:28	Decompiling classes.dex with JADX	OK
2026-05-30 11:39:34	Decompiling classes4.dex with JADX	OK
2026-05-30 11:39:50	Decompiling classes2.dex with JADX	OK

2026-05-30 11:39:52	Decompiling classes5.dex with JADX	OK
2026-05-30 11:39:59	Decompiling classes3.dex with JADX	OK
2026-05-30 11:40:07	Converting DEX to Smali	OK
2026-05-30 11:40:07	Code Analysis Started on - java_source	OK
2026-05-30 11:40:08	Android SBOM Analysis Completed	OK
2026-05-30 11:40:34	Android SAST Completed	OK
2026-05-30 11:40:34	Android API Analysis Started	OK
2026-05-30 11:40:57	Android API Analysis Completed	OK
2026-05-30 11:40:58	Android Permission Mapping Started	OK
2026-05-30 11:42:18	Android Permission Mapping Completed	OK
2026-05-30 11:42:19	Android Behaviour Analysis Started	OK
2026-05-30 11:42:57	Android Behaviour Analysis Completed	OK

2026-05-30 11:42:57	Extracting Emails and URLs from Source Code	OK
2026-05-30 11:43:05	Email and URL Extraction Completed	OK
2026-05-30 11:43:05	Extracting String data from APK	OK
2026-05-30 11:43:05	Extracting String data from SO	OK
2026-05-30 11:43:06	Extracting String data from Code	OK
2026-05-30 11:43:06	Extracting String values and entropies from Code	OK
2026-05-30 11:43:08	Performing Malware check on extracted domains	OK
2026-05-30 11:43:14	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).