



ANDROID STATIC ANALYSIS REPORT



 SHAREit (6.54.8_HWI)

File Name:

SHAREit_6.54.8_HWI_apkcombo.com.apk

Package Name:

com.lenovo.anyshare.gps


Scan Date:

May 29, 2026, 5:13 p.m.

App Security Score:

47/100 (MEDIUM RISK)

Grade:



Trackers Detection:

20/432

FINDINGS SEVERITY


 HIGH

 MEDIUM

 INFO

 SECURE

 HOTSPOT



FILE INFORMATION

File Name: SHAREit_6.54.8_HWI_apkcombo.com.apk
Size: 80.91MB
MD5: e1dd6ed7abe944f75202e4258c3627f8
SHA1: b27ac41c827dd011b6f743d6cf50b918dff727ee
SHA256: 25ba4366b343353548df614d3ad62f3f58d76feed5c5bee531204d108a383a4c

APP INFORMATION

App Name: SHAREit
Package Name: com.lenovo.anyshare.gps
Main Activity: com.lenovo.anyshare.activity.InviteActivityFree
Target SDK: 34
Min SDK: 17
Max SDK:
Android Version Name: 6.54.8_HWI
Android Version Code: 4565408

APP COMPONENTS

Activities: 413
Services: 63
Receivers: 51
Providers: 34
Exported Activities: 57
Exported Services: 7
Exported Receivers: 13
Exported Providers: 8

CERTIFICATE INFORMATION

Binary is signed
v1 signature: True
v2 signature: True
v3 signature: False
v4 signature: False
X.509 Subject: C=CN, ST=BJ, L=Beijing View, O=Lenovo, OU=Research, CN=LenovoApp, E=lenovo@lenovo.com
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2012-09-19 07:35:58+00:00
Valid To: 2094-11-08 07:35:58+00:00
Issuer: C=CN, ST=BJ, L=Beijing View, O=Lenovo, OU=Research, CN=LenovoApp, E=lenovo@lenovo.com
Serial Number: 0xd406ab56001ad556
Hash Algorithm: sha1
md5: b4bdcc6c9886781d05fb601649d02801
sha1: 44d5df89bb0ec148bb95a5d87e8342e9d9fba2dd
sha256: bd102a94669896078db9c665b21bbd3d76691ff66ae97519a3634c34c3a02542
sha512: 5f0c32b3aae2da71577966bc5669743d3fcd61624f68131e6c5223684212c495b3088c2848c6fc468c6433aed4179130104e5153d18c2b7551bc3cac653ee15a
PublicKey Algorithm: rsa
Bit Size: 2048
Fingerprint: f0201fa4f680568239cae17b7d23a6fcce33db4bbdfaa520948ee7ec7cb75a83
Found 1 unique certificates

≡ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.QUERY_ALL_PACKAGES	normal	enables querying any normal app on the device.	Allows query of any normal app on the device, regardless of manifest declarations.
android.permission.MANAGE_EXTERNAL_STORAGE	dangerous	Allows an application a broad access to external storage in scoped storage	Allows an application a broad access to external storage in scoped storage. Intended to be used by few apps that need to manage files on behalf of the users.
android.permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.BLUETOOTH_ADMIN	normal	bluetooth administration	Allows applications to discover and pair bluetooth devices.
android.permission.BLUETOOTH_SCAN	dangerous	required for discovering and pairing Bluetooth devices.	Required to be able to discover and pair nearby Bluetooth devices.
android.permission.BLUETOOTH_CONNECT	dangerous	necessary for connecting to paired Bluetooth devices.	Required to be able to connect to paired Bluetooth devices.
android.permission.BLUETOOTH_ADVERTISE	dangerous	required to advertise to nearby Bluetooth devices.	Required to be able to advertise to nearby Bluetooth devices.
android.permission.CHANGE_NETWORK_STATE	normal	change network connectivity	Allows applications to change network connectivity state.
android.permission.CHANGE_WIFI_STATE	normal	change Wi-Fi status	Allows an application to connect to and disconnect from Wi-Fi access points and to make changes to configured Wi-Fi networks.
android.permission.DISABLE_KEYGUARD	normal	disable keyguard	Allows applications to disable the keyguard if it is not secure.
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.SYSTEM_ALERT_WINDOW	dangerous	display system-level alerts	Allows an application to show system-alert windows. Malicious applications can take over the entire screen of the phone.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.WRITE_MEDIA_STORAGE	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.WRITE_SETTINGS	dangerous	modify global system settings	Allows an application to modify the system's settings data. Malicious applications can corrupt your system's configuration.
android.permission.READ_CONTACTS	dangerous	read contact data	Allows an application to read all of the contact (address) data stored on your phone. Malicious applications can use this to send your data to other people.
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
android.permission.MODIFY_AUDIO_SETTINGS	normal	change your audio settings	Allows application to modify global audio settings, such as volume and routing.
android.permission.EXPAND_STATUS_BAR	normal	expand/collapse status bar	Allows application to expand or collapse the status bar.
android.permission.REQUEST_INSTALL_PACKAGES	dangerous	Allows an application to request installing packages.	Malicious applications can use this to try and trick users into installing additional malicious packages.
com.android.vending.p2p.APP_INSTALL_API	unknown	Unknown permission	Unknown permission from android reference
android.permission.SET_WALLPAPER	normal	set wallpaper	Allows the application to set the system wallpaper.
android.permission.AD_ID	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.REQUEST_DELETE_PACKAGES	normal	enables an app to request package deletions.	Allows an application to request deleting packages.
android.permission.GET_PACKAGE_SIZE	normal	measure application storage space	Allows an application to find out the space used by any package.
android.permission.CLEAR_APP_CACHE	SignatureOrSystem	delete all application cache data	Allows an application to free phone storage by deleting files in application cache directory. Access is usually very restricted to system process.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.READ_MEDIA_IMAGES	dangerous	allows reading image files from external storage.	Allows an application to read image files from external storage.
android.permission.READ_MEDIA_AUDIO	dangerous	allows reading audio files from external storage.	Allows an application to read audio files from external storage.
android.permission.READ_MEDIA_VIDEO	dangerous	allows reading video files from external storage.	Allows an application to read video files from external storage.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
android.permission.NEARBY_WIFI_DEVICES	dangerous	required for advertising and connecting to nearby devices via Wi-Fi.	Required to be able to advertise and connect to nearby devices via Wi-Fi.
com.lenovo.anyshare.gps.permission.C2D_MESSAGE	unknown	Unknown permission	Unknown permission from android reference
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INSTALL_SHORTCUT	normal	permits installation of shortcuts in Launcher.	Allows an application to install a shortcut in Launcher.
com.android.launcher.permission.INSTALL_SHORTCUT	unknown	Unknown permission	Unknown permission from android reference
android.permission.PACKAGE_USAGE_STATS	signature	update component usage statistics	Allows the modification of collected component usage statistics. Not for use by common applications.
com.android.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.android.launcher2.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.android.launcher2.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.android.launcher3.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.android.launcher3.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
org.adw.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
org.adw.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.htc.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for htc phones.
com.htc.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.qihoo360.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.qihoo360.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.lge.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.lge.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
net.qihoo.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
net.qihoo.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
org.adwfreak.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
org.adwfreak.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
org.adw.launcher_donut.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
org.adw.launcher_donut.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.huawei.launcher3.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.huawei.launcher3.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.fede.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.fede.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.sec.android.app.twlauncher.settings.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.sec.android.app.twlauncher.settings.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.anddoes.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.anddoes.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.tencent.qqlauncher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.tencent.qqlauncher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.huawei.launcher2.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.huawei.launcher2.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
com.android.mylauncher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.android.mylauncher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.ebproductions.android.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.ebproductions.android.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.oppo.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for oppo phones.
com.oppo.launcher.permission.WRITE_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for oppo phones.
com.miui.mihome2.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.miui.mihome2.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.huawei.android.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.
com.huawei.android.launcher.permission.WRITE_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.
telecom.mdesk.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
telecom.mdesk.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
dianxin.permission.ACCESS_LAUNCHER_DATA	unknown	Unknown permission	Unknown permission from android reference
com.zte.mifavor.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.zte.mifavor.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.tct.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
com.tct.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.sec.android.provider.badge.permission.WRITE	normal	show notification count on app	Show notification count or badge on application launch icon for samsung phones.
com.sec.android.provider.badge.permission.READ	normal	show notification count on app	Show notification count or badge on application launch icon for samsung phones.
com.samsung.android.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.samsung.android.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.motorola.launcher3.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.motorola.launcher3.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.lge.launcher3.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.lge.launcher3.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.gionee.amisystem.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.gionee.amisystem.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.bbk.launcher2.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.bbk.launcher2.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.asus.launcher3.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.asus.launcher3.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.asus.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.asus.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
com.google.android.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.google.android.launcher.permission.WRITE_SETTINGS	dangerous	modify global system settings	Allows an application to modify the system's settings data. Malicious applications can corrupt your system's configuration.
com.mx.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.mx.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.nd.android.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.nd.android.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.gau.go.launcherex.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.gau.go.launcherex.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.modaco.android.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.modaco.android.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.sec.android.app.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.sec.android.app.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.l.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.l.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.lollipop.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.lollipop.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.alphalp.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
com.alphalp.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
app.cobo.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
app.cobo.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.android.lewalauncher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.android.lewalauncher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.epic.launcher.tw.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.epic.launcher.tw.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.huaqin.launcherEx.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.huaqin.launcherEx.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.slim.slimlauncher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.slim.slimlauncher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.lenovo.launcherhdmarket.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.lenovo.launcherhdmarket.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.tul.aviate.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.tul.aviate.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.tsf.shell.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.tsf.shell.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.mgyun.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
com.mgyun.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.zte.mobile.ZteLauncher3D.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.zte.mobile.ZteLauncher3D.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.s.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.s.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.lo.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.lo.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.zui.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.zui.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
cm.ibingo.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.ibingo.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.fineos.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.fineos.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.baoruan.launcher2.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.baoruan.launcher2.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.zte.lqsoft.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.zte.lqsoft.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.ztemt.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
com.ztemt.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.meizu.flyme.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.meizu.flyme.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.teslacoilsw.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.teslacoilsw.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
android.permission.READ_CALENDAR	dangerous	read calendar events	Allows an application to read all of the calendar events stored on your phone. Malicious applications can use this to send your calendar events to other people.
com.htc.launcher.permission.UPDATE_SHORTCUT	normal	show notification count on app	Show notification count or badge on application launch icon for htc phones.
com.sonyericsson.home.permission.BROADCAST_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for sony phones.
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for sony phones.
com.anddoes.launcher.permission.UPDATE_COUNT	normal	show notification count on app	Show notification count or badge on application launch icon for apex.
com.majeur.launcher.permission.UPDATE_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for solid.
com.huawei.android.launcher.permission.CHANGE_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.
android.permission.READ_APP_BADGE	normal	show app notification	Allows an application to show app icon badges.
me.everything.badger.permission.BADGE_COUNT_READ	unknown	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
android.permission.FOREGROUND_SERVICE_DATA_SYNC	normal	permits foreground services for data synchronization.	Allows a regular application to use Service.startForeground with the type "dataSync".
android.permission.KILL_BACKGROUND_PROCESSES	normal	kill background processes	Allows an application to kill background processes of other applications, even if memory is not low.
android.permission.READ_PRIVILEGED_PHONE_STATE	unknown	Unknown permission	Unknown permission from android reference
android.permission.SCHEDULE_EXACT_ALARM	normal	permits exact alarm scheduling for background work.	Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work.
android.permission.USE_FINGERPRINT	normal	allow use of fingerprint	This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead.
android.permission.FOREGROUND_SERVICE_MEDIA_PLAYBACK	normal	enables foreground services for media playback.	Allows a regular application to use Service.startForeground with the type "mediaPlayback".
android.permission.UPDATE_PACKAGES_WITHOUT_USER_ACTION	normal	allows updating packages without requiring user action.	Allows an application to indicate via PackageInstaller.SessionParams.setRequireUserAction(int) that user action should not be required for an app update.
com.android.vending.BILLING	normal	application has in-app purchases	Allows an application to make in-app purchases from Google Play.
android.permission.USE_FULL_SCREEN_INTENT	normal	required for full screen intents in notifications.	Required for apps targeting Build.VERSION_CODES.Q that want to use notification full screen intents.
android.permission.CHANGE_WIFI_MULTICAST_STATE	normal	allow Wi-Fi Multicast reception	Allows an application to receive packets not directly addressed to your device. This can be useful when discovering services offered nearby. It uses more power than the non-multicast mode.

PERMISSION	STATUS	INFO	DESCRIPTION
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
android.permission.ACCESS_AD SERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
android.permission.ACCESS_AD SERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.
android.permission.ACCESS_AD SERVICES_TOPICS	normal	allow applications to access advertising service topics	This enables the app to retrieve information related to advertising topics or interests, which can be used for targeted advertising purposes.
android.permission.LOCAL_MAC_ADDRESS	unknown	Unknown permission	Unknown permission from android reference
com.lenovo.anyshare.gps.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
android.permission.REORDER_TASKS	normal	reorder applications running	Allows an application to move tasks to the foreground and background. Malicious applications can force themselves to the front without your control.

FILE	DETAILS	
classes6.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.BOARD check SIM operator check network operator name check
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	dx r8 without marker (suspicious)
classes7.dex	FINDINGS	DETAILS
	Anti Debug Code	Debug.isDebuggerConnected() check
	Anti-VM Code	Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.TAGS check SIM operator check network operator name check
	Compiler	dx r8 without marker (suspicious)

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.BOARD check SIM operator check network operator name check
	Compiler	r8
classes4.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check SIM operator check network operator name check
	Compiler	dx r8 without marker (suspicious)

FILE	DETAILS	
classes3.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.BOARD check possible Build.SERIAL check Build.TAGS check SIM operator check network operator name check ro.kernel.qemu check
	Compiler	dx r8 without marker (suspicious)
	Anti Disassembly Code	illegal class name
classes12.dex	FINDINGS	DETAILS
	Anti Debug Code	Debug.isDebuggerConnected() check
	Anti-VM Code	Build.MODEL check Build.MANUFACTURER check SIM operator check network operator name check possible VM check
	Compiler	dx r8 without marker (suspicious)

FILE	DETAILS	
classes2.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.BOARD check SIM operator check network operator name check possible VM check
	Obfuscator	unreadable field names unreadable method names
	Compiler	dx r8 without marker (suspicious)
classes9.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.MANUFACTURER check
	Compiler	dx r8 without marker (suspicious)

FILE	DETAILS	
classes11.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.MANUFACTURER check network operator name check device ID check
	Compiler	dx r8 without marker (suspicious)
lib/arm64-v8a/libnms.so	FINDINGS	DETAILS
	anti_hook	syscalls
classes10.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.BOARD check possible Build.SERIAL check SIM operator check
	Compiler	dx r8 without marker (suspicious)

FILE	DETAILS	
classes8.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check possible Build.SERIAL check Build.TAGS check SIM operator check network operator name check subscriber ID check ro.product.device check ro.kernel.qemu check possible ro.secure check emulator file check
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	dx r8 without marker (suspicious)

FILE	DETAILS	
classes13.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check emulator file check
	Compiler	dx r8 without marker (suspicious)
classes5.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.HARDWARE check Build.TAGS check
	Compiler	dx r8 without marker (suspicious)
assets/arm64-v8a/libtrustdevice.so	FINDINGS	DETAILS
	anti_hook	syscalls

ACTIVITY	INTENT
com.lenovo.anyshare.TXTPreview	Schemes: content://, file://, Mime Types: text/*,
com.lenovo.anyshare.ZipParse	Schemes: content://, file://, Hosts: *, Mime Types: application/gzip, application/zip, application/rar, application/x-rar-compressed, application/x-7z-compressed, application/7z, */*, Path Patterns: .*\\.zip, .*\\.rar, .*\\.7z, .*\\.jar,
com.lenovo.anyshare.PDFPreviewF	Schemes: content://, file://, Mime Types: application/pdf, application/x-pdf,
com.lenovo.anyshare.PDFPreviewE	Schemes: content://, file://, Mime Types: application/pdf, application/x-pdf,
com.lenovo.anyshare.PDFPreviewD	Schemes: content://, file://, Mime Types: application/pdf, application/x-pdf,
com.lenovo.anyshare.PDFPreviewC	Schemes: content://, file://, Mime Types: application/pdf, application/x-pdf,
com.lenovo.anyshare.PDFPreviewB	Schemes: content://, file://, Mime Types: application/pdf, application/x-pdf,
com.lenovo.anyshare.PDFPreviewA	Schemes: content://, file://, Mime Types: application/pdf, application/x-pdf,
com.lenovo.anyshare.doc.XLSPreview	Schemes: content://, file://, Mime Types: application/vnd.ms-excel, application/vnd.openxmlformats-officedocument.spreadsheetml.sheet,
com.lenovo.anyshare.doc.DOCPreview	Schemes: content://, file://, Mime Types: application/msword, application/vnd.openxmlformats-officedocument.wordprocessingml.document,
com.lenovo.anyshare.doc.PPTPreview	Schemes: content://, file://, Mime Types: application/vnd.openxmlformats-officedocument.presentationml.presentation, application/vnd.ms-powerpoint,
	Schemes: file://, content://, http://, https://, ftp://, rtsp://, rtmp://, mms://, tcp://, udp://, gopher://, Hosts: *, Mime Types: video/*, */rmvb, */avi, */mkv, video/x-msvideo, video/x-f4v, video/x-flv, video/m4v, video/mp2ts, video/webm, video/x-

NO	SCOPE	SEVERITY	DESCRIPTION
1	*	high	Base config is insecurely configured to permit clear text traffic to all domains.
2	*	warning	Base config is configured to trust system certificates.
3	127.0.0.1	high	Domain config is insecurely configured to permit clear text traffic to these domains in scope.

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 1 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.
Certificate algorithm vulnerable to hash collision	high	Application is signed with SHA1withRSA. SHA1 hash algorithm is known to have collision issues.

MANIFEST ANALYSIS

HIGH: 2 | WARNING: 168 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 4.2-4.2.2, [minSdk=17]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.

NO	ISSUE	SEVERITY	DESCRIPTION
2	Clear text traffic is Enabled For App[android:usesCleartextTraffic=true]	high	The app intends to use cleartext network traffic, such as cleartext HTTP, FTP stacks, DownloadManager, and MediaPlayer. The default value for apps that target API level 27 or lower is "true". Apps that target API level 28 or higher default to "false". The key reason for avoiding cleartext traffic is the lack of confidentiality, authenticity, and protections against tampering; a network attacker can eavesdrop on transmitted data and also modify it without being detected.
3	App has a Network Security Configuration[android:networkSecurityConfig=@xml/m]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
4	Activity-Alias (com.lenovo.anyshare.TXTPreview) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
5	Activity-Alias (com.lenovo.anyshare.ZipParse) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Activity-Alias (com.lenovo.anyshare.PDFPreviewF) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Activity-Alias (com.lenovo.anyshare.PDFPreviewE) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
8	Activity-Alias (com.lenovo.anyshare.PDFPreviewD) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
9	Activity-Alias (com.lenovo.anyshare.PDFPreviewC) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
10	Activity-Alias (com.lenovo.anyshare.PDFPreviewB) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
11	Activity-Alias (com.lenovo.anyshare.PDFPreviewA) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
12	Activity-Alias (com.lenovo.anyshare.doc.XLSPreview) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
13	Activity-Alias (com.lenovo.anyshare.doc.DOCPreview) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
14	Activity-Alias (com.lenovo.anyshare.doc.PPTPreview) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
15	Activity-Alias (com.lenovo.anyshare.VideoPlayer) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
16	Activity-Alias (com.lenovo.anyshare.MusicPlayer) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
17	Activity-Alias (com.lenovo.anyshare.ApMainActivityA) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
18	Launch Mode of activity (com.lenovo.anyshare.main.utils.global_inter.GlobalMcdsActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
19	Launch Mode of activity (com.lenovo.anyshare.main.utils.global_inter.AppOpenMcdsActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
20	Activity (com.lenovo.anyshare.activity.PdfToPhotoFlashActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
21	Activity-Alias (com.lenovo.anyshare.activity.PdfToPhotoActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
22	Activity (com.lenovo.anyshare.activity.FloatingVideoFlashActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
23	Activity-Alias (com.lenovo.anyshare.FloatingVideoPlayer) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
24	Activity (com.lenovo.anyshare.activity.FileBrowserFlashActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
25	Activity-Alias (com.lenovo.anyshare.activity.FileBrowserB) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
26	Activity-Alias (com.lenovo.anyshare.activity.FileBrowserA) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
27	Activity (com.lenovo.anyshare.activity.AppBrowserFlashActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
28	Activity-Alias (com.lenovo.anyshare.activity.AppBrowser) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
29	Activity (com.lenovo.anyshare.activity.PdfToPhotoSplitFlashActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
30	Activity-Alias (com.lenovo.anyshare.activity.PdfToSplitPhotoActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
31	Activity (com.lenovo.anyshare.activity.PhotoToPdfFlashActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
32	Activity-Alias (com.lenovo.anyshare.activity.PhotoToPdfActivityView) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
33	Activity-Alias (com.lenovo.anyshare.activity.PhotoToPdfActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
34	Activity (com.lenovo.anyshare.activity.PhotoToScanQrFlashActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
35	Activity-Alias (com.lenovo.anyshare.activity.QRCodeScanActivityView) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
36	Activity-Alias (com.lenovo.anyshare.activity.QRCodeScanActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
37	Activity (com.lenovo.anyshare.activity.SafeBoxFlashActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
38	Activity-Alias (com.lenovo.anyshare.AddToSafeBoxActivityView) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
39	Activity-Alias (com.lenovo.anyshare.AddToSafeBoxActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
40	Activity (com.lenovo.anyshare.main.VideoBrowserBoardActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
41	Activity-Alias (com.lenovo.anyshare.Downloader) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
42	Activity-Alias (com.lenovo.anyshare.ThirdPartyDownloadActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
43	Launch Mode of activity (com.lenovo.anyshare.main.MainActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
44	Activity (com.lenovo.anyshare.main.MainActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
45	Broadcast Receiver (com.lenovo.anyshare.setting.toolbar.ToolbarReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
46	Launch Mode of activity (com.lenovo.anyshare.setting.toolbar.ToolBarHandlerNotificationActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
47	Content Provider (com.ushareit.login.provider.ShareitIdProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
48	Activity (com.facebook.CustomTabActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
49	Content Provider (com.ushareit.app.BeylaldProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
50	Broadcast Receiver (com.ushareit.medusa.TryReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
51	Launch Mode of activity (com.ushareit.coin.ui.CoinShortCutLandActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
52	Activity (com.ushareit.coin.ui.CoinShortCutLandActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
53	Launch Mode of activity (com.lenovo.anyshare.scheme.SchemeFilterActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
54	Activity (com.lenovo.anyshare.scheme.SchemeFilterActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
55	Launch Mode of activity (com.lenovo.anyshare.cloud.launch.CmdLaunchActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
56	Activity (com.ushareit.clone.CloneChooseActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
57	Launch Mode of activity (com.ushareit.clone.CloneProgressActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
58	Content Provider (com.lenovo.anyshare.share.provider.TransferFileProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
59	Activity (com.lenovo.anyshare.activity.ExternalShareActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
60	Launch Mode of activity (com.ushareit.bizlocal.transfer.ExternalPCActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
61	Activity-Alias (com.ushareit.bizlocal.transfer.ExternalPCActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
62	Launch Mode of activity (com.lenovo.anyshare.share.ShareActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
63	Activity (com.lenovo.anyshare.share.ShareActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
64	Launch Mode of activity (com.lenovo.anyshare.pc.PCContentIMActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
65	Activity (com.lenovo.anyshare.content.webshare.WebShareJIOStartActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
66	Launch Mode of activity (com.lenovo.anyshare.content.webshare.WebShareActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
67	TaskAffinity is set for activity (com.lenovo.anyshare.content.permission.PermissionGuideActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
68	Launch Mode of activity (com.lenovo.anyshare.content.permission.PermissionGuideActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
69	Launch Mode of activity (com.lenovo.anyshare.main.media.activity.AccessibilityGuideActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
70	Launch Mode of activity (com.ushareit.filemanager.main.media.photoviewer.PhotoViewerActivity3) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
71	Launch Mode of activity (com.ushareit.filemanager.main.media.activity.AccessibilityGuideActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
72	Broadcast Receiver (com.ushareit.musicplayer.receiver.RemotePlaybackReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
73	TaskAffinity is set for activity (com.ushareit.musicplayer.lockscreen.MusicLockScreenActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
74	Launch Mode of activity (com.ushareit.musicplayer.lockscreen.MusicLockScreenActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
75	Launch Mode of activity (com.ushareit.musicplayer.notification.PLayerNotificationHandleActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
76	Launch Mode of activity (com.ushareit.musicplayer.notification.PLayerNotificationGuideHandleActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
77	Launch Mode of activity (com.ytb.notification.PlayerNotificationActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
78	Launch Mode of activity (com.lenovo.anyshare.notification.media.local.LocalPushHandlerActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
79	Launch Mode of activity (com.lenovo.anyshare.notification.download.DownloadProxyHandleActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.

NO	ISSUE	SEVERITY	DESCRIPTION
80	Launch Mode of activity (com.lenovo.anyshare.notification.tools.ToolSetNotifyLandActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
81	Launch Mode of activity (com.ushareit.downloader.videobrowser.VideoBrowserActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
82	Launch Mode of activity (com.ushareit.downloader.web.main.whatsapp.OnlineWhatsAppSaverActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
83	Launch Mode of activity (com.ushareit.downloader.web.main.urlparse.InstagramDownloadActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
84	Launch Mode of activity (com.ushareit.downloader.web.main.urlparse.TwitterDownloadActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
85	Launch Mode of activity (com.ushareit.downloader.web.main.urlparse.FacebookDownloadActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.

NO	ISSUE	SEVERITY	DESCRIPTION
86	Launch Mode of activity (com.ushareit.downloader.web.main.urlparse.InsCollectionDownloadActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
87	Launch Mode of activity (com.ushareit.downloader.site.SiteCollectionActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
88	Launch Mode of activity (com.lenovo.ushareit.notilock.NotifyLocalHandlerNotificationActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
89	Launch Mode of activity (com.lenovo.ushareit.notilock.NotiLockStartActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
90	Service (com.ushareit.oppush.AppPushMessageService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.heytao.mcs.permission.SEND_PUSH_MESSAGE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
91	Service (com.ushareit.oppush.PushMessageService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.coloros.mcs.permission.SEND_MCS_MESSAGE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
92	Broadcast Receiver (com.ushareit.upgrade.notification.UpgradeReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
93	Broadcast Receiver (com.ushareit.subscription.view.SubReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
94	Launch Mode of activity (com.filepreview.pdf.PdfPreviewActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
95	Launch Mode of activity (com.filepreview.pdf.DefaultAppSettingGuideActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
96	Launch Mode of activity (com.filepreview.txt.ui.TxtPreviewActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
97	Broadcast Receiver (com.ushareit.musicwidget.provider.AppWidgetProvider4x1) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
98	Broadcast Receiver (com.ushareit.musicwidget.provider.MusicAppWidgetProvider4x1) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
99	Broadcast Receiver (com.ushareit.musicwidget.provider.MusicAppWidgetProvider2x2) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
100	Launch Mode of activity (com.ushareit.musicwidget.MusicProxyHandleActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.

NO	ISSUE	SEVERITY	DESCRIPTION
101	Launch Mode of activity (com.ushareit.musicwidget.MusicWidgetServiceProxyHandleActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
102	Launch Mode of activity (com.lenovo.anyshare.setting.guide.FloatGuideActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
103	TaskAffinity is set for activity (com.sharead.base.permission.activity.PermissionGuideActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
104	Launch Mode of activity (com.sharead.base.permission.activity.PermissionGuideActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
105	Content Provider (com.ushareit.ads.cpi.CPIAdjustProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
106	Content Provider (com.ushareit.ads.cpi.CPIActionProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
107	Launch Mode of activity (com.ushareit.component.ads.dialog.AdPopupActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
108	Launch Mode of activity (com.ushareit.component.ads.dialog.AdPopupActivityThird) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.

NO	ISSUE	SEVERITY	DESCRIPTION
109	Launch Mode of activity (com.ushareit.component.ads.dialog.AdPopupActivityThirdBanner) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
110	TaskAffinity is set for activity (com.ushareit.applock.FingerprintActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
111	Launch Mode of activity (com.ushareit.applock.FingerprintActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
112	Broadcast Receiver (com.ushareit.applock.core.LockReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
113	Launch Mode of activity (com.ushareit.applock.setting.AppLockSettingActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
114	Launch Mode of activity (com.ushareit.component.resdownload.notification.MediaPushReceiveActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
115	Launch Mode of activity (com.sharemob.cdn.CPIProtectActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
116	Activity (com.ushareit.router.UriProxyActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
117	Activity (com.ushareit.hybrid.ui.HybridLocalActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
118	Activity (com.ushareit.hybrid.ui.HybridLocalTranslucentActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
119	Activity (com.ushareit.hybrid.ui.HybridLocalADTranslucentActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
120	Launch Mode of activity (com.ushareit.hybrid.photo.SelectPhotoActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
121	Service (com.ushareit.hybrid.service.HybridService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
122	Launch Mode of activity (com.ushareit.base.dialog.DefaultAppSettingGuideActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
123	Launch Mode of activity (com.ushareit.base.dialog.DefaultAppSettingDescActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
124	Launch Mode of activity (com.ushareit.ccm.CommandWrapperActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.

NO	ISSUE	SEVERITY	DESCRIPTION
125	TaskAffinity is set for activity (com.ushareit.cleanit.residual.ui.AppResidualActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
126	Launch Mode of activity (com.ushareit.cleanit.residual.ui.AppResidualActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
127	Launch Mode of activity (com.ushareit.cleanit.diskclean.CleanMainActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
128	Launch Mode of activity (com.ushareit.cleanit.diskclean.fast.CleanFastActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
129	Launch Mode of activity (com.ushareit.cleanit.vip.guide.CleanVipGuideActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
130	Launch Mode of activity (com.ushareit.cleanit.vip.CleanVipActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
131	Launch Mode of activity (com.ushareit.bst.speed.SpeedActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.

NO	ISSUE	SEVERITY	DESCRIPTION
132	Launch Mode of activity (com.ushareit.bst.speed.complete.SpeedCompleteActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
133	Launch Mode of activity (com.ushareit.cleanit.photocompress.PhotoCompressWelcomeActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
134	Launch Mode of activity (com.ushareit.cleanit.photocompress.PhotoCompressStartActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
135	Launch Mode of activity (com.lenovo.anyshare.download.ui.DownloadActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
136	Activity (com.lenovo.anyshare.download.ui.DownloadActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
137	Launch Mode of activity (com.ushareit.videoplayer.video.VideoPlayerTheaterActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
138	Content Provider (com.ushareit.sdkshare.GameResourceContentProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
139	Launch Mode of activity (com.google.firebase.auth.internal.FederatedSignInActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
140	Activity (com.google.firebase.auth.internal.FederatedSignInActivity) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.firebase.auth.api.gms.permission.LAUNCH_FEDERATED_SIGN_IN [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
141	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
142	Content Provider (io.appmetrica.analytics.internal.PreloadInfoContentProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
143	Service (com.google.android.play.core.assetpacks.AssetPackExtractionService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
144	Launch Mode of activity (com.google.android.gms.ads.NotificationHandlerActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.

NO	ISSUE	SEVERITY	DESCRIPTION
145	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
146	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
147	Service (com.basenm.notificationmanager.service.NotificationManagerSvc) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_NOTIFICATION_LISTENER_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
148	Content Provider (spg.erahsyna.ovonel.moc.comps.TierahsCoD) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
149	Service (spg.erahsyna.ovonel.moc.comps.TierahsMPService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
150	Launch Mode of activity (com.ushareit.video.helper.ShadowPreloadActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.

NO	ISSUE	SEVERITY	DESCRIPTION
151	Launch Mode of activity (com.ushareit.muslim.quran.QuranDetailActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
152	Launch Mode of activity (com.ushareit.muslim.prayernotice.PrayerAlarmActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
153	Launch Mode of activity (com.ushareit.muslim.prayernotice.PrayerAlarmActivity2) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
154	Launch Mode of activity (com.ushareit.muslim.settings.adhanbk.AdbanBkSettingActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
155	Launch Mode of activity (com.ushareit.muslim.settings.permission.SystemAlertConfirmActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
156	Launch Mode of activity (com.ushareit.player.music.notification.PlayerNotificationHandleActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.

NO	ISSUE	SEVERITY	DESCRIPTION
157	Launch Mode of activity (com.ushareit.muslim.fix.AdhanFixActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
158	Launch Mode of activity (com.ushareit.muslim.fix.AdhanManuallyFixActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
159	Launch Mode of activity (com.ushareit.muslim.prayernotice.QuranAlarmActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
160	Launch Mode of activity (com.ushareit.muslim.prayernotice.AthkarAlarmActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
161	Launch Mode of activity (com.ushareit.muslim.guide.AccessibilityGuideActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
162	Activity (com.ushareit.muslim.map.MapsMarkerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
163	Broadcast Receiver (com.startapp.sdk.adsbase.remoteconfig.BootCompleteListener) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
164	Launch Mode of activity (com.anythink.core.activity.AnyThinkGdprAuthActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
165	Broadcast Receiver (com.mbridge.msdk.foundation.same.broadcast.NetWorkChangeReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
166	Activity (com.amazon.aps.ads.activity.ApsInterstitialActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
167	Activity (com.amazon.device.ads.DTBInterstitialActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
168	Activity (com.lenovo.anyshare.bizentertainment.push.GamePushClickActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
169	Activity (com.reader.office.officereader.OfficeReaderActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
170	Dailer Code: 562548 Found [android:scheme="android_secret_code"]	warning	A secret code was found in the manifest. These codes, when entered into the dialer grant access to hidden content that may contain sensitive information.
171	High Intent Priority (2147483647) - {1} Hit(s) [android:priority]	warning	By setting an intent priority higher than another intent, the app effectively overrides other requests.

</> CODE ANALYSIS

HIGH: 5 | WARNING: 11 | INFO: 3 | SECURE: 2 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				aashareit/AnyShareApp.java android/view/result/ActivityResultRegistry.java com/edexchange/DeviceHelper.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/adexchange/DeviceHelper.java com/adexchange/ads/base/RTBBaseAd.java com/adexchange/ads/core/BaseAdLoadHelper.java com/adexchange/base/BasicSdkProxy.java com/adexchange/bridge/BridgeManager.java com/adexchange/common/tasks/WorkScheduler.java com/adexchange/config/BidConfigHelper.java com/adexchange/internal/action/ActionTrigger.java com/adexchange/internal/action/ActionUtils.java com/adexchange/internal/action/WebActionTrigger.java com/adexchange/internal/action/type/ActionTypeDeeplink.java com/adexchange/internal/banner/render/BannerFactory.java com/adexchange/internal/banner/render/SingleImageBanner.java com/adexchange/internal/base/BaseHandleLoader.java com/adexchange/internal/fullscreen/BaseFullScreenAd.java com/adexchange/internal/fullscreen/InterSingleImageFullScreenAd.java com/adexchange/internal/fullscreen/InterstitialAdFactory.java com/adexchange/internal/fullscreen/RewardAdFactory.java com/adexchange/internal/fullscreen/SplashAdFactory.java com/adexchange/internal/fullscreen/SplashSingleImageFullScreenAd.java com/adexchange/internal/helper/LottieGuideUtils.java com/adexchange/internal/helper/adchoice/AdchoiceHelper.java com/adexchange/internal/helper/adchoice/AdchoiceOptionHolder.java com/adexchange/internal/helper/adchoice/ViewUtils.java com/adexchange/internal/host/AdxHosts.java com/adexchange/internal/internal/CreativeType.java com/adexchange/internal/interstitial/InterstitialAdLoader.java com/adexchange/internal/mraid/MraidBridge.java com/adexchange/internal/mraid/MraidController.java com/adexchange/internal/mraid/MraidNativeCommandHandler.java com/adexchange/internal/nativead/InnerNativeAd.java com/adexchange/internal/webview/WebViewCache.java com/adexchange/models/AdmBean.java com/adexchange/models/Bid.java com/adexchange/models/BidExt.java com/adexchange/models/BidResponse.java com/adexchange/models/ExtraBean.java com/adexchange/models/SeatBid.java com/adexchange/request/BidRequest.java com/adexchange/request/OpenRTBRequest.java com/adexchange/request/RTBBannerRequest.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/adexchange/request/RTBNativeRequest.java com/adexchange/request/models/Device.java com/adexchange/request/models/Geo.java com/adexchange/request/stats/StatsCollector.java com/adexchange/request/stats/StatsHosts.java com/adexchange/si/TrackUrlsHelper.java com/adexchange/starter/util/DeviceUtil.java com/adexchange/stats/RTBStats.java com/adexchange/utills/MockJsonUtil.java com/adexchange/utills/SDCardHelper.java com/adexchange/utills/SourceDownloadUtils.java com/adexchange/vast/VastHelper.java com/adexchange/vast/VastManager.java com/adexchange/vast/VastXmlManagerAggregator.java com/adexchange/vast/network/VastURLConnection.java com/adexchange/vast/utills/Views.java com/adexchange/video/presenter/VideoPresenter.java com/adexchange/video/view/InterFullScreenVideoView.java com/adjust/sdk/Logger.java com/adjust/sdk/oaid/AdjustOaid.java com/adjust/sdk/oaid/Util.java com/adtmonetize/sdk/code/C0022.java com/adtmonetize/sdk/code/C0030.java com/adtmonetize/sdk/code/C0040.java com/adtmonetize/sdk/code/C0044.java com/adtmonetize/sdk/code/C0057.java com/adtmonetize/sdk/common/util/log/DevLog.java com/adtmonetize/sdk/common/util/log/SLog.java com/adtmonetize/sdk/web/CustomWebViewClient.java com/airbnb/lottie/LottieAnimationView.java com/alphagaming/mediation/http/config/LogStrategy.java com/alphagaming/mediation/utills/LogN.java com/amazon/aps/ads/ApsLog.java com/amazon/aps/ads/model/ApsSlotInfoExtra.java com/amazon/aps/ads/privacy/ApsGdprHandler.java com/amazon/aps/ads/util/ApsAdExtensionsKt.java com/amazon/aps/ads/util/ApsUtils.java com/amazon/aps/shared/APSAnalytics.java com/amazon/aps/shared/ApsMetrics.java com/amazon/aps/shared/analytics/APSEvent.java com/amazon/aps/shared/util/APSNetworkManager.java com/amazon/aps/shared/util/ApsAsyncUtil.java com/amazon/device/ads/AdRegistration.java com/amazon/device/ads/DTBAdMRAIDController.java com/amazon/device/ads/DTBAdMRAIDExpandedController.java com/amazon/device/ads/DTBAdNetworkInfo.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/amazon/device/ads/DTBAdRequest.java com/amazon/device/ads/DTBAdResponse.java com/amazon/device/ads/DTBAdUtil.java com/amazon/device/ads/DTBMetricReport.java com/amazon/device/ads/DTBMetricsConfiguration.java com/amazon/device/ads/DTBMetricsProcessor.java com/amazon/device/ads/DTBTimeTrace.java com/amazon/device/ads/DtbAdvertisingInfo.java com/amazon/device/ads/DtbCommonUtils.java com/amazon/device/ads/DtbDebugProperties.java com/amazon/device/ads/DtbDeviceData.java com/amazon/device/ads/DtbFireOSServiceAdapter.java com/amazon/device/ads/DtbGeoLocation.java com/amazon/device/ads/DtbGooglePlayServices.java com/amazon/device/ads/DtbGooglePlayServicesAdapter.java com/amazon/device/ads/DtbHttpClient.java com/amazon/device/ads/DtbLog.java com/amazon/device/ads/DtbMetrics.java com/amazon/device/ads/DtbOmSdkSessionManager.java com/amazon/device/ads/DtbPackageNativeData.java com/amazon/device/ads/DtbSharedPreferences.java com/amazon/device/ads/DtbThreadService.java com/amazon/device/ads/WebResourceService.java com/anythink/basead/exoplayer/b/l.java com/anythink/basead/exoplayer/d/a.java com/anythink/basead/exoplayer/d/b.java com/anythink/basead/exoplayer/d/d.java com/anythink/basead/exoplayer/e/a/b.java com/anythink/basead/exoplayer/e/a/e.java com/anythink/basead/exoplayer/e/a/f.java com/anythink/basead/exoplayer/e/a/h.java com/anythink/basead/exoplayer/e/a/k.java com/anythink/basead/exoplayer/f.java com/anythink/basead/exoplayer/f/a.java com/anythink/basead/exoplayer/f/b.java com/anythink/basead/exoplayer/f/d.java com/anythink/basead/exoplayer/g/b/g.java com/anythink/basead/exoplayer/h/b/b.java com/anythink/basead/exoplayer/h/b/f.java com/anythink/basead/exoplayer/j/a/m.java com/anythink/basead/exoplayer/j/n.java com/anythink/basead/exoplayer/j/p.java com/anythink/basead/exoplayer/j/t.java com/anythink/basead/exoplayer/k/af.java com/anythink/basead/exoplayer/k/b.java com/anythink/basead/exoplayer/k/i.java com/anythink/basead/exoplayer/k/p.java com/anythink/basead/exoplayer/l/c.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/anythink/basead/exoplayer/l/e.java com/anythink/basead/exoplayer/q.java com/anythink/basead/mixad/e/a.java com/anythink/basead/mraid/MraidBaseWebView.java com/anythink/basead/ui/BaseATActivity.java com/anythink/basead/ui/MediaATView.java com/anythink/basead/ui/MraidMediaView.java com/anythink/basead/ui/activity/ATMixSplashActivity.java com/anythink/basead/ui/animplayerview/redpacket/RedPacketView.java com/anythink/basead/ui/animplayerview/redpacket/a.java com/anythink/basead/ui/animplayerview/scale/BaseAlbumScaleItemView.java com/anythink/core/activity/component/PrivacyPolicyView.java com/anythink/core/api/ATAdFilter.java com/anythink/core/api/ATSDK.java com/anythink/core/b/d/c.java com/anythink/core/basead/a/a.java com/anythink/core/basead/adx/api/ATAdxSetting.java com/anythink/core/c/b/c.java com/anythink/core/common/d/b.java com/anythink/core/common/d/c.java com/anythink/core/common/d/r.java com/anythink/core/common/d/t.java com/anythink/core/common/f.java com/anythink/core/common/h/c.java com/anythink/core/common/j/a.java com/anythink/core/common/l.java com/anythink/core/common/l/a/b.java com/anythink/core/common/res/d.java com/anythink/core/common/s/a/d.java com/anythink/core/common/v/a/f.java com/anythink/core/common/v/n.java com/anythink/core/common/v/p.java com/anythink/core/common/v/s.java com/anythink/core/d/n.java com/anythink/core/d/r.java com/anythink/core/express/web/BaseWebView.java com/anythink/expressad/atsignalcommon/windvane/WindVaneWebView.java com/anythink/expressad/foundation/g/a/b.java com/anythink/expressad/foundation/g/c/d.java com/anythink/expressad/foundation/g/f/f/a.java com/anythink/expressad/foundation/h/o.java com/anythink/expressad/foundation/h/r.java com/anythink/expressad/reward/a/d.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/anythink/expressad/video/bt/module/ATTempContainer. com/anythink/expressad/video/module/AnythinkBaseView.java com/anythink/expressad/widget/FeedbackRadioGroup.java com/anythink/interstitial/a/d.java com/anythink/nativead/api/ATNativeAdView.java com/anythink/nativead/api/ATNativeImageView.java com/anythink/nativead/api/NativeAd.java com/anythink/network/admob/AdMobATInitManager.java com/anythink/network/admob/AdmobATConst.java com/anythink/network/amazon/AmazonATInitManager.java com/anythink/network/bigo/BigoATInitManager.java com/anythink/network/bigo/BigoATNativeAd.java com/anythink/network/gtm/GTMATInitManager.java com/anythink/network/mytarget/MyTargetATRewardedVideoAdapter.java com/anythink/network/pangle/PangleATInitManager.java com/anythink/network/pangle/PangleATNativeAd.java com/anythink/network/pangle/PangleATRewardedVideoAdapter.java com/anythink/network/pubnative/PubNativeATInitManager.java com/anythink/network/startapp/StartAppATInitManager.java com/anythink/network/unityads/UnityAdsATInterstitialAdapter.java com/anythink/network/yandex/YandexATNativeAd.java com/anythink/rewardvideo/a/b.java com/anythink/rewardvideo/a/c.java com/anythink/splashad/api/ATSplashSkipInfo.java com/apm/insight/a.java com/apm/insight/b/i.java com/apm/insight/h/a.java com/apm/insight/h/b.java com/apm/insight/k/a.java com/apm/insight/k/j.java com/bamboo/BambooService.java com/bumptechnology/glide/Glide.java com/bumptechnology/glide/disklru/DiskLruCache.java com/bumptechnology/glide/gifdecoder/GifHeaderParser.java com/bumptechnology/glide/gifdecoder/StandardGifDecoder.java com/bumptechnology/glide/integration/webp/WebpBitmapFactory.java com/bumptechnology/glide/integration/webp/decoder/Utils.java com/bumptechnology/glide/integration/webp/decoder/WebpDecoder.java com/bumptechnology/glide/integration/webp/decoder/WebpDowns

NO	ISSUE	SEVERITY	STANDARDS	ampier.java FILES com/bumptechnload/integration/webp/decoder/WebpDrawa bleEncoder.java
				com/bumptechnload/data/AssetPathFetcher.java com/bumptechnload/data/HttpUrlFetcher.java com/bumptechnload/data/LocalUriFetcher.java com/bumptechnload/data/mediastore/ThumbFetcher.ja va com/bumptechnload/data/mediastore/ThumbnailStrea mOpener.java com/bumptechnload/engine/DecodePath.java com/bumptechnload/engine/GlideException.java com/bumptechnload/engine/SourceGenerator.java com/bumptechnload/engine/bitmap_recycle/LruArrayPo ol.java com/bumptechnload/engine/bitmap_recycle/LruBitmap Pool.java com/bumptechnload/engine/cache/DiskLruCacheWrapp er.java com/bumptechnload/engine/cache/MemorySizeCalculat or.java com/bumptechnload/engine/executor/GlideExecutor.jav a com/bumptechnload/engine/executor/RuntimeCompat.j ava com/bumptechnload/engine/prefill/BitmapPreFillRunner .java com/bumptechnload/model/ByteBufferEncoder.java com/bumptechnload/model/ByteBufferFileLoader.java com/bumptechnload/model/FileLoader.java com/bumptechnload/model/ResourceLoader.java com/bumptechnload/model/StreamEncoder.java com/bumptechnload/resource/DefaultOnHeaderDecode dListener.java com/bumptechnload/resource/bitmap/BitmapEncoder.j ava com/bumptechnload/resource/bitmap/BitmapImageDec oderResourceDecoder.java com/bumptechnload/resource/bitmap/DefaultImageHea derParser.java com/bumptechnload/resource/bitmap/Downsampler.jav a com/bumptechnload/resource/bitmap/DrawableToBitm apConverter.java com/bumptechnload/resource/bitmap/HardwareConfigS tate.java com/bumptechnload/resource/bitmap/TransformationU tils.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/bumptech/glide/load/resource/bitmap/VideoDecoder.java com/bumptech/glide/load/resource/gif/GifDrawableEncoder.java com/bumptech/glide/load/resource/gif/StreamGifDecoder.java com/bumptech/glide/manager/DefaultConnectivityMonitorFactory.java com/bumptech/glide/manager/RequestManagerRetriever.java com/bumptech/glide/manager/RequestTracker.java com/bumptech/glide/manager/SingletonConnectivityReceiver.java com/bumptech/glide/module/ManifestParser.java com/bumptech/glide/request/target/CustomViewTarget.java com/bumptech/glide/request/target/ViewTarget.java com/bumptech/glide/signature/ApplicationVersionSignature.java com/bumptech/glide/util/ContentLengthInputStream.java com/bumptech/glide/util/pool/FactoryPools.java com/bykv/vk/opencv/preload/falconx/a/a.java com/bykv/vk/opencv/preload/geckox/logger/DefaultLogger.java com/bytedance/ad sdk/JBd/Wi.java com/bytedance/ad sdk/ugeno/IGD/Bx.java com/bytedance/ad sdk/ugeno/IGD/sve.java com/bytedance/ad sdk/ugeno/PA/gMJ.java com/bytedance/ad sdk/ugeno/YK/gMJ/Bx.java com/bytedance/ad sdk/ugeno/YK/gMJ/JBd.java com/bytedance/ad sdk/ugeno/core/IGD.java com/bytedance/ad sdk/ugeno/core/nl.java com/bytedance/ad sdk/ugeno/core/sve.java com/bytedance/ad sdk/ugeno/core/sve/sve.java com/bytedance/ad sdk/ugeno/nl/YK/JBd.java com/bytedance/ad sdk/ugeno/nl/YK/sve.java com/bytedance/ad sdk/ugeno/sve/sve/JBd.java com/bytedance/ad sdk/ugeno/sve/sve/gMJ.java com/bytedance/boost_multidex/Monitor.java com/bytedance/boost_multidex/Result.java com/bytedance/sdk/component/Bx/JBd/sve.java com/bytedance/sdk/component/Bx/gMJ/JBd.java com/bytedance/sdk/component/Bx/gMJ/gMJ.java com/bytedance/sdk/component/Bx/gMJ/sve/sve/JBd.java com/bytedance/sdk/component/Bx/gMJ/sve/sve/sve.java com/bytedance/sdk/component/IGD/JBd/sve.java com/bytedance/sdk/component/IGD/YK/Bx.java com/bytedance/sdk/component/JBd.java com/bytedance/sdk/component/PA/JBd/JBd.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/bytedance/sdk/component/PA/JBd/gMJ/gMJ.java com/bytedance/sdk/component/PA/JBd/sve.java com/bytedance/sdk/component/PA/JBd/sve/sve/sve/JBd.java com/bytedance/sdk/component/adexpress/Bx/sve.java com/bytedance/sdk/component/adexpress/sve/JBd/Wi.java com/bytedance/sdk/component/embedapplog/PangleEncryptUtils.java com/bytedance/sdk/component/embedapplog/PangleEncryptUtilsType4.java com/bytedance/sdk/component/nl/YK.java com/bytedance/sdk/component/pglcript/PglCryptUtils.java com/bytedance/sdk/component/utis/HomeWatcherReceiver.java com/bytedance/sdk/component/utis/Ln.java com/bytedance/sdk/component/utis/dl.java com/bytedance/sdk/openadsdk/YK/gMJ.java com/bytedance/sdk/openadsdk/api/PAGUserInfoForSegment.java com/bytedance/sdk/openadsdk/api/factory/SDKTypeConfig.java com/bytedance/sdk/openadsdk/api/init/PAGSdk.java com/bytedance/sdk/openadsdk/cC/JBd.java com/bytedance/sdk/openadsdk/cC/gMJ.java com/bytedance/sdk/openadsdk/component/LGD.java com/bytedance/sdk/openadsdk/component/reward/Ln.java com/bytedance/sdk/openadsdk/component/reward/sve/Ln.java com/bytedance/sdk/openadsdk/core/PA/sve.java com/bytedance/sdk/openadsdk/core/act/sve.java com/bytedance/sdk/openadsdk/core/settings/Mp.java com/bytedance/sdk/openadsdk/core/settings/gMJ.java com/bytedance/sdk/openadsdk/core/settings/nl.java com/bytedance/sdk/openadsdk/core/th.java com/bytedance/sdk/openadsdk/core/widget/dl.java com/bytedance/sdk/openadsdk/iu/sve.java com/bytedance/sdk/openadsdk/iu/sve/sve.java com/bytedance/sdk/openadsdk/mediation/IXF/wdO.java com/bytedance/sdk/openadsdk/mediation/JBd/YK/Bx.java com/bytedance/sdk/openadsdk/mediation/PA/JBd.java com/bytedance/sdk/openadsdk/mediation/adapter/feed/PAGMNativeAdBannerView.java com/bytedance/sdk/openadsdk/mediation/sve/gMJ/gMJ.java com/bytedance/sdk/openadsdk/mediation/sve/gMJ/sve.java com/bytedance/sdk/openadsdk/utis/Bx.java com/bytedance/sdk/openadsdk/utis/dr.java com/bytedance/sdk/openadsdk/utis/nBN.java com/bytedance/sdk/openadsdk/utis/th.java com/bytedance/sdk/openadsdk/utis/th/th.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/caverock/androidsvg/svg.java com/caverock/androidsvg/a.java com/caverock/androidsvg/c.java com/caverock/androidsvg/d.java com/caverock/androidsvg/f.java com/cheat/blocker/ProtectionLib.java com/cheat/blocker/core/b.java com/cheat/blocker/core/c.java com/fyber/inneractive/sdk/external/InnerActiveAdManager.java com/fyber/inneractive/sdk/flow/AbstractC1873a.java com/fyber/inneractive/sdk/logger/a.java com/fyber/inneractive/sdk/network/U.java com/fyber/inneractive/sdk/player/cache/f.java com/fyber/inneractive/sdk/player/exoplayer2/audio/r.java com/fyber/inneractive/sdk/player/exoplayer2/extractor/hls/n.java com/fyber/inneractive/sdk/player/exoplayer2/extractor/mkv/d.java com/fyber/inneractive/sdk/player/exoplayer2/extractor/mp4/n.java com/fyber/inneractive/sdk/player/exoplayer2/extractor/mp4/q.java com/fyber/inneractive/sdk/player/exoplayer2/extractor/ogg/o.java com/fyber/inneractive/sdk/player/exoplayer2/extractor/ts/C1936d.java com/fyber/inneractive/sdk/player/exoplayer2/extractor/ts/o.java com/fyber/inneractive/sdk/player/exoplayer2/extractor/ts/p.java com/fyber/inneractive/sdk/player/exoplayer2/extractor/wav/a.java com/fyber/inneractive/sdk/player/exoplayer2/extractor/wav/d.java com/fyber/inneractive/sdk/player/exoplayer2/h.java com/fyber/inneractive/sdk/player/exoplayer2/l.java com/fyber/inneractive/sdk/player/exoplayer2/mediacodec/a.java com/fyber/inneractive/sdk/player/exoplayer2/mediacodec/j.java com/fyber/inneractive/sdk/player/exoplayer2/metadata/id3/n.java com/fyber/inneractive/sdk/player/exoplayer2/text/cea/a.java com/fyber/inneractive/sdk/player/exoplayer2/upstream/cache/l.java com/fyber/inneractive/sdk/player/exoplayer2/upstream/p.java

NO	ISSUE	SEVERITY	STANDARDS	com/fyber/inneractive/sdk/player/exoplayer2/upstream/y.java FILES com/fyber/inneractive/sdk/player/exoplayer2/util/b.java com/fyber/inneractive/sdk/player/exoplayer2/util/c.java com/fyber/inneractive/sdk/player/exoplayer2/util/l.java com/fyber/inneractive/sdk/player/exoplayer2/video/MediaCo decVideoRenderer.java com/hihonor/dlinstall/ipc/DownloadInstallService.java com/hihonor/dlinstall/ipc/e.java com/hihonor/dlinstall/ipc/f.java com/hihonor/dlinstall/ipc/h.java com/hihonor/dlinstall/ipc/i.java com/hihonor/dlinstall/ipc/k.java com/hihonor/dlinstall/ipc/l.java com/huawei/hms/ads/identifier/AdvertisingIdClient.java com/huawei/hms/ads/identifier/a.java com/huawei/hms/ads/identifier/b.java com/iab/omid/library/amazon/publisher/b.java com/iab/omid/library/amazon/utis/d.java com/iab/omid/library/bigosg/d/c.java com/iab/omid/library/bytedance2/publisher/b.java com/iab/omid/library/bytedance2/utis/d.java com/iab/omid/library/corpmailru/d/c.java com/iab/omid/library/fyber/publisher/b.java com/iab/omid/library/fyber/utis/d.java com/iab/omid/library/ironsrc/publisher/b.java com/iab/omid/library/ironsrc/utis/d.java com/iab/omid/library/mmadbridge/publisher/b.java com/iab/omid/library/mmadbridge/utis/d.java com/iab/omid/library/pubnativenet/publisher/b.java com/iab/omid/library/pubnativenet/utis/d.java com/iab/omid/library/startio/publisher/b.java com/iab/omid/library/startio/utis/d.java com/iab/omid/library/toponad/publisher/b.java com/iab/omid/library/toponad/utis/d.java com/iab/omid/library/unity3d/publisher/b.java com/iab/omid/library/unity3d/utis/d.java com/iab/omid/library/ushareit/utis/d.java com/iab/omid/library/vungle/publisher/b.java com/iab/omid/library/vungle/utis/d.java com/ironsource/a.java com/ironsource/a0.java com/ironsource/a3.java com/ironsource/adapters/ironsource/IronSourceAdapter.java com/ironsource/ah.java com/ironsource/al.java com/ironsource/aw.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/ironsource/da.java com/ironsource/dp.java com/ironsource/dq.java com/ironsource/f3.java com/ironsource/hw.java com/ironsource/i3.java com/ironsource/id.java com/ironsource/jn.java com/ironsource/kc.java com/ironsource/lh.java com/ironsource/m4.java com/ironsource/m7.java com/ironsource/mediationsdk/AbstractAdapter.java com/ironsource/mediationsdk/ads/nativead/LevelPlayNativeAd.java com/ironsource/mediationsdk/d.java com/ironsource/mediationsdk/demandOnly/g.java com/ironsource/mediationsdk/demandOnly/l.java com/ironsource/mediationsdk/logger/a.java com/ironsource/mediationsdk/x.java com/ironsource/mediationsdk/y.java com/ironsource/nc.java com/ironsource/o9.java com/ironsource/p4.java com/ironsource/p9.java com/ironsource/pd.java com/ironsource/q7.java com/ironsource/sdk/service/Connectivity/BroadcastReceiverStrategy.java com/ironsource/sdk/utils/Logger.java com/ironsource/vt.java com/ironsource/wl.java com/ironsource/x0.java com/ironsource/x5.java com/ironsource/xm.java com/ironsource/yg.java com/ironsource/z7.java com/lenovo/anyshare/bizentertainment/magnet/view/EntertainmentBuiltInWidgetView.java com/lenovo/anyshare/bizentertainment/magnet/view/EntertainmentUSWidgetView\$initData\$2.java com/lenovo/anyshare/help/feedback/msg/fragment/d.java com/lenovo/anyshare/help/feedback/msg/viewholder/FeedbackBaseMsgViewHolder.java com/lenovo/anyshare/main/widget/v7/s1/MultiIconScrollView.java com/lenovo/anyshare/safebox/fingerprint/FingerprintControl.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	java com/lenovo/anyshare/share/discover/page/BaseSendScanPage.java com/lenovo/anyshare/share/discover/page/DeviceLayout.java com/lenovo/anyshare/widget/layoutmanager/CustomStaggeredLayoutManager.java com/lenovo/anyshare/widget/slidinguppanel/SlidingUpPanelLayout.java com/mbridge/msdk/dycreator/baseview/MBScrollView.java com/mbridge/msdk/dycreator/baseview/extview/MBExtAcquireRewardPopView.java com/mbridge/msdk/dycreator/baseview/extview/MBExtFeedBackView.java com/mbridge/msdk/dycreator/baseview/extview/MBExtBridgeBaitClickView.java com/mbridge/msdk/dycreator/baseview/extview/MBExtBridgeTextView.java com/mbridge/msdk/dycreator/bus/BackgroundPoster.java com/mbridge/msdk/dycreator/bus/EventBus.java com/mbridge/msdk/dycreator/engine/a.java com/mbridge/msdk/dycreator/utils/g.java com/mbridge/msdk/foundation/controller/b.java com/mbridge/msdk/foundation/same/report/crashreport/c.java com/mbridge/msdk/foundation/same/report/d.java com/mbridge/msdk/foundation/same/report/m.java com/mbridge/msdk/foundation/tools/l0.java com/mbridge/msdk/foundation/tools/o0.java com/mbridge/msdk/playercommon/exoplayer2/MediaPeriodHolder.java com/mbridge/msdk/playercommon/exoplayer2/audio/DefaultAudioSink.java com/mbridge/msdk/playercommon/exoplayer2/drm/ClearKeyUtil.java com/mbridge/msdk/playercommon/exoplayer2/drm/DefaultDrmSession.java com/mbridge/msdk/playercommon/exoplayer2/drm/DefaultDrmSessionManager.java com/mbridge/msdk/playercommon/exoplayer2/extractor/mkv/MatroskaExtractor.java com/mbridge/msdk/playercommon/exoplayer2/extractor/mp3/VbriSeeker.java com/mbridge/msdk/playercommon/exoplayer2/extractor/mp3/XingSeeker.java com/mbridge/msdk/playercommon/exoplayer2/extractor/mp4/AtomParsers.java com/mbridge/msdk/playercommon/exoplayer2/extractor/mp

NO	ISSUE	SEVERITY	STANDARDS	FILES 4/FragmentedMp4Extractor.java com/mbridge/msdk/playercommon/exoplayer2/extractor/mp4/4/MetadataUtil.java
				com/mbridge/msdk/playercommon/exoplayer2/extractor/mp4/PsshAtomUtil.java com/mbridge/msdk/playercommon/exoplayer2/extractor/mp4/TrackEncryptionBox.java com/mbridge/msdk/playercommon/exoplayer2/extractor/ogg/VorbisUtil.java com/mbridge/msdk/playercommon/exoplayer2/extractor/ts/AdtsReader.java com/mbridge/msdk/playercommon/exoplayer2/extractor/ts/H265Reader.java com/mbridge/msdk/playercommon/exoplayer2/extractor/ts/Id3Reader.java com/mbridge/msdk/playercommon/exoplayer2/extractor/ts/PesReader.java com/mbridge/msdk/playercommon/exoplayer2/extractor/wav/WavHeaderReader.java com/mbridge/msdk/playercommon/exoplayer2/mediacodec/MediaCodecInfo.java com/mbridge/msdk/playercommon/exoplayer2/mediacodec/MediaCodecRenderer.java com/mbridge/msdk/playercommon/exoplayer2/mediacodec/MediaCodecUtil.java com/mbridge/msdk/playercommon/exoplayer2/metadata/id3/Id3Decoder.java com/mbridge/msdk/playercommon/exoplayer2/offline/DownloadManager.java com/mbridge/msdk/playercommon/exoplayer2/offline/DownloadService.java com/mbridge/msdk/playercommon/exoplayer2/source/chunk/BaseMediaChunkOutput.java com/mbridge/msdk/playercommon/exoplayer2/source/chunk/ChunkSampleStream.java com/mbridge/msdk/playercommon/exoplayer2/source/chunk/ChunkedTrackBlacklistUtil.java com/mbridge/msdk/playercommon/exoplayer2/text/cea/Cea708Decoder.java com/mbridge/msdk/playercommon/exoplayer2/text/cea/CeaUtil.java com/mbridge/msdk/playercommon/exoplayer2/text/dvb/DvbParser.java com/mbridge/msdk/playercommon/exoplayer2/text/ssa/SsaDecoder.java com/mbridge/msdk/playercommon/exoplayer2/text/subrip/SubripDecoder.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/mbridge/msdk/playercommon/exoplayer2/text/ttml/Tt Files com/mbridge/msdk/playercommon/exoplayer2/text/webvtt/ WebvttCue.java com/mbridge/msdk/playercommon/exoplayer2/text/webvtt/ WebvttCueParser.java com/mbridge/msdk/playercommon/exoplayer2/upstream/De faultDataSource.java com/mbridge/msdk/playercommon/exoplayer2/upstream/De faultHttpDataSource.java com/mbridge/msdk/playercommon/exoplayer2/upstream/Lo ader.java com/mbridge/msdk/playercommon/exoplayer2/upstream/ca che/CachedRegionTracker.java com/mbridge/msdk/playercommon/exoplayer2/upstream/ca che/SimpleCache.java com/mbridge/msdk/playercommon/exoplayer2/util/AtomicFil e.java com/mbridge/msdk/playercommon/exoplayer2/util/EventLog ger.java com/mbridge/msdk/playercommon/exoplayer2/util/NalUnitU til.java com/mbridge/msdk/playercommon/exoplayer2/util/Util.java com/mbridge/msdk/playercommon/exoplayer2/video/Dumm ySurface.java com/mbridge/msdk/tracker/b.java com/mbridge/msdk/tracker/c.java com/mbridge/msdk/tracker/j.java com/mbridge/msdk/tracker/k.java com/mbridge/msdk/tracker/m.java com/mbridge/msdk/tracker/network/c0.java com/mbridge/msdk/tracker/o.java com/mbridge/msdk/tracker/q.java com/mbridge/msdk/tracker/s.java com/mbridge/msdk/tracker/x.java com/mbridge/msdk/tracker/y.java com/mbridge/msdk/video/module/MBridgeBaseView.java com/mbridge/msdk/widget/FeedbackRadioGroup.java com/multimedia/player2/a.java com/multimedia/player2/internal/PlayerException.java com/my/target/fb.java com/my/target/q1.java com/my/tracker/obfuscated/y2.java com/popcorn/lib/annotation/AnnotationServiceManager.java com/qz/network/pangle/PangleATRewardedVideoAdapter.jav a com/reader/office/fc/dom4j/DocumentException.java com/reader/office/fc/dom4j/DocumentFactory.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/reader/office/reader/DocumentFactory.java com/reader/office/fc/hpsf/PropertyIDMap.java com/reader/office/fc/hslf/record/a.java com/reader/office/fc/hssf/formula/k.java com/reader/office/fc/hssf/record/FeatRecord.java com/reader/office/java/awt/geom/b.java com/reader/office/officereader/OfficeReaderActivity.java com/reader/office/system/beans/pagelist/APageListView.java com/salva/b.java com/sharead/base/location/utils/a.java com/sharead/biz/browser/CustomTabsHelper.java com/sharead/biz/stats/AdStatsHelper.java com/sharead/lib/util/CommonUtils.java com/shareit/imagegroup/ImageGroup.java com/st/entertainment/core/materialprogressbar/MaterialProgress Bar.java com/st/entertainment/util/DividerItemDecoration.java com/startapp/sdk/internal/g.java com/startapp/sdk/internal/gh.java com/startapp/sdk/internal/ub.java com/startapp/simple/bloomfilter/creation/TokenToBitSet.java com/sunit/mediation/helper/AdMobHelper.java com/tapjoy/TJAdUnit.java com/tapjoy/TJAdUnitActivity.java com/tapjoy/TJAdUnitJSBridge.java com/tapjoy/TJAppSetId.java com/tapjoy/TJCorePlacement.java com/tapjoy/TJCurrency.java com/tapjoy/TJCurrencyParameters.java com/tapjoy/TJEventOptimizer.java com/tapjoy/TJPlacement.java com/tapjoy/TJPlacementManager.java com/tapjoy/TJSplitWebView.java com/tapjoy/TJWebViewActivity.java com/tapjoy/TJWebViewJSInterface.java com/tapjoy/Tapjoy.java com/tapjoy/TapjoyAdIdClient.java com/tapjoy/TapjoyAppSettings.java com/tapjoy/TapjoyCache.java com/tapjoy/TapjoyCacheMap.java com/tapjoy/TapjoyCachedAssetData.java com/tapjoy/TapjoyConnectCore.java com/tapjoy/TapjoyGpsHelper.java com/tapjoy/TapjoyPluginAPI.java com/tapjoy/TapjoyURLConnection.java com/tapjoy/TapjoyUtil.java com/tapjoy/b0.java com/tapjoy/c.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/tapjoy/d0.java com/tapjoy/e0.java com/tapjoy/g.java com/tapjoy/g0.java com/tapjoy/internal/a.java com/tapjoy/internal/c.java com/tapjoy/internal/c4.java com/tapjoy/internal/d4.java com/tapjoy/internal/e0.java com/tapjoy/internal/e4.java com/tapjoy/internal/e5.java com/tapjoy/internal/f4.java com/tapjoy/internal/g4.java com/tapjoy/internal/i4.java com/tapjoy/internal/j3.java com/tapjoy/internal/j4.java com/tapjoy/internal/j5.java com/tapjoy/internal/k3.java com/tapjoy/internal/m3.java com/tapjoy/internal/n3.java com/tapjoy/internal/n4.java com/tapjoy/internal/n5.java com/tapjoy/internal/q3.java com/tapjoy/internal/r3.java com/tapjoy/internal/s3.java com/tapjoy/internal/t3.java com/tapjoy/internal/u3.java com/tapjoy/internal/w5.java com/tapjoy/p.java com/tapjoy/q.java com/tapjoy/r.java com/tapjoy/t.java com/tapjoy/u.java com/tapjoy/x.java com/tencent/mmkv/MMKV.java com/tencent/mmkv/MMKVContentProvider.java com/tramini/plugin/a/b.java com/tramini/plugin/a/b/c.java com/tramini/plugin/a/h/g.java com/trustdecision/android/i1lilil1lil/i1lil1il1ii/i1lil1il1ii/lilil1lil1i ilil1iililil1.java com/trustdecision/android/i1lil1il1ii/lil1lil1l111l1ii/i1lilil1lil1i va com/trustdecision/android/l1l1lil1l111l1il1l1l1lil1l1l1l1ii/i1l1l1 1l1li.java com/trustdecision/mobrisk/i1lilil1lil/l1l1lil1l111l1l1ii.java com/unity3d/ads/UnityAdsBaseOptions.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/unity3d/ads/adplayer/CommonGetWebViewCacheAssetL com/unity3d/ads/adplayer/CommonWebViewBridge.java com/unity3d/ads/core/data/datasource/AndroidStaticDeviceI nfoDataSource.java com/unity3d/ads/core/data/manager/AndroidOfferwallMana ger.java com/unity3d/ads/core/data/repository/AndroidDiagnosticEve ntRepository.java com/unity3d/ads/core/domain/AndroidInitializeBoldSDK.java com/unity3d/ads/core/domain/CommonShouldAllowInitializa tion.java com/unity3d/ads/core/domain/LegacyLoadUseCase.java com/unity3d/ads/core/domain/LegacyShowUseCase.java com/unity3d/ads/gatewayclient/CommonGatewayClient.java com/unity3d/ads/metadata/InAppPurchaseMetaData.java com/unity3d/ads/metadata/MetaData.java com/unity3d/services/SDKErrorHandler.java com/unity3d/services/UnityServices.java com/unity3d/services/ads/adunit/AdUnitActivityController.jav a com/unity3d/services/ads/adunit/AdUnitViewHandlerFactory. java com/unity3d/services/ads/adunit/VideoPlayerHandler.java com/unity3d/services/ads/api/AdUnit.java com/unity3d/services/ads/api/VideoPlayer.java com/unity3d/services/ads/api/WebPlayer.java com/unity3d/services/ads/gmascar/adapters/ScarAdapterFact ory.java com/unity3d/services/ads/gmascar/bridges/AdapterStatusBri dge.java com/unity3d/services/ads/gmascar/bridges/InitializeListenerB ridge.java com/unity3d/services/ads/gmascar/bridges/mobileads/Mobil eAdsBridge.java com/unity3d/services/ads/gmascar/finder/GMAInitializer.java com/unity3d/services/ads/gmascar/finder/ScarVersionFinder. java com/unity3d/services/ads/offerwall/OfferwallAdapterBridge.j ava com/unity3d/services/ads/token/NativeTokenGenerator.java com/unity3d/services/ads/topics/TopicsReceiver.java com/unity3d/services/ads/topics/TopicsService.java com/unity3d/services/ads/video/VideoPlayerView.java com/unity3d/services/ads/webplayer/WebPlayerView.java com/unity3d/services/banners/BannerView.java com/unity3d/services/banners/UnityBanners.java com/unity3d/services/core/ani/Cache.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/unity3d/services/core/api/DeviceInfo.java com/unity3d/services/core/api/Intent.java com/unity3d/services/core/api/Request.java com/unity3d/services/core/broadcast/BroadcastEventReceiver.java com/unity3d/services/core/cache/CacheDirectory.java com/unity3d/services/core/cache/CacheThread.java com/unity3d/services/core/cache/CacheThreadHandler.java com/unity3d/services/core/configuration/ConfigurationReader.java com/unity3d/services/core/configuration/ConfigurationRequestFactory.java com/unity3d/services/core/configuration/EnvironmentCheck.java com/unity3d/services/core/configuration/ExperimentsReader.java com/unity3d/services/core/configuration/InitializationNotificationCenter.java com/unity3d/services/core/configuration/InitializeEventsMetricSender.java com/unity3d/services/core/configuration/PrivacyConfigurationLoader.java com/unity3d/services/core/connectivity/ConnectivityMonitor.java com/unity3d/services/core/device/AdvertisingId.java com/unity3d/services/core/device/Device.java com/unity3d/services/core/device/OpenAdvertisingId.java com/unity3d/services/core/device/Storage.java com/unity3d/services/core/device/reader/DeviceInfoReaderCompressor.java com/unity3d/services/core/device/reader/DeviceInfoReaderExtended.java com/unity3d/services/core/domain/task/InitializeStateConfig\$doWork\$2.java com/unity3d/services/core/domain/task/InitializeStateCreate\$doWork\$2.java com/unity3d/services/core/domain/task/InitializeStateError\$doWork\$2.java com/unity3d/services/core/domain/task/InitializeStateLoadCache\$doWork\$2.java com/unity3d/services/core/domain/task/InitializeStateLoadCache.java com/unity3d/services/core/domain/task/InitializeStateNetworkError.java com/unity3d/services/core/extensions/TaskExtensionsKt.java com/unity3d/services/core/log/DeviceLog.java com/unity3d/services/core/misc/JsonFlattener.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/unity3d/services/core/misc/JsonStorage.java com/unity3d/services/core/misc/JsonStorageAggregator.java com/unity3d/services/core/misc/Utilities.java com/unity3d/services/core/misc/ViewUtilities.java com/unity3d/services/core/network/core/OkHttp3Client\$makeRequest\$2\$1\$onResponse\$downloadProgressLoggingJob\$3.java com/unity3d/services/core/network/core/OkHttp3Client.java com/unity3d/services/core/network/core/UnityAdsUrlRequestCallback.java com/unity3d/services/core/preferences/AndroidPreferences.java com/unity3d/services/core/properties/ClientProperties.java com/unity3d/services/core/properties/SdkProperties.java com/unity3d/services/core/reflection/GenericBridge.java com/unity3d/services/core/request/WebRequest.java com/unity3d/services/core/request/WebRequestRunnable.java com/unity3d/services/core/request/WebRequestThread.java com/unity3d/services/core/request/metrics/MetricCommonTags.java com/unity3d/services/core/request/metrics/MetricSender\$sendMetrics\$\$inlined\$CoroutineExceptionHandler\$1.java com/unity3d/services/core/request/metrics/MetricSender\$sendMetrics\$1.java com/unity3d/services/core/request/metrics/MetricSender.java com/unity3d/services/core/request/metrics/MetricSenderWithBatch.java com/unity3d/services/core/request/metrics/SDKMetrics.java com/unity3d/services/core/sensorinfo/SensorInfoListener.java com/unity3d/services/core/timer/BaseTimer.java com/unity3d/services/core/webview/WebView.java com/unity3d/services/core/webview/WebViewApp.java com/unity3d/services/core/webview/WebViewUrlBuilder.java com/unity3d/services/core/webview/bridge/Invocation.java com/unity3d/services/core/webview/bridge/NativeCallback.java com/unity3d/services/core/webview/bridge/WebViewBridge.java com/unity3d/services/core/webview/bridge/WebViewBridgeInterface.java com/unity3d/services/core/webview/bridge/WebViewCallback.java com/unity3d/services/store/core/StoreLifecycleListener.java com/unity3d/services/store/gpbl/bridges/CommonJsonResponseBridge.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				riseBridge.java com/unity3d/services/store/gpbl/bridges/PurchaseBridge.java com/ushareit/ads/utills/hbanner/a.java com/ushareit/ads/utills/hbanner/b.java com/ushareit/android/aot/AOTBooster.java com/ushareit/app/FristProvider.java com/ushareit/applock/FingerprintControl.java com/ushareit/applock/PasswordActivity.java com/ushareit/applock/a.java com/ushareit/applock/c.java com/ushareit/applock/core/LockReceiver.java com/ushareit/applock/core/LockService.java com/ushareit/applock/f.java com/ushareit/applock/keyguard/KeyGuardManager.java com/ushareit/applock/keyguard/view/FeedCardAdapter.java com/ushareit/applock/screen/view/PsPasswordViewHolder.java com/ushareit/applock/screen/view/ScreenSlideUpViewPager.java com/ushareit/applock/screen/view/VerticalViewPager.java com/ushareit/applock/screen/view/a.java com/ushareit/applock/util/OSHelper.java com/ushareit/applock/util/PrivacyScanHelper.java com/ushareit/applock/util/b.java com/ushareit/base/core/net/NetUtils.java com/ushareit/base/core/utills/device/DiffFuncManager.java com/ushareit/bst/power/widget/BatteryDialView.java com/ushareit/cleanit/analyze/widget/AnnularSummaryView.java com/ushareit/cleanit/photocompress/adapter/ImageCardAdapter.java com/ushareit/cleanit/photocompress/widget/GalleryLayoutManager.java com/ushareit/cleanit/sdk/cleandata/provider/CleanDataProvider.java com/ushareit/clone/content/group/holder/PhotoHolder.java com/ushareit/clone/discover/page/DeviceLayout.java com/ushareit/clone/progress/c.java com/ushareit/common/widget/VerticalViewPager.java com/ushareit/component/resdownload/widget/ParentRecyclerView.java com/ushareit/downloader/web/search/widget/TagFlowLayout.java com/ushareit/downloader/web/search/widget/b.java com/ushareit/filemanager/main/local/music/MusicLocalListAdapter.java com/ushareit/launch/apptask/InitCloudConfigTask.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/ushareit/launch/apptask/LoadMissRouterMapForBundleTask.java com/ushareit/mcde/ui/component/McdeGridLayout.java com/ushareit/muslim/beads/card/GalleryLayoutManager.java com/ushareit/muslim/compass/a.java com/ushareit/muslim/dailygoals/DailyGoalsAdapter.java com/ushareit/muslim/quran/widget/VelocityRecyclerView.java com/ushareit/muslim/rating/EmotionRatingBar.java com/ushareit/muslim/view/recyclerview/SwipeRecyclerView.java com/ushareit/muslim/view/recyclerview/normal/BaseRecyclerViewAdapter.java com/ushareit/nft/discovery/wifi/BaseLOHSService.java com/ushareit/photo/subscaleview/SubsamplingScaleImageView.java com/ushareit/photo/subscaleview/decoder/SkiaPooledImageRegionDecoder.java com/ushareit/rateui/widget/EmotionRatingBar.java com/ushareit/sdkshare/AccessContentProviderService.java com/ushareit/sdkshare/ContentProviderClient.java com/ushareit/sdkshare/GameResourceContentProvider.java com/ushareit/sdkshare/ShareClient.java com/ushareit/siplayer/player/source/a.java com/ushareit/upload/c.java com/ushareit/videoplayer/floating/coverview/a.java com/ushareit/widget/flowlayout/TagFlowLayout.java com/ushareit/widget/flowlayout/a.java com/ushareit/widget/materialprogressbar/MaterialProgressBar.java com/vungle/ads/internal/util/Logger.java com/yandex/div/internal/KLog.java com/yandex/mobile/ads/impl/b32.java com/yandex/mobile/ads/impl/cb.java com/yandex/mobile/ads/impl/e92.java com/yandex/mobile/ads/impl/jj1.java com/yandex/mobile/ads/impl/kh0.java com/yandex/mobile/ads/impl/pa.java com/yandex/mobile/ads/impl/ra1.java com/yandex/mobile/ads/impl/ru1.java com/yandex/mobile/ads/impl/sd1.java com/yandex/mobile/ads/impl/w82.java com/yandex/mobile/ads/impl/xk0.java com/yandex/varioqub/appmetricaadapter/impl/f.java eightbitlab/com/blurview/BlurView.java io/appmetrica/analytics/gpllibrary/internal/GplLibraryWrapper.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				io/appmetrica/analytics/impl/A9.java io/appmetrica/analytics/impl/Cc.java io/appmetrica/analytics/impl/Q.java io/appmetrica/analytics/impl/S.java io/github/mytargetsdk/a.java javax/jmdns/impl/JmDNSImpl.java net/pubnative/lite/sdk/HyBid.java net/pubnative/lite/sdk/api/PNApiClient.java net/pubnative/lite/sdk/interstitial/HyBidInterstitialAd.java net/pubnative/lite/sdk/models/NativeAd.java net/pubnative/lite/sdk/mraid/MRAIDView.java net/pubnative/lite/sdk/mraid/internal/MRAIDLog.java net/pubnative/lite/sdk/mraid/internal/MRAIDNativeFeatureManager.java net/pubnative/lite/sdk/mraid/internal/MRAIDParser.java net/pubnative/lite/sdk/mraid/nativefeature/MRAIDNativeFeatureProvider.java net/pubnative/lite/sdk/network/PNHttpClient.java net/pubnative/lite/sdk/presenter/AdPresenterDecorator.java net/pubnative/lite/sdk/rewarded/HyBidRewardedAd.java net/pubnative/lite/sdk/utils/Logger.java net/pubnative/lite/sdk/utils/PNAdvertisingIdClient.java net/pubnative/lite/sdk/utils/PNBitmapDownloader.java net/pubnative/lite/sdk/utils/PNLocalBroadcastManager.java net/pubnative/lite/sdk/utils/json/JsonModel.java net/pubnative/lite/sdk/utils/svgparser/utils/CSSParser.java net/pubnative/lite/sdk/utils/svgparser/utils/SVGAndroidRenderer.java net/pubnative/lite/sdk/utils/svgparser/utils/SVGParserImpl.java net/pubnative/lite/sdk/views/HyBidAdView.java net/pubnative/lite/sdk/views/PNAPIContentInfoView.java net/pubnative/lite/sdk/views/shape/path/parser/CopyInputStream.java net/pubnative/lite/sdk/views/shape/path/parser/IdHandler.java net/pubnative/lite/sdk/views/shape/path/parser/PathParser.java net/pubnative/lite/sdk/views/shape/path/parser/SvgToPath.java net/pubnative/lite/sdk/views/shape/path/parser/TransformParser.java net/pubnative/lite/sdk/visibility/ImpressionManager.java net/pubnative/lite/sdk/visibility/TrackingManager.java net/pubnative/lite/sdk/visibility/VisibilityTracker.java net/pubnative/lite/sdk/vpaid/helpers/EventTracker.java net/pubnative/lite/sdk/vpaid/response/VastProcessor.java org.eclipse.jetty.util.security.Password

NO	ISSUE	SEVERITY	STANDARDS	FILES
				org.eclipse.jetty.util.security.Password.java sdk/android/innoplayer/playercore/InnoMediaCodecInfo.java sdk/android/innoplayer/playercore/InnoMediaMuxer.java sdk/android/innoplayer/playercore/InnoMediaPlayer.java sdk/android/innoplayer/playercore/InnoNativeParser.java sdk/android/innoplayer/playercore/InnoPlayerCore.java sdk/android/innoplayer/playercore/InnoPlayerRecycle.java sdk/android/innoplayer/playercore/pragma/DebugLog.java sdk/android/innoplayer/playercore/view/InnoVideoView.java sdk/android/innoplayer/playercore/view/SurfaceRenderView.java ava sdk/android/innoplayer/playercore/view/TextureRenderView.java ava sg/bigo/ads/common/view/AutoNextLineLinearLayout.java spg/erahsyna/ovonel/moc/TierahsApi.java spg/erahsyna/ovonel/moc/TierahsBridge.java su/litvak/chromecast/api/v2/ChromeCasts.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
2	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/adexchange/DeviceHelper.java com/alphagaming/mediation/http/EasyUtils.java com/anythink/core/common/v/o.java com/anythink/expressad/foundation/h/o.java com/anythink/expressad/foundation/h/s.java com/apm/insight/l/m.java com/bykv/vk/openvk/preload/geckox/utls/d.java com/bytedance/sdk/component/Bx/gMJ/gMJ/gMJ.java com/bytedance/sdk/component/utls/Bx.java com/bytedance/sdk/openadsdk/mediation/IXF/JHw.java com/bytedance/sdk/openadsdk/mediation/IXF/xj.java com/ironsource/mediationsdk/utls/IronSourceUtils.java com/ironsource/sdk/controller/s.java com/ironsource/sdk/utls/SDKUtils.java com/mbridge/msdk/foundation/download/core/OkHTTPFileDownloadTask.java com/mbridge/msdk/foundation/download/resource/MBResourceManager.java com/mbridge/msdk/foundation/tools/SameMD5.java com/mbridge/msdk/foundation/tools/l0.java com/my/target/x1.java com/my/tracker/obfuscated/c0.java com/pgl/ssdk/t.java com/startapp/sdk/internal/aj.java com/tramini/plugin/a/h/f.java com/trustdecision/android/bugly/l1ill1li1i/llli11111lii1i.java com/ushareit/cleanit/utls/CleanDownloadManager.java io/appmetrica/analytics/impl/C2071a.java net/pubnative/lite/sdk/utls/PNCrypto.java org/eclipse/jetty/util/security/Credential.java sg/bigo/ads/common/utls/m.java
				com/adexchange/common/source/db/SourceDBHelper.java com/adtmonetize/sdk/common/provider/SdkProvider.java com/anythink/basead/c/c.java com/anythink/core/common/e/e.java com/anythink/expressad/foundation/c/c.java com/apm/insight/e/a/a.java com/apm/insight/e/a/b.java com/bykv/vk/openvk/preload/geckox/a/b.java com/bytedance/sdk/component/PAJBd/sve/sve/sve.java com/bytedance/sdk/component/Wi/sve/sve/sve/JBd.java com/bytedance/sdk/component/Wi/sve/sve/sve/YK.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
3	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/bytedance/sdk/openadsdk/core/Wi.java com/bytedance/sdk/openadsdk/iu/sve/sve.java com/bytedance/sdk/openadsdk/mediation/PA/sve/nl.java com/bytedance/sdk/openadsdk/sqp/JBd.java com/ironsource/da.java com/ironsource/fa.java com/mbridge/msdk/foundation/db/BatchReportDao.java com/mbridge/msdk/foundation/db/b.java com/mbridge/msdk/foundation/db/c.java com/mbridge/msdk/foundation/db/e.java com/mbridge/msdk/foundation/db/g.java com/mbridge/msdk/foundation/download/database/Databas eHelper.java com/mbridge/msdk/tracker/b.java com/monetization/ads/exo/offline/a.java com/my/tracker/obfuscated/e1.java com/my/tracker/obfuscated/k2.java com/my/tracker/obfuscated/m1.java com/startapp/sdk/internal/c9.java com/startapp/sdk/internal/nd.java com/ushareit/media/store/DBHelper.java com/ushareit/media/store/b.java com/ushareit/media/store/d.java com/ushareit/media/store/e.java com/ushareit/media/store/g.java com/ushareit/muslim/dailygoals/data/a.java com/yandex/mobile/ads/impl/gj.java com/yandex/mobile/ads/impl/go1.java com/yandex/mobile/ads/impl/iw1.java com/yandex/mobile/ads/impl/xi.java io/appmetrica/analytics/coreutils/internal/db/DBUtils.java io/appmetrica/analytics/impl/A2.java io/appmetrica/analytics/impl/K3.java io/appmetrica/analytics/impl/N3.java io/appmetrica/analytics/impl/O3.java io/appmetrica/analytics/impl/P3.java io/appmetrica/analytics/impl/Q3.java io/appmetrica/analytics/impl/R3.java io/appmetrica/analytics/impl/S3.java io/appmetrica/analytics/impl/T3.java io/appmetrica/analytics/impl/U3.java net/pubnative/lite/sdk/db/DatabaseHelper.java sg/bigo/ads/common/g/a/b.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	The file or SharedPreferences is World Writable. Any App can write to the file	high	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/adtmonetize/sdk/code/C0090.java com/ironsource/mediationsdk/utis/IronSourceUtils.java com/lenovo/anyshare/service/ShareService.java com/sharead/biz/yddl/service/IXzService.java com/ushareit/musicplayer/service/AudioPlayService.java com/ytb/service/YtbPlayerService.java
				android/view/result/ActivityResultRegistry.java com/adexchange/stats/BasicCommonStats.java com/adexchange/stats/VideoStats.java com/adjust/sdk/Util.java com/amazon/aps/shared/APSAnalytics.java com/amazon/aps/shared/ApsMetrics.java com/anythink/basead/exoplayer/h/aa.java com/anythink/basead/exoplayer/j/a/h.java com/anythink/basead/f/b/a/c.java com/anythink/basead/ui/animplayerview/redpacket/RedPacketView.java com/anythink/basead/ui/animplayerview/redpacket/a.java com/anythink/basead/ui/ff/c.java com/anythink/core/b/d/c.java com/anythink/core/common/d/t.java com/anythink/core/common/n/b/a/k/d.java com/anythink/core/common/n/b/z.java com/anythink/core/common/s/a/j.java com/anythink/core/common/v/p.java com/anythink/expressad/advanced/d/d.java com/anythink/expressad/mbbanner/a/c/e.java com/anythink/expressad/video/bt/module/AnythinkBTContainer.java com/anythink/expressad/videocommon/e/d.java com/anythink/expressad/widget/rewardpopview/ATAcquireRewardPopView.java com/apm/insight/e.java com/bytedance/boost_multidex/DexInstallProcessor.java com/bytedance/sdk/component/IGD/gMJ/Wi.java com/bytedance/sdk/component/PA/JBd/Wi/gMJ.java com/bytedance/sdk/component/Wi/sve/Wi/gMJ.java com/bytedance/sdk/component/utis/sve.java com/bytedance/sdk/openadsdk/mediation/IXF/JBd.java com/bytedance/sdk/openadsdk/utis/nBN.java com/fyber/inneractive/sdk/config/global/r.java com/fyber/inneractive/sdk/player/exoplayer2/upstream/cach

NO	ISSUE	SEVERITY	STANDARDS	FILES
5	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	e/i.java com/lenovo/anyshare/bizentertainment/push/GameNotifyUtil s.java com/lenovo/anyshare/bizentertainment/push/b.java com/mbridge/msdk/dycreator/baseview/rewardpopview/MB AcquireRewardPopView.java com/mbridge/msdk/playercommon/exoplayer2/source/Shuff leOrder.java com/mbridge/msdk/playercommon/exoplayer2/trackselectio n/RandomTrackSelection.java com/mbridge/msdk/playercommon/exoplayer2/upstream/ca che/CachedContentIndex.java com/startapp/sdk/adsbase/cache/a.java com/startapp/sdk/internal/lk.java com/startapp/sdk/internal/oi.java com/startapp/sdk/internal/p.java com/tramini/plugin/a/g/a.java com/unity3d/services/core/configuration/Configuration.java com/ushareit/base/core/stats/a.java com/ushareit/hybrid/ui/widget/boxview/BoxView.java com/ushareit/launch/apptask/oncreate/SetWebViewDirTask.ja va com/ushareit/minivideo/widget/LikeAnimLayout.java com/ushareit/muslim/dailygoals/DailyGoalFeedbackView.java com/ushareit/muslim/main/home/widget/RamadanTimeView .java com/ushareit/muslim/prayernotice/AthkarAlarmActivity.java com/ushareit/muslim/prayernotice/QuranAlarmActivity.java com/ushareit/muslim/rule/adapter/RuleAdapter.java com/ushareit/nft/discovery/widi/WiDiNetworkManagerEx.jav a com/ushareit/nft/discovery/wifi/f.java com/ushareit/nftmi/a.java com/yandex/mobile/ads/impl/ok1.java com/yandex/mobile/ads/impl/sk1.java com/ytb/bean/Playlist.java javax/jmdns/impl/JmDNSImpl.java javax/jmdns/impl/d.java net/pubnative/lite/sdk/interstitial/HyBidInterstitialBroadcastR eceiver.java net/pubnative/lite/sdk/rewarded/HyBidRewardedBroadcastRe ceiver.java net/pubnative/lite/sdk/views/CloseableContainer.java net/pubnative/lite/sdk/vpaid/macros/GenericMacros.java net/sf/sevenzipbinding/SevenZip.java org/fourthline/cling/support/messagebox/model/Message.jav

NO	ISSUE	SEVERITY	STANDARDS	FILES
				a sg/bigo/ads/ad/interstitial/multi_img/view/IconListView.java sg/bigo/ads/common/utis/k.java sg/bigo/ads/common/utis/m.java
6	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/adexchange/common/source/download/SourceCacheUtils.java com/adexchange/common/source/download/SourceManager.java com/adexchange/internal/mraid/MraidNativeCommandHandler.java com/adexchange/utis/MockJsonUtil.java com/adexchange/utis/SDCardHelper.java com/adtmonetize/sdk/common/util/DeviceUtils.java com/anythink/core/common/d/t.java com/anythink/core/common/v/w.java com/anythink/expressad/foundation/g/a.java com/anythink/expressad/foundation/h/t.java com/apm/insight/entity/d.java com/apm/insight/l/n.java com/bytedance/sdk/openadsdk/mediation/IXF/nl.java com/bytedance/sdk/openadsdk/utis/nBN.java com/fyber/inneractive/sdk/network/b0.java com/fyber/inneractive/sdk/player/cache/m.java com/fyber/inneractive/sdk/ui/IAmraidWebViewController.java com/ironsource/sdk/utis/SDKUtils.java com/lenovo/anyshare/content/categoryfile/CategoryFilesView.java com/lenovo/anyshare/content/file/FilesView.java com/lenovo/anyshare/share/session/fragment/BaseSessionFragment.java com/lenovo/anyshare/share/session/popup/clean/holder/LargeAppltemHolder.java com/lenovo/anyshare/share/session/popup/clean/holder/LargeFileItemHolder.java com/mbridge/msdk/foundation/same/report/crashreport/b.java com/mbridge/msdk/foundation/tools/r0.java com/pgl/ssdk/z.java com/reader/office/FileUtils.java com/reader/office/officereader/OfficeReaderActivity.java com/sharemob/display/infos/a.java com/startapp/sdk/internal/f7.java com/tapjoy/TapjoyCache.java com/unity3d/services/core/cache/CacheDirectory.java com/ushareit/cleanit/local/FilesView.java com/ushareit/filemanager/content/file/FilesView.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/ushareit/filemanager/main/music/view/sort/DragSortListView.java com/ushareit/filemanager/widget/FilesView3.java com/ushareit/launch/apptask/oncreate/CloudTestConfigTask.java com/ushareit/medusa/apm/plugin/launch/a.java com/ushareit/medusa/coverage/CoverageImplFinder.java com/ushareit/medusa/coverage/CoverageReporter.java com/ushareit/medusa/crash/a.java com/ushareit/musicplayer/view/sort/DragSortListView.java com/ushareit/nft/channel/transmit/DownloadTask.java com/ushareit/siplayer/local/popmenu/view/PopupMenuCaptionView.java com/ushareit/util/DocumentPermissionUtils.java com/vungle/ads/internal/platform/AndroidPlatform.java com/yandex/mobile/ads/impl/o40.java net/pubnative/lite/sdk/mraid/nativefeature/MRAIDNativeFeatureProvider.java net/pubnative/lite/sdk/vpaid/utils/FileUtils.java sg/bigo/ads/common/utils/p.java sg/bigo/ads/core/mraid/h.java
7	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	com/anythink/core/common/v/v.java com/bytedance/sdk/openadsdk/utils/nBN.java com/cheat/blocker/ProtectionLib.java com/my/target/t1.java com/my/tracker/obfuscated/b0.java com/startapp/sdk/internal/ue.java com/yandex/mobile/ads/impl/yf1.java io/appmetrica/analytics/coreutils/internal/system/RootChecker.java
8	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/amazon/device/ads/DTBMetricsConfiguration.java com/amazon/device/ads/WebResourceService.java com/anythink/basead/exoplayer/k/af.java com/bytedance/boost_multidex/Utility.java com/mbridge/msdk/playercommon/exoplayer2/util/Util.java com/startapp/sdk/internal/qc.java fi/iki/elonon/NanoHTTPD.java
				com/amazon/aps/ads/ApsConstants.java com/amazon/aps/shared/APSAnalytics.java com/amazon/aps/shared/ApsMetrics.java com/amazon/device/ads/DTBAdLoader.java com/amazon/device/ads/DTBAdRequest.java com/amazon/device/ads/DTBMetricsConfiguration.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
9	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/amazon/device/ads/DtbConstants.java com/amazon/device/ads/DtbDeviceData.java com/anythink/basead/mixad/e/a.java com/anythink/core/api/ATAdConst.java com/anythink/core/common/c/c.java com/anythink/core/common/h/ap.java com/anythink/core/common/h/bm.java com/anythink/core/common/m/b/d.java com/anythink/core/common/m/b/f.java com/anythink/expressad/foundation/d/t.java com/anythink/nativead/unitgroup/api/CustomNativeAd.java com/anythink/network/pubnative/PubNativeATInitManager.java com/anythink/network/yandex/YandexATConst.java com/bumptechnology/load/Option.java com/bumptechnology/load/engine/DataCacheKey.java com/bumptechnology/load/engine/EngineResource.java com/bumptechnology/load/engine/ResourceCacheKey.java com/bytedance/sdk/openadsdk/mediation/JBd/YK/sve/JBd/sve/sve.java com/bytedance/sdk/openadsdk/mediation/YK/IGD/sve.java com/ironsource/SdkInitRequest.java com/ironsource/adapters/ironsource/IronSourceAdapter.java com/ironsource/adapters/ironsource/IronSourceLoadParameters.java com/ironsource/d8.java com/ironsource/li.java com/ironsource/mediationsdk/adquality/AdQualityBridgeKt.java com/ironsource/mediationsdk/adunit/adapters/utility/AdOptionsPosition.java com/ironsource/mediationsdk/c.java com/ironsource/mediationsdk/server/ServerURL.java com/mbridge/msdk/MBridgeConstants.java com/mbridge/msdk/foundation/download/core/DownloadCommon.java com/mbridge/msdk/foundation/download/core/DownloaderReporter.java com/mbridge/msdk/foundation/entity/CampaignEx.java com/mbridge/msdk/foundation/entity/m.java com/mbridge/msdk/playercommon/exoplayer2/drm/DefaultDrmSessionManager.java com/my/target/j8.java com/tapjoy/TapjoyConstants.java com/unity3d/ads/core/configuration/GameServerIdReader.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/unity3d/ads/core/data/datasource/AndroidMediationDataSources.java com/unity3d/ads/core/data/datasource/AndroidTcfDataSource.java com/unity3d/ads/metadata/InAppPurchaseMetaData.java com/unity3d/services/ads/gmascars/utils/ScarConstants.java com/unity3d/services/core/configuration/ExperimentObject.java com/unity3d/services/core/device/reader/DeviceInfoReaderFilterProvider.java com/unity3d/services/core/device/reader/JsonStorageKeyNames.java com/unity3d/services/core/properties/SdkProperties.java com/ushareit/ads/stats/AdStats.java com/ushareit/nft/channel/message/UserMessages.java com/vungle/ads/internal/Constants.java com/vungle/ads/internal/model/Cookie.java com/vungle/ads/internal/model/OmSdkData.java com/vungle/ads/internal/network/FailedTpat.java com/vungle/ads/internal/task/CleanupJob.java com/vungle/ads/internal/task/CleanupJobKt.java com/vungle/ads/internal/ui/AdActivity.java io/appmetrica/analytics/impl/C2443w.java io/appmetrica/analytics/impl/T1.java net/pubnative/lite/sdk/models/Ad.java net/pubnative/lite/sdk/mraid/nativefeature/MRAIDNativeFeatureProvider.java net/pubnative/lite/sdk/prefs/SessionImpressionPrefs.java sdk/android/innoplayer/playercore/InnoMediaPlayer.java sg/bigo/ads/api/AdConfig.java sg/bigo/ads/common/jfa.java
10	Insecure WebView Implementation. WebView ignores SSL Certificate errors and accept any SSL Certificate. This application is vulnerable to MITM attacks	high	CWE: CWE-295: Improper Certificate Validation OWASP Top 10: M3: Insecure Communication OWASP MASVS: MSTG-NETWORK-3	com/my/target/x6.java com/yandex/mobile/ads/impl/q2.java com/yandex/mobile/ads/impl/v90.java
11	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/adexchange/internal/webview/AftWebView.java com/bytedance/sdk/component/JHw/YK.java com/bytedance/sdk/component/adexpress/Bx/Bx.java com/fyber/inneractive/sdk/web/W.java com/ironsource/ru.java com/startapp/sdk/ads/banner/bannerstandard/BannerStandard.java com/startapp/sdk/internal/oa.java com/unity3d/services/ads/webplayer/WebPlayerView.java com/unity3d/services/core/webview/WebView.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
12	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/adexchange/DeviceHelper.java com/amazon/device/ads/DtbDeviceData.java com/ironsource/sdk/utlis/SDKUtils.java com/pgl/ssdk/t.java com/tapjoy/TapjoyUtil.java com/tapjoy/internal/s1.java com/unity3d/ads/core/data/datasource/AndroidStaticDeviceI nfoDataSource.java com/unity3d/services/core/device/Device.java io/appmetrica/analytics/impl/C2479y1.java net/pubnative/lite/sdk/utlis/PNCrypto.java net/sf/sevenzzipjbinding/SevenZip.java
13	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	com/adexchange/internal/helper/adchoice/AdchoiceHolder.ja va com/my/target/f.java com/startapp/sdk/internal/q.java com/ushareit/ads/adchoice/AdchoiceHolder.java com/ushareit/ads/erid/EridDialog.java net/pubnative/lite/sdk/utlis/browser/BrowserPresenter.java sg/bigo/ads/common/utlis/c.java
14	Ensure that user controlled URLs never reaches the Webview. Enabling file access from URLs in WebView can leak sensitive information from the file system.	warning	CWE: CWE-200: Information Exposure OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/st/entertainment/cdn/plugin/webview/WrapperWebView .java com/unity3d/services/core/webview/WebView.java com/ushareit/muslim/islam/IslamFestivalDetailActivity.java
15	This App may request root (Super User) privileges.	warning	CWE: CWE-250: Execution with Unnecessary Privileges OWASP MASVS: MSTG-RESILIENCE-1	com/startapp/sdk/internal/te.java com/startapp/sdk/internal/ue.java
16	The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks.	high	CWE: CWE-649: Reliance on Obfuscation or Encryption of Security-Relevant Inputs without Integrity Checking OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-3	com/bytedance/sdk/component/YK/sve.java com/bytedance/sdk/openadsdk/mediation/IXF/sve.java com/lyber/inneractive/sdk/player/exoplayer2/extractor/hls/a. java com/ironsource/mediationsdk/utlis/IronSourceAES.java com/ushareit/downloader/web/utlis/c.java com/ushareit/downloader/web/utlis/f.java sg/bigo/ads/common/utlis/o.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
17	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	com/alphagaming/mediation/http/ssl/HttpSslFactory.java com/anythink/core/common/n/b/a/c.java com/mbridge/msdk/thrid/okhttp/internal/c.java com/mbridge/msdk/tracker/network/toolbox/h.java com/trustdecision/android/i11li1il1ii/i11li1il1ii.java com/yandex/mobile/ads/impl/jj1.java com/yandex/mobile/ads/impl/w61.java com/yandex/mobile/ads/impl/y31.java fi/iki/elonon/NanoHTTPD.java io/github/mytargetsdk/a.java
18	Remote WebView debugging is enabled.	high	CWE: CWE-919: Weaknesses in Mobile Applications OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-RESILIENCE-2	com/adtmonetize/sdk/code/C0024.java com/st/entertainment/cdn/plugin/webview/WrapperWebView.java com/tapjoy/internal/w5.java net/pubnative/lite/sdk/views/PNWebView.java
19	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG-CODE-2	com/anythink/network/pangle/PangleATInitManager.java com/bytedance/sdk/openadsdk/BuildConfig.java com/bytedance/sdk/openadsdk/component/reward/JHw.java com/bytedance/sdk/openadsdk/mediation/IXF/nl.java com/bytedance/sdk/openadsdk/mediation/JHw/gMJ/sve.java com/sharead/base/location/utills/CountryCode.java com/startapp/sdk/internal/f7.java com/startapp/sdk/internal/pk.java com/ushareit/nft/discovery/wifi/b.java fi/iki/elonon/NanoHTTPD.java sg/bigo/ads/controller/c/l.java sg/bigo/ads/core/g/a/b.java sg/bigo/ads/core/player/a/d.java
20	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	com/ironsource/au.java
21	Debug configuration enabled. Production builds must not be debuggable.	high	CWE: CWE-919: Weaknesses in Mobile Applications OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-RESILIENCE-2	com/bumptechnology/integration/webp/BuildConfig.java

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
1	arm64-v8a/libTierahs.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strlen_chk', '__vsprintf_chk', '__memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
2	arm64-v8a/libbuffer.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__read_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
3	arm64-v8a/libyuv.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
4	arm64-v8a/libnms.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__vsprintf_chk', '__strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
5	arm64-v8a/libapminsightb.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_read_chk', '__vsprintf_chk', '__strlen_chk']	True info Symbols are stripped.
6	arm64-v8a/libtapjoy.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memmove_chk', '__strlen_chk', '__vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
7	arm64-v8a/libapminsighta.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strcat_chk', '_read_chk', '_strlen_chk', '_vsnprintf_chk']	True info Symbols are stripped.
8	arm64-v8a/libhpatchz.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
9	arm64-v8a/libpl_droidsonroids_gif.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
10	arm64-v8a/libpglarmor.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__read_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
11	arm64-v8a/libglide-webp.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
12	arm64-v8a/libxcrash_dumper.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strlen_chk', '__read_chk', '__vsnprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
13	arm64-v8a/lib7-Zip-JBinding.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memmove_chk', '__umask_chk', '__memset_chk', '__memcpy_chk', '__strcpy_chk', '__vsprintf_chk', '__read_chk', '__strlen_chk']	True info Symbols are stripped.
14	arm64-v8a/libmoksha.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsprintf_chk', '__strlen_chk', '__memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
15	arm64-v8a/libfile_lock.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
16	arm64-v8a/libxcrash.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strlen_chk', '__vsprintf_chk', '__vsnprintf_chk', '__memcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
17	arm64-v8a/libtt_ugen_layout.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', ['__strlen_chk', ['__memmove_chk']	True info Symbols are stripped.
18	arm64-v8a/liblogan.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strlen_chk', ['__memcpy_chk', ['__vsprintf_chk', ['__strcat_chk', ['__strcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
19	arm64-v8a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '__strlen_chk', '__memmove_chk', '__read_chk']	True info Symbols are stripped.
20	arm64-v8a/libNotCheck.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '__strlen_chk', '__memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
21	arm64-v8a/libinnoplayer-core.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memmove_chk', '_strcpy_chk', '_vsnprintf_chk', '_strncpy_chk', '_strcat_chk', '_read_chk', '_strlen_chk']	True info Symbols are stripped.
22	arm64-v8a/libtobEmbedPagEncrypt.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
23	arm64-v8a/libmmkv.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strchr_chk', '__strncpy_chk', '__memcpy_chk', '__vsnprintf_chk', '__strcat_chk', '__read_chk']	True info Symbols are stripped.
24	arm64-v8a/libimggroup.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '__strncpy_chk', '__vsnprintf_chk', '__strcat_chk', '__strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
25	arm64-v8a/libtdcoreplugin.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
26	armeabi-v7a/libTierahs.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
27	armeabi-v7a/libbuffer.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
28	armeabi-v7a/libyuv.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
29	armeabi-v7a/libnms.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsprintf_chk', '__strlen_chk']	True info Symbols are stripped.
30	armeabi-v7a/libapminsightb.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '__strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
31	armeabi-v7a/libtapjoy.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strlen_chk', '__vsprintf_chk']	True info Symbols are stripped.
32	armeabi-v7a/libapminsight.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strcat_chk', '__strlen_chk', '__vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
33	armeabi-v7a/libhpatchz.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
34	armeabi-v7a/libpl_droidsonroids_gif.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
35	armeabi-v7a/libpglarmor.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
36	armeabi-v7a/libglide-webp.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
37	armeabi-v7a/libboost_multidex.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
38	armeabi-v7a/libxcrash_dumper.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
39	armeabi-v7a/lib7-Zip-JBinding.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
40	armeabi-v7a/libmoksha.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
41	armeabi-v7a/libfile_lock.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
42	armeabi-v7a/libxcrash.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
43	armeabi-v7a/libtt_ugen_layout.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsprintf_chk']	True info Symbols are stripped.
44	armeabi-v7a/liblogan.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
45	armeabi-v7a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
46	armeabi-v7a/libNotCheck.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
47	armeabi-v7a/libinnoplayer-core.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
48	armeabi-v7a/libtobEmbedPagEncrypt.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
49	armeabi-v7a/libmmkv.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
50	armeabi-v7a/libimggroup.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
51	armeabi-v7a/libtdcoreplugin.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
52	arm64-v8a/libtrustdevice.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_fgets_chk', '_read_chk', '_strcpy_chk', '_strlen_chk', '_memset_chk', '_vsprintf_chk', '_strcat_chk', '_strchr_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
53	armeabi-v7a/libtrustdevice.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '__fgets_chk', '__strlen_chk', '__memset_chk', '__strcpy_chk', '__vsprintf_chk', '__strcat_chk', '__strchr_chk']	True info Symbols are stripped.
54	arm64-v8a/libTierahs.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strlen_chk', '__vsnprintf_chk', '__memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
55	arm64-v8a/libbuffer.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__read_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
56	arm64-v8a/libyuv.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
57	arm64-v8a/libnms.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__vsprintf_chk', '__strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
58	arm64-v8a/libapminsightb.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_read_chk', '_vsprintf_chk', '_strlen_chk']	True info Symbols are stripped.
59	arm64-v8a/libtapjoy.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memmove_chk', '_strlen_chk', '_vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
60	arm64-v8a/libapminsighta.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strcat_chk', '_read_chk', '_strlen_chk', '_vsnprintf_chk']	True info Symbols are stripped.
61	arm64-v8a/libhpatchz.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
62	arm64-v8a/libpl_droidsonroids_gif.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
63	arm64-v8a/libpglarmor.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__read_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
64	arm64-v8a/libglide-webp.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
65	arm64-v8a/libxcrash_dumper.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strlen_chk', '__read_chk', '__vsnprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
66	arm64-v8a/lib7-Zip-JBinding.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memmove_chk', '__umask_chk', '__memset_chk', '__memcpy_chk', '__strcpy_chk', '__vsprintf_chk', '__read_chk', '__strlen_chk']	True info Symbols are stripped.
67	arm64-v8a/libmoksha.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsprintf_chk', '__strlen_chk', '__memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
68	arm64-v8a/libfile_lock.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
69	arm64-v8a/libxcrash.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strlen_chk', '__vsprintf_chk', '__vsnprintf_chk', '__memcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
70	arm64-v8a/libtt_ugen_layout.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', ['__strlen_chk', ['__memmove_chk']	True info Symbols are stripped.
71	arm64-v8a/liblogan.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strlen_chk', ['__memcpy_chk', ['__vsprintf_chk', ['__strcat_chk', ['__strcpy_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
72	arm64-v8a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '__strlen_chk', '__memmove_chk', '__read_chk']	True info Symbols are stripped.
73	arm64-v8a/libNotCheck.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '__strlen_chk', '__memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
74	arm64-v8a/libinnoplayer-core.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_memmove_chk', '_strcpy_chk', '_vsprintf_chk', '_strncpy_chk', '_strcat_chk', '_read_chk', '_strlen_chk']	True info Symbols are stripped.
75	arm64-v8a/libtobEmbedPagEncrypt.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
76	arm64-v8a/libmmkv.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_strchr_chk', '__strncpy_chk', '__memcpy_chk', '__vsnprintf_chk', '__strcat_chk', '__read_chk']	True info Symbols are stripped.
77	arm64-v8a/libimggroup.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '__strncpy_chk', '__vsnprintf_chk', '__strcat_chk', '__strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
78	arm64-v8a/libtdcoreplugin.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
79	armeabi-v7a/libTierahs.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
80	armeabi-v7a/libbuffer.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
81	armeabi-v7a/libyuv.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
82	armeabi-v7a/libnms.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsprintf_chk', '__strlen_chk']	True info Symbols are stripped.
83	armeabi-v7a/libapminsightb.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '__strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
84	armeabi-v7a/libtapjoy.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strlen_chk', '__vsprintf_chk']	True info Symbols are stripped.
85	armeabi-v7a/libapminsighta.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strcat_chk', '__strlen_chk', '__vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
86	armeabi-v7a/libhpatchz.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
87	armeabi-v7a/libpl_droidsonroids_gif.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
88	armeabi-v7a/libpglarmor.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
89	armeabi-v7a/libglide-webp.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
90	armeabi-v7a/libboost_multidex.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
91	armeabi-v7a/libxcrash_dumper.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
92	armeabi-v7a/lib7-Zip-JBinding.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
93	armeabi-v7a/libmoksha.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
94	armeabi-v7a/libfile_lock.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
95	armeabi-v7a/libxcrash.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
96	armeabi-v7a/libtt_ugen_layout.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsprintf_chk']	True info Symbols are stripped.
97	armeabi-v7a/liblogan.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
98	armeabi-v7a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
99	armeabi-v7a/libNotCheck.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
100	armeabi-v7a/libinnoplayer-core.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
101	armeabi-v7a/libtobEmbedPagEncrypt.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
102	armeabi-v7a/libmmkv.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
103	armeabi-v7a/libimggroup.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option - D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
104	armeabi-v7a/libtdcoreplugin.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.
105	arm64-v8a/libtrustdevice.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['_vsnprintf_chk', '_fgets_chk', '_read_chk', '_strcpy_chk', '_strlen_chk', '_memset_chk', '_vsprintf_chk', '_strcat_chk', '_strchr_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
106	armeabi-v7a/libtrustdevice.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__vsprintf_chk', '__fgets_chk', '__strlen_chk', '__memset_chk', '__strcpy_chk', '__vsprintf_chk', '__strcat_chk', '__strchr_chk']	True info Symbols are stripped.

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
			com/adexchange/internal/mraid/MraidController.java com/adexchange/internal/mraid/MraidNativeCommandHandler.java com/adexchange/utills/AppStarter.java com/adjust/sdk/ActivityHandler.java com/adjust/sdk/PreinstallUtil.java

RULE ID	BEHAVIOUR	LABEL	FILES
00063	Implicit intent(view a web page, make a phone call, etc.)	control	com/adtmonetize/sdk/code/C0037.java com/adtmonetize/sdk/code/C0050.java com/amazon/aps/ads/util/ApsUtils.java com/amazon/aps/ads/util/adview/ApsAdWebViewSchemeHandler.java com/amazon/device/ads/DTBAdMRAIDController.java com/amazon/device/ads/DTBAdUtil.java com/anythink/basead/mraid/MraidBaseWebView.java com/anythink/core/activity/component/PrivacyPolicyView.java com/anythink/core/basead/a/e.java com/anythink/expressad/atignalcommon/commonwebview/CommonWebView.java com/anythink/expressad/atignalcommon/windvane/WindVaneWebView.java com/anythink/expressad/foundation/h/u.java com/bytedance/sdk/openadsdk/common/iu.java com/bytedance/sdk/openadsdk/component/reward/PA.java com/bytedance/sdk/openadsdk/core/act/sve.java com/bytedance/sdk/openadsdk/utlis/DeviceUtils.java com/bytedance/sdk/openadsdk/utlis/nBN.java com/bytedance/sdk/openadsdk/xj/gMJ.java com/fyber/inneractive/sdk/activities/InneractiveInternalBrowserActivity.java com/fyber/inneractive/sdk/click/d.java com/fyber/inneractive/sdk/click/h.java com/fyber/inneractive/sdk/click/i.java com/fyber/inneractive/sdk/click/l.java com/fyber/inneractive/sdk/click/r.java com/fyber/inneractive/sdk/ui/IAmraidWebViewController.java com/fyber/inneractive/sdk/util/G.java com/fyber/inneractive/sdk/web/M.java com/ironsource/gv.java com/ironsource/sdk/controller/p.java com/lenovo/anyshare/content/webshare/WebShareActivity.java com/lenovo/anyshare/pc/PCContentIMActivity.java com/lenovo/anyshare/share/permission/BasePermissionFragment.java com/mbridge/msdk/activity/DomainMBCCommonActivity.java com/mbridge/msdk/click/c.java com/mbridge/msdk/foundation/tools/s0.java com/mbridge/msdk/mbbanner/view/a.java com/mbridge/msdk/mbsignalcommon/commonwebview/CommonWebView.java com/mbridge/msdk/video/module/listener/impl/a.java com/my/target/dc.java com/my/target/e2.java com/my/target/o1.java com/my/target/x3.java com/reader/office/officereader/OfficeReaderActivity.java com/sharead/biz/browser/CustomTabsHelper.java com/st/entertainment/business/play/EntertainmentH5GameActivity.java com/startapp/sdk/internal/gh.java com/startapp/sdk/internal/i0.java

RULE ID	BEHAVIOUR	LABEL	FILES
			com/startapp/sdk/internal/oi.java com/startapp/sdk/internal/q6.java com/tapjoy/TJAdUnitSBridge.java com/tapjoy/TJSplitWebView.java com/tapjoy/TJWebViewActivity.java com/tapjoy/TapjoyConnectCore.java com/tapjoy/x.java com/unity3d/ads/core/domain/AndroidHandleOpenUrl.java com/unity3d/services/core/api/Intent.java com/ushareit/applock/a.java com/ushareit/base/activity/BaseActivity.java com/ushareit/blockxlibrary/widget/floatwindow/FloatActivity.java com/ushareit/bst/speed/SpeedActivity.java com/ushareit/cleanit/local/DocumentPermissionUtils.java com/ushareit/clone/permission/PermissionFragment.java com/ushareit/download/b.java com/ushareit/muslim/main/home/widget/perm/a.java com/ushareit/muslim/settings/permission/SystemAlertConfirmActivity.java com/ushareit/sdkshare/AccessContentProviderService.java com/ushareit/sdkshare/ContentProviderClient.java com/ushareit/tools/core/utils/PackageUtils.java com/ushareit/upgrade/PushUpgradeManager.java com/ushareit/util/DocumentPermissionUtils.java com/yandex/mobile/ads/impl/eu1.java com/yandex/mobile/ads/impl/q81.java net/pubnative/lite/sdk/contentinfo/AdFeedbackFormHelper.java net/pubnative/lite/sdk/models/NativeAd.java net/pubnative/lite/sdk/mraid/nativefeature/MRAIDNativeFeatureProvider.java net/pubnative/lite/sdk/utils/browser/BaseWebViewClient.java net/pubnative/lite/sdk/views/PNAPIContentInfoView.java sg/bigo/ads/a/a/b.java sg/bigo/ads/ad/c.java sg/bigo/ads/controller/landing/d.java sg/bigo/ads/core/landing/WebViewActivityImpl.java sg/bigo/ads/core/landing/a.java sg/bigo/ads/core/mraid/e.java sg/bigo/ads/core/mraid/h.java tierahs/b/h.java
			com/adexchange/utils/MockJsonUtil.java com/adexchange/utils/SDCardHelper.java com/amazon/aps/ads/privacy/ApsPrivacyManager.java com/amazon/device/ads/DTBAdUtil.java com/amazon/device/ads/DTBMetricsConfiguration.java com/amazon/device/ads/WebResourceService.java com/anythink/core/common/res/d.java com/anythink/core/common/s/a/g.java

RULE ID	BEHAVIOUR	LABEL	FILES
			com/anythink/core/common/s/a/j.java com/anythink/core/common/v/g.java com/anythink/core/common/v/w.java com/anythink/core/common/v/z.java com/anythink/expressad/c/a.java com/anythink/expressad/foundation/g/c/d.java com/anythink/expressad/foundation/g/f/d/a.java com/anythink/expressad/foundation/h/p.java com/anythink/expressad/foundation/h/t.java com/anythink/expressad/foundation/h/u.java com/anythink/expressad/mbbanner/a/d/b.java com/anythink/expressad/reward/a/d.java com/apm/insight/a.java com/apm/insight/b/b.java com/apm/insight/h/b.java com/apm/insight/h/c.java com/apm/insight/l/f.java com/apm/insight/l/j.java com/apm/insight/nativecrash/NativeCrashCollector.java com/apm/insight/nativecrash/NativeImpl.java com/apm/insight/nativecrash/b.java com/apm/insight/runtime/g.java com/apm/insight/runtime/i.java com/apm/insight/runtime/q.java com/bykv/vk/openvk/preload/geckox/a/a/e.java com/bykv/vk/openvk/preload/geckox/a/c.java com/bykv/vk/openvk/preload/geckox/buffer/a/a.java com/bykv/vk/openvk/preload/geckox/buffer/a/b.java com/bykv/vk/openvk/preload/geckox/d/a/a/c.java com/bykv/vk/openvk/preload/geckox/d/a/b/d.java com/bykv/vk/openvk/preload/geckox/d/a/b/e.java com/bykv/vk/openvk/preload/geckox/d/b/a/c.java com/bykv/vk/openvk/preload/geckox/d/b/a/d.java com/bykv/vk/openvk/preload/geckox/d/b/b/e.java com/bykv/vk/openvk/preload/geckox/d/b/b/f.java com/bykv/vk/openvk/preload/geckox/d/c.java com/bykv/vk/openvk/preload/geckox/e/a.java com/bykv/vk/openvk/preload/geckox/e/a/c.java com/bykv/vk/openvk/preload/geckox/e/b.java com/bykv/vk/openvk/preload/geckox/f/c.java com/bykv/vk/openvk/preload/geckox/utills/BsPatch.java com/bykv/vk/openvk/preload/geckox/utills/b.java com/bytedance/ad sdk/JBd/PA.java com/bytedance/ad sdk/JBd/YK/IGD.java com/bytedance/ad sdk/JBd/YK/PA.java com/bytedance/boost_multidex/Utility.java com/bytedance/sdk/component/JBd.java

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	com/bytedance/sdk/component/adexpress/sve/JBd/gMJ.java com/bytedance/sdk/component/utis/Wi.java com/bytedance/sdk/openadsdk/CacheDirFactory.java com/bytedance/sdk/openadsdk/YK/Bx/sve/sve.java com/bytedance/sdk/openadsdk/component/IGD/sve.java com/bytedance/sdk/openadsdk/core/settings/Ln.java com/bytedance/sdk/openadsdk/multipro/gMJ.java com/cheat/blocker/ProtectionLib.java com/ironsource/sdk/utis/IronSourceStorageUtils.java com/lenovo/anyshare/content/webshare/WebShareActivity.java com/lenovo/anyshare/pc/PCContentIMActivity.java com/mbridge/msdk/foundation/download/resource/MBResourceManager.java com/mbridge/msdk/foundation/download/utis/Objects.java com/mbridge/msdk/foundation/same/directory/e.java com/mbridge/msdk/foundation/tools/r0.java com/mbridge/msdk/foundation/tools/s0.java com/mbridge/msdk/video/module/listener/impl/k.java com/my/target/k2.java com/my/target/p2.java com/my/target/v1.java com/pgl/ssdk/d0.java com/pgl/ssdk/t0.java com/reader/office/FileUtils.java com/reader/office/fc/dom4j/io/SAXReader.java com/reader/office/officereader/OfficeReaderActivity.java com/sharead/biz/extratil/DeviceUtilsImpl.java com/sharead/biz/yydl/item/Appltem.java com/sharemob/display/infos/a.java com/tapjoy/TapjoyCache.java com/tapjoy/TapjoyUtil.java com/trustdecision/android/bugly/l1ill1li1i.java com/trustdecision/android/bugly/l1l1l1i111l/llil1l1lll1.java com/trustdecision/android/l1i1li1l111l1li/i1lil11ii1/i1111li11li1iilli.java com/trustdecision/android/l1i1li1l111l1li/i1lil11ii1/l1il11il11il1.java com/trustdecision/android/l1i1li1l111l1li/i1lil11ii1/llil1ili1ili1iilll1.java com/trustdecision/android/l1i1li1l111l1li/i1l1llil1illil1ll11/l1i1il1li1l1l1l1l1l1.java com/trustdecision/android/l1i1li1l111l1li/i1l1li1l1l1l1l1l1/llil1il1il1iilll1.java com/trustdecision/android/l1i1li1l111l1li/i1l1li1l1l1l1l1l1/llil1l1l1i1iilll1.java com/unity3d/ads/core/domain/AndroidHttpClientProvider.java com/unity3d/ads/core/domain/GetCachedAsset.java com/unity3d/services/core/api/Cache.java com/unity3d/services/core/cache/CacheDirectory.java com/unity3d/services/core/misc/Utilities.java com/unity3d/services/core/properties/SdkProperties.java com/ushareit/base/core/utis/device/DeviceHelper.java com/ushareit/base/core/utis/io/sfile/b.java com/ushareit/cleanit/sdk/filesystem/a.java

RULE ID	BEHAVIOUR	LABEL	Files com/ushareit/content/item/ApplItem.java com/ushareit/download/b.java com/ushareit/downloader/web/utls/e.java
			com/ushareit/hybrid/a.java com/ushareit/hybrid/f.java com/ushareit/media/c.java com/ushareit/medusa/TryReceiver.java com/ushareit/medusa/apm/plugin/launch/a.java com/ushareit/medusa/crash/a.java com/ushareit/muslim/quran/translate/TranslateHolder.java com/ushareit/nft/channel/transmit/DownloadTask.java com/vungle/ads/internal/model/AdPayload.java com/yandex/mobile/ads/impl/mw.java com/yandex/mobile/ads/impl/p00.java com/yandex/mobile/ads/impl/sd1.java fi/iki/elonon/NanoHTTDP.java io/appmetrica/analytics/impl/E6.java io/appmetrica/analytics/impl/FileObserverC2312o3.java io/appmetrica/analytics/impl/L8.java io/appmetrica/analytics/impl/N8.java io/appmetrica/analytics/impl/R8.java io/appmetrica/analytics/impl/W5.java net/pubnative/lite/sdk/mraid/nativefeature/MRAIDNativeFeatureProvider.java net/pubnative/lite/sdk/vpaid/helpers/FileLoader.java net/pubnative/lite/sdk/vpaid/utls/FileUtils.java net/sf/sevenzippbinding/SevenZip.java sdk/android/innoplayer/playercore/InnoMediaMuxer.java sg/bigo/ads/core/player/b.java

RULE ID	BEHAVIOUR	LABEL	FILES
00005	Get absolute path of file and put it to JSON object	file	com/anythink/core/common/v/g.java com/apm/insight/a.java com/apm/insight/b/b.java com/apm/insight/l/f.java com/apm/insight/nativecrash/NativeCrashCollector.java com/apm/insight/runtime/q.java com/bytedance/sdk/openadsdk/YK/Bx/sve/sve.java com/bytedance/sdk/openadsdk/component/IGD/sve.java com/cheat/blocker/ProtectionLib.java com/ironsource/sdk/utis/IronSourceStorageUtils.java com/lenovo/anyshare/content/webshare/WebShareActivity.java com/lenovo/anyshare/pc/PCContentIMActivity.java com/mbridge/msdk/video/module/listener/impl/k.java com/pgl/ssdk/t0.java com/reader/office/officereader/OfficeReaderActivity.java com/sharead/biz/extratil/DeviceUtilsImpl.java com/sharead/biz/yydl/item/Appltem.java com/sharemob/display/infos/a.java com/tapjoy/TapjoyCache.java com/tapjoy/TapjoyUtil.java com/trustdecision/android/ll1i1lii1l11l1lii1l1lil11ii1/i1lil11ii1/i11ii11ili11iilli.java com/unity3d/services/core/api/Cache.java com/unity3d/services/core/misc/Utilities.java com/ushareit/content/item/Appltem.java com/ushareit/download/b.java
			com/adexchange/utis/MockJsonUtil.java com/adexchange/utis/SDCardHelper.java com/adjust/sdk/PreinstallUtil.java com/adtmonetize/sdk/common/util/IOUtils.java com/alphagaming/mediation/http/EasyUtils.java com/amazon/device/ads/DTBAdUtil.java com/amazon/device/ads/DtbDebugProperties.java com/amazon/device/ads/WebResourceService.java com/anythink/basead/b/f.java com/anythink/basead/exoplayer/j/e.java com/anythink/basead/exoplayer/j/y.java com/anythink/basead/exoplayer/k/b.java com/anythink/core/common/n/c/n.java com/anythink/core/common/o/a.java com/anythink/core/common/res/a.java com/anythink/core/common/res/b.java com/anythink/core/common/res/d.java

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/anythink/core/common/v/w.java com/anythink/expressad/foundation/g/f/c/b.java com/anythink/expressad/foundation/h/o.java com/anythink/expressad/foundation/h/p.java com/apm/insight/k/i.java com/apm/insight/l/a.java com/apm/insight/l/d.java com/apm/insight/l/f.java com/bumptech/glide/disklruCache/DiskLruCache.java com/bumptech/glide/integration/webp/WebpBitmapFactory.java com/bumptech/glide/load/ImageHeaderParserUtils.java com/bumptech/glide/load/model/FileLoader.java com/bumptech/glide/load/resource/bitmap/ImageReader.java com/bykv/vk/openvk/preload/geckox/e/a/c.java com/bytedance/ad sdk/JBd/YK/LGD.java com/bytedance/ad sdk/JBd/YK/PA.java com/bytedance/boost_multidex/Utility.java com/bytedance/sdk/component/Bx/gMJ/sve/sve/sve.java com/bytedance/sdk/component/JBd.java com/bytedance/sdk/component/adexpress/sve/JBd/JBd.java com/bytedance/sdk/component/adexpress/sve/JBd/PA.java com/bytedance/sdk/component/utis/Bx.java com/bytedance/sdk/component/utis/Wi.java com/bytedance/sdk/openad sdk/core/settings/Ln.java com/bytedance/sdk/openad sdk/mediation/IXF/NN.java com/bytedance/sdk/openad sdk/utis/TC.java com/fasterxml/jackson/core/JjsonFactory.java com/fasterxml/jackson/core/TokenStreamFactory.java com/fyber/inneractive/sdk/cache/session/c.java com/fyber/inneractive/sdk/network/D.java com/fyber/inneractive/sdk/player/cache/f.java com/fyber/inneractive/sdk/player/cache/j.java com/fyber/inneractive/sdk/player/exoplayer2/upstream/f.java com/fyber/inneractive/sdk/player/exoplayer2/util/c.java com/lenovo/anyshare/main/guide/HomeMiddleGuideView.java com/mbridge/msdk/dycreator/engine/a.java com/mbridge/msdk/foundation/tools/m0.java com/mbridge/msdk/foundation/tools/t0.java com/mbridge/msdk/playercommon/exoplayer2/upstream/ContentDataSource.java com/mbridge/msdk/playercommon/exoplayer2/upstream/RawResourceDataSource.java com/mbridge/msdk/playercommon/exoplayer2/util/AtomicFile.java com/mbridge/msdk/tracker/network/toolbox/i.java com/my/target/t1.java com/my/target/v1.java com/pgl/ssdk/j.java com/reader/office/FileUtils.java com/reader/office/fc/dom4j/io/SAXReader.java

RULE ID	BEHAVIOUR	LABEL	FILES
00072	Write HTTP input stream into a file	command network file	com/adtmonetize/sdk/code/C0072.java com/anythink/expressad/videocommon/b/g.java com/startapp/sdk/internal/qc.java net/pubnative/lite/sdk/vpaid/helpers/FileLoader.java
00089	Connect to a URL and receive input stream from the server	command network	com/adtmonetize/sdk/code/C0072.java com/amazon/device/ads/DtbHttpClient.java com/anythink/basead/exoplayer/j/p.java com/anythink/basead/f/e/a/a.java com/anythink/basead/l/a.java com/anythink/core/common/m/a/a/b.java com/anythink/core/common/res/image/b.java com/anythink/expressad/b/f.java com/anythink/expressad/foundation/g/f/e/b.java com/anythink/expressad/videocommon/b/g.java com/apm/insight/k/e.java com/apm/insight/k/i.java com/bumptechnology/load/data/HttpUrlFetcher.java com/bytedance/sdk/component/Bx/JBd/sve.java com/bytedance/sdk/openadsdk/cC/gMJ.java com/fyber/inneractive/sdk/network/C1912k.java com/fyber/inneractive/sdk/player/exoplayer2/upstream/p.java com/fyber/inneractive/sdk/util/AbstractC2031s.java com/fyber/inneractive/sdk/web/c0.java com/ironsource/mediationsdk/e.java com/ironsource/mediationsdk/server/HttpFunctions.java com/ironsource/yc.java com/mbridge/msdk/tracker/network/toolbox/h.java com/my/target/j2.java com/my/target/k2.java com/my/target/l2.java com/my/target/o2.java com/my/target/p2.java com/my/tracker/obfuscated/r0.java com/my/tracker/obfuscated/s0.java com/pgl/ssdk/m0.java com/startapp/sdk/internal/j8.java com/startapp/sdk/internal/o2.java com/startapp/sdk/internal/qc.java com/tapjoy/TapjoyCache.java com/tapjoy/TapjoyURLConnection.java com/tramini/plugin/a/e/a.java com/trustdecision/android/i1Ii1il1ii/i1Ii1il1ii.java

RULE ID	BEHAVIOUR	LABEL	FILES
			com/unity3d/services/core/request/WebRequest.java com/yandex/mobile/ads/impl/av.java com/yandex/mobile/ads/impl/db0.java
			net/pubnative/lite/sdk/mraid/MRAIDView.java net/pubnative/lite/sdk/network/PNHttpClient.java net/pubnative/lite/sdk/utis/PNBitmapDownloader.java net/pubnative/lite/sdk/vpaid/helpers/EndCardFileDownloader.java net/pubnative/lite/sdk/vpaid/helpers/FileLoader.java
00109	Connect to a URL and get the response code	network command	com/adexchange/internal/net/utis/AdsUtils.java com/adexchange/si/AttributionManager.java com/adtmnetize/sdk/code/C0072.java com/amazon/device/ads/DtbHttpClient.java com/anythink/basead/exoplayer/j/p.java com/anythink/basead/f/e/a/a.java com/anythink/basead/l/a.java com/anythink/core/common/m/a/a/b.java com/anythink/core/common/res/image/b.java com/anythink/expressad/b/c.java com/anythink/expressad/b/f.java com/anythink/expressad/foundation/g/f/e/b.java com/anythink/expressad/videocommon/b/g.java com/apm/insight/k/e.java com/apm/insight/k/i.java com/bumptechnology/load/data/HttpUrlFetcher.java com/bytedance/sdk/component/JBd/sve/sve/sve/JBd.java com/bytedance/sdk/openadsdk/cC/gMJ.java com/fyber/inneractive/sdk/network/C1912k.java com/fyber/inneractive/sdk/player/exoplayer2/upstream/p.java com/fyber/inneractive/sdk/util/AbstractC2031s.java com/fyber/inneractive/sdk/web/c0.java com/ironsource/mediationsdk/d.java com/ironsource/mediationsdk/e.java com/ironsource/mediationsdk/server/HttpFunctions.java com/ironsource/p9.java com/ironsource/yc.java com/mbridge/msdk/tracker/network/toolbox/h.java com/my/target/j2.java com/my/target/k2.java com/my/target/o2.java com/my/target/p2.java com/my/tracker/obfuscated/r0.java com/my/tracker/obfuscated/s0.java com/pgl/ssdk/m0.java com/startapp/sdk/internal/j8.java com/tapjoy/TapjoyCache.java com/tapjoy/TapjoyURLConnection.java

RULE ID	BEHAVIOUR	LABEL	FILES
			com/tramini/plugin/a/e/a.java com/trustdecision/android/bugly/IllI1l111ilii1i/IIi111III1.java com/trustdecision/android/i1Il1il1ii/i1Il1il1ii.java
			com/unity3d/services/core/request/WebRequest.java com/usshareit/base/core/net/NetUtils.java com/usshareit/ccm/utils/Utils.java com/yandex/mobile/ads/impl/av.java com/yandex/mobile/ads/impl/db0.java net/pubnative/lite/sdk/mraid/MRAIDView.java net/pubnative/lite/sdk/network/PNHttpClient.java net/pubnative/lite/sdk/vpaid/helpers/FileLoader.java sg/bigo/ads/core/player/a/g.java
00009	Put data in cursor to JSON object	file	com/bytedance/sdk/component/PA/JBd/sve/sve/sve/Wi.java com/lenovo/anyshare/content/webshare/WebShareActivity.java com/lenovo/anyshare/pc/PContentIMActivity.java com/mbridge/msdk/foundation/db/c.java com/mbridge/msdk/foundation/db/k.java com/usshareit/ads/cpi/CPIAdjustProvider.java com/usshareit/ccm/utils/Utils.java com/usshareit/download/task/XzRecord.java com/usshareit/media/store/DBHelper.java io/appmetrica/analytics/impl/Gb.java
00023	Start another application from current application	reflection control	com/adexchange/utils/AppStarter.java com/amazon/device/ads/DTBAdMRAIDController.java com/startapp/sdk/internal/oi.java com/tapjoy/TJAdUnitJSBridge.java

RULE ID	BEHAVIOUR	LABEL	FILES
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	com/adexchange/internal/mraid/MraidNativeCommandHandler.java com/adtmonetize/sdk/code/C0050.java com/amazon/aps/ads/util/ApsUtils.java com/amazon/aps/ads/util/adview/ApsAdWebViewSchemeHandler.java com/amazon/device/ads/DTBAdMRAIDController.java com/amazon/device/ads/DTBAdUtil.java com/anythink/core/activity/component/PrivacyPolicyView.java com/anythink/core/basead/a/e.java com/bytedance/sdk/openadsdk/common/iu.java com/bytedance/sdk/openadsdk/xj/gMJ.java com/ironsource/gv.java com/ironsource/sdk/controller/p.java com/mbridge/msdk/click/c.java com/mbridge/msdk/foundation/tools/s0.java com/mbridge/msdk/video/module/listener/impl/a.java com/st/entertainment/business/play/EntertainmentH5GameActivity.java com/startapp/sdk/internal/i0.java com/startapp/sdk/internal/oi.java com/startapp/sdk/internal/q6.java com/tapjoy/TJSplitWebView.java com/tapjoy/TJWebViewActivity.java com/tapjoy/TapjoyConnectCore.java com/unity3d/ads/core/domain/AndroidHandleOpenUrl.java com/unity3d/services/core/api/Intent.java com/ushareit/blockxlibrary/widget/floatwindow/FloatActivity.java com/ushareit/bst/speed/SpeedActivity.java net/pubnative/lite/sdk/utis/browser/BaseWebViewClient.java net/pubnative/lite/sdk/views/PNAPIContentInfoView.java sg/bigo/ads/core/mraid/h.java

RULE ID	BEHAVIOUR	LABEL	FILES
00036	Get resource file from res/raw directory	reflection	com/adexchange/utis/AppStarter.java com/adjust/sdk/ActivityHandler.java com/adjust/sdk/DeviceInfo.java com/adjust/sdk/InstallReferrerHuawei.java com/adtmonetize/sdk/common/provider/SdkProvider.java com/amazon/device/ads/DTBAdUtil.java com/anythink/expressad/foundation/h/v.java com/bytedance/sdk/openadsdk/utis/nBN.java com/ironsource/environment/CrashProvider.java com/lenovo/anyshare/share/permission/BasePermissionFragment.java com/mbridge/msdk/foundation/tools/t0.java com/salva/b.java com/startapp/sdk/internal/gh.java com/startapp/sdk/internal/i0.java com/startapp/sdk/internal/oi.java com/tapjoy/TJAdUnitJSBridge.java com/tapjoy/TapjoyConnectCore.java com/ushareit/applock/a.java com/ushareit/clone/permission/PermissionFragment.java com/ushareit/download/b.java com/ushareit/metis/db/MetisContentProvider.java com/ushareit/photo/subscaleview/SubsamplingScaleImageView.java com/ushareit/sdkshare/ContentProviderClient.java com/ushareit/tools/core/utis/PackageUtils.java com/yandex/mobile/ads/impl/fb1.java io/appmetrica/analytics/impl/CallableC2382s6.java net/pubnative/lite/sdk/mraid/MRAIDView.java tierahs/b/h.java
00123	Save the response to JSON after connecting to the remote server	network command	com/anythink/basead/f/e/a/a.java com/ironsource/mediationsdk/d.java com/tapjoy/TapjoyCache.java com/tramini/plugin/a/e/a.java

RULE ID	BEHAVIOUR	LABEL	FILES
00163	Create new Socket and connecting to it	socket	com/adjust/sdk/network/ActivityPackageSender.java com/anythink/basead/l/a.java com/anythink/core/common/m/d/a/c.java com/anythink/core/common/n/b/a/g/b.java com/anythink/core/common/n/b/a/g/c.java com/anythink/core/common/res/image/b.java com/fyber/inneractive/sdk/network/C1912k.java com/ironsource/yc.java com/mbridge/msdk/thrid/okhttp/internal/platform/b.java com/mbridge/msdk/thrid/okhttp/internal/platform/g.java com/my/target/j2.java com/tapjoy/TapjoyCache.java com/tramini/plugin/a/e/a.java com/ushareit/base/core/net/NetUtils.java com/yandex/mobile/ads/impl/hq1.java com/yandex/mobile/ads/impl/ra.java com/yandex/mobile/ads/impl/w61.java

RULE ID	BEHAVIOUR	LABEL	FILES
00030	Connect to the remote server through the given URL	network	com/adjust/sdk/AdjustLinkResolution.java com/anythink/basead/exoplayer/j/p.java com/anythink/basead/f/e/a/a.java com/anythink/basead/l/a.java com/anythink/core/common/m/a/a/b.java com/anythink/core/common/res/image/b.java com/anythink/expressad/b/c.java com/anythink/expressad/b/f.java com/bumptechnology/load/data/HttpUrlFetcher.java com/bytedance/ad/sdk/JBd/YK/JBd.java com/bytedance/sdk/component/Bx/JBd/sve.java com/bytedance/sdk/component/JBd/sve/sve/sve/JBd.java com/fyber/inneractive/sdk/network/C1912k.java com/fyber/inneractive/sdk/player/exoplayer2/upstream/p.java com/fyber/inneractive/sdk/util/AbstractC2031s.java com/fyber/inneractive/sdk/web/c0.java com/ironsource/mediationsdk/d.java com/ironsource/mediationsdk/server/HttpFunctions.java com/ironsource/yc.java com/my/target/j2.java com/my/target/k2.java com/my/target/l2.java com/my/target/p2.java com/pgl/sdk/m0.java com/startapp/sdk/internal/o2.java com/tapjoy/TapjoyCache.java com/tapjoy/TapjoyURLConnection.java com/tramini/plugin/a/e/a.java com/ushareit/base/core/net/NetUtils.java com/yandex/mobile/ads/impl/av.java net/pubnative/lite/sdk/vpaid/helpers/EndCardFileDownloader.java

RULE ID	BEHAVIOUR	LABEL	FILES
00094	Connect to a URL and read data from it	command network	com/amazon/aps/shared/util/APSNetworkManager.java com/anythink/basead/exoplayer/j/p.java com/anythink/basead/l/a.java com/anythink/core/common/m/a/a/b.java com/anythink/expressad/videocommon/b/g.java com/apm/insight/k/e.java com/apm/insight/k/i.java com/bytedance/sdk/component/Bx/JBd/sve.java com/fyber/inneractive/sdk/player/exoplayer2/upstream/p.java com/fyber/inneractive/sdk/web/c0.java com/ironsource/yc.java com/mbridge/msdk/foundation/download/download/DownLoadUtils.java com/mbridge/msdk/playercommon/exoplayer2/upstream/DefaultHttpDataSource.java com/pgl/ssdk/m0.java com/startapp/sdk/internal/j8.java com/startapp/sdk/internal/ne.java com/startapp/sdk/internal/qc.java com/tramini/plugin/a/e/a.java com/unity3d/services/core/request/WebRequest.java com/ushareit/ccm/utls/Utils.java com/yandex/mobile/ads/impl/av.java net/pubnative/lite/sdk/mraid/MRAIDView.java net/pubnative/lite/sdk/network/PNHttpClient.java net/pubnative/lite/sdk/vpaid/helpers/FileLoader.java sg/bigo/ads/core/player/a/g.java
00191	Get messages in the SMS inbox	sms	com/adjust/sdk/DeviceInfo.java com/bytedance/sdk/openadsdk/multipro/sve/sve.java com/reader/office/FileUtils.java com/trustdecision/android/i1lllll1ll/i1ll1il1ii/i1ll1il1ii/i1llil11ii1.java com/trustdecision/android/i1lllll1ll/i1ll1il1ii/i1ll1il1ii/llll1ll1ll1ll11.java com/trustdecision/android/ll1i1ll1111111ii/ll1i1ll11111ii/ll11ll1ll1il1l.java com/ushareit/sdkshare/AccessContentProviderService.java com/ushareit/sdkshare/ContentProviderClient.java

RULE ID	BEHAVIOUR	LABEL	FILES
00108	Read the input stream from given URL	network command	com/anythink/basead/exoplayer/j/p.java com/anythink/basead/l/a.java com/anythink/core/common/m/a/a/b.java com/anythink/expressad/videocommon/b/g.java com/apm/insight/k/e.java com/apm/insight/k/i.java com/bytedance/sdk/component/Bx/JBd/sve.java com/bytedance/sdk/component/JBd/sve/sve/sve/PA.java com/fyber/inneractive/sdk/player/exoplayer2/upstream/p.java com/fyber/inneractive/sdk/web/c0.java com/ironsource/yc.java com/pgl/ssdk/m0.java com/startapp/sdk/internal/j8.java com/startapp/sdk/internal/qc.java com/tramini/plugin/a/e/a.java com/unity3d/services/core/request/WebRequest.java com/yandex/mobile/ads/impl/av.java net/pubnative/lite/sdk/mraid/MRAIDView.java net/pubnative/lite/sdk/network/PNHHttpClient.java net/pubnative/lite/sdk/vpaid/helpers/FileLoader.java
00031	Check the list of currently running applications	reflection collection	com/apm/insight/l/a.java com/ushareit/muslim/prayers/alarm/PrayerCountDownReceiver.java com/ushareit/tools/core/utils/PackageUtils.java
00028	Read file from assets directory	file	com/anythink/basead/exoplayer/j/c.java com/fyber/inneractive/sdk/player/exoplayer2/upstream/C1943d.java com/mbridge/msdk/playercommon/exoplayer2/upstream/AssetDataSource.java com/yandex/mobile/ads/impl/ad.java net/pubnative/lite/sdk/vpaid/Utils/Utils.java

RULE ID	BEHAVIOUR	LABEL	FILES
00004	Get filename and put it to JSON object	file collection	com/alphagaming/mediation/http/EasyUtils.java com/anythink/core/common/d/t.java com/anythink/expressad/foundation/g/f/h/b.java com/apm/insight/a.java com/apm/insight/entity/b.java com/apm/insight/k/d.java com/apm/insight/k/e.java com/apm/insight/l/f.java com/apm/insight/l/m.java com/apm/insight/nativecrash/NativeCrashCollector.java com/apm/insight/runtime/q.java com/bytedance/sdk/openadsdk/Uq/gMJ.java com/bytedance/sdk/openadsdk/core/settings/Mp.java com/bytedance/sdk/openadsdk/core/settings/gMJ.java com/ironsource/sdk/Utils/IronSourceStorageUtils.java com/lenovo/anyshare/content/webshare/WebShareActivity.java com/mbridge/msdk/foundation/tools/m0.java com/pgl/ssdk/a0.java com/sharead/biz/extratil/DeviceUtilsImpl.java com/sharemob/display/infos/a.java com/trustdecision/android/ll1i1lii111111ii/i1lilil11ii1/ii111ii11ili11iilli.java com/trustdecision/android/ll1i1lii111111ii/ll111iiil1li11111/i1lilil1li.java com/unity3d/services/core/api/Cache.java com/unity3d/services/core/api/DeviceInfo.java com/unity3d/services/core/configuration/Configuration.java com/unity3d/services/core/device/Device.java com/ushareit/blockxlibrary/util/DeviceUtil.java com/ushareit/downloader/web/Utils/JsCallApi.java
00065	Get the country code of the SIM card provider	collection	com/sharead/lib/util/CommonUtils.java com/tapjoy/internal/u0.java com/ushareit/ccm/Utils/Utils.java sg/bigo/ads/common/aa/b.java
00016	Get location info of the device and put it to JSON object	location collection	io/appmetrica/analytics/impl/O1.java net/pubnative/lite/sdk/mraid/MRAIDView.java

RULE ID	BEHAVIOUR	LABEL	FILES
00132	Query The ISO country code	telephony collection	com/tapjoy/TapjoyConnectCore.java com/tapjoy/internal/u0.java com/ushareit/base/core/net/NetUtils.java com/yandex/mobile/ads/impl/lu1.java sg/bigo/ads/common/aa/b.java
00015	Put buffer stream (data) to JSON object	file	com/tapjoy/TapjoyUtil.java com/tramini/plugin/a/e/a.java
00014	Read file into a stream and put it into a JSON object	file	com/alphagaming/mediation/http/EasyUtils.java com/amazon/device/ads/DtbDebugProperties.java com/apm/insight/l/a.java com/apm/insight/l/f.java com/mbridge/msdk/foundation/tools/m0.java com/mbridge/msdk/foundation/tools/t0.java com/mbridge/msdk/tracker/network/toolbox/i.java com/sharead/biz/extrautil/DeviceUtilsImpl.java com/tapjoy/TapjoyUtil.java com/unity3d/services/core/device/Device.java com/unity3d/services/core/misc/Utilities.java com/ushareit/blockxlibrary/util/DeviceUtil.java com/ushareit/login/CLSZAdmin.java
00012	Read data and put it into a buffer stream	file	com/anythink/core/common/res/a.java com/bumptechnology/glide/integration/webp/WebpBitmapFactory.java com/my/target/v1.java com/tapjoy/TapjoyUtil.java com/trustdecision/android/bugly/l1l111i111l/lll111lll1.java com/yandex/mobile/ads/impl/mw.java
00162	Create InetAddress object and connecting to it	socket	com/anythink/core/common/m/d/a/c.java com/anythink/core/common/n/b/a/g/b.java com/anythink/core/common/n/b/a/g/c.java com/mbridge/msdk/thrid/okhttp/internal/platform/b.java com/mbridge/msdk/thrid/okhttp/internal/platform/g.java com/ushareit/base/core/net/NetUtils.java com/yandex/mobile/ads/impl/hq1.java com/yandex/mobile/ads/impl/ra.java com/yandex/mobile/ads/impl/w61.java

RULE ID	BEHAVIOUR	LABEL	FILES
00034	Query the current data network type	collection network	com/adexchange/internal/net/Utils/NetworkStatus.java com/anythink/core/common/v/m.java com/anythink/expressad/advanced/a/d.java com/anythink/expressad/foundation/h/n.java com/apm/insight/l/k.java com/bykv/vk/openvk/preload/geckox/Utils/e.java com/bytedance/sdk/openadsdk/mediation/IXF/VE.java com/mbridge/msdk/advanced/common/NetWorkStateReceiver.java com/mbridge/msdk/foundation/tools/k0.java com/sharead/base/network/Utils/NetworkStatus.java com/startapp/sdk/internal/pd.java com/ushareit/base/core/net/NetUtils.java com/ushareit/base/core/net/NetworkStatus.java
00130	Get the current WIFI information	wifi collection	com/adexchange/internal/net/Utils/NetworkStatus.java com/my/target/y1.java com/my/tracker/obfuscated/e0.java com/sharead/base/network/Utils/NetworkStatus.java com/sharead/biz/extratil/DeviceUtilsImpl.java com/ushareit/base/core/net/NetUtils.java com/ushareit/base/core/net/NetworkStatus.java
00192	Get messages in the SMS inbox	sms	com/reader/office/FileUtils.java io/appmetrica/analytics/impl/C2355qc.java io/appmetrica/analytics/impl/S9.java
00125	Check if the given file path exist	file	com/amazon/device/ads/DTBAdUtil.java com/lenovo/anyshare/content/webshare/WebShareActivity.java com/lenovo/anyshare/pc/PCCContentIMActivity.java com/reader/office/officereader/OfficeReaderActivity.java com/salva/b.java com/unity3d/services/core/cache/CacheThreadHandler.java com/ushareit/cleanit/widget/ApkInfoCustomDialogFragment.java com/vungle/ads/internal/task/CleanupJob.java
00104	Check if the given path is directory	file	com/amazon/device/ads/DTBAdUtil.java com/lenovo/anyshare/content/webshare/WebShareActivity.java com/lenovo/anyshare/pc/PCCContentIMActivity.java
00039	Start a web server	control network	fi/iki/elonen/NanoHTTPD.java

RULE ID	BEHAVIOUR	LABEL	FILES
00078	Get the network operator name	collection telephony	com/amazon/device/ads/DtbDeviceData.java com/apm/insight/entity/Header.java com/my/target/t1.java com/my/tracker/obfuscated/b0.java com/startapp/sdk/internal/kh.java com/tapjoy/TapjoyConnectCore.java com/vungle/ads/internal/platform/AndroidPlatform.java com/yandex/mobile/ads/impl/m40.java net/pubnative/lite/sdk/DeviceInfo.java
00085	Get the ISO country code and put it into JSON	collection telephony	com/unity3d/services/core/device/Device.java
00035	Query the list of the installed packages	reflection	com/ushareit/applock/a.java com/ushareit/tools/core/Utils/PackageUtils.java
00091	Retrieve data from broadcast	collection	com/fyber/inneractive/sdk/activities/FyberReportAdActivity.java com/ironsource/sdk/controller/UrlActivity.java com/lenovo/anyshare/content/webshare/WebShareActivity.java com/lenovo/anyshare/pc/PCCContentIMActivity.java com/my/tracker/campaign/CampaignReceiver.java com/ushareit/notify/ongoing/ForegroundService.java com/vungle/ads/internal/ui/AdActivity.java
00153	Send binary data over HTTP	http	com/anythink/expressad/foundation/g/f/e/b.java com/apm/insight/k/e.java com/ironsource/rg.java com/mbridge/msdk/tracker/network/toolbox/h.java com/yandex/mobile/ads/impl/db0.java net/pubnative/lite/sdk/network/PNHHttpClient.java
00134	Get the current WiFi IP address	wifi collection	com/adexchange/internal/net/Utils/NetworkStatus.java com/my/target/y1.java com/sharead/base/network/Utils/NetworkStatus.java com/ushareit/base/core/net/NetworkStatus.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	com/reader/office/FileUtils.java io/appmetrica/analytics/impl/CallableC2382s6.java

RULE ID	BEHAVIOUR	LABEL	FILES
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	com/bumptech/glide/load/data/mediastore/ThumbFetcher.java com/reader/office/FileUtils.java com/trustdecision/android/II1i1Iii1I111I11ii/i1IiI111ii1/III1I11IiIIII.java io/appmetrica/analytics/impl/CallableC2382s6.java
00112	Get the date of the calendar event	collection calendar	com/fasterxml/jackson/databind/util/StdDateFormat.java
00024	Write file after Base64 decoding	reflection file	com/bytedance/ad sdk/JBd/PA.java com/unity3d/services/core/api/Cache.java com/ushareit/hybrid/a.java
00064	Monitor incoming call status	control	com/ushareit/applock/core/LockReceiver.java
00114	Create a secure socket connection to the proxy address	network command	com/yandex/mobile/ads/impl/nb1.java
00075	Get location of the device	collection location	com/sharead/base/location/provider/b.java
00115	Get last known location of the device	collection location	com/amazon/device/ads/DtbGeoLocation.java com/my/target/y1.java com/my/tracker/obfuscated/b1.java com/sharead/base/location/provider/b.java
00001	Initialize bitmap object and compress data (e.g. JPEG) into bitmap object	camera	com/bytedance/sdk/component/utils/YK.java com/fyber/inneractive/sdk/util/W.java
00033	Query the IMEI number	collection	com/sharead/lib/util/IMSUtils.java
00067	Query the IMSI number	collection	com/sharead/lib/util/IMSUtils.java
00079	Hide the current app's icon	evasion	io/appmetrica/analytics/coreutils/internal/services/SafePackageManager.java
00121	Create a directory	file command	com/salva/b.java
00189	Get the content of a SMS message	sms	com/reader/office/FileUtils.java com/trustdecision/android/II1i1Iii1I111I11ii/i1IiI111ii1/III1I11IiIIII.java

RULE ID	BEHAVIOUR	LABEL	FILES
00188	Get the address of a SMS message	sms	com/reader/office/FileUtils.java com/trustdecision/android/II1i1lii1111111ii/i1liil11ii1/iil1III111liIIII.java
00200	Query data from the contact list	collection contact	com/reader/office/FileUtils.java com/trustdecision/android/II1i1lii1111111ii/i1liil11ii1/iil1III111liIIII.java
00187	Query a URI and check the result	collection sms callog calendar	com/trustdecision/android/II1i1lii1111111ii/i1liil11ii1/iil1III111liIIII.java
00201	Query data from the call log	collection callog	com/reader/office/FileUtils.java com/trustdecision/android/II1i1lii1111111ii/i1liil11ii1/iil1III111liIIII.java
00003	Put the compressed bitmap data into JSON object	camera	com/reader/office/officereader/OfficeReaderActivity.java
00042	Query WiFi BSSID and scan results	collection wifi	com/my/target/y1.java com/my/tracker/obfuscated/e0.java
00137	Get last known location of the device	location collection	com/amazon/device/ads/DtbGeoLocation.java com/my/target/y1.java
00139	Get the current WiFi id	collection wifi	com/my/target/y1.java com/my/tracker/obfuscated/e0.java
00202	Make a phone call	control	com/adexchange/internal/mraid/MraidNativeCommandHandler.java sg/bigo/ads/core/mraid/h.java
00203	Put a phone number into an intent	control	com/adexchange/internal/mraid/MraidNativeCommandHandler.java sg/bigo/ads/core/mraid/h.java
00062	Query WiFi information and WiFi Mac Address	wifi collection	com/sharead/biz/extratil/DeviceUtilsImpl.java
00116	Get the current WiFi MAC address and put it into JSON	wifi collection	com/sharead/biz/extratil/DeviceUtilsImpl.java
00076	Get the current WiFi information and put it into JSON	collection wifi	com/sharead/biz/extratil/DeviceUtilsImpl.java

RULE ID	BEHAVIOUR	LABEL	FILES
00082	Get the current WiFi MAC address	collection wifi	com/sharead/biz/extrautil/DeviceUtilsImpl.java

🚫 ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	15/25	android.permission.ACCESS_NETWORK_STATE, android.permission.ACCESS_WIFI_STATE, android.permission.INTERNET, android.permission.SYSTEM_ALERT_WINDOW, android.permission.VIBRATE, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.WAKE_LOCK, android.permission.WRITE_SETTINGS, android.permission.READ_CONTACTS, android.permission.ACCESS_COARSE_LOCATION, android.permission.ACCESS_FINE_LOCATION, android.permission.REQUEST_INSTALL_PACKAGES, android.permission.SET_WALLPAPER, android.permission.READ_EXTERNAL_STORAGE, android.permission.CAMERA
Other Common Permissions	12/44	android.permission.BLUETOOTH, android.permission.BLUETOOTH_ADMIN, android.permission.CHANGE_NETWORK_STATE, android.permission.CHANGE_WIFI_STATE, android.permission.MODIFY_AUDIO_SETTINGS, com.android.launcher.permission.INSTALL_SHORTCUT, android.permission.PACKAGE_USAGE_STATS, android.permission.READ_CALENDAR, android.permission.FOREGROUND_SERVICE, com.google.android.gms.permission.AD_ID, com.google.android.c2dm.permission.RECEIVE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
app.adjust.cn	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou

DOMAIN	COUNTRY/REGION
www.baidu.com	IP: 103.235.46.102 Country: Hong Kong Region: Hong Kong City: Hong Kong
tieba.baidu.com	IP: 45.113.194.211 Country: China Region: Beijing City: Beijing
cdn.imoolu.top	IP: 156.254.174.11 Country: Hong Kong Region: Hong Kong City: Hong Kong
pitk.unioneeu.com	IP: 47.236.143.98 Country: Hong Kong Region: Hong Kong City: Hong Kong
weibo.com	IP: 36.51.224.123 Country: China Region: Beijing City: Beijing
da.mosspf.net	IP: 47.236.128.96 Country: Hong Kong Region: Hong Kong City: Hong Kong
webrtc.liveplay.myqcloud.com	IP: 117.69.73.11 Country: China Region: Anhui City: Suzhou
bugly.tongdun.net	IP: 47.110.45.123 Country: China Region: Zhejiang City: Hangzhou

DOMAIN	COUNTRY/REGION
ireport.innotechx.com	IP: 82.157.73.133 Country: China Region: Beijing City: Beijing
plutus-track.lacunads.com	IP: 164.52.109.71 Country: Hong Kong Region: Hong Kong City: Hong Kong

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
invalid.url	ok	No Geolocation information available.
adxtk.mosspf.net	ok	No Geolocation information available.
developer.android.com	ok	IP: 142.250.74.14 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
soundcloud.com	ok	IP: 52.84.150.39 Country: Germany Region: Rheinland-Pfalz City: Isenburg Latitude: 50.483330 Longitude: 7.600000 View: Google Map

DOMAIN	STATUS	GEOLOCATION
sf16-fe-tos-sg.i18n-pglstatp.com	ok	IP: 2.16.56.203 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: London Latitude: 51.508530 Longitude: -0.125740 View: Google Map
www.hitvideo.com	ok	IP: 50.16.218.27 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
o-sdk.mediation.unity3d.com	ok	IP: 65.9.46.97 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
dsp.pubnative.net	ok	IP: 35.214.253.238 Country: Netherlands Region: Groningen City: Groningen Latitude: 53.219170 Longitude: 6.566670 View: Google Map
www.sec.co.kr	ok	IP: 112.106.187.200 Country: Korea (Republic of) Region: Seoul-teukbyeolsi City: Seoul Latitude: 37.568260 Longitude: 126.977829 View: Google Map

DOMAIN	STATUS	GEOLOCATION
midas-api.hellay.net	ok	IP: 166.117.38.89 Country: United States of America Region: California City: Cupertino Latitude: 37.316605 Longitude: -122.046486 View: Google Map
got.pubnative.net	ok	IP: 34.3.88.28 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map
www.dbunit.org	ok	IP: 74.220.199.51 Country: United States of America Region: Utah City: Provo Latitude: 40.213909 Longitude: -111.634071 View: Google Map
www.facebook.com	ok	IP: 31.13.72.36 Country: Sweden Region: Stockholms lan City: Stockholm Latitude: 59.332581 Longitude: 18.064899 View: Google Map
127.0.0.1	ok	IP: 127.0.0.1 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map

DOMAIN	STATUS	GEOLOCATION
app.tr.adjust.com	ok	IP: 195.244.54.6 Country: Turkey Region: Izmir City: Izmir Latitude: 38.412731 Longitude: 27.138380 View: Google Map
www.pangleglobal.com	ok	IP: 2.19.183.58 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map
www.w3.org	ok	IP: 104.18.23.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
api.mosspf.net	ok	IP: 3.64.98.76 Country: Germany Region: Hessen City: Frankfurt am Main Latitude: 50.115520 Longitude: 8.684170 View: Google Map
test.midas-access.ads.sg1.api	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
gdpr.adjust.net.in	ok	IP: 185.151.204.33 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
ws.tapjoyads.com	ok	IP: 65.9.62.57 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
pubnative-assets.s3.amazonaws.com	ok	IP: 52.217.37.84 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
midas-api-test.hellay.net	ok	IP: 65.9.46.8 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
backend.europe-west4gcp0.pubnative.net	ok	IP: 35.214.227.252 Country: Netherlands Region: Groningen City: Groningen Latitude: 53.219170 Longitude: 6.566670 View: Google Map

DOMAIN	STATUS	GEOLOCATION
cdn.ushareit.com	ok	IP: 23.73.4.217 Country: United States of America Region: Georgia City: Tucker Latitude: 33.854549 Longitude: -84.217140 View: Google Map
example.com	ok	IP: 104.20.23.154 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
o-crash.mediation.unity3d.com	ok	IP: 3.164.240.74 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
api.beta.sdklogger.publishers.advertising.a2z.com	ok	No Geolocation information available.
ssdk-sg.pangle.io	ok	IP: 23.73.2.143 Country: United States of America Region: Georgia City: Tucker Latitude: 33.854549 Longitude: -84.217140 View: Google Map

DOMAIN	STATUS	GEOLOCATION
plutus-track-test.lacunads.com	ok	IP: 148.153.55.29 Country: United States of America Region: Texas City: Plano Latitude: 33.073502 Longitude: -96.804398 View: Google Map
logs.ads.vungle.com	ok	IP: 34.203.69.34 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
pc.ushareit.com	ok	IP: 159.138.103.42 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
ssapi.mosspf.net	ok	IP: 47.84.33.50 Country: United States of America Region: California City: San Mateo Latitude: 37.547424 Longitude: -122.330589 View: Google Map
www.example.com	ok	IP: 172.66.147.243 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
ap-adcs-test.rqmob.com	ok	IP: 172.27.186.122 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
gdpr.us.adjust.com	ok	IP: 185.151.204.70 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
www.amazon.com	ok	IP: 13.249.10.125 Country: France Region: Ile-de-France City: Paris Latitude: 48.853409 Longitude: 2.348800 View: Google Map
adx.mosspf.net	ok	IP: 8.209.106.83 Country: Germany Region: Hessen City: Frankfurt am Main Latitude: 50.115520 Longitude: 8.684170 View: Google Map
anyhdmovie.com	ok	IP: 188.114.96.1 Country: Spain Region: Madrid, Comunidad de City: Madrid Latitude: 40.416500 Longitude: -3.702560 View: Google Map

DOMAIN	STATUS	GEOLOCATION
p16-sign-sg.tiktokcdn.com	ok	IP: 2.16.56.198 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: London Latitude: 51.508530 Longitude: -0.125740 View: Google Map
ads.com	ok	IP: 65.9.46.112 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
apps.rustore.ru	ok	IP: 95.163.61.56 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map
api.mediation.alphagaming.ir	ok	No Geolocation information available.
www.bing.com	ok	IP: 184.51.252.18 Country: United States of America Region: Texas City: San Antonio Latitude: 29.424120 Longitude: -98.493629 View: Google Map

DOMAIN	STATUS	GEOLOCATION
scar.unityads.unity3d.com	ok	IP: 34.128.182.103 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map
apache.org	ok	IP: 151.101.2.132 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
appgallery.huawei.com	ok	IP: 80.158.46.225 Country: Germany Region: Schleswig-Holstein City: Kiel Latitude: 54.321331 Longitude: 10.134890 View: Google Map
events.ads.vungle.com	ok	IP: 52.70.127.80 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
tubidy.mobi	ok	IP: 188.114.97.1 Country: Spain Region: Madrid, Comunidad de City: Madrid Latitude: 40.416500 Longitude: -3.702560 View: Google Map

DOMAIN	STATUS	GEOLOCATION
app.adjust.cn	ok	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
www.supersonicads.com	ok	No Geolocation information available.
placements.tapjoy.com	ok	IP: 13.249.8.87 Country: France Region: Ile-de-France City: Paris Latitude: 48.853409 Longitude: 2.348800 View: Google Map
ap-adcs.rqmob.com	ok	IP: 54.179.3.166 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
android.googleusercontent.com	ok	IP: 108.177.15.82 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
subscription.adjust.com	ok	IP: 185.151.204.52 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
verve.com	ok	IP: 141.193.213.20 Country: United States of America Region: Texas City: Austin Latitude: 30.271158 Longitude: -97.741699 View: Google Map
api.rqmob.com	ok	IP: 54.179.19.29 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
subscription.eu.adjust.com	ok	IP: 185.151.204.60 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
www.baidu.com	ok	IP: 103.235.46.102 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map

DOMAIN	STATUS	GEOLOCATION
sf16-scmcdn-sg.ibytedtos.com	ok	IP: 184.51.252.136 Country: United States of America Region: Texas City: San Antonio Latitude: 29.424120 Longitude: -98.493629 View: Google Map
web.wshareit.com	ok	IP: 13.249.8.78 Country: France Region: Ile-de-France City: Paris Latitude: 48.853409 Longitude: 2.348800 View: Google Map
i-sdk.mediation.unity3d.com	ok	IP: 13.249.8.92 Country: France Region: Ile-de-France City: Paris Latitude: 48.853409 Longitude: 2.348800 View: Google Map
djpunjab.fm	ok	IP: 188.114.96.1 Country: Spain Region: Madrid, Comunidad de City: Madrid Latitude: 40.416500 Longitude: -3.702560 View: Google Map
mediation-sg.pangle.io	ok	IP: 71.18.222.1 Country: United States of America Region: Massachusetts City: Burlington Latitude: 42.508480 Longitude: -71.201134 View: Google Map

DOMAIN	STATUS	GEOLOCATION
xml.org	ok	IP: 188.114.97.1 Country: Spain Region: Madrid, Comunidad de City: Madrid Latitude: 40.416500 Longitude: -3.702560 View: Google Map
feedback.verve.com	ok	IP: 34.96.66.255 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
subscription.adjust.net.in	ok	IP: 185.151.204.34 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
plutus.lacunads.com	ok	IP: 148.153.117.4 Country: United States of America Region: Texas City: Plano Latitude: 33.073502 Longitude: -96.804398 View: Google Map
appmetrica.io	ok	IP: 213.180.204.242 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map

DOMAIN	STATUS	GEOLOCATION
ns.adobe.com	ok	No Geolocation information available.
ad.mail.ru	ok	IP: 95.163.41.56 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map
issues.apache.org	ok	IP: 168.119.33.54 Country: Germany Region: Bayern City: Gunzenhausen Latitude: 48.323330 Longitude: 11.601220 View: Google Map
se.qazwsxedd.com	ok	IP: 47.254.182.168 Country: Germany Region: Hessen City: Frankfurt am Main Latitude: 50.115520 Longitude: 8.684170 View: Google Map
vs.wshareit.com	ok	IP: 23.73.4.219 Country: United States of America Region: Georgia City: Tucker Latitude: 33.854549 Longitude: -84.217140 View: Google Map

DOMAIN	STATUS	GEOLOCATION
h5.wshareit.com	ok	IP: 65.9.46.67 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
tieba.baidu.com	ok	IP: 45.113.194.211 Country: China Region: Beijing City: Beijing Latitude: 39.907501 Longitude: 116.397232 View: Google Map
gamma.cm.publishers.advertising.a2z.com	ok	IP: 18.236.26.28 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map
gdpr.tr.adjust.com	ok	IP: 195.244.54.7 Country: Turkey Region: Izmir City: Izmir Latitude: 38.412731 Longitude: 27.138380 View: Google Map
www.whatsapp.com	ok	IP: 31.13.72.52 Country: Sweden Region: Stockholms lan City: Stockholm Latitude: 59.332581 Longitude: 18.064899 View: Google Map

DOMAIN	STATUS	GEOLOCATION
prod.tahoe-analytics.publishers.advertising.a2z.com	ok	IP: 44.235.227.220 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map
adx.ads.vungle.com	ok	IP: 44.208.72.250 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
shareit.hpyfeds.com	ok	IP: 23.73.4.198 Country: United States of America Region: Georgia City: Tucker Latitude: 33.854549 Longitude: -84.217140 View: Google Map
log-mva.isnssdk.com	ok	IP: 2.19.183.15 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map
gdpr.eu.adjust.com	ok	IP: 185.151.204.60 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map

DOMAIN	STATUS	GEOLOCATION
app.adjust.net.in	ok	IP: 185.151.204.31 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
exoplayer.dev	ok	IP: 185.199.108.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
xmlpull.org	ok	IP: 185.199.108.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
mobile.yandexadexchange.net	ok	IP: 213.180.193.198 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map
ad-host-backup-america.s3.us-west-1.amazonaws.com	ok	IP: 16.15.0.95 Country: United States of America Region: California City: Palo Alto Latitude: 37.409912 Longitude: -122.160400 View: Google Map

DOMAIN	STATUS	GEOLOCATION
cdn.imoolu.top	ok	IP: 156.254.174.11 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
jmdns.org	ok	IP: 152.53.68.18 Country: United States of America Region: North Carolina City: Durham Latitude: 35.994701 Longitude: -78.896202 View: Google Map
pitk.unioneu.com	ok	IP: 47.236.143.98 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
ad-host-backup-europe.s3.eu-central-1.amazonaws.com	ok	IP: 3.5.138.99 Country: Germany Region: Hessen City: Frankfurt am Main Latitude: 50.115520 Longitude: 8.684170 View: Google Map
x.com	ok	IP: 172.66.0.227 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
app.eu.adjust.com	ok	IP: 185.151.204.60 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
weibo.com	ok	IP: 36.51.224.123 Country: China Region: Beijing City: Beijing Latitude: 39.907501 Longitude: 116.397232 View: Google Map
0.0.0.0	ok	IP: 0.0.0.0 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
da.mosspf.net	ok	IP: 47.236.128.96 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
log.sgsnssdk.com	ok	IP: 23.73.2.135 Country: United States of America Region: Georgia City: Tucker Latitude: 33.854549 Longitude: -84.217140 View: Google Map

DOMAIN	STATUS	GEOLOCATION
webrtc.liveplay.myqcloud.com	ok	IP: 117.69.73.11 Country: China Region: Anhui City: Suzhou Latitude: 33.636108 Longitude: 116.978889 View: Google Map
whatwg.org	ok	IP: 165.227.248.76 Country: United States of America Region: New Jersey City: Clifton Latitude: 40.858429 Longitude: -74.163757 View: Google Map
subscription.us.adjust.com	ok	IP: 185.151.204.70 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
web.shareitlite.com	ok	IP: 3.164.240.53 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
subscription.adjust.world	ok	IP: 185.151.204.44 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map

DOMAIN	STATUS	GEOLOCATION
aomedia.org	ok	IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
schemas.microsoft.com	ok	IP: 150.171.109.197 Country: United States of America Region: Washington City: Redmond Latitude: 47.682899 Longitude: -122.120903 View: Google Map
static.rqmob.com	ok	IP: 23.73.4.207 Country: United States of America Region: Georgia City: Tucker Latitude: 33.854549 Longitude: -84.217140 View: Google Map
mock-dsp.pubnative.net	ok	No Geolocation information available.
github.com	ok	IP: 4.225.11.194 Country: United States of America Region: Louisiana City: Monroe Latitude: 32.548328 Longitude: -92.045235 View: Google Map

DOMAIN	STATUS	GEOLOCATION
o-ext.mediation.unity3d.com	ok	IP: 65.9.46.82 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
img.toponad.com	ok	IP: 108.157.214.106 Country: United States of America Region: Washington City: Redmond Latitude: 47.682899 Longitude: -122.120903 View: Google Map
app.us.adjust.com	ok	IP: 185.151.204.70 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
sf19-static.i18n-pglstatp.com	ok	IP: 199.232.42.73 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
tk.mosspf.net	ok	IP: 47.84.46.27 Country: United States of America Region: California City: San Mateo Latitude: 37.547424 Longitude: -122.330589 View: Google Map

DOMAIN	STATUS	GEOLOCATION
gdpr.adjust.com	ok	IP: 185.151.204.51 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
gdpr.adjust.world	ok	IP: 185.151.204.40 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
info.startappservice.com	ok	IP: 199.232.215.52 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
mraid.bigo.sg	ok	No Geolocation information available.
bugly.tongdun.net	ok	IP: 47.110.45.123 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map

DOMAIN	STATUS	GEOLOCATION
d2to8y50b3n6dq.cloudfront.net	ok	IP: 65.9.46.7 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
developer.apple.com	ok	IP: 17.253.39.138 Country: Sweden Region: Stockholms lan City: Stockholm Latitude: 59.332581 Longitude: 18.064899 View: Google Map
www.startapp.com	ok	IP: 18.185.24.46 Country: Germany Region: Hessen City: Frankfurt am Main Latitude: 50.115520 Longitude: 8.684170 View: Google Map
play.google.com	ok	IP: 216.58.201.206 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
drive.google.com	ok	IP: 142.251.142.238 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
market.android.com	ok	IP: 216.58.201.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.adsbigo.com	ok	No Geolocation information available.
startup.mobile.yandex.net	ok	IP: 213.180.204.244 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map
init-mp.fyber.com	ok	IP: 34.49.219.143 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map
dev.tapjoy.comfor	ok	No Geolocation information available.
log.byteoversea.com	ok	IP: 23.73.4.13 Country: United States of America Region: Georgia City: Tucker Latitude: 33.854549 Longitude: -84.217140 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api16-access-sg.pangle.io	ok	IP: 71.18.222.1 Country: United States of America Region: Massachusetts City: Burlington Latitude: 42.508480 Longitude: -71.201134 View: Google Map
ireport.innotechx.com	ok	IP: 82.157.73.133 Country: China Region: Beijing City: Beijing Latitude: 39.907501 Longitude: 116.397232 View: Google Map
ssdk-v.a.pangle.io	ok	IP: 2.16.56.196 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: London Latitude: 51.508530 Longitude: -0.125740 View: Google Map
subscription.tr.adjust.com	ok	IP: 195.244.54.44 Country: Turkey Region: Izmir City: Izmir Latitude: 38.412731 Longitude: 27.138380 View: Google Map
geoip.api.p3insight.de	ok	IP: 78.47.106.64 Country: Germany Region: Sachsen City: Falkenstein Latitude: 50.477879 Longitude: 12.371290 View: Google Map

DOMAIN	STATUS	GEOLOCATION
ad-host-backup-asia.s3.ap-southeast-1.amazonaws.com	ok	IP: 3.5.147.102 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
sf16-static.i18n-pglstatp.com	ok	IP: 213.155.157.91 Country: Sweden Region: Stockholms lan City: Stockholm Latitude: 59.332581 Longitude: 18.064899 View: Google Map
gdl.news-cdn.site	ok	IP: 167.148.163.212 Country: United States of America Region: Georgia City: Atlanta Latitude: 33.753601 Longitude: -84.390144 View: Google Map
img.mosspf.net	ok	IP: 65.9.46.42 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
www.fyber.com	ok	IP: 151.101.131.52 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api16-endcard-pack-sg.pangle.io	ok	IP: 2.19.183.39 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map
game-api.gamerplay.bio	ok	IP: 103.224.212.217 Country: Australia Region: Victoria City: Beaumaris Latitude: -37.982201 Longitude: 145.038940 View: Google Map
c.amazon-adsystem.com	ok	IP: 3.164.244.230 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
vimeo.com	ok	IP: 162.159.128.61 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
tvfplay.com	ok	IP: 3.164.240.40 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
gateway.unityads.unity3d.com	ok	IP: 34.149.76.49 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map
javax.xml.xmlconstants	ok	No Geolocation information available.
support.start.io	ok	IP: 216.198.53.11 Country: United States of America Region: California City: San Francisco Latitude: 37.773968 Longitude: -122.410446 View: Google Map
www.instagram.com	ok	IP: 31.13.72.174 Country: Sweden Region: Stockholms lan City: Stockholm Latitude: 59.332581 Longitude: 18.064899 View: Google Map
gist.github.com	ok	IP: 4.225.11.194 Country: United States of America Region: Louisiana City: Monroe Latitude: 32.548328 Longitude: -92.045235 View: Google Map

DOMAIN	STATUS	GEOLOCATION
tech.tapjoy.com	ok	IP: 184.72.189.41 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
pubnative.net	ok	IP: 141.193.213.21 Country: United States of America Region: Texas City: Austin Latitude: 30.271158 Longitude: -97.741699 View: Google Map
config.ads.vungle.com	ok	IP: 52.4.69.48 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
appgallery.cloud.huawei.com	ok	IP: 164.30.12.207 Country: Germany Region: Nordrhein-Westfalen City: Bielefeld Latitude: 52.007084 Longitude: 8.545701 View: Google Map
backapi.rustore.ru	ok	IP: 95.163.61.56 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map

DOMAIN	STATUS	GEOLOCATION
app.adjust.com	ok	IP: 185.151.204.12 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
dev.tapjoy.com	ok	IP: 184.72.189.41 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
www.dailymotion.com	ok	IP: 188.65.124.90 Country: France Region: Ile-de-France City: Paris Latitude: 48.853409 Longitude: 2.348800 View: Google Map
cdn.pubnative.net	ok	IP: 34.160.139.64 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map
prod.cm.publishers.advertising.a2z.com	ok	IP: 16.148.181.246 Country: United States of America Region: California City: Palo Alto Latitude: 37.409912 Longitude: -122.160400 View: Google Map

DOMAIN	STATUS	GEOLOCATION
aa.unioneeu.com	ok	IP: 54.254.116.250 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
midas-api-stress.hellay.net	ok	No Geolocation information available.
api.pubnative.net	ok	IP: 34.3.88.28 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map
s.adtmonetize.com	ok	IP: 104.18.55.40 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map
connect.tapjoy.com	ok	IP: 44.194.244.120 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map

DOMAIN	STATUS	GEOLOCATION
cdn2.inner-active.mobi	ok	IP: 151.101.67.52 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
my.com	ok	No Geolocation information available.
yandex.ru	ok	IP: 5.255.255.77 Country: Russian Federation Region: Moskva City: Moscow Latitude: 55.752220 Longitude: 37.615559 View: Google Map
target.my.com	ok	IP: 89.221.236.19 Country: Russian Federation Region: Stavropol'skiy kray City: Stavropol' Latitude: 45.042801 Longitude: 41.973400 View: Google Map
plutus-track.lacunads.com	ok	IP: 164.52.109.71 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map

DOMAIN	STATUS	GEOLOCATION
app.adjust.world	ok	IP: 185.151.204.43 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
plutus-test.lacunads.com	ok	IP: 10.71.0.21 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map

EMAILS

EMAIL	FILE
dfs@efuq.44uxup59	com/ushareit/net/rmframework/client/a.java
feedback_android@ushareit.com	com/lenovo/anyshare/help/HelpMainActivity.java
git@code.byted	lib/arm64-v8a/libpglarmor.so
git@code.byted	lib/armeabi-v7a/libpglarmor.so
git@code.byted	apktool_out/lib/arm64-v8a/libpglarmor.so
git@code.byted	apktool_out/lib/armeabi-v7a/libpglarmor.so

TRACKERS

TRACKER	CATEGORIES	URL
Adjust	Analytics	https://reports.exodus-privacy.eu.org/trackers/52
Amazon Advertisement		https://reports.exodus-privacy.eu.org/trackers/92
AppMonet		https://reports.exodus-privacy.eu.org/trackers/163
Facebook Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/66
Facebook Login	Identification	https://reports.exodus-privacy.eu.org/trackers/67
Fyber	Advertisement	https://reports.exodus-privacy.eu.org/trackers/104
Google AdMob	Advertisement	https://reports.exodus-privacy.eu.org/trackers/312
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49
IAB Open Measurement	Advertisement, Identification	https://reports.exodus-privacy.eu.org/trackers/328
Mintegral	Advertisement, Analytics	https://reports.exodus-privacy.eu.org/trackers/200
OpenTelemetry (OpenCensus, OpenTracing)	Analytics	https://reports.exodus-privacy.eu.org/trackers/412
Pangle	Advertisement	https://reports.exodus-privacy.eu.org/trackers/363
PubNative	Advertisement	https://reports.exodus-privacy.eu.org/trackers/183
Startapp	Advertisement, Analytics	https://reports.exodus-privacy.eu.org/trackers/195
Tapjoy		https://reports.exodus-privacy.eu.org/trackers/199
Unity3d Ads	Advertisement	https://reports.exodus-privacy.eu.org/trackers/121
Yandex Ad	Advertisement	https://reports.exodus-privacy.eu.org/trackers/124
ironSource	Analytics	https://reports.exodus-privacy.eu.org/trackers/146

TRACKER	CATEGORIES	URL
myTarget	Advertisement	https://reports.exodus-privacy.eu.org/trackers/198
myTracker		https://reports.exodus-privacy.eu.org/trackers/175

HARDCODED SECRETS

POSSIBLE SECRETS
19252b6a6626233f342f246364383e2d3c3234754e043e090f2c29352c253e
9a04f079-9840-4286-ab92-e65be0885f95
nImxpa2VfbnVtljoiMGsiLCJuYW1lIjoiRklgV2F0Y2giLCJyZXN0cmVkljoiMCIsInN0YXR1
70505e1f02494b4358465c465a5d1c104c4152595b5e4e5b06064c
bgmCpR2qxtNFoqHDyZscfH8xQ3rfIwKLaE2h2bII28LBURt7fUJbFeHbpApnCidab2
4a342c486634233e3e7f2d571f2e666530382e343e25226d246d24243e001d3e3f041c273e25223e77246b2a31706d223877612423286d60212e232a2269
5d2f0f464c0319564b051a1b060c474b05051f
79081d170c0b4a470608494b1516130c57570d1a0707406d0711061c1d0e15000c
164d5e6869585e5f5e544448587462
10a7db23-6deb-4e74-b276-f3c19906a212
vonQy5cWXdxYLCx4uxNf1XXQTpejn1gceaijiM2gXmi9STZ1fFwqq42kl3svMmjwLHDVsB1Pudcleywe
3b7b6763642e72672c662f2c713928767e7a772d276c76

POSSIBLE SECRETS
eyJhbGciOiJSUzI1NiIsIng1YyI6WyJNSUIDNIRDQ0FkRUNBU293RFFZSktvWklodmNOQVFFTEJRQXdEekVOTUFzR0ExVUVBd3dFVW05dmREQWVGdzB4TkRFeE1UZ3hOalUwTUROYUZ3MHP0REV4TVRNeE5qVTBNRE5hTudZeEN6QUpcZ05WQkFZVEFsVIRNUk13RVFZRFRZRUUIEQXBWVvd4cFptOXlibWxoTVJZd0ZBWURWUUVFIREExTmlzVnVkR0ZwYmlCV2FXVjNNUIF3RWdZRFZRUUtEQXRIYjI5bmJHVWdTVzVqTGPvFVU1CSUdBmVVFQXd3TFptOXZMbUpoY2k1amlyMHdnZ0VpTUEwR0NTcUdTSWlZRFFQkFRVUFBNEICRhdBd2dnRUtBb0lCQVFDekZW50pPa3FUbXI5ak1IV0JPckxkcFltYzBFY3ZHM01vaGFWK1VKclZySTJTRHlrWThZV1NrVet6OUJLbUY4SFAvR2pQUERzMzE4NENlajliMVdleXZWQjhSajNndUgzb0wrc0pUM3U5Vjj5NHP5bzV4TzZGV01CWUVRNIg4RGtHbFI0VHA1dGhIWWJScihORUx1bDRsRitMdEhUQ2FBQU5STWtPbDBORW9MYTZCUmhPRzY4Z0ZmSUF4eDVsVDhSRUU5dXR2UHV5K3JDYUJlbnZIT1BmOHBUmEXtdmNIQmlqU0IGb1MzWTVjcmpQVmp5aVBBWlVIV25IVEZBaWxmSG5wTEJsR3hwQ3lsZVBRaE1LclBjZ3ZEb0Q5bmQwTEE2eFIMRjdEUfHYU2E4RkxPK2ZQVjhDTkpDQXNGdXE5UmxmMIR0M1NqTHR XUll1aDVMdWN0UDd0BZ01CQUFFd0RRWUPLb1pjaHZjTjtkFRRUxCUUF EZ2dFQkFFc01BQlpsKzhSbGswaHFCa3RzRHVycmk0bkYvMDdDbINCZS96VWJUaVloTXByN1ZSSURsSExvZTVsc2xMaWxmWHp2YXltY01GZUgxdUJ4TndoZjdJTzdXdkI3UWVVSFNWK3JleU55Z1RUaWVPMEpUOEh3KzRTQ29oSEfKTXZENXVXRduM0x2K1c0eTdPaGFTYnpSaFZDVkNuRkxWS2ljQmF5VWhldGRKWEpJQ29rUjQraC9XTk03ZzBpS1RoYWtaT3lmYjhoMXBoeTdUTVRWbFBG53JjVkrVnW05K0dodFBDNFBOakdMb2s2ci9qeDIDSU9DYXBJcWk4ZlhmRU94S3ZpbFIQVlxZmpXdmh4MDBqdUVVQkhycENROHdUNFRBK0xsSTAYy1J6NXJ4VzRGUUF6MU5kb0c5SFpEWldhK05ORIRaZEFtdFdQSk1MZCs4TDhzbDQ9IiwTUlJQzhUQ0NBZG1nQXdjQkFnSUpBTU5jMTVlckd5bGtNQTBHQ1Nxr1NjYjNEUUVcQ3dVQU1BOHhEVEFMQmdOVkBTU1CRkp2YjNRd0hoY05NVFF4TVRFNE1UWTF0REF6V2hjTk16UXhNNEV6TVRZMU5EQXpXakFQTVEwd0N3WURWUUVFEREFsU2lyOTBNSUICSWpBTkja3Foa2IHOXcwQkFRRUZBQU9DQVE4QU1JSUJdZ0tDQVFFQXplVU5jNGJTV0hoT1RVKzVNU5S9sT21talFXcGZCaStGSnV4dm9IT21Rd2k2ZnJQ50tZyUtLWUdmQ1RQbEtFMGRtckVQOTVibmkvcUw1eEFwUDE3b3JqVWU2S1J0SkF3Rk5JNUVaYWRJZmpiaC9xKzg1QzFDcDJCUzJZbXVaUXpYWkhQNjN5eUJwMDVZY2JNS3dDQkhYYUFnWWJtVFRKzQrMXBqTnBIUDZZaUYyZ0NQdINmem9rR3loYnZCcW5QYm5UZEK5dzZmak5CWUFici91Qk9UVTB2SzRrdHpsV2s1bHZzbTUxZTh2c0xTcVdob0hBRHEwQXJpQVWVsVTRTSHNTQU NrUVRU3hXVjBLNWh6VHY0ZWN2Q2JHOWRza2IEQ3dXZyt1VFJtb0FGZVpPaE9OTDAwMHE3mV5M0RaVGNMbDgvTzROUVZhWlI1aUfNvldsV2Nzd0IEQVFBQm8xQXdUakFkQmdOVkhRNEVGZ1Fvc2ltbEISRGNKUjBvZlI3b004S3dIRk9IK3Njd0h3WURWUjBqQkjd0ZvQVZaW1sSVJEY0pSMG9mUjdvTThLd0hGT0grc0I3REFZRfZSMFRCQV3QXdfQi96QU5CZ2taGtpRzl3MEJBUXNGQUFPQ0FRRUFXUWw4U21iUW9CVjN0ak9KOHpNbGNOMHhPUHBTU05ieDBnN0VML2RRZ0pwZXQwTWNXNjSSGxnUUFPS2JTM1BSZW8ybnNSQI9aUnlZRHU0aTEzWkhaOGJNc0dPRVM0QlFweJezXRtWGc5UmhZWHFMMGVeWWZCY2pqdGxydVvIeGhuQUxwNFZOMXpWZHIXQVBDajBldTNNeHBnTVdjeW41MFFtaUpTai9FcXUvbExodmUvd0t2akc1V2huVjh1UktSdUZRmN0MERIQUhNblpxRkhjR1M1U28wY1luU2ZLNWZiQlJOZWxHxMxocGjiUHAwVjBhWGlxaw5xRDBZTTPYVpkRnErMnjQMw9DL2E1L091NExzcFkzYjVvRDlyRU5keTdicTBLZXdQRnRnUHZVa0pySjNUemJpd3ZwZ2haN3pHmJzibko1STd1YzR5MVZ1anFhT0E9PSjdfQ
706d716a6d6d635241f778725e506165696463
3b514d494e04584d005a5f46581a17564c444e5c560d0d465c
106d684f4a6568666b6a60415f7b686b7f
K8GEBKnLvE9ILfjGB5b9krvxjFIaigM9H8Mu/ozNfRc=
O7dTaosv0c98XilhUFEWofLAfV9wmaJKNefG
7b24383c3b712d3874357b732e66772921252872783329637637322e253e3573617f
8b46bd5e50eee8e2abd7bf88f9d84675
bGFzdF9hcHBfdXNhZ2VfcmVjb3JkX3RpbWU=
a2n41TCMLzdx1k+jmk6VSoUKhQllk0kyTZPa2tolgFBta2sj0zQpmUxSoVCgSqUi0ijM3TRzv+F2
K2a+LQQlksADvAX8TrbP6OgodXV1s0YbFBcXk5WVZfQl+EHgOSGEpdm6bLunLIR4AfizkT79/f1U

POSSIBLE SECRETS
1urAb8BJN4LSuujQ33YMnMJ2ERdfN+ew9MD6lp+hVNPkm+6EjVNGMhDv1QhVYcWD
T01YLMjyb2FkY29tLnZpZGVvX2RIY29kZXIudHVubmVs
bc99961bfd2e1a0887c591487
6347406a707a66514c4c607d5a5078744b56405a5a46194b
7257545b5150544e7e6b554052434a46
qVy1S3GZ9+f6FFC31TUnbavXTKbKjAeTCotInIfZI+M=
76535a3d105c4f4655544c08024740050454
nPIMagQmW6RSJqnTQ57SbpssxbOxlap7X2C6yeu+I3U=
ddb7b3e5-58f8-434a-b578-286553824699
df6b721c8b4d3b6eb44c861d4415007e5a35fc95
1e141a5b540f03585a1d13547b260a3035353f02090f0c1f1a1e
0050612922677d6f747175272f606d6c676a7b716a6d22387168646d2823766d3823713e2d6b7e7d7b3e387061292d7d6c3c3f6b797f6a6b33602571382f6e616c733f256b6b714f5271704b5368716a6d222d6366282b6e7d5a42616e6445417b555e667b6123602d6366282e6b6f65717b29387061292d7e667b616776716d6d766a3f2f6e616c626f6e64273e7b7d6d6b707133602571382f6e616c733f2b6e7d5a42616e6445417b343877232b6e7d38387061292e62616e6465617b
uVyuBbaN5nl5LsdQm63e2tpaC2BGXVtbU3+LyBPkSSQSLWA5NZFIqBssssK7TLK0tNQC1KEuLS3x
Qdls9qt3WV9fdx0sYowYbogGnymB0214txF8XUIQP/Mbxa0IME3T20RTIur04mDnOvB1I8FVM79R
a5c71f6aff54eb34c826d952c285eaf0650b4259c83ae598962681a6429b63f6
47021010180f485f1e040c06141e45450e145e5f035949071401120e0c
yT4KGzcC65MPp9Pf1enEk4YWm2MYsvbuEp9vsprm2Y6nQ6hH0kSZ91

POSSIBLE SECRETS
q1e5ePEilyMjIj6vx+MhOzub1atX4/f7WbhwIR6Px6rhHxVCnJwVBaiq+3eBwIDGGRwcpLm5mZqa
001f2e66733230302f2b32323471602f39383925287a6a3970662b3e272e762f733f2a2731356660282e252b686a3e776225252b2463
3687a3f25cd9da5937f7cc7abadb2dd5
aHR0cHM6Ly9hcHBjbGljay10ZXN0LnJxbW9iLmNvbS9jbGllbnQvdWk/dj0xjmRIYnVnPTE=
237e70313e656932316c603d2c6361617e312c697e7b7d7e7a
y6mUcqA9oFlejBWUqjg0YLoTLBpbG5HeopMMkwYSE+ZexfnLa7y65Bpn5p8ZNJaeCcxPpLxcpEM
7b170b0f08421e0b400a43401d55441a12161b414b001a
6a1618594e15065d501b0905101c16170d0c0d1e05101c517d173b0905101c1617373d000b0d0e1d181c
753c2d2d060e2004092d212c2b
958e50f7b9d59762856c515ec7b726ab
167261464b7d61504d7c7663
7937397874363e30383838747822237978322f657e37292f282d
0BA+n4958+ZZ8uLCGR3oxfmhSH19PTU1NYYnSFtbG+vXrychIUEvIviDqqrDehpAscP2j0sgEOD8
57555b1a035f5e5f5e49585f5343435f5819145b485d4e5250545c52153152577b485d4e52507b7b5459777a5b51
1a477d6f747175273e7b78687c7a6b382a6b6469656d
775d5a501418565b504c094d4d414f
235a5f434853581f0b40424a514f554f5354153c57445e5e40474d4d
6d0318011a1d2d2e100e04

POSSIBLE SECRETS
5da9f7f50b71430e8d80ba98ee3aa600
7f5d5b5e6869585c505d5a
445274697a6b72696e3b75
KOCGqZted00a0dk068m7G34Azbu0LK5AIfL
Vm14YVIWWXIUWGRPV0U1cFvtMVNWbGxYZUdGVk1WSIhWVzVPVjFKdGVlaFZiWGhyWVZVeGMxZHjiRnBXVjFKb1ZqQmFZVTvzV25GWApiR1JYVFRKb1VWZFdVa2RqTVZwMFZWaHdWZ3BpUmxwdlZGUKjIRTVzV25KWGJHUIhZbFpHTTFSVmFITIhaM0JPVFD4S1VWWkdXbUZaCIYxWnpWbGhzYTFJelVrOVVWM2hYVGxaU1YyRkZUbWhWV0VKVIZXeFNVMDVHWkZobFJ6bHFDazFyTVRWVmJYaHZWVEpLV1ZWdVVszFcKYkVZeIzERldUMkpzUWxWTlJYTkxDZz09Cg==
28723b7b69772763753c216f756f796c6d2c27612e7e6a71276375
4d557f61243e716b63697b7124397d6521266962
646668293170616770372b757f61606b7975606c2125626762280b557f61404b7975606c46476b6170776565667d4b5c7d6e75606c
IDrl0sjZLeWWEInwvut43Ay7Axlp2pTaXn2oaM8jvl0NhNssbT33nT6i0EIPq048RCGilD1YroPusHrtHePLYNgEYhMJ2VcOgOcDsllbiqvrChioeqag1
2342475b504b400713585a5249574d574b4c0d224f4d4b5b4d41455342425b414a58585c
+PDhWQ1+cXGxzIme28EvEkJYEipZei0lqAk+QqcS6WTP6uri0KFDM1aedqbE7/dTUlJiNPfCEeBp
764d5955427e6f5c5b686d5753455e4245757e4f4b474a4d
TLM2gV0KtdP1sptDD35A6CijoGcUXKKA
24TXNMTDBaAzn5CK8jaBHbdd5F5T5cx5PjcfCDdE1kPEHkUDz31l94wiWIAwAA3Lxgc4L9ahrrovYYuqmgd8jp4HoNfeXU
lMau95FQqpq8fhfNamGLINGhxDWnNG9wV2K4
4f7233362a213a316b505b2b633e2135333935777825203d
7833214b5d31365a482c3f2751520632373a303e

POSSIBLE SECRETS

ZE1XbmhiZXILcjBKSXZMTk94M0JGa0V1bWw5Mlk1ZmpTcUdUN1I4cFpWY2lQSEFzdEM0VWhhNlFEdzFnb3orLw==

ad3edab9cf95aac68d9cf83f8ac135be

014e4001184445444552434448585844430200475d51494954421f0f561b0d535b0538524a675d5149495442

[illegible]

POSSIBLE SECRETS
2b2869737b716369323f7f
367b0f387c6420226c6c763f386d7d6b6d7d6b
0e594a7d7c405b5c5c52686e494343
167f6c4f577e73684c40717b6e
rWHUkPIs0ncdEX6ZuVYS5TI2DdYPSyjEyyXmnfjTXnow6llqTHOapF29h64LOYJpDGjDeYBSI3hiyhTV3jbGtEiagQry9QPumGw0rE0oArRA7wypVkrSvySoysLq6l0adj
6f646b767d7c7e524f7571677c6067
CdyqJ8Bws7+sVCqex9q99gmCAn5NGfoYDjOv/24zfVXfHchc87PZLBmG4fnYMRwQxZiPfv1u5CBj
0a342539202f27303823246b6c3f766b3e3c25
9990c0892d5aed521aa9f5d59d9cd40e
330a071c170d1c4813064a0b46461d110d0e49410b070d1c1b1b0b50400b070d1c1b1b0b
4957687c7a707c3031747c786d
771d2c6474263f6d62232e21203a7563266464293c252c742d713d2825333764733622223673753a6e753d2c6468263b30233432343c27206f652a2d3739292a3b34343c272061
vyPJQ44Cs+DiV597MU4yHYF5mAH0rpjmfjE+rEowUe0=
Tj6B20aRnrWK1a0njw4kcN0q1iKB9GbROph9HZcD182iLQJlbRevezcuVR1Dke3ipV0YITu272Wt
nliwidXJsMil6lmh0dHBzOi8vd3d3Lmluc3RhZ3JhbS5jb20vIn0seyJjYXRfaWQiOilxMSIsImNh
nOilwliwidXJsMil6lmh0dHBzOi8vd3d3LnRlZC5jb20vIn1dfV0sImxhc3R1cGRhdGV0aW1lIjoi
6e666829267d712a286f6126095478424747d707b7d7e6d686c
LjJtX1la2jsPqj3tSODKQle2nXQUCxjVFn7SJmksldTV

POSSIBLE SECRETS
4557f7de8510bb6d85b63053fabe9d1c
610e524b0c0c0a52520f4e4b000412091512
3b25241a081a242f0819053324
nLmNvbS9jaGFubmVsL1VDRkZid252ZTN5RjYyLXRWWGtUeUhxZyJ9LHsiaWQiOiJHb2xkbWluZXNU
W3siaWQiOiJ0c2VyaWVzliwibmFtZSI6InRzZXJpZXMiLCJpY29uX3VyYbCI6Imh0dHA6Ly9hay1j
y+WyMrl3snyColFfU4Yikn4Q0YSKDqCOJPDl4XPhCE7Y7gBkxf+DthyoNPM5zgVilVxcqnit5PN5
n2GbRpjii69WfMS0C4fChYGljMsTdN1bWYo72y3fYDoExx
nX3VyYbCI6iisImlzX25ldyl6ljEiLCJqdW1wX3dhcm4iOiJAsImxpa2VfbnVtIjoiMGsiLCJuYW1l
23173d0802000002122b331010191d083e25181614160e041e
4871062b3426916d91876442f5a50865
634b416e76405453515b61764153095d59
077b312667776e223575706c677c77302c7265666c7b300c5265666c7b5c4a61777978
f009d291790f7ef2df50c5b702b36445
1500121e0b07363a1b1939310d1c16
073d7760213128647333362a213a31766a3423202a3d767b3b213b29313c352b
040d03073b3c0c030d1a12090e
85J7Wr+LLVwpDfypFtzN1eoOiAfuTMa63SuSJgN9bwE=
4c6137373a2c357f74343c273a61

POSSIBLE SECRETS
MRnsFh7al+oC8kg1+amaEJulrxjLkR8/37mSauK2nHU=
T01YLmdvb2dsZS5yYXcuZGVjb2Rlcg==
CeZkbOYbAL9ICPG1me+JNvuAqqpeVRSIC3hURhMY9Qlms+zcudPljezfCyHeN/td0aE8qKqqX+tt
PhIDwEQiiPYqB7xYu7fucCLBYNYy54VvETU9sNBxf3suJNuuUZiz4JF6r0nWM
1612012a3b0113080d0932370a01070417121606
3d71282f6e646d6a7b38256c287f
70213d2621212f1e0d33343e121c2d2925282f
hhR2Rq8uZs63dxXf7FfsAerSaju4QaCafx9nky0phZr1iUNkcmXYXFRndJlaf0fVrjM07PNeGrgqR1GjB6S4PQUFgAB5noLziRBQ3lRYqlzcg
sb5Fx8zDDvZv7r7NKdDKfanKphnAFBfG6A8MA4N
B3EEABB8EE11C2BE770B684D95219ECB
5c56706c76747929397868683c3b7a757830
6169797854507d627379697f
16180b3e3807050f0d1c17
027e794c4a7f7b77647a5c4a6568666b6a6054567574425f7b686b7f
yo4Anl5HYhoV2EsbpvhPGv0ZIHdCUEOv2Gre1uIL5QmSqEaPxW/DTBG1l9mfjeJL
m0cf2QgbCialOMzaRrQmob8zDbaxMp1b5PWY2lNaiD65jrx
Y29tLnVzaGFyZWl0LnVwZ3JhZGUubG9jYWxzdg9yYWdldXBncmFkZS5YVXBncmFkZU1hbmFnZXI=
bccqvUs3RMjOBTdPuel6eoo1OORNarRtBblKylDpHq0HGT1WNkAWOy/ZgRmKdjVf

POSSIBLE SECRETS
79505e1f1f545d5154494d5219064d555549445b5d4b0b266d555549445b5d4b687053535a5e4b6b61
L2RhdGEvbG9jYWwvdG1wL2FkanVzdC5wcmVpbnN0YWxs
61382829352c1c013f3b32
tgLRb4bjuZVA8xvQ9uHNs8UtpBIOiUcagzvtKyyfCofk5U5sNb54GgVvYxa6p4A1ObdJv1jjlUOnzR8keX5LsAM4la7xeqiFh0GER4l0uIVChy
6a4d111c474c55581a084347514a565110114f504f4d4d52
18604d4607105f0c05444b464a42
PKstEsY3MHF1xh8NQ2RV5QUZY36cX3nqV59oEjfnzM
02u7bNkyEhMTuXLlivT4Q0NDhkKiSjaioileeOAB2eaZQgjDKjPazlOpqvqjoiingF/rtU1LSzOs
3b4c5054531945500c441a1b460e1f41494d401a105b41
0qqYQS2tulwwCwOI0NW46SI44PjvymxaalesxqXdSGVWA0JdTMCFSdaxCK4cswiB0NWM3XSVStQ2
36864200e0eaf5284d884a0e77d31646
4ojetgQb/Y59Pjr7lbeafcGYDxHvfpafA9Rbn6itXdRWE8lFXfqRmO2fZ8PRFmG19TQTpbW0Px80ZczywiDAQAB
3b252719081a242f0819053324
1e242a6b643f33686a2d23644b163a0005050f32393f3c2f2a2e
001816574e121312130415121e0e0e1215545b1b1e020912195e4a05161c1e12161d110e1313495d4a145c5c4a14025c145c02025c4a025c5c3a1b08
446e602138646564657263646878786463222d6d68747f646f282d737b78786c6b22187267737b78586c6b
nImIzX25ldyl6ljEiLCJqdW1wX3dhcm4iOjAsImxpa2VfbnVtljoiMGsILCJuYW1lIjoiSW5zdGFn
24TXNMtDBaAzn5CK8jaBHbdd5F5T5cx5PJcfCDdE1kPEHkUDz31ggiX3mlAwAA2fdiT2XVU10CM

POSSIBLE SECRETS
4d14080c0b411d08451f1a031d5f521309010b191348480319
5762531b0e4f4d584455490c1d5c515e5f450a1c591b1b56435a530b520e42575a4c481b0c495d5d490c0a45110a42531b1759444f5c4b4d4b43585f101a555248465655444b4b43585f1e
083c2024236935206b21686b367e6f31393d306a602b31
217c7233397870787b793b3f7f7a666d767d3a2e726d696f7d7167712d396465382e65676f746a706a7671300c6774756b68646667746f7a7666
3b6f6e5042506e68425e4f796e
6a30696e2f252c2b3a79642d693e
106c69757e656e29227f3e1e496964726b5e417e7c7674657e6f75
MIGfMA0GCSqGSib3DQEBAQUAA4GNADCBiQKBgQCv2mDDXjjzMX+AwRNaP9IicoT0
0b21100b1e0c49550d18090b0711
752e3f3f141c32161b3f333e39
ea3675dc15a100811262ba8814c2c919
6a2e7770313b323524677a337720
5565d94385a8f628de9015d9d0aa64fb
0781feb2-bf4b-4ff8-be68-9149e288a420
T01YLMjyb2FkY29tLnZpZGVvX2RIY29kZXludHVubmVsLnNlY3VyZQ==
JysSWO36hQklplz/m1YPVVVpbW0IHNL50kjvb6+I0UFqaiqiYma5sBNDp+M5tP6b0VRXldVdXRc
B92825C2BD5D6D6D1E7F39EECD17843B7D9016F611136B75441BC6F4D3F00F05
3b0b1713145e02174d11495c014958060e0a075d571c06

POSSIBLE SECRETS
c0987f892f86b36440d95f546f25e8da
775d4e6971525d577672481d45
7d7c6f5958696f6e6f657579694553
cm8uYXBwc2ZseWVyLnByZWluc3RhbGwucGF0aA==
5ZhnDDnMgPWQoMEvXaCc9HE5KAMHa55USzRqF3hdVy8OHOWX2U0GPnSkskhi7evk3erYqUz8DwOe8N5Nxe1cEP
635754514e4c577a68584c7c6d4046505c4c
10707e3f267a7b7a7b6c7d7a7666667a7d3c3373766a617a7136216771757c3e1477705a7e7766
db476ba2eaaec665ea750210cb75290dfc7f905d
GE32CYxGB7NRdu/eLevwvdhGzyuhfj8VqWKfQ+d6+bgsX76cffv2yVxcmHUSFxfHvn37Zjd4Cb7z
71616f2e376b6a6b6a7d6c6b6777776b6c2d2262677b706b6027347362626d6a65642c24336d2525336d7b256d257b7b25337b252543657c
smVSh5sfVRTlnKqqV8NGgODyrtRqzblz5zh27NgcqgaloaGBxMRE0tLSZjr/WIGUv6mqavjIWZQJ
7roDYTsCK7nTtmLH6eB1dXVpTQKRZv+qjW1iYsLRczFWIHWwEMA26uc24ieLBLJ9Apkz3w34HBHC
653b3029242d3b7e65367f6237352c
2a2f7f74272a6b6424396e6838297b7f
483a34757b3a36352a27337c7c3725293c303a3b21303336292b306c513b1725293c301a1b1f1a3939303421
zjhT7qghLWaTsmehrEh6ljKTMRAYPpUw83GleS8cyos=
NNWwE8Afdww9Hg+bN282mlxpVoE/7rgHAgG9tDPJMXoRgJOuZY07hoAjSTDu8M2EzZ8OO52UM2ke
zY7Wxkw9EcVKEacee12r38ZNfP2mT1xj

POSSIBLE SECRETS
char=6HhWfeDjetnxESEcThlBQtEUo0O8YHcXyHqCgN7b2hY
0d72676d7671303d7c7233367d6c7d65612e316f657b777d3a116f657b61667d6b7c6667746f7a76
1yQIAviNJPjw4YNj8HO5HCv4Maklx0S0zOq0OSXByspKYMCvaWdnJz18+JDu3r3L/b8cZyjL0mvO
6a0d11153e3a0c15192b210b10
MIYb9CG69SALRMUmAxC1VOK0XloVtNAMbHKZy8z1vOXv0ueJqEx
4308064748070c09155f471d13494b150418070c0a03
RdaYDPwi18VqjrLwBXqw8ntQhmB3eXAvEdb
f872b65fa7c62f509e6a0fb8a9b34515
6f4b44595253517d605a5e48534f48
PsKQ5ABtXRswHb2kyr2ODevtMhhvnfNDjZNAwpz
L2V0Yy9wcmVfaW5zdGFsbC5hcHBzZmx5ZXI=
Y29tLnVzaGFyZWl0LmFsaXZlKkFQUF9JTINUQUxMX0NMSUNLX0FDVEIPTg==
10505e5e484b5d45596572
7b75696d6a207c69226821227f37267870747923296278
nbmVsL1VDcEVobnFMMHk0MUvVwzjUdldBSEQ3USJ9LHsiaWQiOij6ZWVtdXNpY2NvbXBhbniLCJu
0b77726e657e753237697826175a6f65676765754c5477777e7a6f44576d65676b
7b16130f041f1453430810100c011e180e4e7a07231d202810100c011e180e2d3516161f1b0e
nYWdfc2hvdyl6ljAiLCJ1cmwyljoiaHR0cHM6Ly9tLnldXR1YmUuY29tLyJ9LHsiY2F0X2lkIjoi

POSSIBLE SECRETS
M1o94uLiLEvy7DS1H25zYOeycWZmJnFxcXrNztxBACHEj4BmBsi8vDxXqf1QkzO40TGUwOhaEOs7
754e4b575c474c0b0e50411f2e63565c5e5e5c4c6c7d5b564544
T01YLnF0a55hdWRpby5kZWNvZGVyLmZsYWWM=
3FoCjgOkThEE+JnISFcm+LqQoNnMF20JGI+Sf5bu+FWrVVfn+azgq04CHvBFkCAajblmIfS7lcCi
ncmFtliwicmVzdHJpY3RlZCI6IjAiLCJzdGF0dXMiOiIyIiwidGFnljoiliwidGFnX3Nob3ciOilw
1652416d774d57455d505951646152585a565246
bjDZSHpaUZQyVwV/IIUbsvKuXoNAIEBZWVIL23btm1kZ2cDsG7dOgoLC41umjhCoqKiKCwsZN26
532a24656b2a26253a37236c6c2735392c202a2b31202326393b20
gszFq2PwDrd6x1KoIOVnCYEhoysOePTJCrM2UUbkiLiMv6ySCYxMyRGj8
j0UNWfk9uEtVk2Ox2Lb4gR0L29sQ9ocXhkTddv8GkBYebjSQCKtdDQnCruGUPF3ZDnSTqlqfa4H3VF2mueUI1o68CULEq52lCwLX
307078082476617c7c3d6f6437
55725f5415024d1e1756595458501b
T01YLmxnZS5hbGFjLmRIY29kZXI=
dh0qmal1AgnMzk8mQlueQ5GTkxMRM1/vJI8dt5LDncwyjycHj0d3p78FgvkBFVudVRRIPTDtlluP
7d06153e2f15071c191d203b111317111f19
oNAQJdnhYijdFzFPMnLNSwejeJwwnmbyrNyLAZJrLwtuD3ZA7LW6lWd4dTQ6Qs3OCQ9901mQ4lQUC
71030d4c55090809081f0e09051515090e4f40000519120902455219041213125346510f4747510f19470f4719194751194747210312
563902574c0a4554150b1e1e040a44571e070b5c19

POSSIBLE SECRETS
077f352263736a26317174686378733428766162687f34397963796b737e7769
0a65797d5d447d71736378
ZHluYW1pY19hcHBfaW5zdGFsbF9zdGF0dXM=
4bbf1443db3d8c73c1ea8a55225d4fcf
QURfRG93bmxxvYWRJbnN0YWxsQXBrU3RhdHVz
A7tv2KK9l23pi5gqrDhkhgrz6cV3BFoHJTUga5l7vx4=
13000e4f511e00120a1705454303061a110a0146460d1f13060a00011b1a1b0813060a476b012d1f13060a20213b3a1b0813060a
1B1C150216535B02131B5A0A1F060311060A045C060619024B1B4C50050149134E
3b3f2327206a36236a373024357d7938222a20323863632832
0212153f250f323f031f202613171b0816302609040a07060c
3b040638293b05032935241210
fd71964ced204df586b63b9d8fa3198a
c5d7e9b42937e38e6ae770cbd69fb374
441e105148141514150213141808081413525d1d18040f141f585d030b08081c1b52680217030b08281c1b2e2504140b0a
1632210815373b644f0b283f3727
71eccabc9d74586c1e9e2cebedccb2b9
43323c7d723d36332f657d272973712f3e223d3630397e642f2839
59623e3c7b636338276c687e65797e3f3273747e4554627b77

POSSIBLE SECRETS
yjLAjM2HsRU/ScfvUSFEg16jaJmRVFX9VIGUjYBmCY9Vq1ZRVVUIU7pMmgRuA1+GBGbBj4uLo7S0
4655414d40470b1a5501074949535346434b5d510b2b4c45334b
ggyMimGcgIX1dP+eCc2eG2r/GzpvQNgutarsMV1JGh7vOdAlwvnhksZv1ggLA3MH
0e495a71605a4853565263675150514d407b7157
5ffc6848-5c04-42bc-a3ae-40e11c6f4d97
T01YLmFtbG9naWMuYXZjLmRIY29kZXluYXdlc29tZQ==
ZPwHDZuRa2sBzJQG0O7cVk1p5FVIlzYl8K
8a3c4b262d721acd49a4bf97d5213199c86fa2b9
70343922293322762d3874343a7b6027272179602326655f150c1a25212735392f655e15393322253737342f03157358363035
2b2b6a707872606a31317a60
T01YLmdvb2dsZS52b3JiaXMuzGVjb2Rlcg==
appk=8WKYk3LsWXIDKfaQDRPuHRD2J1p6qDAe
nImItcF91cmwiOiiliLCJpc19uZXciOilxliwianVtcF93YXJlJjowLCJsaWtlX251bSI6ljBrlwi
366967262a6a6f737863682f28747261707e78390248724543606579606972
eykjfjOhd45lhK8sCceucZcp7G2EkVoUhVubzSGBd
654d454d4e4c7f7b4d487e7f4e4a464b4c
7b74686c6b217d68347c697e36327369616b797328286379
7d0708151e1f1d312c1612041f0304

POSSIBLE SECRETS
Ekp0RbI3PBLt18BWOXEc7XoRTK5AtaFAMxN8zI27Me6AhmJ
647977362e6f7e786f28346a607e7f74666a7f733e3a7d787d37144a607e5f54666a7f735958747e6f687a7a7962544362716a7f73
eDMJ4hvbA2gMrgDEdDI8ppmzcviyVLx6SOoWvj3sqa5OwsZJVuFjwQrtFSIJKhYkCmRgGt8qWiMVzP4ugaVKrZyhXNW0QqfZi7HXydD2hngTPJII7nt4kwkUQ3V5jUvXCjo
300da76375ba86eab94f8a4cccffe6b7
ndGVnb3J5ljoIvG9wIFNpdGVzliwiY29kZSI6InRlZCIsImRlc2MiOiIiLCJpY29uljoiliwiaW1w
7b121c5d581302130b0f405f010b151913547918210b153913
4c1c1d11192b291a160f040109180d
9E701A455B8085F5A6B7486015A4D8C1
DkP3hrKuHoPMH+zwL+fALkK/WQc5x5zH+TcincKNNVfWNVJcVM==
631e02040a1f1b232f14222312161a1710
72717f3e326f7b7b203e636f32005b787d617475757667686e76407070171a70507058557075585a676c6a697a7f7b
bb3bd8baf9f44da81e970ac317154ff5
221b15544d111011100716111d0d0d11165758181d010a111a5d4906151f1d11151e120d10104a5e49175f5f4917015f175f01015f49015f5f39180b
97e634ad-483c-442e-9805-73b9e21f3f1e
720b0544481501015a441915487a2102071b0e0f0f0c1d12140c3a0a0a6d600a2a0a222f0a0f22201d161013000501
190c02434f0f0a161d060d4a4d111704151b1d5c672d17202605001c050c17
8ZUd91jAuCh1B6J8OwGAn1Fdy7OIKsnpw4Qve7Bar
7d51427469576d6544485b5e71684b5c5444

POSSIBLE SECRETS
SGrqoKjotUFKi0Pm8mPdGLEIFA6B5bcdqpg0gya/IIItzjxrSi23eKYMffqn0zLIM
6b620c054a59584907004f59585945480059
32121c5d44181918190e1f18140404181f5e51111408031813545c1d121c0b03181f5e57401e5656401e08561e5608085640085656300615
705e4d4c7266514e4842737342464a4740
0e584b7e6b5852505c58767d5253
1d414f0e0c5251544b10104a5d4040072a576a5d6040
50L9XkvOlwdLz51ApwDI5AWS48ePh70crVMllyeHoqliil2l5y4HCYHKPmSdAkARxwHFZEgDU1tZy
6b5a5b4e524c505b08094858580c094c4b5c464449504b4c030b4a4548444c
3b0b1713145e02174b035d5c014958060e0a075d571c06
a45fbbc9080fcf44c39baf1ca48dd865
6f05bd6d5d5fc426a77622fe61e237b2
0e5340756053595b57537d7659586d6b5f585e6477564147
pIMDOCiE+HhKbDQ6vWGVL9Df309lZSXnzp1jYGAglSc3QxMMDAxw7tw5Kisr6e/vt9L2T4vltEGj
nYSIsIm5hbWUiOiJzZXRpbmRpYSIsImljb25fdXJsIjoiaHR0cDovL2FrLWNkbi5zaHJrYXluY29t
IsSCCHw3ES07HZGDgwOan59XDvTrdH5+ng4ODtyQYJmluoMC/jgRnTsZhXw+76uJF7FE5PN5pyQ4
3b7b6763642e7267216a6571393d7c666e64767c27276c76
6b352f35273f320e03303a3834302404193d313c3b
322a737a-a0ca-44e0-bc85-649b1c7c1db6

POSSIBLE SECRETS
1a6c62232d6c60637c71652a2a61737f6a666c6d776665607f7d663a076d41737f6a664c4d494c6f6f666277
QURfRG93bmxxvYWRUcmFja1Jlc3VsdA==
673b3183fda07b075e1ddb2d2543ae54
12892d110486140e53e2476ab9b907a7
iVBORw0KGgoAAAANSUheUgAAAAgAAAANCAYAAACUwi84AAAAAXNSR0IArs4c6QAAAHIJREFUGBljZsAOBIHCu4FYC5u0GFDwAhD/B+IN6ApkgAl3oJlrgTQrsgJlIoc+VHlukGZCltQGcp5BJScCaUZkSWMg5w1UshlZAsa+A5XccRNApwwmaANKA7IYJQD6KG2Am4vUFTBHeclApQglJrHYBVYLiYhMQnwAAeiYfS1LRd+4AAAAASUVORK5CYII=
0e495a71605a485356526f745e5c585e5056
4d766a6e69237f6a216b22217c34257b73777a202a617b
nZXciOilxliwianVtcF93YXJluljowLCjsaWtlX251bSl6ljBrliwibmFtZSI6lkrRhaWx5bW90aW9u
6b020c4d531c0210081507474101041813080344440f1d11040802031918190a11040845642f1d11040822233938190a110408
1118041b263407061e2a320501
515e53484359481c47521e5e50111b5a525a595b191d5d58444f545f181b46471a1b464445564d585444
63262c031b2d393e3c360c1b2c3e643034
0b46435f544f44031248544c0b34734e404240585248
062d0c19051b070c5f5e1f0f0f5b5e1b1c0b11131e071c1b545c1d121f131b
Y29tLmFkanVzdC5wcmVpbmN0YWxs
p3n3i4W9Acj4iwPHqFGrHb63oBOw7XvF2oCO6ouffl8zid
114648091e45560d004b5955404c46475d5c5d4e55404c012d476b5955404c4647676d505b5d5e4d484c
4c2b2a262e1c1e2d213833363e2f3a

POSSIBLE SECRETS
bae8e37fc83441b16034566b
0e1102312a1519153b3f1b1631280b1c1404
G0Sw+AGyW8SoWKKt63LgtEWMb02iVG3OoKNj6LhJlEUCz9vEyQRfVOq2TpbAcZs4iwCeNorUpS2L
3e6a64253c606160617667606c7c7c60672629696c707b606b2c3f78696966616e6f272f38662e2e3866702e662e70702e38702e2e486e77
b191a221433a38d2600726ef7c592bf9
24TXNMTDBaAzn5CK8jaBHbdd5F5T5cx5PjcfCDdE1kPEHkUDz31u0g3E
GCeQvRWfhGGmkRc9YNDdVtQalvytyTaM1kHLquXtE2pr1lFRujvzKE2H9Yc5ZaEb4t6op1y7zQMBR7SDBKvt
6b5a405a48505d616c5f55575b5f4b6b76525e5354
161704322e1208132428191306
0a081d10060251460317170346400f5b400819515d130e05160107010912155a501f18020c1c1f0e010109121554
027275404673777b687657497e6778697c
c61acd97d0b7f6a8974b85e25ef24fe4
DFK/HrQgl+zQW+xUhoPBD+QqJk2MWrfXYN==
6631203c252a22353d26216e693a736e3b3920
3b05191d1a500c195f1450520f47560800040953591208
8RYBOll+iTdvkjcEOXmYCWBE7PPYfqjiDpF9RCYYvk13gghKwl0Ap+VBE7BZ4z4sUX9OEmwYfeL
5e44773224686b646e525b6b713e35607066607066
210806474d0c040c0f0d4f4b0b0e121902094e4d0e1a595a11131b001e041e0205446b011f1209

POSSIBLE SECRETS
4a2b25647d212021203726212d3d3d2126677d3721202a2e3038213a7b5d3721002a2e3038213a
NXPtv44zmdtGcAoKWfDQv5Buqj7K37WVaE+QdtFiH0c=
T01YLkV4eW5vcy5hdmMuZGVjLnNIY3VyZQ==
6412060a1d213003043732080c1a011d1a2a211014181512
6a212f6e7922316a672c3e32272b21203a3b3a2932272b664a200c3e32272b2120000a373c3a392a2f2b
1e18165758030f5456111f58772a063c3939330e050300131612
371816574e121312130415121e0e0e1215545b1b1e020912195e49021f090809485d4a145c5c4a14025c145c02025c4a025c5c3a1809
3c5312170b001b1056421f001412181457445a
1e613d306b60797436246f6b7d667a7d3c3d637c6361617e
nYW1lljoiemVlbXVzaWNjb21wYW55liwiaWNvbl91cmwiOjJodHRwOi8vYWstY2RuLnNocmthci5j
Xl4efr9f5sSOljwphDgarucOe45zIUQq8C5QGMo4g4ODNDc3U1NTM2Mmlicnhw0bNpCenm7F6uYj
064475796124266f617a797961332370392f667776677d382471736a262577382f62776e67
1614072c3d07150e0b0f293b1f03
28662f6a7e6533776128357b617b6d78793833753a6f7d63337761
F4D4bcqDLUCIDTW3l1w7nvd7lAfUNb04Qzp5b
xFbi3+W8aerwW3eqFbTnh9hURu39XqgquwTPQwngps2D/g9L7GAvki7gDJEB4z+M
646dafb829d5fe32bc19753b9cb02584
7d4754617d42444e63695f5e5f

POSSIBLE SECRETS
wZfELiNGzwQ4mQAz7Rg6GXxj7O6jYayWrmt8AKc4hk5z+Exil+5hrJDytNLd3e34uDvcjqETHt6T
73222c6d74282928293e2f28243434282f6e6121243833282364733523272e6c462522082c2534
XoBgl8IkR76HmjG2XglG3434A0CSPWqmPBPF5iKENqMbTr
nL2FrLWNkbi5zaHjrYXluY29tL3AvR29sZG1pbmVzVGVsZWZpbG1zLmpwZWciLCJ3ZWJfdXJsIjo
3b1423202a3d1a0c27313f3e7778372f
bDUybQPkBJlrBGPD9xT7UCZVaCHo5drclP60ITkl7nNhMoIWriest8pOMHhHcCSbuXpuh
46212f6e772b2a2b2a3d2c2b2737372b2c6d622273b302b2067613a3f26387a411a3f2638
7855472d3b57503c2e4a594137346054515c5658
b3cad2b0166cb435ea4e23c57b2cf833
19707e3f3373766a617a7136316d6b78696761201b516b5c5a797c6079706b
ed3zxYB0yjsBgAJHE5vTFZAxzly2s9cWFfoKNmjvuDeO6s9gJnFD0qOsjg9r6KtkX3WozNIHv5lcG05yt2DPaXdVAB
2e1b263d746a2f363b202c636f2e35746520272c69632632253021253236266f2b773b2e23353162753024243075733c68733b2a626e203d36253234323a212669632c2b313f2f2c3d32323a212667
ZsPRyaCayoAuaASC5VKrqo6A9bzt37E2zFwGyUWW9YQl2IxTVeACRKGf8
04282d29070b352f3528260108353e382b3822
007a4b0316575554a4e575751140757467d685a1f0f5c1511435b474f0d4a165a4f42545003054d4b404e0d0f5b120740404e4106
0709435415051c504707021e150e05425e0017141e09427e2017141e092e3813050b0a
SNwlvusF8zgXeKIDSjhbOcRw1y072NX5hGBoFnkopfMAwIVsejSNe7
017c4242465f5e09155043555b46

POSSIBLE SECRETS
YWRzX2luc3RhbGxlZF9zdGF0c19jb25maWc=
ndGVnb3JljoivG9wIFNpdGVzliwiY29kZSI6IllvdVR1YmUiLCJkZXNjljoiliwiaWNvbil6lils
713d33726b373637362130373b2b2b3730717e3e3b272c373c7b73323d33242c373071786f3179796f31277931792727796f2779791f293a
c56fb7d591ba6704df047fd98f535372fea00211
3d580106474d444352110c450156
3e66460f054a501f024c53524f450e024c4c56
6a6bbb04-ec9f-4995-81f5-c011d98cb861
yubKNAdzkL7Un7mwdkUaRkFydTG6qfLexoMTDpgO3nkTBNmoK8MB8L37qh63GDwUQyQEb7cmU8hLk80GFSajeTM2qw1YSxJMSs
7d594a61704a5843464273774140415d506b6147
07737b6c6974332b7c7c71677e350e6d7f57716164
47021010180f485f1e040c06141e45450e145e49071401120e0c
pmcdTJynZ5LI100Hkv9rrE2Lb1sPcAKs
1a48494f58536965484356574442534e58
0b7e787d7f7e5a50777379765e5f666b707c
7205071205033928181f15
YipBIE2h06G2HVyf1SsnFoF8MdCt
lUNbmOzVE8xd5tnjiuQiByvtZNOM
74525c1d17565e56555715115154484358531417544003115b490319535f55444351515249021959444f494251531c39567b4c4d4958434444595770736968495a415458

POSSIBLE SECRETS
aVf2gWDCZI4oBttQzDvhj9cXafWcF8
a0784d7a4716f3feb4f64e7f4b39bf04
4578253a2b6b7b312e2d6e6e256c2d66
f4h6cOizWQNAJX1qA45diekBjhtSeh5SjqPOQyzPR0S4L298G3vQCFOToUIAUaDV1zTf9Yb8M8rdv3B7nDJGIR
6a153a39303f2e6d7f3e313c303867
TqBTA2qvtKenh2efT9aYq9Hqly66jGyyPnm5XFbiLkJV1DRN1ghfTTap1t1DFbGSSTd53sLvG0IV
xTBCiz7mwWbT2ElknaFwcUPYMxbSU72UKilg77mFPQXKZi6w74JDzx9gTWkb1f8Fw
2c7f51181c555f531f145b410e1f474b405d5d
4a2e20617824252425322324283838242362783224252f2b353d243f7e583224052f2b353d243f
iCoK2vLes7sJlSTuxHWWX8ZlyUINPsJKAoCrqD94lvcXadlj7uCLn4WnhnQcgzVLO2m5g3yeonLgZ40luTveUuRT582tp5DDTmQcEGn6oMpxoMmfnTHP
6e38367778232f7476313f78570a261c1919132e252320333632
42282d3c273e38296965243e363c2e247f7f342e
3b495551561c40551c430b0f4e545c56444e15155e44
T01YLnFjb20uYXVkaW8uZGVjb2Rlci5hYWWM=
7d051630210e0727240b05121a0106
161f0c3b2e0b25341d080b0c
iVBORw0KGgoAAAANSUheUgAAABAAAAaCAYAAAC+aNwHAAAAAXNSR0IArs4c6QAAAPZJREFUOBFjYCAdWAG1PADiCUDMBMQkAReg6i9A/B+KZ5Ki2w+o+AeSZpAhF4g1IBKo8Dea5utAvjQxBqQCff1F03wOyBclRnMRmkaQs48CsQAxmuuxaN4DFOMmRnMPFs0bgWLshDSD4hUUNbBogtHLgGishDSDFCzFonkWUlxgggE5bQMWzX1AMYIAFCi7gRjmXBjdSFAnVMFOLjLidUM8hviRooALi80kGIqRYEls4iialQZQlFCghkConuBGBadMjQoplxsSD0WQ4jOTDCDcGVnfpGcYmiKChSYBdiKtGtASaKKNJghFBWqMEMoKtZhhqBULADcM3nkeaNxwAAAABJRu5ErkJggg==

POSSIBLE SECRETS
e3tpYWGBTk5OAgO+LBKcnJzQwsIC9fb2+ndtnEUAoRdHDg4OCiWBSIW6okhQA39wcND/iyNZrQBP
41424c0d0141445853484304035f594a5b5553
101c12534a161716170011161a0a0a1611505f1f1a060d161d5a4d0b1d19105257170a01074c6a001031030f1a163c3718193c321d101e131218
7d22310219262a26080c2825021b382f2737
5axedJrkMyd3wSufKFAGmYWoNfrkOsWm2X2ToCjB4GKKjhTafXEtt4H6u0z5BgA2XDC1AfXmkSNyapmNkBvGsvUzrgVeXZNGPADJag88wKu7LmgpXZnhA0Jt338dcQOgcEpilvP2Ne
4318165758171c19054f570d0359541f063c261615111a08434e050213
71515f1e075b5a5b5a4d5c5b5747475b5c1d1252574b405b5017014a595849455a5c561614035d1515035d4b155d154b4b15034b151573505f
481a145559191c000b101b5c511b5c51120b0a54713b22340b0f091b17012d320b0a
vFxu2UnlFqS55g3VzuQtts8GiQvHn66l6lbnpHBHeFOijf0sD0IOVHIZKKSRa9FBKxXbhaDysbXMWxJyj5WwzMWWhn7ILNmY96gMMXGo54WhcVpTTPewTeh5bPF6G21qMb4j4QcTSI38eyzmK0q5ai
03444a0c0f525e4945424a051a00170f02444a57474647465140525e4b470a1c5d
LeirU13NSI9JmurrDWeY35sfEhDzOOEKJzaKU4sS9b8F42H3
xEqLEqXTaTJNUzjYrGqajqXTaSqVSijlsBH47aMVMHEsZ2dnIMIkBaL+Qb6dRqLxSiTydDZ2ZlB
VxeHDh2iqamJ2SR+v5+SkhIWLxopNsR4GkrD6ZEWQh+XNDf8j2qa2tnTWzXksb3HfffUa6IAf9
VFRIHy5xm+TI5ZGfny9zkGOqUO8vdjyTrRfVhRCFQb/AkHR0dFBeXh4x6wZZWVkuFBToVfGcToqE
50101e5f410e10021a0715555313160a011a1156561d0f03161a10110b0a0b1803161a577b113d0f03161a30312b2a0b1803161a
751a372c273d2c6f4f1b3f23
601a19161c1d19033326180d1f0e070b
zOoVX2Lai0eKI0ACXWIOQBkgbKga4mGHZFfSxUxRVkVE6EzyBGtQy7cg7lq88oLgZMbk5Ygf6CsgGM48Q8RsfD8IKQ527g390x80fcnnaSBK0eQhq0n0n2W376OEEe

POSSIBLE SECRETS
08160a0e09431f0a561e40411c54451b13171a404a011b
T01YLkV4eW5vcy5BVkMuRGVjb2Rlci5zZWN1cmU=
nljoiMGsiLCJuYW1lIjoiRmFjZWJvb2siLCJyZXN0cmJldGVkljoiMCIslInN0YXR1cyI6IjliLCJ0
8eP1elmwYIFd1dNeBN4UQvTPFAaOKHMRNAuvYmDxyOVyEHgt3OresQSYRIQ04KUljJsJB4A0hRItT
bxwXOoEQUxH5XWh5SE6slt1AID2mR+aN5LSYX3ZGs5Q=
127e70313b7a727a797b393d7d78646f747f383b786c2f2c67656d766872687473321d7769647f
59411d1f5840401b07401b044f4b5d465a5d1c1c535054
EULEAsIAGnAPsBLICH5OB3yAF4gPdukHOoFWoBm4DnwLfBf83AJ0CCECKfauoilA7Ogg0PcDBcBT
775e4e626359505a43455e59
0058692134757777686c757573362575645f4a783d206562756f6d603022636c61246834786d60767221276f69626c2f6a39782b226b616d72372179757e633e
187d6521236d6d773e2c656d6d7071676b2e3d747776227f717575767677
eWzIsJF4PExQap9HK6Vlz8DGIgGwoiLCtyOEK0Bfu
072b617637273e726525203c372c27607c2235363c2b605c0235363c2b0c1a31272928
7d3320160b35130e242622242a2c0d1e3d39
63495f525c4e687f454c465f594245
257d485c5b545118175e5f5f4601555e0d
163023041f32313b363d190f3e3421
7DB683B64262C3C88ED01C5F2A9BCBDC

POSSIBLE SECRETS
160c1f39220f0e05081913080f29290607
21313f7e7232372b203b307763282a2239273d273b3c7d543f2c362b3a203a28303d343c26232c3d3e
784d51557e7a4c55596b614b50
30820268308201d102044a9c4610300d06092a864886f70d0101040500307a310b3009060355040613025553310b3009060355040813024341311230100603550407130950616c6f20416c746f31183016060355040a130f46616365626f6f6b204d6f62696c653111300f060355040b130846616365626f6f6b311d301b0603550403131446616365626f6f6b20436f72706f726174696f6e3020170d3039303833313231353231365a180f32303530303932353231353231365a307a310b3009060355040613025553310b3009060355040813024341311230100603550407130950616c6f20416c746f31183016060355040a130f46616365626f6f6b204d6f62696c653111300f060355040b130846616365626f6f6b311d301b0603550403131446616365626f6f6b20436f72706f726174696f6e30819f300d06092a864886f70d010101050003818d0030818902818100c207d51df8eb8c97d93ba0c8c1002c928fab00dc1b42fca5e66e99cc3023ed2d214d822bc59e8e35ddcf5f44c7ae8ade50d7e0c434f500e6c131f4a2834f987fc46406115de2018ebbb0d5a3c261bd97581ccfef76afc7135a6d59e8855ecd7eacc8f8737e794c60a761c536b72b11fac8e603f5da1a2d54aa103b8a13c0dbc10203010001300d06092a864886f70d0101040500038181005ee9be8bcbb250648d3b741290a82a1c9dc2e76a0af2f2228f1d9f9c4007529c446a70175c5a900d5141812866db46be6559e2141616483998211f4a673149fb2232a10d247663b26a9031e15f84bc1c74d141ff98a02d76f85b2c8ab2571b6469b232d8e768a7f7ca04f7abe4a775615916c07940656b58717457b42bd928a2
3j/aaHdjwZnfPcj4uTLf1waaNQZJXDmN6IGGhtRxrXI=
aHR0cHM6Ly9hZGNzLnJxbW9iLmNvbS9wL29hdA==
nljoiIiwiaWQiOiIxMSIsInNpdGVzIjpbeyJYXRfaWQiOiIxMSIsImNhdGVnb3J5IjoIiGVG9wIFNp
674c5d5d767e5074795d515c5b
721b1554580511114a540905586a3112170b1e1f1f1c0d02041c2a1a1a7d701a3a1a323f1a1f32300d060003101511
lcHAWABVVVVUVIbKVpN4hepfvny5TNMnVFUdCokAqqoOKYPSCfxGq92SJUv46aefpI9CGyGBm9Ky
2438bce1ddb7bd026d5ff89f598b3b5e5bb824b3
43626c2d226d66637f352d777923396478797d
23070948471c104b4815194444091c160d0a4b560c1e180d51561d1c0f14010d
236b6524246e6a6a2d247975283a717063786d612c0459754f4a50517063786d61
8OcD3TL+Q3V1NUePHp1DMwTZvn07ubm5Mk1HgCSjG0hmnMAymX719fVz4FsgR48epb6+XhblMltN

POSSIBLE SECRETS
006d5c14014042425d59404046031040516a7f4d08184b02144c59484a4650
IEvYj4xrFCKRoCSB8WnZtwsmvRwaUDzDDXCynwrRwLdFqfv0WiQTIJz8C1g5fHzijyK4HpCLAGX4B91t3FPNY2FJNzKUxrunYRigwzsGAtU1Ic6iPF9
71414f0e174b4a4b4a5d4c4b4757574b4c0d0242475b504b4007135c4f45474b4f4448574a4a1004134d0505134d5b054d055b5b05135b0505634251
c04dcc55-be2a-4377-ae7f-24c07a1d47ba
23191c000b101b5c48030109120c160c1017567914161000161a0f19111d0c05151a14030b1017
166774415d62646e54486c70
IDxTpltZJ7MAk3i5HMuj4prUf4vKa3D9/OjYTr4UdIN9pm9gEn8oAVH4br8ui6F4
523a6778692929766079626d6c
VGbD54QQ4j9lxjSSlqZUr0FsbCx79+419KK0HEO3gq/IGJoFH2Dv3r2yGVtKZceMlm0YdAhrgKe1
e74483c4b5e6dc78e088d9fb0243ae66
003e30716f2026352930776f342523353421272379512c4524
JxsyaaK7pRgCSG04Vc9HR3GxllLHWBtGFh
f8L7o2HxjA4p9Z1nQw3E5r6T8yU2iCv0B9kM4sD1f7G3hJ5IK2z0X9cW8vQ6b5N3m1Rg8F2o0Lp7A1e9I4u3Y2t0H8x6W5v4Z1n9Q2w7E3r5T8y6U1i0C9vB8k7M4s3D1f2G0h9J5l8K4z7X3cW2v1Q0b9N8m6A5r4F3o2Lp1E0u9l8y7Y6t5H4x3W2v1Z0n9Q8w7E6r5T4y3U2i1C0v9B8k7M6s5D4f3G2h1J0l9K8z7X6cW5v4Q3b2N1m0Rg9F8o7Lp6A5e4I3u2Y1t0H8x7W6v5Z4n3Q2w1E0r9T8y7U6i5C4v3B2k1M0s9D8f7G6h5J4l3K2z1X0cW9v8Q7b6N5m4A3r2F1o0Lp9E8u7l6y5T4h3W2v1Z0n0Q9w8E7r6T5y4U3i2C1v0B9k8M7s6D5f4G3h2J1l0K9z8X7cW6v5Q4b3N2m1R0g9F8o7L6p5A4e3l2u1Y0t9H8x7W6v5Z4n3Q2w1E0r9T8y7U6i5C4v3B2k1M0s9D8f7G6h5J4l3K2z1X0cW9v8Q7b6N5m4A3r2F1o0Lp9E8u7l6y5T4h3W2
ndGVzliwiY29kZSI6lmluc3RhZ3JhbSIsImRlc2MiOiIlLCJpY29uljoiliwiaW1wX3VybCI6lils
3A757365722F72656C656173652D6B657973
7a454b0a134f4e4f4e59484f4353534f48090646435f544f4403055e5b425c1e257e5b425c
258EAFa5-E914-47DA-95CA-C5AB0DC85B11

POSSIBLE SECRETS
716c62233a666766677061666a7a7a6661202f6f6a767d666d2a22636c62757d666120293e6028283e60762860287676283e7628284e786b
003100485d1c1e1e01051c1c1a5f4e011716170b065444175e480510090058015d1104091f1b484e06000b05464410594c0b0b050a4d
c7a4f336c9706668edc00191a2a6bce9
6b5d5c49554b575c0f0350190451534a
087f6367602a7663256e2a28753d2c727a7e7329236872
DkPtYdQTLkFAW+xUhoPwj7JgY7K0DkeAWrfXYN==
FNRGgqjZNQiH0I7eyke1QfNVtlPjtNJkUSvNaSDhz
0e42517562575d5f536b6b5143585d5962674849
DFeuWkH0W+xUhoPwj7JgY7K0DkeAWrfXYN==
476c743d266a7973717d79727e617c
OldvfFevubnZthtlM0kCCcyOwD9vBmnmGfP7/TMy88N1S9fOa2gzRQljzMonE+C8Vstwh7Waibt6
NADA6+EMB+22+VYd3XaTYyiB0S8wvp0AmlWeo6Oj2bp1a8Q4fEY0gV0Jrq0kwdatW4mO1i0Ed2xa
Zu8WIpUGMt0NaWhu1ETbVTdD65hVp7P7bFyPMZJL2j8a2CywT3gTEqyIH916xuk
vRDil64ggBDCA7xlZFFndHSUuro6Dh8+PctWgYqLi8nKyilqytDrPwg8J4QYcSwBggcxPsLAFm1X
4alrd0Af2cSkM9Vg36AnK58dbgRMLgpq0NmfrO459QYWqBIAWMzEC2FStWpjL5hjKpGYppVDBkd8AAbnAmzcF92SyfBWxksSpGyrY7jZ4K3Oq9UexVva1tWgq8QBQ
lwZGfaWv583EYDuB7JTWVpjic19nORAvLS3l
2334312d263d3671652e2c243f213b213d3a7b5735222b2a203b2027
7a2826677e222322233425222e3e3e2225646b2b2e323922296e79322f393839786d7a246c6c7a24326c246c32326c7a326c6c0a2839

POSSIBLE SECRETS
nczovL3ZpbWVvLmNvbS8ifSx7ImNhdF9pZCI6IjExIiwjY2F0ZWdvcnkiOijUb3AgU2l0ZXMiLCJj
1266682923626a626163212565607c776c672023607437256f7d372d676b6170776565667d36377c7d6e75606c21176d7f796c
cca47107bfcdbdb211d88f3385aeede40
5B2PMbbOsZ3mk9lwSIjmtmLKj0vIHhmLo5StnwjyFLjuHkjTcN9LKfvJEmWsmfWQ1FamFNZiCOQj
0f313f7e7b302130282c637c2228363a30775a103c3627203222170b2a3922373b
1621321614342b262e202d2a040d202f2b3b
e2lzX3ByZV9pbmN0YWxsfQ==
0b7b7e626972793e3b65742a137c5663696b6b697940587b7b7276632203537563320056696375
naHR0cHM6Ly93d3cueW91dHVhZS5jb20vY2hhbm5lbC9VQ3lvWFctRHNIN2ZVUnEzMEVxbF9DVUEi
561c153f3214103828191e0915044a5819161b171f
4a031b7f5a150f405d131309091c1911070b155c1844081d10060251460317170346400f5b400819515d130e05160107010912155a501f18020c1c1f0e010109121554
070d4750110118544303061a110a01465a0413101a0d467a2413101a0d2a3c17010f0e
4e3802040f02135070381f0e31240a
96e380195959b8e7e05d6c6029154dc99e7fe954
5b3e30716928393f286f732d27393833212d383479532d2739353f253e3e2425362d3834
023e390c0a3f3b37243a1c0a2528262b2a20
151d282b2d686e26377f7b2b3a6a693d2f293c3d653673276e7938373a2569733d3d27190427261d053e273c3b747b35307e6f3c2c2c697d382b0c1437383213172d626e21757d382b6e6e26377f783437383233372d
sogoEqhYou2WBE7Al3p1LGtgiPfyaLckULk+3w0JfvnIf/Uuj2bdEfBeH++UBDo0Z3BCAl7w4dX1

POSSIBLE SECRETS
163526100735380b0021312e2f30
6a737d3c2b706338357e6c60757973726869687b6075793418725e6c60757973725258656e686b787d79
24TXNMTDBaAzn5CK8jaBHbdd5F5T5cx5PjcCDdE1kPEHkUDz31kvMuialAwAAK264KB5tZFTIXl2A4ezrwQ3od6pSCu1Eh0zIxNjigVbFxd5n2Ihlimj5XEWzFfkYNye3o9li
0d0f1e5640041c58551411111612353c1e01134050111c131208475114565d080a13
474153535b4c0b1c5d474f45575d06064d571d0f5255080a445742514d4f
f6728e4e07182a3eac2c47f29532fa59
22616f2e376b6a6b6a7d6c6b677776b6c2d2262677b706b6027337c6f65676b6f6468776a6a3024336d2525336d7b256d257b7b25337b2525436271
0e3c2f04152f3d2623271a012b292d2b252302113236
734f410019454445445342454959594542030c4c49555e454e091e584e4a430104445952541f2b48496152756d4e414b6a6e54786f484265614e434d40414b
mBCibY4AoYMeByjAfuBXLptcVcArgCqEGJwjgHEVvwf4Y4T4Wi8Cf3WiiYhyGPBpwEvA74hMOQi8
647064687f4352616655506a6e78637f78484372767a7770
3e6c1a1a5a061a1e500f1a1c4f4e5a061a1e19530f1a1c1a1d1f0e0d087b71070e7e6c180c0c1c
kOqXLhLchhJecJwDbUMwvdPKezZhxnPNpUnnHSQo67NW9rpTy8m69lK3lzW703QCOWlKyisC6Fit77YlykgChrXYtMRkZ7cl7z5EKVmp07PKFfM7Y15uQjqooJld8ghpo
Gi5cuDAjJM7JyWHDhg2kp6cTFxcX6nAngNJwm4WoMIO/Hfi72fDw8M0NTRWVnJ5cuXHWXUMzMz
37505e1f065a5b5a5b4c5d5a5646465a5d1c1353564a415a5116014a574140410015025c1414025c4a145c144a4a14024a1414725041
564a7d60602f2a627076332f6a7978707a743a3e717c676c76675b4a6b617e676e6a2f347a33
3b11132d3c2e101b3c2d310705
aHR0cHM6Ly9hcC1hZGNzLXRlc3QucnFtb2luY29tL2M/dmVyc2lvbj0z

POSSIBLE SECRETS
e9GN1ULeRXoIWzbGPleyg0Vqwuslk+Y8UB0jj4l1lcVfEVgEFoeRxD7pvq3YAOeu
tFolAerLSjqwjQSyQfn0RMQIL7bQvSZWa4mRL3FhQu2SsdWik19glQi0ej
2319175659020e55560b075a4b04060619564b0e191c1a191d
71170213111d0b4e430d000b175216161a14
6b416762484c5b40565a777c5c46
h7KsLkfPW+xUhoPBD+Qqjk2MWrfXYN==
526b65243d616061607766616d7d7d61662728686d717a616a2d2b70756c72300b50756c72
71050b4a530f0e0f0e19080f0313130f08494606031f140f044350170606090e010048405709414157091f4109411f1f41571f4141270118
5EH0wgVOsOOOfycPFtjiDLIWMUI1Wslid7lt7tllT9vVA=
79585617175c55595c41455a110e455d5d414c535543032e655d5d414c53554360785b5b5256436369
0e3320041c311e17383114163938
4c646569615351626e777c79716075
ndWJlLmNvbS9jaGFubmVsL1VDcS1GajVqa25Mc1VmLU1XU3k0X2JyQSJ9LHsiaWQiOiJzZXRpbnRp
0aCeJ2j9k4OSbFNxtGzAYv6JCEOToAm0D09RW0YCDq0n6iPU04L1MdgDPjV2aqkXUPkWI6BwiQJFqoXYDK7Uwd5
AN3d3ejr60M4HMBlyAjGxsYudXR0FAMDA+jq6plxBLMAfjUM4wtusljLwiLdHFm8UeaegwjhgBNh
790d03424209000c0914100f445b1008081419060016567b3008081419060016352d0e0e070316363c
2260783136747b75626a7176
Y4f8G40TBLdGs4hktX2BEzkzSwd8xj8iDHBRH9KKaK

POSSIBLE SECRETS
dX06Fls5idqgQp2Q0AyXumriu5lrYF5E5esfObgzR5ftEXiNsSl4lbLxJh6DOYsi
RQUjpfgzYl6VViDCdC02HrHimKkFnsFo
0749031455455c100747425e554e45021e4057545e49020f4f554f5d4548415f
HsiRFRFCFCnAHjtMwwzJi8Bfj6dnmyOAHBHiAAXYD/zKZaBXMZaTR7Vq527WEWAKP+EJxu4p3uvQ
300f01404c1105055e401d114c7e2506031f0a0b0b08191610083e0e0e69640e2e0e262b0e0b262419121417040105
wB8AioZhnKMIInoN+h4hiRJQi/yVIPcudFjlyQe8noqdEtEPqyo71jP0txMSA3kFEU0T0jvSTd9az
7d3625160d323e321c183c31160f2c3b3323
56424b6f7157445551666c415a515d4c0e5a25424b2c0557405d5d085a5008
007b4a020e40405a64795a5b6078435a41465a1401545c4a505a4146091051551409465c1304454a474e46030540444e5a500200455671694a454f6e6a50100f455671694a454f6e6a507e754d504a
30212f6e623f2b2b706e333f62500b282d312425252637383e26102020474a20002008052025080a373c3a392a2f2b
110709485f04174c410a1814010d07061c1d1c0f14010d406c062a1814010d0706262c111a1c1f0c090d
83d508d01db531b4cf4843d2e41348ed
487a74353b7a76756a67733c3c7765697c707a7b61707376696b702c117b5765697c705a5b5f5a7979707461
1a0c0243540f1c474a01131f0a060c0d171617041f0a06
L0ZpbGVzL0FwcC9JbnN0YWxsZWQvU29ydEJ0bg==
nb20vcC96ZWVtdXNpY2NvbXBhbnkuanBlZylsIndlYl91cmwiOijodHRwczovL3d3dy55b3V0dWJl
nZWxlZmlsbXMgliwibmFtZSI6IkdvbGRtaW5lc1RlbGVmaWxtcyIsImljb25fdXJsIjoiaHR0cDov
3e5167652c600f45b52c5a85d69081ec

POSSIBLE SECRETS
4319175659161d18044e560c0258551e073d271714101b09424f040312
20799a27-fa80-4b36-b2db-0f8141f24180
c55d4ae8-3265-4979-b90a-b8f70c6ab7c4
84098ee7ef8622a9defc2ef043cd8930b617b10e-
23767839366d613a3964683535786d677c7b3a36717d706a613b276c6d7e65707c
3b4a5652551f43560c504340080c4d575f55474d16165d47
7236342136300a1b2b2c26
7b021e1a1d570b1e581357550840510f07030e545e150f
0b6e5f445143061b5e594e54565b0b1958575a1f530f43565b4d491a0d485c5c480d0b44100b43521a1658454e5d4a4c4a42595e111b545349475754454a4a42595e1f
rZ0kRRg0ZIKrxTquYVQkLQqCSuHPnBgkXd4MM5top2GS4O4SxFE8X1xz
308204433082032ba003020102020900c2e08746644a308d300d06092a864886f70d01010405003074310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f6964301e170d3038303832313233313333345a170d3336303130373233313333345a3074310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f696430820120300d06092a864886f70d01010105000382010d00308201080282010100ab562e00d83ba208ae0a966f124e29da11f2ab56d08f58e2cca91303e9b754d372f640a71b1dcb130967624e4656a7776a92193db2e5bfb724a91e77188b0e6a47a43b33d9609b77183145ccdf7b2e586674c9e1565b1f4c6a5955bff251a63dabf9c55c2722252e875e4f8154a645f897168c0b1bfc612eabf785769bb34aa7984dc7e2ea2764cae8307d8c17154d7ee5f64a51a44a602c249054157dc02cd5f5c0e55fbef8519fbe327f0b1511692c5a06f19d18385f5c4dbc2d6b93f68cc2979c70e18ab93866b3bd5db8999552a0e3b4c99df58fb918bedc182ba35e003c1b4b10dd244a8ee24fffd333872ab5221985edab0fc0d0b145b6aa192858e79020103a381d93081d6301d0603551d0e04160414c77d8cc2211756259a7fd382df6be398e4d786a53081a60603551d2304819e30819b8014c77d8cc2211756259a7fd382df6be398e4d786a5a178a4763074310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f696430820120300d06092a864886f70d010104050003820101006dd252ceef85302c360aaace939bcff2cca904bb5d7a1661f8ae46b2994204d0ff4a68c7ed1a531ec4595a623ce60763b167297a7ae35712c407f208f0cb109429124d7b106219c084ca3eb3f9ad5fb871ef92269a8be28bf16d44c8d9a08e6cb2f005bb3fe2cb96447e868e731076ad45b33f6009ea19c161e62641aa99271dfd5228c5c587875ddb7f452758d661f6cc0cccb7352e424cc4365c523532f7325137593c4ae341f4db41edda0d0b1071a7c440f0fe9ea01cb627ca674369d084bd2fd911ff06cdbf2cfa10dc0f893ae35762919048c7efc64c7144178342f70581c9de573af55b390dd7fdb9418631895d5f759f30112687ff621410c069308a
502927667837293b233e2c6c6a2a2f333823286f6f24363a2f232928323332213a2f236e422804363a2f230908121332213a2f23
17071a18191324201e141c080a

POSSIBLE SECRETS
2342475b504b400713585a5249574d574b4c0d224f4d4b5b4d415c465c4e55505459414a58585c
7d1006270d09171f061d52430c03000906174e1a45451d1d
dsMEwM2QQHvTPdb9zbrlHZVMk95fjVHvCtFBbtrtSGlOapsQ3nrtVanxS0YcBztBVu7ud1GvE
nZG4uc2hya2FyLmNvbS9wL3RzZXJpZXMuandlZyIsIndlYl91cmwiOijodHRwczovL3d3dy55b3V0
Vq/BwUFb07JM1gRWihlN4MaZPy6XL1+WuXizZSoTsEurR3Nzs+0xdiaQoKqqihMnrM2HYCREdHko
11405c436a7c535e656c4d5d42437f6a5d59
4d213d393e74283d673b63762b63722c24202d777d362c
T01YLnFjb20udmlkZW8uZGVjb2Rlci52cDg=
6037343b3130342e1e0b352032232a26
opDPFauVb4cwnfQzDqDp9yn5NIOrrzlvgPDGrYZmcXE=
121b15545e1f171f1c1e5c58181d010a111a5d5e1d09
1e4d6c716d632d3e7f6964632f25636a7f7c7b3e246b713e2c637071602f
6b0e282d0703140f191538331309
410c341d19302a2232181c392c202630
iVBORw0KGgoAAAANSUhEUgAAAA0AAAANCAYAAABY6+R8AAAAAXNSR0IArs4c6QAAAHtjREFUKBWWkksKwCAMREOh99+3y97GU3iTdp6tRcUoBgbJfEgCmpkF4RA2YVTo+PDbKdzCjXhBeHR8BJMxE71gGah0T/B4hqVqDbvY0QZfrF41ip3d+geZkAO89MMqV4xyTieVAW6Z3tQG6CmP94U319dXfwT+pb9HIDwrxDUcBOiFBQAAAABJRU5ErkJggg==
9b8f518b086098de3d77736f9458a3d2f6f95a37
h7KsLkfPW+xUhoPwj7JgY7K0DkeAWrfXYN==
KRYCvLMr1BQxmLpZAlVnfr0yFKS+cx34EV2l++zZMykDKtISqDzz0VCV7CowRBc97prW54ueWaov

POSSIBLE SECRETS
167764425e7c664248797366
6a101e5f4813005b561d0f03161a10110b0a0b1803161a577b113d0f03161a1011313b060d0b081b1e1a
luqhWQe4tlbVfr7yvxlVNsd5e/l7IVHvlqpkvK+6tt5EoeON2tkyyhuv1x7KBaEM
7709041f140e1f4b100549090746460d09160a5e4d0f10110d4e441a100e020812120a41
8ee6319f4f3d67254d909e871855191
2a6e5348011f5a434e5559161a5b4001105552591c165347504554504743531a5e024e5b5640441700455151450006491d064e5f171b554843504741474f54531c16595e444a5a594847474f545312
BEzENGEuCBoaFJg9hby1f7gNfVOODFsEx42KBeLvboPkOlSYUZ
473131263d242233737f3e242c26343e65652e34
7d6172475b646268454f797879
723e30717d2034346f712c207d4f1437322e3b3a3a39282721390f3f3f58553f1f3f171a3f3a171528232526353034
7dff557a1c7c030131be37487170de40
19363879603c3d3c3d2a3b3c3020203c3b7a7535302c273c37
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a
82781a7bff813b9b1ad7e4f1b3a6810d
T01YLmxnZS5hYzMuZGVjb2Rlcg==
7d4c5a7b51554b435a410e0f5b494f5a124619194141
642f21607839282e397e623c36282922303c2925686c2b2e2b61421c36280902303c29250f0e2228393e2c2c2f34021534273c2925
DlieuJgynRhqgmCj0isFm2xW8OGT6CqleX5qZerGKfn3h1zNKfK

POSSIBLE SECRETS
a6pVxujOIBpr4iYNTDuWKpw8SfForPQjE6cD8ieETR5B3DRICcrLkZ3ykuhOoMTuAKtFUiitOndATZ9if2c98tLpTW3snOjxltGL7U756xn4KEA6z
360f01404c0c09151e050e494e12140716181e5f642e14232506031f060f14
1a707e3f2873603b367d6f63767a70716b6a6b7863767a37165d6f63767a70714b4a6b7863767a
NNt5jFoW1Fg0AaA0WGS288TZnPTwC4vEV6FMVW4bI00WI06IbYAZnIFns3Ivj5RjoT1otfrWAxxc5iqd8F64jDE3ULwYAD59Pm
4c27273d031e3d3c060f353d3f33
6e2c22636c373b6062252b6c431e32080d0d073a313734272226
a2V5X2R5bmFtaWNfYXBwX2luc3RhbGxfcGF0aA==
308204a830820390a003020102020900d585b86c7dd34ef5300d06092a864886f70d0101040500308194310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e20566965773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643110300e06035504031307416e64726f69643122302006092a864886f70d0109011613616e64726f696440616e64726f69642e636f6d301e170d3038303431353233333635365a170d3335303930313233333635365a308194310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e20566965773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643110300e06035504031307416e64726f69643122302006092a864886f70d0109011613616e64726f696440616e64726f69642e636f6d30820120300d06092a864886f70d01010105000382010d00308201080282010100d6ce2e080abfe2314dd18db3cfd3185cb43d33fa0c74e1bdb6d1db8913f62c5c39df56f846813d65bec0f3ca426b07c5a8ed5a3990c167e76bc999b927894b8f0b22001994a92915e572c56d2a301ba36fc5fc113ad6cb9e7435a16d23ab7dfaeee165e4df1f0a8dbda70a869d516c4e9d051196ca7c0c557f175bc375f948c56aae86089ba44f8aa6a4dd9a7dbf2c0a352282ad06b8cc185eb15579eef86d080b1d6189c0f9af98b1c2ebd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87dd3c645f2f55f3d4c375ec4070a93f7151d83670c16a971abe5ef2d11890e1b8aef3298cf066bf9e6ce144ac9ae86d1c1b0f020103a381fc3081f9301d0603551d0e041604148d1cc5be954c433c61863a15b04cbc03f24fe0b23081c90603551d230481c13081be80148d1cc5be954c433c61863a15b04cbc03f24fe0b2a1819aa48197308194310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e20566965773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643110300e06035504031307416e64726f69643122302006092a864886f70d0109011613616e64726f696440616e64726f69642e636f6d820900d585b86c7dd34ef5300c0603551d13040530030101ff300d06092a864886f70d0101040500038201010019d30cf105fb78923f4cd0d7dd223233d40967acfce00081d5bd7c6e9d6ed206b0e11209506416ca244939913d26b4aa0e0f524cad2bb5c6e4ca1016a15916ea1ec5dc95a5e3a010036f49248d5109bbf2e1e618186673a3be56daf0b77b1c229e3c255e3e84c905d2387efba09cbf13b202b4e5a22c93263484a23d2fc29fa9f1939759733afd8aa160f4296c2d0163e8182859c6643e9c1962fa0c18333335bc090ff9a6b22ded1ad444229a539a94eefadabd065ced24b3e51e5dd7b66787bef12fe97fba484c423fb4ff8cc494c02f0f5051612ff6529393e8e46eac5bb21f277c151aa5f2aa627d1e89da70ab6033569de3b9897bffff7ca9da3e1243f60b
7b081410175d01145d000713024a4e0f151d17050f54541f05
nljoidmltZW8iLCJkZXNljoivmklZW8tc2hhcmLuZyBzaXRiLiBvc2VycyBjYW4gdXBsb2FklCZh
6e232d6c6338346f6d2a24634c113d07020208353e383b282d29
T01YLmdvb2dsZS5hYWMuZGVjb2Rlclg==

POSSIBLE SECRETS
YWRqdXN0LnByZWluc3RhbgwucGF0aA==
a50ddad9f189cdb722a9858fdfcf025a
184b77bf4423ccdcc8dbd31cda5ad2a6
T01YLmFtbG9naWMuYXZjLmRIY29kZXluYXdlc29tZS5zZWN1cmU=
hXysyZlfqPbykmocxiNHazUutcUP4EdTKF4WErTxhcPxb6DwBvY
771003243c1f101a3b3f055008
01151b5a431f1e1f1e09181f1303031f18595b1c060a12120f1944540d405608005e63090e221e01223c060a12120f19293b1419171a1b11
Klfx7EUeWhnA+aC9P4Mk2uzmdiZwzAWUKm+DliGxj24=
7817120e051e15525e110b0e0b0e0b0f53431e0954571a0f051e1958631e0905141f0d0d09
248a30e695ea0d1d8f43077c6f9474eb
620310112f3b0c13151f2e2e1f1b171a1d
KB9++KHsA5kC3w2aYNzhk1DPE+1DcQwbGxvjzc3VmxCP6DmEehrgVZkQxcxhjpSUFHbs2CENvpM1
ZjXBpUuX2LRpEzExMVrNHIIU5b9VVe02qgFe0nuAioqKsIM/LuvWrUNRFHw+n+tmvpWaQBKDIwxp
7b1b0703044e12075d011211595d1c060e04161c47470c16
Cd6bIKHx1eqhgLB37Dpq7tV4paHOGTnX3JSsrMS9TTKaebpqjmH
6875c7ff209644ea0cde561339c8f5dc
3391f530-bdf7-11ef-b001-3e3c84784f26
001917565a1a1f030813185f52120f0402091a185754094861360b1d0e0439321208

POSSIBLE SECRETS
L2RhdGEvbG9jYWwvdG1wL3ByZV9pbmN0YWxsLmFwcHNmbHllcg==
StK3WDUSiBZeS6DjzK9Xhp5Fsasi0LS8K51OexZo8dMx1HXm12s6nbZ7IFQj+Ldk7/11IEEQwOel
07242c3b3e23647c2b2b263029624b003c0910343d05043b267140082829292a3b
233e3071713b3f3f78712c20
623e243039252e2328347135353937
796c7d6e756279435f616266
5a184b76887eb7b2f3aea23fd7c87a38f0909cbad0d0f9da9ba68d1b8c3ff804
AXbbtIn6uBhIYsA3hSWCvEXYhR4c0aBbddY8tVz8qv5YTNbn7syuBfJhelg
5e7c4f0a1c50535c566a635349060d58485e58485e
T01YLmFsbHdpbm5lci52aWRlby5kZWNVZGVyLmF2Yw==
73040a4b520e0f0e0f18090e0212120e09484707021e150e054255130501084a4f0f12191f546003062a0508060b0a00
nNzQyMjlkYzM0NjQxODdjYjZlNzFkNjl2NGE0Yjk4NWYiLCJzdGF0dXMiOjEslRvdGFsIjo3Mn0=
HkzwDFeD4QuyLdx5igfZYcu9xTM9NN==
6e49470609525e0507404e09267b576d6868625f545251424743
0e2437011c221810313d2e2b041d3e292131
zcXq1NRUvF4vDQ0NhhjQ0tLC9evXHZ+i1gwJqrq6DKfd2759u+zVvBFgi6qqAVsJoKpqQFGUj4B/
+fN8+eWXlmuCkplSW30C2TjflPgVFRXcuHHDVH9JTBQZE6C55NvT0xPyaV67SGDn3oFVDp8d4ANc
cb86fc29e0718974541170b758c9c4b0

POSSIBLE SECRETS
7a353b7a633f3e3f3e29383f3323233f38797636332f243f3473642f3224252465706739717167392f7139712f2f71672f7171173524
44434d0c15494849485f4e49455555494e0f0040455952494205005e56555541460f355f4a5e5655754146737859495657
3c1352574b405b500a313a4a025f4054525854161944415c
c80TveimhHTg47yq+ca1w6vXt+JXULmGO8Nz62+yMN8=
de666676b048887c19cbcf0c5904a3450c4c2cdf
136a64253b746a78607d6f2f29696c707b606b2c2c6775796c606a6b71707162796c602d016b4775796c604a4b51507162796c60
3b203c383f75293c712b2e37296b66273d353f2d277c7c372d
3d01585f1e141d1a0b48551c580f
5Dq2ECdHHSNhkRGA6Qn6XJMeVk05xB2bcp0o3bWWjMZNt
244c7272766f6e393260776a6a2b79054061716e6f233e6d243e72777e75717a35
aHR0cDovL3Rlc3QuYXBwbGlzdC1yZXBvcnQuYWRzLnNnMS5hcGkvcC9vYXQ=
GvIZmfOIZjtWE8w0gNDPRITISdco62tBVN8iqAUgIbCC7VJKpH51QChTNAym
0f4a4405004b5a4b5357180759534d414b
754263595b5a5b7f6a6361
oOIkGmaZ3vVqD46Rsy5UGK5kCFgn2hbcQnFPgphViwasOg4Z84RrzKsAP3ViLxsnerAVEH0xWem6A3c8hwBFyWDTdhSHBF
11454b0a1d46550e03485a56434f45445e5f5e4d56434f022e44685a56434f4544646e53585e5d4e4b4f
0b0a0f131803084f4a14055b6a2712181a1a180831290a0a030712
0d434145565b5a6974455c474369704a535e4549

POSSIBLE SECRETS
7b263a3e39732f3a772d28312f6d60213b33392b217a7a312b
j4svLhYq0u0vkYxVc2Yo6kxr1KmH4exr8XIzgN5L3lZz2lKoSXGcx7fG85lYE9PbthlmHJ6c3kjWdgD3PpglpoiOGOWL7Ng2w
6b6543466c687f64727e53587862
7d1003283903110a0f0b2d3f1b07
080b1713145e02175b1a545c014958060e0a075d571c064c59181d010a111a5c4e50
6a3c20240f0b3d24281a103a21
6jl6t3km1BgwYFaR7rppze1EmEGAd9BYXUWylpBdfsLX
nb2RlljoiZGFpbHltb3Rpb24iLCJkZXNjljoiliwiaWNvbil6liIsImltcF91cmwiOiliLCJpc19u
16190a263c012a26171d08
23323c7d7d373333747d202c716328293a213438755d002c14190108293a213438
T01YLnJlYWx0ZWsudmlkZW8uZGVjb2Rlci50dW5uZWxlZA==
nc2MiOiliLCJpY29uljoiliwiaW1wX3VyblCl6liIsImltzX25ldyl6ljEiLCJqdW1wX3dhcm4iOjAs
e1cb7bcad1eb78d4c55f1f565d9e00bd
mEjNDtPMm+doViWgwYfgFasHLoNhAzlke51uTCfqtDoGOxX1zsnuUhlK2ojYi5bg
GGM8PCgCXWCZ0992hlu+wbFzREEMwhwHhgONGPT83ZyPiH7oTYURaPK5zfMGe4DG
2e0c4a7aacb958a70e67603663499a18
717dwQEnAoauTku135wdHI9wN78paKA6yl6k5H4NxEFsiZh7FAdxfN0Nu
7d7a695c407f79734955716d

POSSIBLE SECRETS
7a505e1f02494b4358465c465a5d1c104c4152595b5e4e5b06064c
aHR0cHM6Ly9hcHBjbGljay5ycW1vYi5jb20vdjlvYWxvZT92PTE=
3b0607392b39070c2b3a261012
XyHPGSaK3rCapdnQOqzpCAZRL0Go8KoOsdXqoEMKZQZ
0fbb64d1-0d3c-445e-81e8-e86629b30160
kXmdrgndce4wQO1SyakO85kUYxl8TogQ7bS
52404e0f164a4b4a4b5c4d4a4656564a4d0c0343465a514a4106005b5e47591b207b5e4759
70070a111a0011451e0b47070948531414124a531015566c263f29161214060a1c566d260a0011160404071c302640721c030610
3b15090d0a401c09401f0d181f0e53531208000a181249490218
30466D1CD85D9A298893E7E2F4F09E8A
XlLdlOWYsn4JE3i5hQVzDcVLZa5AsObCKF
Y29tLmFwcHNmbHllci5TaW5nbGVJbnN0YWxsQnJvYWVjYXN0UmVjZWl2ZXI=
6a174e4908020b0c1d5e430a4e19
3b3a2622256f33267a322730787c3d272f25373d66662d37
4121395d78372d627f31312b2b3e3b332529377e3a662a3f32242073642135352164622d79622a3b737f312c27342325232b303778723d3a202e3e3d2c23232b303776
165a496170505a4553687f5051
183c1107213134262431170a27262d20313727
nLmNvbS93YXRjaC8ifSx7ImNhdF9pZCI6IjExliwiY2F0ZWdvcnkiOiJUb3AgU2l0ZXMiLCJjb2RI

POSSIBLE SECRETS
7a717c7372682737727562787a776e75723d216465756a6b273c6e21216465756a6b273a6920367b6e777e
731b15544d111011100716111d0d0d11165758181d010a111a5d4a0c1a1e17557f1c1b31151c0d
16687b5c446966624246707170
01704e4e4a535205195c4f59574a
eD1lw2DWH00Hz4kC6SENTiLTii0P18xGeUG
7b726e6a6d277b6e327a24257830217f77737e242e657f
1653406b7a4052494c48756e444642444a4c6d7e5d59
7d4b587c6449666f40496c6e4140
DFK/HrQgJ+zQW+xUhoPwj7JgY7K0DkeAWrfXYN==
064e7f736b2e236c617a717d6c34297a332e7b7960
502c22637d322c3e263b29696f2f2a363d262d6a6a21333f2a262c2d373637243f2a266b472d01333f2a260c0d171637243f2a26
0b383d212a313a7d762b6a5b1c303d362015152a2036
782e3c56402c2b475531223a4c4f1b2f2a272d23
505e737c7d67283a756667763835713828717569
9zxfARL0s6SX2UmpVKJ0Ou3rEmGajqXTaZaePExpXNIyeRQlwhQJkkqlQoVCgZLJJmmKaW3cVtb
u45P13Ar7Tic6TRoeAnMO75QcldkLD4LIQbNoG4H5kXXiL6feN5iMkIOjHv48N0R
0b40716a7f6d28387669667c747c397d216d7875636734327a7c77793a256d7c34216d7c6463786c6e3c327d6c716667726e707b7c767836256a3e256d7c343060716a7f6d26
2F73797374656D2F6C69622F6C69627265666572656E63652D72696C2E736F

POSSIBLE SECRETS
4a202e6f762a2b2a2b3c2d2a2636362a2d6c763c2a2b21253b332a3170563c2a0b21253b332a31
162f3c10141c082d3b3a3b2d
nfSx7lmlkljoic2FidHYiLCJuYW1lIjoic2FidHYiLCJpY29uX3VybcI6Imh0dHA6Ly9hay1jZG4u
24TXNMTDBaAzn5CK8jaBHbdd5F5T5cx5PJcfCDdE1kPEHkUDz31oclYRKIAwAAuPwGCIKoZEP8Spn6Es0jPm2MEy6IK6EX3EGSTF5f20ME3kA
T01YLINFQy5NUDMuRGVjb2Rlcg==
165241776a546e66474b585d726b485f5747
ajfgplmjAUUDz6jms1emsulzglmY1GDBxdrPF7e2v5S
GJYSDgYrAgCxY14XYxunZiSr8dTk91g66tw4qbpYxV8=
62726e7572727c4d5e60676d414f7e7a767b7c
5826101d1301584f0a030910160d0a
067049576072686c7a40546a7b69
a7aa512e324194f6597746d7652eb4af
6d7f647d666151526c7278
M9AvOy0xIxukQ1ug0PL3Cfij8J4j32Vs6THZGASd2EOITLrjZ9L231JaKTLr8OIq
63272d021a2c383f3d370d1a2d3f653135
367b400f135b475d461409475a515744574d0c0247514352404b0e0947475d14014f4a040f416b73534b5a
3b4f4e7062704e48627e6f594e
4b606a6e7078617a5d5b6763435a636f4d5d66

POSSIBLE SECRETS
04685758424a420b0c40425d4f1c1b42465a0b
53a0f7be32b3f68e017838e68c2ab0b8
LGkO6nSbn7ESaQUyddG9aXUwumH2rX0cz6SEUEjVltEyr5wcDK
0e50436273414d58547e7f
10757b3a237f7e7f7e69787f7363637f78393676736f647f7433256e7d7c6d617e787232302779313127796f3179316f6f31276f313157747b
167f6c5b5a667d7a7a744e486f6565
ykqpBw9FEzg9OYNZTfDVV19x8uRJQ9+1Z88evWqh457/SdMEAFau5Rt0agnNmzdP2hSYJYFbMnMY
436e60212e616a6f7339217b752f2d73627e616a6c65
8dd92b1e-3be0-4a26-b8d8-5c773ed04756
233b3574743e3a3a7d742925
44767839207c7d7c7d6a7b7c7060607c7b3a3575706c677c7730356b63606074733a006a7f6b6360407473
f68b2b9f17e4bdbe3649c22aa145ce58
770c1d1a0d11002f2b1a061f10180f071c1b
79EAC9D0-BAF9-11CE-8C82-00AA004BA90B
LRzqafzAuDIGc51uwtVJsCA0xZUAFHwERmOjqkLfgHkRJsGlealFfN5bgPxrqxALueCVxYMUyqgChkhPVg6uV6vo7BPjlrACJ1kKu0dfeuEecCgdEMeEaAf23lRkP1n5QtLNZxWgiDN4VFZFjBnD2Gt5y63NKsJ28M1
0000016742C00BDA259000000168CE0F13200000016588840DCE7118A0002FBF1C31C3275D78
K5Tyl8kBQF7fmBbjt4Tfvktzlk4hAj1y3rDE3Sw8zAonQtfk0Q7zf6FSi5RuhN91GfTgra0k2q3mVhA3bLogDb1nJdCD0oCBU68H9xjGsuZYHYSi57gQ2C4zA3nKg4SmJoY0oO9xHwvzAlbPZ2xiltXQwS6XnoT9nc8EcpDHMNsedDZNss5BdcPWFdmBTbS9OrVxAr84ixawBUaldwzPfO

POSSIBLE SECRETS
dvq2wU3xdgVVjZT9gC/0PMuBLs8WhmySjmrq8zzkkwM=
Y29tLm1jcy5hY3Rpb24uUkVDRUIWRV9TREtfTUVTU0FHRQ==
xZWRmLS2EuoeSQ0N7XEGEWzPgNwtjwRLA3QhcDJK8Q5fNgLEynl4eNaUVrUgDEwyxCuvCVSk4rVKPyeYnaoqjayMnGn
791d100b001a0b5f04114a0018180409161006474d0b1515161918
6b684e4b616572697f735e55756f
77144e2059829f29c6868c822bd4577d
64f7008818744ab0e0841919
3b46447a6b79474c6b7a665052
176739eebde3d7d2d478728c823197
3b74686c6b217d68236920237e36277971757822286379
6322250f151f0334292905183f351d112e33253f3f23
1606153c27050d0a19051505
fXV1daZI0NHRwZkzZ1wP/mQStLa20tLSQkNDg+EM7Dt37iQjl0Om6XtCiD8ZGTva6B+jKMpj4N8B
6a0915113a3e08111d2f250f14
7b3d212522683421672c23377f7b3a202822303a61612a30
edef8ba9-79d6-4ace-a3c8-27dcd51d21ed
48020c4d43020e0d121f0b44440f1d110408020319080b0e1113085469032f1d110408222327220101080c19
ndW1wX3dhcm4iOjAsImxpa2VfbnVtljoiMzg5ODQyaylslm5hbWUiOijWaW1lbylsInJlc3RyaWN0

POSSIBLE SECRETS
7d1c0f2e3f0d0114183233
2PLiGKuiPa2YzWgXk+bg4YcfDqVah6vVvkHsvB7+WUJ92tnIFgkEAjQ1NcmcjUl165dcw34ktjF
VB3S9IH9v4SxfsiGkoGpaq7oq4sHE31EY0IPNTLwAPRjsrwJn09QoF
67441d1a5b51585f4e0d10591d4a
73676928316d6c6d6c7b6a6d6171716d6a2b2464617d766d6621367066626b290360674d696071
7b1f0307004a1603450e4a48155d4c121a1e1349430812
7a636d2c35696869687f6e69657575696e2f20606579726962253279647273723326316f2727316f79276f2779792731792727416372
7d7665504c73757f45597d61
24TXNMTDBaAzn5CK8jaBHBdd5F5T5cx5PJcfCDdE1kPEHkUDz31h4kNE
2a6f3f34676a2b2464792e2878693b3f
7b75696d6a207c69357d23227f37267870747923296278
7eb64645-9017-4338-bd68-c6ad5d5e882d
xmrpTSudnZ2Oesl2OYZudvhCwO4eD2NFFaeV9vZ2R6ras2fPWrsi6Ha1bwK7lR7GKmq6jgBOIYFT
235f51100849585e490e124c46585952404c5955181c5b5e5b11326c46587972404c59557f7e5258494e5c5c5f44726544574c5955
605c59454e555e19135842091e5f5253133e5f52535855444e4c4c4e5e554f585a5c5a51
580d0342470c1d0c14105f401e140a060c4b66073e140a260c

[illegible]

POSSIBLE SECRETS
57020c4d54080908091e0f08041414080f4e4101041813080344501f0c0604080c070b1409095347500e4646500e18460e4618184650184646200112
0b3e0f14011356410e145b49061514054b4608415c19180b1c18
e47e091af3a4d98d2eff6178c20ea3c8
7d3a291f023c060e2f2330351a0320373f2f
6a471e1958525b5c4d0e135a1e49
nlerOxKbHFkrAwaPfnOcaC2yUxDu3vgr+V6+Lz8BbuDzBx+zj9iucf6iyn5uQniV
7d2c3f14053f2d3633371103273b
4a6d75113f6d7a67672674096d75162e292966353679747f3e3c7d727f737b30
4a4d43020e5347471c025f530e0e43565c4740012e43414757414d5a4c4c
zOoVX2La708q60ACBBIOQbKgbKga4mLj203fE5lclZmOs9XW1nGmU5HQ8C8E3jT639EUgmXOXeufmC2
JlPicGd8nbcQ8ZbmhNqFQR3s817OLQa0+uauZ8OF17M=
we0On6xkZ2ejKlopTdDU1CR7ZvJVUxogeFHzi63O/f39vPPOO6bAVxRlwts3KI6v1zEh4nQOn5H+
4d435f5b5c164a5f034b15144901104e46424f151f544e
7d22311a0b3123383d39080c3a3b3a262b101a3c
nY29uljoiliwiaW1wX3VybcI6lilslmlzX25ldyl6ljEiLCJqdW1wX3dhcm4iOjAslmpxa2VfbnVt
000e3f77622321213e3a2323256062232134283925607b2861773a2f363f673e622e3b3620247771393f343a797b2f667334343a3572
ptF03DNC7FvVz3jZkuU1oaaYAuNKJiXsz0NFp7
nRPw7cklXyCBoWAFvf4Fu65K8jfMNDNEWafN0TPoHB5YjhdWLtDgMBmtC6D4KZfwGczB

POSSIBLE SECRETS
Y41vM4xrPmlelGiikwPEus5YTYGTzCeYyNOF2OOiZxL923G0Y8SOhjn
022a070809135c58191a085b4613110844440d03181b1b0351440b060d091f
02796a6b756176696f65747c627c76
7843513b2b46462b385c4f5721227642474a404e
782f3d57472a2a475430233b4d4e1a2e2b262c22
nmqWQNiFERYJhF8ZE7Q+fCr5BEKvjGGNCfAcEA0NDdHKykpgwjdNgu3tbS5rjvzSKJYjYiL2a+N6
1a1b15545a1b17140b06125d5d1604081d111b1a00111217080a114d701a3604081d113b3a3e3b1818111500
71110d0b0510142c201b2d2c1d1915181f
3Yho978CzLZrwhEYaN958SamLMzyQKD7K7wp3H2
mhPC7BLsIC2yK1T8cypUYIEfcN5Z5
4d324671352d696e212c276671243422243422
66083c303d3a7667287c753c343977727260352f2e26303d3a765631383c1f323b3c3d
74229dc3464187cb6e71d6264a4b985f
7b6c7074733965702a762e3b662e3f61696d603a307b61
LRUUOLqX6jRBbtClkii04PmbAdasTrDgK5WT
19616f2e2262677b706b6027207c7a69787670310a407a4d4b686d7168617a
LdxThdi1WBKUL75ULBPBD+QqJk2MWrfXYN==
3b0c1014135905104a164e5b064e5f01090d005a501b01

POSSIBLE SECRETS
504f410019454445445342454959594542030c4c49555e454e091e584e4a43010e4f414341420339534362505c494567525a596456564245
op=eyJtIjoiNTk1M2ZmY2UzZDMxYmEzNGUzZDZkMzQ1N2M2ZTZQzNjYiLCJpIjoiaDVfY2hlY2tpbl84XzI4MilsInYiOil4In0
cHTReKrB9L2l8xuzhKwIYfFDvrxF
ebrZgiS48TrWd4CghOC1S5jlzTbsSWm4FUyl1ODsn
7b796561662c70652968262e733b2a747c78752f256e743e2b6a6f737863682e3c22
nYWciOiIiLCJ0YWdfc2hvdyl6ljAiLCJ1cmwyljoiaHR0cHM6Ly9tLmZhY2Vib29rLmNvbS8ifSx7
716b65243d616061607766616d7d7d61662728686d717a616a2d3b706362737f60666c2c2e39672f2f3967712f672f71712f39712f2f496a65
T01YLkV4eW5vcy5BQUMuRGVjb2Rlcg==
5c1f131f373d101b32230f
cc2751449a350f668590264ed76692694a80308a
163023021e39210b153a3b
412a2528242c65216e2f222d2c36796e2f202d616c3c343737232463602f263c3424
35d36ae3640981e13cd4a3eda6ce05c0
uHCBnp4evWb7NU1AcOHnTa0RqqqqLNmmHRkZobm5maGhldasWWPZy7QjRLTa4bMa/HFJSEjg7rvv
162330051023292b27230a0e2d29
ndXjsMil6Imh0dHA6Ly93d3cuZGFpbHltb3Rpb24uY29tL2luIn0seyJjYXRfaWQiOilxMSIsImNh
7d40537263515d4844747e4b504154515571715543584443
792e2e340e3f3b1734350e162d342f2834

POSSIBLE SECRETS
004170383c6c7d46536124337c66293b7467667739347a332e6b6a796e6a
d7R8AAcmHsCPAF4HhMuzAH4zDOOf1rRuDnyYiBYpuLJIROEW0lev70EG/oiikOEnGD4D3wngJxmm
100a0f131803084f441958782f0f02140d3827181a101203180913
3d4b1215545e575041021f561245
j7f9irgTrmjbma4mXMksH3vsMe666y5N+y+E+GiyBgB4X6tHenp6xKn96cTuW8l2awljrCawnkyA
0e5e9c33-f8c3-4568-86c5-2e4f57523f72
5322273b302b2067623c2d73420f3a30323230200011373a2928
Aggh2oAqrd6ShYxdq/bd7BhKYFMVxHhaDQCgmVYiMTEpDUBt6h9tzmGOTk5Mhtad2A7FQFUvVHy
3b3a2622256f33267a326c6d307869373f3b366c662d37
0b5c767a363a69203d686a733f3c6e2137787965203d726827366e626974
0e0f1c3d21061e342a0504
5e794a0f19555659536f66564c03085d4d5b5d4d5b
0dvb64jFoqysLB588EG9Zi8Klf5PRgMA/FVvtIKCAukHTEpKYvPmzRGRhDEcjuGzzz5rSBNiYjEI
193937767a3a3f232833387f78242231202e28695218221513303529303922
SwlK9uKfnuaLdwuTilKe1rC7cDsvWswG0RGDRm0Aq3MoP5A1jOFjNWBQ1hLy1sWQsSGLe6zYU5Q2repnszBwVJfi20MmCj179
W1zcp5YuPDw8mIQDVCH2uQY7qs2ejdZj5Llglz4CbQ0wg53rlwE7DDQM6MNUgZLnzNmMSMfFrpE7
0b1d2c3722307565367f6924312821
tUo0ZbRwsfLPzQzxZQLgTijVMPH5Px3Gsu1huD

POSSIBLE SECRETS
324d43021b474647465140474b5b5b4740010e4e4b575c474c0b03424d43545c474001081f4109091f41570941095757091f5709096f594a
45774e5067756f6b7d47536d7c6e
6408051e151908504d1e574a051f50652613191b1b19095d4b195665350418010e0611190205
5a0bac80-6060-41e5-a3a6-f53b97764a0c
6b5e50110f405e4c54495b1b1d5d58444f545f181853414d58545e5f454445564d5854
gCwrxG6GOvDbW6ezX0yOrDEnuO66XlkpEjSXrbsQUwvlf50zgaqXgFcxUhdswLNIztALHF9MYg
ypWGeV2rFzQS8JaGKVUc6metnqwyNK8PkHiLQ5UpD/e7Slf3PoaM6z9RfXm4RQLfG0SoUqKtOwm4
478cb909-6ad1-4e12-84cc-b3629a789f93
af60eb711bd85bc1e4d3e0a462e074eea428a8
7b011d191e54081d471b43560b43520c04000d575d160c
08061a1e19530f1a530c1e0b0c1d4040011b13190b015a5a110b415415100c071c1751435d
3b5f5d6372605e58726e7f494b
24TXNMTDBaAzn5CK8jaBHbdd5F5T5cx5PjcfCDdE1kPEHkUDz31jPn
421d054c531a0c1d18011f
025a484e5b797f4a4e42514f
532b25646a2b27243b36226d6d2634382d212b2a30212227383a217d4d0634382d210b0a10113023382d21
6375636e6072544379707a63657e79
1634270e1b24310913372e2f14153a34232b3037

POSSIBLE SECRETS
43717f3e317e75706c26306c60656e6d6c6b7a273e7f70767874717a7574
315278662339766c646e7c76233e7a6226216e65
nL3Avc2V0aW5kaWEuanBlZylsIndlYl91cmwiOijodHRwczoVL3d3dy55b3V0dWJlLmNvbS9jaGFu
7e707e3f206b7d7e737b757e6b203e7168677177716b
4607131f1215594807535b1e0d48791e176119085811061f001104
36333d7c7030352922393275722e283b2a2422635812281f193a3f233a3328
4d1d2c64713032322d2930303673622d3b3a3b272a78683b7264293c252c786e3c7376243c20286a2d622d3b3a3b272a786c3927267563266468266f23580f277e7e356a6b35326c6e2c63642c2b2e1d5e22
52393e2d3f2e352c2a3b7b77362c242e3c366d6d263c
77202d363d273662392c60202e6f6f24203f23776426393824676d3339272b213b3b2368
004a7b333767764d586a2f3f6c25396d6a7b6124266a7b63647f6b69
4a421e1348435a5715074c485e45595e1f14574743
wDKbvU4H4AhQDpWHWoQQw3MECD/oKcAWYFcQ8JmUI8D7wBkhxI9zBLAP9FTgCeBI4F6HPuY14HXg
43360b1d1c1d372b0f030e09
mYdY7l5D+eRA2n+1DSS0l4Onm7QwkKst2ndSMEehloNd2MnZiOwv+qpmI2KWHSFP
3c20616478736863253729
gB+BkxFVoHhSmqLqktRH8YIZYx6a0pcuaOoWc5H2QcQW6Jk8qB3Uffft8KyvHwiE
6e323c7d7229257e7c3b35725d002c16131319242f292a393c38
43262869662922273b7169333d677d203c3d39

POSSIBLE SECRETS
19534953415954475b45565c5e525642584658464c
18523e234a4f393c4c056a4d4f393d4d251c3c034f39384846471c7f471c69255056223e234a4f393c4c056a4d4f393d4d251c3c034f39384846471c7f471c6924766c6a7d
453f627d6c2c3c76696a292c64757d7a65
590f5351160e0e55490e554a010513081413525f1e1913
163625130e30160b212327212f29081b383c
794947060a48404e4646460a065c5d07064c511b004957515653
70121f040f1504500b1e52121c5d460101075f4605004379332a3c030701131f094378331f15040311111209253355701e161305
2910086c49061c534e00001a1a0f0a021418064f0b571b0e03151142551004041055531c48531b0a424e001d16051214121a010649430c0b111f0f0c1d12121a010647
4f7534312d263d367064392632343e3271627c
03232d6b6835392e22252d6065233b20212021362735392c206d7b3a
7d4d5e7869464f6f6c434d5a52494e
23494c505b404b0c18535159425c465c4047063a5142435d495e41474d5c4a41535357
6855ed4f3e6c59ea23eec9585488401c
3f340e1c070206545a081f020243111a49
bfd9e137051e74a10f1754dd0fe937d5
aHR0cHM6Ly9hcHBjbGljay10ZXN0LnJxbW9iLmNvbS92Mi9hbG9lP3Y9MSZkZWJ1Zz0x
0e6a795f4e6168484b646a7d756e69
zptUU4nH45FZCOrwBGvP/aDVktSubk51+Orr6zl27BinT592bH4CsyKB2Q9CiMD4XsARrZarV6+O

POSSIBLE SECRETS
711a0602054f13064b11140d13515c1d070f05171d46460d17
515b667071705a46626e6364
7a5b551416484b4e510a0a50475a5a1d304d70477a5a
13222c6d733c2230283527676121243833282364642f3d31242822233938392a3124286549230f3d31242802031918392a312428
0f2927362433303a2d17123f2a767130
8rm23bKaqq99bDiRJXHbuSf97nj25F1EpeutVtorCVzBuS1zLZw4yiMLkAfNWiTJOfy6BDUATnBlGjhoC3dfjxU
c2V0QWxs b3dVbmI2ZXJzYWwBY2Nlc3NGcm9tRmlsZVVSTHM=
0e3023081923312a2f2b0d1f3b27
220907465f030203021504030f1f1f0304454a0a0f131803084f5b14070d0f03070c001f0202584c5b054d4d5b05134d054d13134d5b134d4d2b0a19
72727c3d316c7878233d606c3103587b7e6277767675646b6d7543737314197353735b5673765b59646f696a797c78
UUl5pTDmHbjil0zL5u7NdpyAQ55iM3KajEkjhj7Vq5km
Y29tLmRld21vYmlsZS5rdWFpeWEucGxheQ==
fa6472f3-f7f2-4fbe-89df-6e0e0aaf0e8e
71607c7a7461655d516a5c5d6c6864696e
5e1e2d687e32313e340801312b646f3a2a3c3a2a3c
70414c575c465703584d01414f0e155252540c155653102a60796f505452404c5a102b604c4657504242415a7660062d434540
bWKd8rOTZF1zX0utQo9MVlyBjMyz1HAJw0F3WupsrAhQ9fMa1ZM
167d6e49517c737747456c60565c7e76

POSSIBLE SECRETS
712826677e222322233425222e3e3e2225646b2b2e323922296e7a35262c2e22262d213e2323796d7a246c6c7a24326c246c32326c7a326c6c0a2b38
70131e050e1405510a1f53131d5c470000065e4704014278322b3d020600121e084279321e140502101013082432546608171204
ZiyWKRgNyf6aU66cGHZZk5iYS0QBf8iTgAxywJubB
08392521266c30257f237b6e337b6a343c38356f652e34
7b53564a415a5116064d555549445b5d4b0b3f426658656d555549445b5d4b687053535a5e4b
8uVLfPr0qQU+P3b3QER/NlskdGjj6odjqJrDd135ml38aRsEGh4e1qYs2yvHUEWH7yodHh62DwYR
d98374d3-3b69-4a4b-a2c1-9dcb4c588849
3b1c0004034915005a065e4b165e4f11191d104a400b11
7b627e7a7d376b7e37687a6f68792424657f777d6f653e3e756f2530717468637873352739
572b25647d212021203726212d3d3d21266768282d313a212a6d7936252f2d21252e223d20207a6e79276f6f7927316f276f31316f79316f6f09283b
28136B7B4700100F5E4C0F47071B123A424A4D786C4B0044100048065C4954131A0D162D1508134816334E45140D5449796143011110184846560D06283634475F6268500C1D1140174E17043D127C6C7A4A08164753540F34201942213A3F54032C2B1C5211025C29367F7B5F2611091924023F341901663C220F086C607F470701151E004B4E0D464E012E6F60540C1E0F3E0717055617444E455012194C4A5C1A125C121A1C4C16094450480A19085C1F0F1B0E460040330F021655594F55424703130B07115F09195E4D0536251526204F05000B040F4866242D440002001E37150B150C5617444E414D151D546F7A153C78184554566E650F4D024B4C45510B00000136460F4866240612000209164A5B52473B316E2B216061282D332153382D333C253D7E303F0F086C60541607110D174753540F2A337F064A637F471A1C041F164B4E0D3F17272D6F60540C174A5B52473B306E282D66111310290E46065501171B316F551B4A522F03262B2730324B2258014B21557A751E01182451446B7B6C6056590D184141445356472707115211011D5E443B48410D4B5A6F7A6168500C041372111E41065C49540D071C11484A46065E4A1B5E4C071B130C0746021D084603430D0702500B3E154A415B514B575B5B4515084842071C1A112C5D233D31471E5D010B0F086C607F6C510115170836005414090F1E464B1A0C001C43786C6009014417272D6F60540C174A5B52473938693B0E45662D300C00155B073D30023A4B2654794F2919300F4A2C3513012D430F4866242D6F4B020C070404505F49567D0B1C5848071B5657435A525049637D246D4E4449013603171F4A5B52470100591456020B141A581200000000000000030703400B11071F0E5C1C0C250646461E54551F1649010701160E0007091D4572143E627148030600144A4D786C607D0F0D184849391D0F15164A5B5247051D5E104E272D6F145A450862687B6C4B1D4946560D06342D3529322354071C361F180A585E56142C3454040F173B0F393A793C3F1463571C10204A3F300A0D07350F4866242D6F4B020C070404505F49567F01004845150C12475F62687B6C4B1D40033358560A4B4C455100150615535B02161F0353150117171601155C060619021302444F491D1B3210475341555045184B0158570F0A291716040413160C10720A08774A4819180251446B7B6C6056441009407B1210060051524150090007594666242D1B45566F0862687B6C4B1D4946560D0636251E501909300A10332E77271F447E0D310F032A3F32185300457A4914476E510254497961687B471D1D5908090F1E464B22171606051B0B0E541F544E012E6F607F471A05062D101B180F5E4C0F4C121D065F5C4713014B1E0745051E484D1247150A1E47161C0C025B59093B4E0B545A465C425D4E1F101A1D4E3B185F41080D1F0B143753423A1315720D03184B48030600144A4D786C607D0F0D184849391D0F15164A5B5247051D5E104E272D6F145A450862687B6C4B1D4946560D06342D3529322354071C36191B252B427D0226063C155A0F3B211A1D6B560461530E05143F2B021B43261E350F4866242D6F4B020C070404505F49567F010D41042E00062D1C18435E6F607D2446054043391C0409515241500D1D005D5E430256154701161B0913170C1D5A4E0B01025308001D4A070536114A5B471D5D5D180B0B1C050C1037091B11191B5D3B186A4D1747060B144A4D786C607D0F0D184849391D0F15164A5B5247051D5E104E272D6F145A450862687B6C4B1D4946560D06342D3529322354071C361F40343E476C222C352C101D37050B22075556224A13001038023523363C2F2F070F4866242D6F4B020C070404505F4956790C090D6C0F1D56291A1B155049637D246D4E4449013603171F4A5B52470100591456020B141A581200000000000000030703400B11071F0E5C1C0C250646461E54551C11490403161A0B3E1A0C1D2B410D1F597B242541075D180F1547457E246D650F4D120C1B3A0711111

74753540F08055E5044637F6C0E446B7B6C127E246D650F4D024B4C4551382D46032E2764551C696E085E0E1302253B203A503B4A080661472B38061038302F5049637D246D4E594D120513474
~~POSSIBLE SECRETS~~ F086C607F6C51010C153A1C064146560D060E1D021549474E001647035E0C0D5F410F1D58061C054E050B001F0210017A47495B45554A59545D081C07440733594B163
6475543371B133A5F1C4E11424754030E54497961687B470000480933595D160C545F534A0D1B161D56276D6550086C607F1E7961687B4700100F5E4C0F76222A3A24385D140B3A05366A36197

C4A152E4552320313432630407E1C201D72312F1435010A2E46021A56016E65242D441D1F111F0D4348454B3B4344295B411410020D1A06065049637D246D4E4449013603171F4A5B524701005
91456020B141A58120000000000000030703400B11071F0E5C1C0C250646461E54551C11490403161A0B3E1D0B36115B011E54500E0018022C07551A0F470443034E012E6F607F471A1C041F3A
1D0D5D014E170444051F16074A6B7B6C14580D1F66242D6F4B1F0151524150372D3761252718511F361D50050B26203D000C550101595E2D58132E373B563000210D5E53015B7D290D1D475F
62687B6C4B0044100048065C4954281210081F10045469010F4446030505475F62687B6C4B1D40033358560A4B4C455100150615535B02161F0353150117171601155C060619021302444F491D1
B3210475341555045184B0158570F0A29081210081F10042B49010F44460305053A12500E3B4B191A4A4640272D6F60540C070D0C2D1110044846560D060A0005115162687B184554566E65242
D4400124749484320212A386C2F59585D3907413419002420285B25192C0D1866501D403F1E12181A2A1D26740E3D595C2D0254497961687B471D1D5908090F1E464B30091C1F41211019115F
0D035F064A637F6C7A4A081F0236015F084E17044401021103524E5D171A5A5A17044C560300024B10070C5D12071D464B18407305464456435150474A04015E0D0F72420A06013A001D111717
001B5F3B3D40773347060B144A4D786C607D0F0D184849391D0F15164A5B5247051D5E104E272D6F147C6C2E621C5E45127E24460549065C495406121A052D564B58276D4E594D12051347494
84334170C110D29035B4D031A5449796143011110184846560D06283624475F6268500C1D1140174E17043D127C6C7A61431B014B4E0D463C617C56222F29431D2E26241D18723D2F4B5E3413
243D022C33373036184F571557064A637F6C7A4A151B1105110F5E4C0F62070702040011435E6F607D2446054043391C0409515241500D1D005D5E430256154701161B0913170C1D5A4E0B0102
5308001D4A070536114A5B471D5D5E1F0B20081811121B185928060244011F7216032F004B040D30247457E246D650F4D120C1B3A071111174753540F08055E5044637F6C0E4441096F607D24
460549065C4954353F510D361D043B7B26585710100303224524592D122B4D6109027C520F1A1033114A4D786C607D0F10055948034B4C45513B021B00071748442A44471200190B51446B7B6
C605644090B72511405545F534A090611194E024B1E5E0A11A1E04010D08064B0A1B404B1B434D0D460208240B4E4056594D1F56437E470F0C18061643271B061D1D420A47604B100013162C
06544231470348061C0F086C607F6C510115170836005414090F1E464B1A0C001C43786C6009014417272D6F60540C174A5B524739384F09361F17090F335516072306091C04682A04651D5E211
9560B19250428193B0F4866242D6F4B020C070404505F49566C0718444B084B5A6F7A6168500C041372111E41065C49540D071C11484A46065E4A1B5E4C071B130C0746021D084603430D07025
00B3E154A415B514B575B5B6C0718444B08425D281C1E081716363F1523270353030B06475F62687B6C4B1D59010172501F1913474948431E0C1A000F6E6524594A490D6F7A6168500C0D56174
44E7D68003B353F40381411061F3057293F6C60560B1108380E23070C51311934555A7B44457C6C7A6143060C1D184846560D0625061B001711435E6F607D2446054043391C0409515241500D1
D005D5E430256154701161B0913170C1D5A4E0B01025308001D4A070536114A5B471D5D5E1F0B25061B0017114A3F0A1F1D48173354481F3C5812160A115049637D246D4E4450030429110A18
04505F4956410D1F59066C607F185F62687B1E637D246D4E4440445356472324581E21111962322E195E52111328032A2E3B021033633B3E416E371814152325435E6F607D24461844500A0C545
F534A331D08081A4E014E012E6F607F471A05062D101B180F5E4C0F4C121D065F5C4713014B1E0745051E484D1247150A1E47161C0C025B59093B4E0B545A465C415A4E200A041543070906690
91F1F000037341E3C385A5A010E5D064A637F6C7A4A080600042B591D1C48065C4954091A1B15506F607D506E65702E1B450D6F7A4A08164753540F070D5F40395D5449796143060C1D184846
560D06362626303F293352243B206437387E064A637F47001C181E004B4E0D46227266392737333A4A4D786C4B1D5901015E065C492D1E796168500C0D5617444E6D6F070B0C04370D321F040
518724640272D6F4B020C070404505F495666050E5745462D13452005001E094B58276D650F4D0B0E291001044348454B1C59101C170B491B054B041B0913170C1D594A0F4249491E180C18471
51F320A5B1F575C15165E463D0411120036003A194C08007275545E1A4B1918041547457E246D4E4450030429110A1804505F49564E0C0D434A0305546F7A154D521E637D24460549065C49542
5111D1206045046145C4E012E6F6054111A1C0D174753540F26195E5007494F574A4A4D786C605644090B72511405545F534A090611194E024B1E5E0A111A1E04010D08064B0A1B404B1B434D0
D460208240B4E4056594C1F5C436F51151D175C41513E1C092344030E1C484344457C6C7A4A080600042B591D1C48065C4954061B090F1C000556276D1101041D637F6C510105505F49566D20
0960500E1C12043C0E071B060015414640272D6F4B020C070404505F495669014C60500E1C120451446B7B6C4B1D40033358560A4B4C455100150615535B02161F0353150117171601155C0606
19021302444F491D1B3210475341555146154B2848691201030112372D3D30045A4714094A064A637F6C510115170836005414090F1E464B150D12060F17094B7E2419400D5F6C607F471A0C43
48454B34490E014C540E06040C00095743505F56016E65240612000209164A5B524724155D0C035F4D15085449796168500C041372111E41065C49540D071C11484A46065E4A1B5E4C071B130C
0746021D084603430D0702500B3E154A415B514A57515B690E214C540E06040C00093E38300F1E030E1C484344457C6C7A4A080600042B591D1C48065C4954061B090F1C000556276D1101041
D637F6C510105505F49566D201E4C4F032610031A0B0813094B58276D650F500F1D1A0051524150211B1546014E012E6F60540C1E0F3E0717055617444E455012194C4A5C1A125C121A1C4C160
94450480A19085C1F0F1B0E460040330F021655594E574B47250004021172103F5E4048030600144A4D786C6056441009407B1210060051524150060115430A0941066C600B4953136B7B6C4B1D
4946560D06262A1E171A1B23000A1E1A79324E012E6F6054111A1C0D174753540F27045F4D154934171C1F0F5049637D2446054043391C0409515241500D1D005D5E430256154701161B091317
0C1D5A4E0B01025308001D4A070536114A5B471D5D5C1B0B2501040C002A131D12072B5A1155190A0C19130251446B7B6C4B1D59010172501F191347494843110D081A4301000F2E6F145A45
0862687B4700100F5E4C0F642D08141F122C0421080818413B4E012E6F6054111A1C0D174753540F2F0D4F5E07493200533B0C13090556016E6524060F04113A061A0D505F49564510185D1E494
604165D1F121A041B114410424E4B0B46010B1A034E06083E1702565F1D1D565F592E120A1B13210C27400500417B3E00213D5D021117024B58276D650F4D120C1B3A071111174753540F0704
4C4A080C1A4779611C5E45127E246D4E444044535647330518180A101B58170F4848030B040407010E1C4B4B58276D650F500F1D1A00515241502F060D42111F0D67030513070109151B0A0756
016E6524060F04113A061A0D505F49564510185D1E494604165D1F121A041B114410424E4B0B46010B1A034E06083E1702565F1D1D575C592F1C110E07162A1141010E5F451200190B2C2C363C
10471E5D010B0F086C607F471A1C041F3A1D0D5D014E1704440A1E041D06041E47637D50484C562E6F60540C174A5B52472916481D034347034B5A6F7A6143060C1D184846560D06240C0F0A1
D0BA2DB47457E246D4E4449013603171F4A5B52470100591456020B141A58120000000000000030703400B11071F0E5C1C0C250646461E54551D12492B131C1C060217402A37085C5D726030
1B174B1918041547457E246D4E4450030429110A1804505F49564E0C0D434A0305546F7A154D521E637D24460549065C49542527110D17172037784640272D6F4B020C070404505F4956791D00
48564620353051446B7B6C4B1D40033358560A4B4C455100150615535B02161F0353150117171601155C060619021302444F491D1B32104753415550441B4B385448031B3F26263755130D2F5A
4714094A064A637F6C510115170836005414090F1E464B150D12060F17094B7E2419400D5F6C607F471A0C4348454B345F0D044C4A080854497961685011000041014E1704443B1F0D12060F134
7457E246D4E4449013603171F4A5B52470100591456020B141A58120000000000000030703400B11071F0E5C1C0C250646461E54551D12493B1F0D12060F133A2D20751E424754030E54497961

68500C1D11403B185454034B4C45510B09130B071141466624594A490D6F7A61431B014B4E0D462C434D05021F081A06001847457E246D4E594D120513474948433C0C0A1F444421444A07035
~~POSSIBLE SECRETS~~1E41065C49540D071C11484A46065E4A1B5E4C071B130C0746021D084603430D0702500B3E154A415B514B555F5B630D0F464D2B001804193753441D005A4714094A
064A637F6C510115170836005414090F1E464B150D12060F17094B7E2419400D5F6C607F471A0C4348454B346F111E434524060F475F62687B471D1D5908090F1E464B34100106005227060D0F4

866242D44001B022C1D131E4753540F0C1859545C465917004616010D0806480D180347090459121D010A5D1104234E4B5E1E145F59404A311D131C042B1B543B1E187625471C15160F435E6F
607D0F0D184849391D0F15164A5B52470A1C4C0A02484844637F185F481A786C605644004E1704442912041F01161D0B0E151C57591D064A637F6C511C0806090C5617444E69450A00010A1D0F
005049637D2446054043391C0409515241500D1D005D5E430256154701161B0913170C1D5A4E0B01025308001D4A070536114A5B471D5D5C1B0B22081A0C04070F1504361D1C0C23034E160C
11475F62687B470000480933595D160C545F534A021A04071A48084E272D1B45561E796168500C0D5617444E6D602C3A020A1801043D030F1D4E0D0D41064A637F6C511C0806090C5617444E6
96E463A020A1801045049637D2446054043391C0409515241500D1D005D5E430256154701161B0913170C1D5A4E0B01025308001D4A070536114A5B471D5D5C1B0B22232511C0308173A2B3
14F3C424754030E5449796168500C1D11403B185454034B4C45510B09130B071141466624594A490D6F7A61431B014B4E0D462C794C033E13001806055049637D24461844500A0C545F534A351
A004923480107434044457C6C7A4A081F0236015F084E17044401021103524E5D171A5A5A17044C560300024B10070C5D12071D464B18407305464456435151444A3D1C483309484F080D29313
91D515C0F19114A4640272D6F4B1F1116053E061C19110F5E4C0F470E08180B160443786C14580D1F66242D440012474948433228081F450508574D352854497961685011000041014E17044424
170E1B0905080C4B58276D650F4D0B0E291001044348454B1C59101C170B491B054B041B0913170C1D594A0F4249491E180C1847151F320A5B1F575C141450463B04180000161F002B192F1A7C
0A0C19130251446B7B6C4B1D59010172501F19134749484311D081A4301000F2E6F145A450862687B4700100F5E4C0F640400111F0604144655514C0F4866242D441D1F111F0D4348454B3644
034C77510A1C5449796168500C041372111E41065C49540D071C11484A46065E4A1B5E4C071B130C0746021D084603430D0702500B3E154A415B514B555F5B6F0D0B77510A1C293C3A58135C0
F19114A4640272D6F4B1F1116053E061C19110F5E4C0F470E08180B160443786C14580D1F66242D440012474948433200041D4301010F086C607F470701151E004B4E0D4629404D080C1B475F6
2687B4700194A3B195F48445356471B1C15025F465B5F17425A570E0804001A1C4F110A045B5A0A05460B120421065C5A52425C5942022101444A0304292D3E5F065C0F19114A4640272D6F4B1
F1116053E061C19110F5E4C0F470E08180B160443786C14580D1F66242D44001247494843320005115B0518444B081E19170000080247457E246D4E594D1205134749484337090C024C1005424A
463E19170000080247457E246D4E4449013603171F4A5B52470100591456020B141A58120000000000000030703400B11071F0E5C1C0C250646461E54551D12492C1A000509151B0A072342161
F454D1636200C12044F18150C130F4866242D440002001E37150B150C5617444E4E4C070718001F4A6B7B184554566E6524060F0D545F534A2136042401570D1D4C482501130351446B7B6C4B0
044100048065C49542112482C071F00054C084C6E4C030F5449796168500C041372111E41065C49540D071C11484A46065E4A1B5E4C071B130C0746021D084603430D0702500B3E154A415B514
B555F5B690521585E0F181709300004143A11244530424754030E5449796168500C1D11403B185454034B4C45510B09130B071141466624594A490D6F7A61431B014B4E0D462C68612B263E475
F62687B471D1D5908090F1E464B33001E07095049637D2446054043391C0409515241500D1D005D5E430256154701161B0913170C1D5A4E0B01025308001D4A070536114A5B471D5D5C1B0B2
30C1B0A1B3738012E035A4714094A064A637F6C510115170836005414090F1E464B150D12060F17094B7E2419400D5F6C607F471A0C4348454B3468003F4541031B170B51446B7B6C4B0044100
048065C4954201748321A000C064C0A4E012E6F60540C1E0F3E0717055617444E455012194C4A5C1A125C121A1C4C16094450480A19085C1F0F1B0E460040330F021655594F5545472416360111
48160D437B0F3F143C5D021117024B58276D650F4D120C1B3A071111174753540F07044C4A080C1A4779611C5E45127E246D4E444044535647332500000C081C6E051E485D44457C6C7A4A151
B1105110F5E4C0F69071B1F041B482213170C0D0F4866242D44001B022C1D131E4753540F0C1859545C465917004616010D0806480D180347090459121D010A5D1104234E4B5E1E145F59404A3
E09131B0401374C1609547B170802145D021117024B58276D650F4D120C1B3A071111174753540F07044C4A080C1A4779611C5E45127E246D4E444044535647332600011110370F4866242D441
D1F111F0D4348454B3A4C17185404254B5A6F7A61431B080E2B5816000F1E464B1E1107185B5D4A1B0703131F4545140C1F115D0B0E1F4A1E1A440F435949310A59574058584253463A4C17185
467390E465D10460B02000E56016E6524060F1D13082C1C1802004B4E0D460F4545080713095162680F49490F276D650F4D024B4C45512834010D0C060F4866242D441D1F111F0D4348454B215
E0C095F064A637F6C51010C153A1C064146560D060E1D021549474E001647035E0C0D5F410F1D58061C054E050B001F0210017A47495B45554A58575D301A1C48163379552D5E580F030D06504
9637D24460559410B36021C030D4348454B1745050243410A4B7C6C0E4441096F607D0F0D080F1E464B363112110D1D173A034402180F086C607F470701151E004B4E0D46384C5D0A06044520
1F0814114B58276D650F4D0B0E291001044348454B1C59101C170B491B054B041B0913170C1D594A0F4249491E180C1847151F320A5B1F575C1414504622040A040E00361E1D4B10337D4C2D0
7580F030D065049637D24460559410B36021C030D4348454B1745050243410A4B7C6C0E4441096F607D0F0D080F1E464B3608121B0C0716000514545B1D064A637F6C511C0806090C5617444E
604515493B100001105049637D2446054043391C0409515241500D1D005D5E430256154701161B0913170C1D5A4E0B01025308001D4A070536114A5B471D5D5C1B0B2B080528061B08033A0D
186017424754030E5449796168500C1D11403B185454034B4C45510B09130B071141466624594A490D6F7A61431B014B4E0D462C584A05051312120E071E001A1B4B02054E4D07054550415943
5E6F607D0F10055948034B4C45513D0F11090C547A050A4B48031A5449796168500C041372111E41065C49540D071C11484A46065E4A1B5E4C071B130C0746021D084603430D0702500B3E154
A415B514B555F5B780A0F4141310810031F0D122D340639414A065D41014B5A6F7A61431B110C197210155D41445356471000001C0B0C180F6E65500846127C6C7A4A08164753540F242242490
01C18011C250E1A2A0F124407054C4844457C6C7A4A151B1105110F5E4C0F6A090410101D0C0E5228061C0F4866242D44001B022C1D131E4753540F0C1859545C465917004616010D0806480D1
80347090459121D010A5D1104234E4B5E1E145F59404A3D070C14100710422903457B0D2824265D021117024B58276D650F4D120C1B3A071111174753540F07044C4A080C1A4779611C5E4512
7E246D4E444044535647331B041E0007154A0B01485E44457C6C7A4A151B1105110F5E4C0F770305130B1248261D080C0E0F4866242D44001B022C1D131E4753540F0C1859545C465917004616
010D0806480D180347090459121D010A5D1104234E4B5E1E145F59404A200D0D170B0833420909577B140137345D021117024B58276D650F4D120C1B3A071111174753540F07044C4A080C1A4
779611C5E45127E246D4E444044535647330309130B101D5E055A1F11554B5A6F7A6143060C1D184846560D062D01170B0A0112134523154E010244064A637F6C51010C153A1C064146560D06
0E1D021549474E001647035E0C0D5F410F1D58061C054E050B001F0210017A47495B45554B5A595D2E0115431D055E45390311014B460B02000E56016E6524060F1D13082C1C1802004B4E0D46
0F4545080713095162680F49490F276D650F4D024B4C4551281317000A194C0000445707081801091D0C1347457E246D4E594D1205134749484320000C174844214C400A00050453090F1645330
140054E012E6F60540C1E0F3E0717055617444E455012194C4A5C1A125C121A1C4C16094450480A19085C1F0F1B0E460040330F021655594E574B473317000A11600508414D1508170B1732141F
0436236B2F5F034E160C11475F62687B470000480933595D160C545F534A021A04071A48084E272D1B45561E796168500C0D5617444E6D67071A0515161A2F0B0A1F115E10234B420F0A1F041F
4A4D786C6056590D1841414453564730091201150C060D2A154252031A02475F62687B4700194A3B195F48445356471B1C15025F465B5F17425A570E0804001A1C4F110A045B5A0A05460B1204

21065C5A52425D5B4C02270D5E57160C042B0A071717161D2B1901214E0A0C19130251446B7B6C4B1D59010172501F191347494843110D081A4301000F2E6F145A450862687B4700100F5E4C0
~~POSSIBLE SECRET~~131D434640272D6F4B020C070404505F495669080D4145463D1E101812081C47457E246D4E4449013603171F4A5B52470100591456020B141A58120000000000000000
30703400B11071F0E5C1C0C250646461E54541F1C492D1A041F09351A10020F440A334F422C5E580F030D065049637D24460559410B36021C030D4348454B1745050243410A4B7C6C0F4441096
F607D0F0D080F1E464B36061C0711171736044C06050F086C607F470701151E004B4E0D463C4C460F49350A1C18040047457E246D4E4449013603171F4A5B52470100591456020B141A58120000
00000000000030703400B11071F0E5C1C0C250646461E54541F1C493917071A2B0E1D150C06723E1E496248030600144A4D786C6056441009407B1210060051524150060115430A0941066C600B
4953136B7B6C4B1D4946560D06262F1906120408011100170F4866242D441D1F111F0D4348454B3242070D414D151D1F0651446B7B6C4B1D40033358560A4B4C455100150615535B02161F035
3150117171601155C060619021302444F491D1B3210475341555146154B2A424707051F160701022D113C276C4A065D41014B5A6F7A61431B110C197210155D41445356471000001C0B0C180F6
E65500846127C6C7A4A08164753540F241F4456121B1F091F4A4D786C6056590D1841414453564720011352311B1D41084E012E6F60540C1E0F3E0717055617444E455012194C4A5C1A125C121A
1C4C16094450480A19085C1F0F1B0E460040330F021655594E574B47321B173D0644080072561F511A4B1918041547457E246D4E4450030429110A1804505F49564E0C0D434A0305546F7A154D
521E637D24460549065C4954251E1A0B131F131D5C5C5A181744457C6C7A4A151B1105110F5E4C0F6914493C040912082347457E246D4E4449013603171F4A5B52470100591456020B141A5812
0000000000000030703400B11071F0E5C1C0C250646461E54541F1C4924042F12121B1B34361D55500E034E160C11475F62687B470000480933595D160C545F534A021A04071A48084E272D1B
45561E796168500C0D5617444E6D74140018061623000B070C1179324E012E6F6054111A1C0D174753540F341E446050C562E314A4D786C605644090B72511405545F534A090611194E024B1E
5E0A111A1E04010D08064B0A1B404B1B434D0D460208240B4E4056594C1F5C437D560F0B1500382A3E18540F23030E1C484344457C6C7A4A080600042B591D1C48065C4954061B090F1C00055
6276D1101041D637F6C510105505F49566D2A0648480F0A39031501021B040556016E65240612000209164A5B5247271E4808054E064A637F6C51010C153A1C064146560D060E1D021549474E0
01647035E0C0D5F410F1D58061C054E050B001F0210017A47495B45554B5A595D2B0311410D0F7273370B194B1918041547457E246D4E4450030429110A1804505F49564E0C0D434A0305546F7
A153C78184554566E650F4D024B4C45510B00000136410F4866240612000209164A5B52472E3163213E7E064A637F47001C181E004B4E0D4622726C293D54497961431B110C195E46560D7F1D6
37F6C510105505F49567D280657411F0133244B5C12201D2326653B2B696334191815423010365718214B214E012E6F6054111A1C0D174753540F25014C540F08180A51446B7B6C4B1D4003335
8560A4B4C455100150615535B02161F0353150117171601155C060619021302444F491D1B32104753415550461F4B2D40451600170B1C37033133185A5A010E5D064A637F6C510115170836005
414090F1E464B1A0C001C43786C14580D1F66242D44001247494843154A105B4C4B0445064A637F6C511C0806090C5617444E654D16491E0A034A4D786C605644090B72511405545F534A09061
1194E024B1E5E0A111A1E04010D08064B0A1B404B1B434D0D460208240B4E4056594C1E5543454D16421E0A03372E2520045A5A010E5D064A637F6C510115170836005414090F1E464B171103
4A6B7B18450F276D650F4D024B4C45510F4E0B4A085B5D144E012E6F6054111A1C0D174753540F34035D064A637F6C51010C153A1C064146560D060E1D021549474E001647035E0C0D5F410F1
D58061C054E050B001F0210017A47495B45554B5B505D15060472551F7F56481E1307034A4D786C6056441009407B1210060051524150041D040F6E65500846127C6C7A4A08164753540F03435
40B0746111651446B7B6C4B0044100048065C4954221C1B11170949395817054E064A637F6C51010C153A1C064146560D060E1D021549474E001647035E0C0D5F410F1D58061C054E050B001F0
210017A47495B45554A58505D2206075D01000669131A1F062C27090517470443034E012E6F60540C070D0C2D1110044846560D06071D064779611C5E45127E246D4E4440445356471447185D0
44604434640272D6F4B020C070404505F49567D0D0D434B44457C6C7A4A081F0236015F084E17044401021103524E5D171A5A5A17044C560300024B10070C5D12071D464B1840730546445643
5052434A391D4C0A03727307060C4B040D030247457E246D4E4450030429110A1804505F49564C101C0F2E6F145A450862687B4700100F5E4C0F43491059045C00125049637D24461844500A0C
545F534A291D101A110F4866242D44001B022C1D131E4753540F0C1859545C465917004616010D0806480D180347090459121D010A5D1104234E4B5E1E145F59474A3B07140100582B4E17396
B0A160711475F62687B470000480933595D160C545F534A0006154B7E2419400D5F6C607F471A0C4348454B13021D434C0B140454497961685011000041014E1704443B19081206151B064B582
76D650F4D0B0E291001044348454B1C59101C170B491B054B041B0913170C1D594A0F4249491E180C1847151F320A5B1F575C14145746240A1E090F060C0A2B1B22085A0A160711475F62687B4
70000480933595D160C545F534A0006154B7E2419400D5F6C607F471A0C4348454B13021D434C0B120854497961685011000041014E1704443D04040348091B15491C42144E012E6F60540C1E0
F3E0717055617444E455012194C4A5C1A125C121A1C4C16094450480A19085C1F0F1B0E460040330F021655594E564247350004195F450D1C064C091929164331285C120C165D4640272D6F4B1F
1116053E061C19110F5E4C0F451219546F7A154D521E637D24460549065C4954025C114E134A0C190F4866242D441D1F111F0D4348454B3169294E012E6F60540C1E0F3E0717055617444E45501
2194C4A5C1A125C121A1C4C16094450480A19085C1F0F1B0E460040330F021655594E56424724362836456C2D5C0353030B06475F62687B470000480933595D160C545F534A0006154B7E24194
00D5F6C607F471A0C4348454B13021D434C0B001D54497961685011000041014E1704443E191718480E07114B58276D650F4D0B0E291001044348454B1C59101C170B491B054B041B0913170C
1D594A0F4249491E180C1847151F320A5B1F575C14145746210A01034A1D101D2B42282F7B0A160711475F62687B470000480933595D160C545F534A0006154B7E2419400D5F6C607F471A0C43
48454B13021D434C0B150554497961685011000041014E1704443A1A001618435E6F607D0F0D014A7B131B1A474948431A111D04174B435F57481E050D121A041B1147174209435A4A0F025911
1E3F025D575A4415575D02770A0C13152C50382700470348061C0F086C607F471A1C041F3A1D0D5D014E1704440802155162680F49490F276D650F4D024B4C45510F4E0B4A085B14544E012E6F
6054111A1C0D174753540F5D5C5E064A637F6C51010C153A1C064146560D060E1D021549474E001647035E0C0D5F410F1D58061C054E050B001F0210017A47495B45554A58505D5C5907723C1
C1C634819180251446B7B6C4B1D59010172501F19134749484313111956276D1101041D637F6C510105505F49564A4B150245490212475F62687B471D1D5908090F1E464B350D1A04050000075
35E440158570F0A5449796168500C041372111E41065C49540D071C11484A46065E4A1B5E4C071B130C0746021D084603430D0702500B3E154A415B514A56585B6E0C054140140C1840415F125
9081C074407336562352D5812160A115049637D24460559410B36021C030D4348454B1559144E272D1B45561E796168500C0D5617444E4A0B1F46174A1701435E6F607D0F10055948034B4C455
12C08010B0C0D0F4866242D44001B022C1D131E4753540F0C1859545C465917004616010D0806480D180347090459121D010A5D1104234E4B5E1E145F59474A3701121C00102B15335B1F0A16
0711475F62687B470000480933595D160C545F534A0006154B7E2419400D5F6C607F471A0C4348454B13021D434C0B160854497961685011000041014E1704443917170711435E6F607D0F0D01
4A7B131B1A474948431A111D04174B435F57481E050D121A041B1147174209435A4A0F0259111E3F025D575A4414545D0274071B021C2C3A28340B470443034E012E6F60540C070D0C2D11100
44846560D06071D064779611C5E45127E246D4E4440445356471447185D0461D434640272D6F4B020C070404505F4956640A084854030712001D1C435E6F607D0F0D014A7B131B1A47494843
1A111D04174B435F57481E050D121A041B1147174209435A4A0F0259111E3F025D575A44145559024013051F1C1A060D170C07104401335575541F5812160A115049637D24460559410B36021C
030D4348454B1559144E272D1B45561E796168500C0D5617444E4A0B1F46174A1706435E6F607D0F10055948034B4C45512C001C060C56016E6524060F04113A061A0D505F49564510185D1E49

4604165D1F121A041B114410424E4B0B46010B1A034E06083E1702565F1D1D575C59120619142D032F12574A1B4846164B5A6F7A61431B110C197210155D4144535647121C11506F6009014417
POSSIBLE SECRETS 02460D0205435D5144457C6C7A4A151B1105110F5E4C0F7413071D475F62687B470019A43B195F48445356471B1C15025F465B5F17425A570E0804001A1C4F110A045B
5A0A05460B120421065C5A52425C584102140943430D0C2929150A0A5C120C165D4640272D6F4B1F1116053E061C19110F5E4C0F451219546F7A154D521E637D24460549065C4954025C114E13
4A1B110F4866242D441D1F111F0D4348454B2648030B4C4144457C6C7A4A081F0236015F084E17044401021103524E5D171A5A5A17044C560300024B10070C5D12071D464B184073054644564
35150474A0511440319447B553D195C5D1F0410154B58276D650F4D120C1B3A071111174753540F05185D066C600B4953136B7B6C4B1D4946560D0601460F4A1247021E47457E246D4E594D12
051347494843310908075E0D0F4C4844457C6C7A4A081F0236015F084E17044401021103524E5D171A5A5A17044C560300024B10070C5D12071D464B18407305464456435150474A2A184C171F
444707052902060C08130B3639430E3D0354080E5449796168500C1D11403B185454034B4C455109150247637D50484C562E6F60540C174A5B52470E5B544B0D0240154B5A6F7A6143060C1D1
84846560D06220005061C4A4D786C605644090B72511405545F534A090611194E024B1E5E0A111A1E04010D08064B0A1B404B1B434D0D460208240B4E4056594D1C5143494D150A1948170112
1B0E0C2B5A365B750A110C141551446B7B6C4B1D59010172501F19134749484313111956276D1101041D637F6C510105505F49564A4B150245490C18475F62687B471D1D5908090F1E464B330
B161A06171100170F4866242D44001B022C1D131E4753540F0C1859545C465917004616010D0806480D180347090459121D010A5D1104234E4B5E1E145F58434A36060400020C0044073345510
9051F3A1A5B04394B1E114F144E012E6F60540C070D0C2D1110044846560D06071D064779611C5E45127E246D4E4440445356471447185D04461F5D4640272D6F4B020C070404505F49566491
C425444457C6C7A4A081F0236015F084E17044401021103524E5D171A5A5A17044C560300024B10070C5D12071D464B18407305464456435150474A02595D0B1C724C070711101C11081C090C
2B420E3E780A110C141551446B7B6C4B1D59010172501F19134749484313111956276D1101041D637F6C510105505F49564A4B150245491A1B475F62687B471D1D5908090F1E464B25101E0504
0047457E246D4E4449013603171F4A5B52470100591456020B141A5812000000000000030703400B11071F0E5C1C0C250646461E54551C11491A03081E0D132D14233F5C4A1B4846164B5A6F
7A61431B110C197210155D4144535647121C11506F6009014417272D6F4B1F015152415002460D020543414544457C6C7A4A151B1105110F5E4C0F68071D1F0B51446B7B6C4B1D40033358560A
4B4C455100150615535B02161F0353150117171601155C060619021302444F491D1B3210475341555045184B004C400F07111C1A060D173A5E1C6F11425A4104195449796168500C1D11403B18
5454034B4C455109150247637D50484C562E6F60540C174A5B52470E5B544B0D0242094B5A6F7A6143060C1D184846560D0620061A0E51446B7B6C4B1D40033358560A4B4C455100150615535
B02161F0353150117171601155C060619021302444F491D1B3210475341555045184B01444A1F08193A443B064B4B1E114F144E012E6F60540C070D0C2D1110044846560D06071D064779611C5
E45127E246D4E4440445356471447185D04461C404640272D6F4B020C070404505F495665010D5B5D460413111204435E6F607D0F0D014A7B131B1A474948431A111D04174B435F57481E050D
121A041B1147174209435A4A0F0259111E3F025D575A44145559025E0E06180219010F010D1C2B682D5D7A0A110C141551446B7B6C4B1D59010172501F19134749484313111956276D1101041
D637F6C510105505F49564A4B150245490B01475F62687B471D1D5908090F1E464B340A1F0418050A06100F4866242D44001B022C1D131E4753540F0C1859545C465917004616010D0806480D1
80347090459121D010A5D1104234E4B5E1E145F58434A31070D1E1C1E1B4200414F450905170C041D3E142B5A050313094F5444457C6C7A4A080600042B591D1C48065C495404071843786C145
80D1F66242D44001247494843154A105B4C4B0D4E064A637F6C511C0806090C5617444E7E4B130712110109021947457E246D4E4449013603171F4A5B52470100591456020B141A58120000000
0000000030703400B11071F0E5C1C0C250646461E54551C114928150A061B151B06440D5805025E4C0307113A360439084B1E114F144E012E6F60540C070D0C2D1110044846560D06071D06477
9611C5E45127E246D4E4440445356471447185D044612434640272D6F4B020C070404505F49566B110246064A637F6C51010C153A1C064146560D060E1D021549474E001647035E0C0D5F410F1
D58061C054E050B001F0210017A47495B45554A5A535D231C1A46490A4C4A0102133A3A2118214B191A4A4640272D6F4B1F1116053E061C19110F5E4C0F451219546F7A154D521E637D244605
49065C4954025C114E134A0E190F4866242D441D1F111F0D4348454B334C09090F086C607F471A05062D101B180F5E4C0F4C121D065F5C4713014B1E0745051E484D1247150A1E47161C0C025B
59093B4E0B545A465C415A4E350404110609195E4D053606013F064F05000B040F4866242D440002001E37150B150C5617444E4C50164B7C6C0E4441096F607D0F0D080F1E464B114A0A47005D
0F1356016E65240612000209164A5B52472315571E4E012E6F60540C1E0F3E0717055617444E455012194C4A5C1A125C121A1C4C16094450480A19085C1F0F1B0E460040330F021655594F574147
2B131F13594711095E4C0F05133A310D0F474B1E114F144E012E6F60540C070D0C2D1110044846560D06071D064779611C5E45127E246D4E4440445356471447185D044619484640272D6F4B02
0C070404505F49566001084450071D13475F62687B470019A43B195F48445356471B1C15025F465B5F17425A570E0804001A1C4F110A045B5A0A05460B120421065C5A52425C5B46022909494D
120802005E05081C02111D4C0A0B724D542A434B040D030247457E246D4E4450030429110A1804505F49564C101C0F2E6F145A450862687B4700100F5E4C0F43491059045C07115049637D2446
1844500A0C545F534A2E02001B150F4866242D44001B022C1D131E4753540F0C1859545C465917004616010D0806480D180347090459121D010A5D1104234E4B5E1E145F5B444A3C1804000444
13480E19725D0B3E4F4B040D030247457E246D4E4450030429110A1804505F49564C101C0F2E6F145A450862687B4700100F5E4C0F43491059045C1A0E5049637D24461844500A0C545F534A331
7111B1B0F4866242D44001B022C1D131E4753540F0C1859545C465917004616010D0806480D180347090459121D010A5D1104234E4B5E1E145F5B444A210D15000A441258031972762B27144B
040D030247457E246D4E4450030429110A1804505F49564C101C0F2E6F145A450862687B4700100F5E4C0F43491059045C1A0A5049637D24461844500A0C545F534A331D060256016E6524060F0
4113A061A0D505F49564510185D1E494604165D1F121A041B114410424E4B0B46010B1A034E06083E1702565F1D1D545B59371C0B0A59081C074407335D1D133058151D0F435E6F607D0F0D18
4849391D0F15164A5B524708005D466624594A490D6F7A61431B014B4E0D460B025D490859131C4A4D786C6056590D18414144535647250702130949395817054E064A637F6C51010C153A1C0
64146560D060E1D021549474E001647035E0C0D5F410F1D58061C054E050B001F0210017A47495B45554A5A535D3306174C08474051150015480000041C020511720A2E14534819180251446B7
B6C4B1D59010172501F19134749484313111956276D1101041D637F6C510105505F49564A4B150245490D1E475F62687B471D1D5908090F1E464B34041F04131D0A0456016E6524060F04113A0
61A0D505F49564510185D1E494604165D1F121A041B114410424E4B0B46010B1A034E06083E1702565F1D1D545B592712040D000A0619001319594D080E29031638355C1507130F4866242D44
0002001E37150B150C5617444E4C50164B7C6C0E4441096F607D0F0D080F1E464B114A0A47005D011B56016E65240612000209164A5B52472D064412090F086C607F471A05062D101B180F5E4C
0F4C121D065F5C4713014B1E0745051E484D1247150A1E47161C0C025B59093B4E0B545A465C415A4E36170002484906444515011F3A205937164B1E114F144E012E6F60540C070D0C2D111004
4846560D06071D064779611C5E45127E246D4E4440445356471447185D0446064F4640272D6F4B020C070404505F49567F0C15594C0B4F3409060D125049637D2446054043391C040951524150
0D1D005D5E430256154701161B0913170C1D5A4E0B01025308001D4A070536114A5B471D5D5E1F0B34010F111B054A57575F5F6F081948574B031F000907140B100B0141111F447B28013C545
D1F0410154B58276D650F4D120C1B3A071111174753540F05185D066C600B4953136B7B6C4B1D4946560D0601460F4A1247121D47457E246D4E594D12051347494843210A1C180F4866242D44
001B022C1D131E4753540F0C1859545C465917004616010D0806480D180347090459121D010A5D1104234E4B5E1E145F5B444A2007141E3A1C3A611C425D4A014B5A6F7A61431B110C1972101

POSSIBLE SECRETS
wHM4tSmdb8IH19gkBgzLUWrLw0uV1IdX20KBMUumqrwpdhuSZ7
01350b0b0f1617405c190a1c120f
012618181c0504534f0a190f011c
ZqSERPPGjiBRv6cGNZPn4j07zfZ2rNguclywmtE98hzwP7WJ8liMIq7juZw0AIRpaDU2W0
yHTAZeApn5rh6Uzfx06Gv6eHdM34YL
7d2b3d1c36322c243d2669723c3c2675217e7e2626
3b4659df5e461c5e625a2c19a9797afc
2b3601080903180304313d1d091c090f
074a4255504d0a124545485e470c256e52677e5a536b6a5548
3b776b6f68227e6b267c79607e3c31706a62687a702b2b607a
nb20vY2hhbm5lbC9VQzYtRjV0Tzh1a2xnRTlaeThJdmJkRnciV0=
040639362c242c6544282b474c0d272f2b63
65016fb65946c49eb49f6691
57131d5c45191819180f1e19150505191e5f521d0e1b081416121a1453650f19341815383d0e1b081416
513a34757f3e363e3d3f7d79393c202b303b7c68342b2f293b3721376b7f22237e68232129322c362c3037764a2132332d2e22202132293c3020
44454b0a134f4e4f4e59484f4353534f48090646435f544f4403065850535347400933594c585053734740757e5f4f5051
EH8uYqyAO021KrYXlZKcMtOrcfz3nR3JMuhBK0ZbF9nQa6m9QKAUGH8OsB64KHugg6UwOpaeAiuR
32kTSn7lj6lErpkLsEjYNa90WgTQrOjjm3FFxgJJGQnCmBn6o1AhF9rHCv

POSSIBLE SECRETS
232b25647c3d2c2a3d7a6638322c2d2634382d216c682f2a2f654618322c0d0634382d210b0a262c3d3a28282b3006113023382d21
CXimWsgld9Q4NJ7Th/z0oZbD0fgxUqQs1m5HYkmnDaE=
3ccd8a12fa36c8253b831083c61fba8c
dsQRlEiCeOB54l9Wjx0lBOjt7aWzs5P29vajn87OTrq7u+nr65s4nBEbG0tCQgJSUl4vV4WLV0o
5874424f41530a1d58515b42445f58
y3qsDqWUxj+0NW9GzaLLQcmI0WYfjuDlvc/LrtwTbAkNDXLpsSYbwYIOmoW50beE
231a1f030813185f4b00020a110f150f1314557a17151303151909191b0614030f0616191700081314
aH+LkkSrrb3t9z/9chsxBmeH34qaSymsmB0lYlZ8kA=
173b2624252f181c2228203436
1a646a2b2564686b74796d2222697b77626e64657f6e6d6877756e320f65497b77626e4445414467676e6a7f
Fvj9rPt8Ny86Pj5Oq6url1YkEoloDX5t9q6urromAUecoF8GATZYInxugzr6+tfFWc2m9XSEhiG
7d7d6e45546e7c6762665b406a686c6a646243507377
6a6946454c43521103424d404c441b5f175253435c5d110c5f160b5e5c45
x7zGWB6+Y06w7xFFgClMxBZgFwa2nm2Sl4zl3j3jRBUfkQS4jQzRQBpWP2OHUZ4Cltn0dT8EAS9n
e9026ffd475a1a3691e6b2ce637a9b92aab1073ebf53a67c5f2583be8a804ecb
GATwDYBO61++ADgB8DeAzwAKAD4C2LE+FwEcG4bxX9DGyggA2Lcsol8D8D2AHwAMSfq5vwCsAfgd
591a464b101b020f4d5f1410061d01064740000a16100f0f0c1d120a
4e062924282065753a6e662330756e2f292c6567353c236c723736253e2b27

POSSIBLE SECRETS
6b6a706a78606d515c6f65676b6f7b5b46626e6364
7d3c2f0b133e1118373e1b193637
4f2c6d68747f646f350e05753d607f6b6d676b29267b7e63
0b5362796c7e3b2b657a756f676f2a6e327e6b6670742730756161753036792d367e6f272b657873607771777f64632c26696e747a6a697877777f646322
9LFBfvKELAfL9vFM4YQdiOvSzH0OSHPOs0J0VyjnwG13nFql
ezkslszesylAQJCqE92UGazmsaQoGJDg6Z9YfYilIB6jRxUZp
644d5955427e6f5c5b686d5753455e4245757e4f4b474a4d
472735353d2a6d7a3b212923313b60602b317b7c34686c223124372b29
0e4c5f6a76494f456862545554
3b7c6064632975602b61282b763e2f71797d702a206b71
7d1701200a0e1018011a5554001c184d1d42421a1a
771c110a011b0a5e05105c1c125353181c031f4b581a0504185b510f051b171d07071f54
T01YLk52aWRpYS5oMjY0LmRIY29kZS5zZWV1cmU=
5c616d61525267414f637c76475761607b61
FChWjMmXqA9UBELgvq6lVqCGZNweW5Pqc5Rm
41055847561616495f465d5253
552b381c1829352c232b3c342f28
3b0809372537090f2539281e1c

POSSIBLE SECRETS
WXMAAAstAAALeEAmpwYAAAAB3RJtUUH3goHFBQe/AkWfQAADBBJREFUeNrtXUFIW1kUPT9VqyKM
2a6d343372787176672439703463
434f41000f404b4e5218005a540e0c52435f404b4d440319525544
4a525c1d114c5858031d404c1123785b5e4257565655444b4d55635353
DqRcv5HDij8U6tW8BHD2gm1clSjZpZ43sQ3HNZiBE1XMNLkOmmGyXduPm6Z
dmFyIGVsZW1lbnRUb1NjYWxlRm91bmQ9ITESZWxlbWVudFRvU2NhbGU9bnVsbDtjb25zdCBjcmVhdGl2ZVJlc2l6ZT1mdW5jdGlvbihlLHQsbCI7bGV0IG49bCxpPXQsbz1lO24ub2Zmc2V0SGVpZ2h0PjE mjM4ub2Zmc2V0V2lkdGg+MSYmKGk9bi5vZmZzZXRIZWlnaHQsbz1uLm9mZnNldFdpZHRoKTtsZXQgZj1vLGE9aTtpZihpPHR8fG88ZSI7bGV0IGM9MTtpZihlL3Q+by9pPyhmPW8qKGM9dC9pKSxhPX QpOihjPWUvbyxmpWUUsYT1pKmMplLGY8ZSYmKG4uc3R5bGUubWFyZ2luTGvmdD0oZS1mKS8yKyJweClpLGE8dCI7bGV0IGQ9KHQtaSkvMisicHgiO24uc3R5bGUudHJhbnNmb3JtKz0idHJhbnNsYXRlK DBweCwiK2QrlikifW4uc3R5bGUudHJhbnNmb3JtKz0ic2NhbGUolitiKyIsliitjKylpIn19LGZpbmRFbGVtZW50QnlTaXplPWZ1bmN0aW9uKGUsdCxsKXtpZihlLm9mZnNldEhlaWdodD09PWwmJmUub2Zm c2V0V2lkdGg9PT10jiYoZWxlbWVudFRvU2NhbGU9ZSxlbGvtZW50VG9TY2FsZUZvdW5kPSEwKSwwIT09ZS5jaGlzZHJlbi5sZW5ndGgpZm9yKHZhciBuPTA7bjxlLmNoaWxkcmVuLmxlbmd0aCYmIiWVsZ W1lbnRUb1NjYWxlRm91bmQ7bistrKWZpbmRFbGVtZW50QnlTaXplKGUuY2hpbGRyZW5bbI0sdCxsKX0sdXBkYXRlQ3JlYXRpdmVTaXplPWZ1bmN0aW9uKGUsdCI7ZWxlbWVudFRvU2NhbGU9bnVsbC xlbGVtZW50VG9TY2FsZUZvdW5kPSEwO2ZpbmRFbGVtZW50QnlTaXplKGRvY3VtZW50LmdldEVsZW1lbnRCeUlkcCJoeWJpZC1hZCipLDMyMCw0ODApLGVsZW1lbnRUb1NjYWxlRm91bmQmJm51bG whPwVsZW1lbnRUb1NjYWxlJiZjcmVhdGl2ZVJlc2l6ZShlLHQsZWxlbWVudFRvU2NhbGUpfTs=
6d061d041f18282b150b01
03687d776c6b574d7f6c685b576e6260706b
226866273e626362637465626e7e7e6265242b6b6e727962692e3a75666c6e62666d617e6363392d3a642c2c3a64722c642c72722c3a722c2c4a6b78
nc2hya2FyLmNvbS9wL3NhYnR2LmpwZWciLCJ3ZWJfdXJsIjoiaHR0cHM6Ly93d3cueW91dHViZS5j
0849445f545849110c5f160b445e11246752585a5a58481c0a581724744559404f4750584344
7d0e1d34290b0758733714030b1b
Y29tLmh1YXdlas5vcGVuYWxsawFuY2UuYWQudmllld3MuVmlkZW9WawVW3
808182838485868788898a8b8c8d8e8f909192939495969798999a9b9c9d9e9f
1a6b65242a6b67647b76622d2d6674786d616b6a70616267787a613d006a4674786d614b4a4e4b6868616570

POSSIBLE SECRETS
3d7c213e2f6f296268612f3220
144a5978695b57424e646f4041
nImNhdF9pZC16ljExliwiY2F0ZWdvcnkiOijUb3AgU2l0ZXMiLCJjb2RlIjoizmj3YXRjaCIsImRl
105b55140d515051504756515d4d4d51561718585d414a515a1d0b405352434f50565c1c1e09571f1f0957411f571f41411f09411f1f795a55
7b04181c1b510d18510e1c090e1f42420319111b090358581309
461e105148141514150213141808081413525d1d18040f141f585e05001907457e25001907
T01YLkV4eW5vcy5BVkMuRGVjb2Rlcg==
432c29353e252e697e3534273c2925686c21343e252263603d31
4e87a48b47dcd2342fdb71b572d99a8344ea053d641cf08ab47513d7f9e0989f
0a6f7a7761653630787e757b387d2e6f3c357c767a6520366e62697429
160013382913011a1f1b2a2e181918040932381e
4a6b6524287561613a247975281a4162677b6e6f6f6c7d72746c5a6a6a0d1a4162677b6e6f6f6c7d72746c5a6a6a70517063786d61
ncyl6ljlilCJ0YWciOiiliLCJ0YWdfc2hvdyl6ljAiLCJ1cmwyljoiaHR0cHM6Ly9tLmZhY2Vib29r
aHR0cHM6Ly9tb3JlcY5tb3NzcGYubmV0L3RpbmlmeS90cG5fYWwR4X2V4dF9yZXNfanNvbi50eHQ=
8/MdF+rV19eHJRuXUx1DSUzuwPYOg6Gq6rCiKP3AI9ONkpCQQFtbG21tbYZmvt25d+26ETSVtLW1
eyJkYXRhIjpbeyJYXRIZ29yeSI6IlRvcCBTaXRlcylsImNvZGUiOiJ0b3Bfc2l0ZXMiLCJpY29u
1604173b211b01130b060f112437040e0c00042d290a0e
IYRomSPANfb91QgGfioivOYEPyFqhoGPB563Q9UHAf6e3vp7Oykvb194qezs5Pu7m76+voIBMbC

POSSIBLE SECRETS
160a193d3f1f000d050b06012f260b040010372b0901
006d534978785b5c7874797e76
6e93b78c570b12d09cbf0de4387c13d2
UkZT0PAnleShr60gdNnjTEf8aZtESi8fPghC5Ev
16180b2a31000d14133a27161c09
0244415d564d4601155e5c544f514b514d4a0b2c4c515a5c57405a
19363735091229302b2c6364377e6336342d
62707e3f22696b6378667c667a7d3c306c6172797b7e6e7b26266c
Y7c14Z2TDbv/Y+HgHFeXDrcshBPUYFT=
635d4b46485a7c6b5158524b4d5651
LdxThdi1WBKUL75ULBPwj7JgY7K0DkeAWrfXYN==
vwRycDOis9dh5ylGLEHI17OjmFljK2KYOyLtpM48WrxOvnOnMH
747f71303a7b737b787a383c7c79656e757e393a796d2e3c76642e347e7278696e7c7c7f642f34746962646f7c7e31147b56616064756e6969747a5d5e444564776c7975
35566d3823652a3b7a6471716b652b387168643376
73151b5a431f1e1f1e09181f1303031f18595616130f041f145344021410195b7112153f1b1203
424e496f6e5e5f435a7d7f445f
4379773639767d78642e3864686d66656463722f3677787e707c79727d7c
ds0e4LpWC5M17yLC5rudBBLyXfcA37qNAE4AfzIjnOoYSmD3rQf4zk0ECKfD53bHUAk773RNglN8

POSSIBLE SECRETS
79302a30223a370b06353f3d313521011c3834393e
QpVPg8IPNaPcqCWTlaLLnaCigir2hVOU6QQICNLa9W9yrvGvqOR7SjbuF5bBUDZBKE
125957161c5d555d5e5c1e1a5a5f434853581f1c5f4b081a5042081258545e4f485a5a59420912524f4442495a5817325d7047464253484f4f525c7b78626342514a5f53
790b05445d010001001706010d1d1d01064748080d111a010a4d5a1c0a0e07454a0b0507050647612a0e1b12103f0300
YzluYW5kcm9pZC5tcDMuZGVjb2Rlbg==
Np3nDp0NSAHTlrzQukJ0PJFp7PesH4bl8qsGrC6iEXdFS3alk
3KRZ38wacMqmcieM1sxnBr9cLmvt3cvYLZTLZV4StKu05qd4PPyemp4W8A3a09PDu1NIKeET8Dh8
G5mmScIkkkgqFAksfPh6Z8gsHw2cSdAL4CcBr0d99enqKw8ND7O7ulp/PX+re3h6KxSKOjo5QLpcB
235f5a464d565d1a0e45474f544a504a56511037574a41474c5b41
0e1c0f3938090f0e0f051519092533
FHw3kiAqKoqSkpl7wj9MjuTkZGpra02N39rayuLFi1myZlle098oivlnVVWHQjUBz+s16OrqCmlX
nbmFtZSI6IllvdVR1YmUiLCJyZXN0cmJldGVkljoiMCIsInN0YXR1cyI6IjIiLCJ0YWciOiIiLCJ0
iaibbFrL1SSRSHC/bG9vLw0NDQUKfDeaSCRYwT8nom5PGg8Q0TjrUy0tLbWAdKhLS0s8YZJxt7tP
nMTEiLCJjYXRIZ29yeSI6IlRvcCBTaXRlcylsmNvZGUiOijmYWNIYm9vaylsmRlc2MiOiIiLCJp
WXMAAASTAAALewEampwYAAAAB3RJTUUH3goHFBQxV9grJAAAEwRJREFUeNrtnXtsVWw+xz89fdBC
UcBslyWJ1ILWxlv+9Mafj7IcNPMojMcMoBQJnzvSyQQ=
nbXA7IHNoYXJlIHZpZGVvcy4iLCJpY29uljoiliwiaW1wX3VybCI6IiIsImIzX25ldyI6IjAiLCJq
nljoiVEVEliwcmVzdHJpY3RlZCI6IjAiLCJzdGF0dXMiOiIyIiwidGFnljoiliwidGFnX3Nob3ci

POSSIBLE SECRETS
7a5b55140d515051504756515d4d4d51561718585d414a515a1d1b40455c42003b60455c42
091318010c0513564d1e574a1f1d04
140f1c3d2c1e12070b212a05045817
czZQYTNDVjhjUWZMTmNPWUR4aWVXKzFuRzRGRW1iNS8yTVhKd2g3UINvenZyQXFCWIVqOXIibGcwa3VwS2R0VA==
dde3c298b47648459f8ada4a982fa92d
7b4f4100025c5f5a451e1e44534e4e09246e4248595e4c5c697554475c4945
0e6e7d4b56684e53797b7f79777150436064
1835100c2f303d2c2d27050a2f3938392f
79EAC9E0-BAF9-11CE-8C82-00AA004BA90B
3b071b1f18520e1b571658500d45540a02060b515b100a
037876302a3d7314147f663e78766b7b7a7b7a6d7c6e62777b362061
6OcQG88Tzpdajxm9DWP7uxD6vRydIMh0L6V8HCKcdgTVzOaitkREG
02567b74756f2024656674273a6f6d743838717f6467677f2d3d7369736179747d63
7d1b082332151716131404021e103d3f10193c3e1110
3b4a4b7567754b4d677b6a5c5e
7175696f61747048447f4948797d717c7b
XThCVgADKYpdOEJWAAMpijdExKKDLYCp1GNXWw
717f6e726b646c7b73686f5f5863

POSSIBLE SECRETS
7b1a0602054f13064a0b454d105849171f1b164c460d17
hlwXbtmbdnl8Kz53C8bsgHTJj6eZtayL9UM0mlJ9jf
7e7e70312e6573707d757b70652e307f66697f797f65
bOzndz3UfjWA1SOXZmjVI3/OkFAGVqfkIFIBgylpbuzJ4v1NDammFGLj1en8A5TJ
0940464d43647a516f614310
73222c6d74282928293e2f28243434282f6e6d2c233e353436
4f695f5c5159575c490c4c42442d
j+KOJWcuW5eAeYurIvI/WDWaxjjVmMhwZuok18XIZ7Q=
0e5241746857515b617d5945
1b870059a138501fa20f3fdb6c176db5
fDpHljpAWmK44yXXjvoYEhqEkruzXjkCTeRR2HGd1GRwcC7llfnRtFkKA2EpKsW9qnELeY
712b25647d212021203726212d3d3d21266768282d313a212a6d6b30352c32704b10352c32
24TXNMTDBaAzn5CK8jaBHbdd5F5T5cx5PjcfCDdE1kPEHkUDz31sR35DGLAwAAv6b2hLet9VNKPQGO
035e50160c1b5542185e504d5d5c5d5c4b5a4844515d100647
70656873786273277c6925656b2a3176767028317277340e445d4b74707664687e340f44686273746666657e5244220769616472
1a27296866272b28373a2e61612a3834212d27263c2d2e2b34362d714c260a3834212d0706020724242d293c
715c52130a565756574051565a4a4a5651101f5f5a464d565d1a1c47425b45073c67425b45
0b376b6823212b33336b68302c7472393d2b302c2b

POSSIBLE SECRETS
795858427c61424378605b42595e42
24TXNMTDBaAzn5CK8jaBHBdd5F5T5cx5PjcfCDdE1kPEHkUDz31kAqED6FBgAAsFmjIzM7kmLUX
B7qAX1OG/gRPmxGgaRPGTCYjZW1VdTnQwew3aiaTsfvpHcd7f5mdOVSzBLrNfNR1KnEUE7BL9yqV
GBBGVvc2Fg33ZWE28MOHi4m4T4UhSfgx8ukrmyHqwZp0
Y29tLmFwcHNmbHllci5NdWx0aXBsZU luc3RhbGxCcm9hZGNhc3RSZWNIaXZlcg==
5a8c2836ec15571d9aa840bc0d71302d
6f040b161d1c1e322f1511071c0007
v4ERF2BZ8VhfOGsNaLYR31bPmiZ7/cUjCjYq2SCVO2Q=
mE7eIOH3YRpebt6EG9DxAaVCYBEwWxyJOE9ZFnKoltSuffOUyaW7CKoGcgY5djBxBHbvEX64dIAb2FccxdG7hY
CDD6FC73BE77D1E29EC870D9A6859E7C
7d0b182e330d2b361c1e1a1c121435260501
1e73420a0e5e4f544153160b4e495e44464b1b0948474a0f431f53464b5d590a0c44424947044112530009404a46591c0a525e554815
756f42434845541705444b464a420b4f115455405c425e5506004f484206
ITPjeWTnRORxUxKXGEOZzT7jvlb2pSoLcsLJJNPYIM9zW7j1tPVsf9PFo
6a606e2f3863702b266d7f73666a60617b7a7b6873666a270b614d7f73666a6061414b767d7b786b6e6a
eb321fa50173a95c041b0389a565b006
57171958411d1c1d1c0b1a1d1101011d1a5b56190a1f0c1012161e105776390a1f0c101239371a131415587d2c071e131a0c
BI30n3j1CRcYA+VG0+4MYT6iqJe6ygS/jaP36BUmRAco9FZAzOlaWUnrLPPoeEgd

POSSIBLE SECRETS
540608e0249a8bf4190f25cfabfce4a8
91CxowHlyuzAtorEZc0pJuL2F1ErDLkHw4
7f7368716a6d5d5e607e74
01360240043788015936020505
b2c1954412c8ea788970132cf0aca8f4
0326286e6d303c78213a786d7a6d60262835252425243322303c2925687e3f
aHR0cHM6Ly9hZGNzLnJxbW9iLmNvbS9jP3ZlcnNpb249Mw==
98e888c3a89f5fb5a55346d1ebbee630
016b55555148491e024754424c51
aHR0cHM6Ly9hcHBjbGljay5ycW1vYi5jb20vY2xpZW50L3VpP3Y9MQ==
4a6b65243d616061607766616d7d7d6166273d7761606a6e7078617a3b1d7761406a6e7078617a
7d1102293802100b0e0a372c06040006080e2f3c1f1b
1a242a6b6524282b34392d6262293b37222e24253f2e2d2837352e724f25093b37222e0405010427272e2a3f
6b4544514d534f44171b48011c494b52
ybcvBVbxrUeRnWUMGVO5wrKMAKq9edGmwHLEHYZLkclTn
0e1026253478723d276871302d6c6a27307d6827737a3339357973353c292a2d69
3e5856170e525352534455525e4e4e5255141b5b5e424952591e0d4a5b5b54535c5d151d0a541c1c0a54421c541c42421c0a421c1c7a5c45
I50lb8OZOADNg83UDy3JysluaCckM9QFkbd

POSSIBLE SECRETS
4d293531367c203573387c7e236b7a242c28257f753e24
0f1719081a0d0e0413292c0114484f0e
016866273e626362637465626e7e7e62652426617b776f6f72643929703d2b757d231e746c417b776f6f726433025378616c6573
CPGz6wkghFgD1AOGDWZ7ezsVFRUzpuKtMBH5+fksWrTIIgsDrBNCXHEtAYQQhcBxo/06OjooLy+n
FBMq4jaFkgSuX5qqn3eartNiWPEGO0DLO
161407342f101c103e3a1e13342d0e191101
Uhve7KQVN1k3EYzyCVOJx0XoYgurqnMZ6Mkt4X52X12RtRFr2L46wx55jMctYZ32VXL99e9LfZ3j7N
56487a7a7c6c57466a735559767b767875724d5c7d686e6a7965
5129243f342e3f6b3025692927666c2d252d2e2c6e6a2a2f333823286f6c31306d6c313332213a2f2333
3b36340a1b0937311b07162037
V2gD8FE3AqgAfj0J+vv78fjxY1SrVd0I8FG742C/1nwdfQKW42CtEkJUBV9VErAmhGiREqY6+CqS
306967262a77636338267b772a18436065796c6d6d6e7f70766e5868680f02684868404d686d40427f747271626763
0074450d18595b5b444059595f1a0959487366541101521b0d40554c451d441854414c5a5e0d0b43454e400301551c094e4e404f08
697c7b7e4d457f6e6c7e7c69
194c3e180516071e05025719
440806475e020302031405020e1e1e0205444b0b0e121902094e4b151d1e1e0a0d447e1401151d1e3e0a0d383312021d1c
BLujlQ4A9BAU13toDftCSSpoC6UCK3cglBHx4yieHujmgShNqD6HEW5ISXYM6l0byiO8x8NQLY0pALIHssi9BZtqukyvmYUU5Gf7ysS9wq0T7mniqKrEyxeWZsOfKLSxB
9iu5D3ECcOga1ISGBRFnjzzVQ8moaHO19Hi0OXAdKQRO4Ut5UYCnR6mNoYawkwwlt4WkvCA5R0YWpzz1gUcGExklonctRPQ2Ab5u

POSSIBLE SECRETS
08100c080f45190c451a5256170d050f1d174c4c071d
74524a0e0c42425811034a42425f5e484401125b58590d505e5a5a595958
754b4a48746f544d56511e194a031e4b4950
C38FB23A402222A0C17D34A92F971D1F
ycvLw+/3Ex0dHcpQTwohjkYUAYQQ84Ey4Ldm+vf09FBdXc2pU6dc4eFt3bqV3NxcEhMTzQ7xHrBX
JJbtHsGuVJyX4lxR6KvA9MiUsU7jhgcHASGrbu22CyKf5T9
gDUITPmkUJlBnu3tbeFnByqQgDkp1loGKpsWLrtiZ3JyUst2NXbKnBZuEUDJwhCvqnR17VkEgYUh
fN18KIRCFMPT8X1qMjmuHplW+XVsRSfMnh+5QiArw3xyALVJ87b0Vfj0mW1R0L9
0019286075343636292d34343277753436233f2e32776c3f76602d382128702975392c21373360662e28232d6e6c38716423232d2265
000d03425c1315061a03445c0716100607121410
002b25647a3533203c25627a2130362021343236
zUKUGG1J4yK7pnB9K1G7a+rMPaRfdLvCWmWciVr52bCNv8jFluRDvr12EhyQDayB
lhZL/A+AP3q6BJHYZzhe50ZZY+joh9QA4Yw9iPAZ5epuj4PBllbCfCRKNYc+Lpx6
7a0d03425b070607061100070b1b1b0700414e0e0b171c070c4b5c170a1c1d1c5d485f0149495f01174901491717495f1749492f0d1c
7d03103b2a1002191c18253e141612141a1c
nNIJKpDPzDNI5tcOBcAxcF22hQjldRTNC8
5b737d3c39626b696d733839606172
6d3c3632253e28241f1923322338

POSSIBLE SECRETS
rKSUjmRV/NKsFIHbU0cho8FUC8WVx3RlXhd5Ju7IE8ltyxUVL0g87xj7LkJDCm6
1e55642c287869726775302a6b666968723d2b6e2c2c61746d643c653975606d7b7f2c3b7e6a6a7e3b3d72263d75642c206e73786b7c7a7c746f68272d62657f716162737c7c746f6829
Fb7FMIDR0p5y6itwTCaAXhH5VKDrXhHzGj2SfcA2l92PyXLxU7rL1P
XF2ECF8x32hNHbBL1ZweWW5Y0t0QuzlbOpXni7lBWlc=
4f3f090a070f010a1f5a1a14127b
79001102190e152f330d0e0a
001c12534d0204170b12554d1607011716030501
c598d8fb-e1e8-401d-8514-8727e0c0adc9
71141a5b421e1f1e1f08191e1202021e19585717120e051e1552450e1305040544514618505046180e5018500e0e50460e5050361405
LMOYZabSTstjKfghiuvw6BCr34DEFxyNPQRz012UVpq5GHIjklmn78WXcdeAo9
03272934242524253223313d2824697f3e
51080a4631095e2b7d08463171
4e7a40464d405112327a5d4c736648
634f5e425b545c4b43585f6f6853
zFdNkMZsABGSaL0fnbaESCMjnNDZVYUzj
e04dbf73-2f09-4c37-ba50-bcea4cff93fc
7d2b3819083a36232f0504
692e292c1f172d3c3e2c2e3b

POSSIBLE SECRETS
MYUujATvVqe4acK2JvB90gnln3iztm

▶ PLAYSTORE INFORMATION

Title: SHAREit: Transfer, Share Files

Score: 4.3067636 **Installs:** 1,000,000,000+ **Price:** 0 **Android Version Support:** Category: Tools **Play Store URL:** [com.lenovo.anyshare.gps](https://play.google.com/store/apps/details?id=com.lenovo.anyshare.gps)

Developer Details: Smart Media4U Technology Pte.Ltd., Smart+Media4U+Technology+Pte.Ltd., None, <http://www.ushareit.com>, feedback_android@ushareit.com,

Release Date: Apr 28, 2013 **Privacy Policy:** [Privacy link](#)

Description:

It's time to Share it! Share files, apps, games, videos, photos, music, recordings, documents and more with the SHAREit file transfer app. As a super-fast and safe app to transfer big files, trusted by 2 billion+ users globally, SHAREit is the secure way to share files. With SHAREit you can also download videos and photos directly with downloader, manage files on your phone with file manager. File transfers from Mobile to PC and vice versa are now faster and easier. New function: when changing your phone, you can easily transfer contacts, apps, videos, photos, music, recordings, documents from an old phone to a new one through SHAREit's phone clone function. It's super easy to use! And the best part? It's free! □ Why you must use SHAREit, the #1 file share & data transfer app? □ THE FASTEST FILE SHARING AND APP SHARING IN THE WORLD With 200 times faster than Bluetooth, the highest speed goes up to 42MB/s. Share and receive files without any data consumption, transfer files without any quality loss. □ HIGH PRIVACY & DATA SECURITY We know privacy and data security are important, so we make sure they're protected in the best way while you enjoy your files transfer, for free. With SHAREit, you can quickly and securely send and share any file, anywhere in the world. □ POWERFUL CROSS-PLATFORM TRANSFERRING, SUPPORTS ALL TYPES OF FILES Experience the best data-free file transferring and sharing app that offers cross-platform transferring, supports all types of files and makes your life easier. You don't have to worry about the size or type of data anymore because SHAREit helps you send large files without limitation across all your devices. Transfer: Apps, Games, Photos, Movies, Videos, Music, GIFs and Wallpapers with just one tap! ↓ FAST DOWNLOADER Support downloading videos and photos. Easily download videos and photos directly to your device. □ INFINITE HD & SELECTIVE ONLINE VIDEOS Watch unlimited high-definition videos find high-quality and fun new video content every time you open the app. □ ELEGANT MUSIC PLAYER - AUDIO PLAYER SHAREit Music Player is the best way to listen to your favorite songs. It's a powerful and user-friendly audio player that does much more than just play music. □ PHONE CLONE Phone Clone (Smart Switch) is a very handy data migration function when you change phones. You can easily transfer contacts, apps, videos, photos, music, recordings, documents from old phone to new phone. Samsung, Transsion, Xiaomi, OPPO, vivo, Huawei, OnePlus, iPhone and other smartphones all support this function. □SHAREit features: TRANSFER GAME APPS: A new PUBG One Click Transmission feature - within seconds transfer large game apps, without needing to download the game cache file. DOWNLOADER: Save videos and photos from WhatsApp, Facebook and Instagram for free. FILE MANAGER: Manage the biggest files, move files or delete them. □ More features: Safebox: Easily hiding and encrypting photos and videos you prefer others not to see. PDF Conversion: Conversions between PDF and images. ♥ Download SHAREit now, the perfect app to share and transfer files! If you like it, SHARE it with your friends! ♥ Share, Watch & Play. All day. With SHAREit.

☰ SCAN LOGS

Timestamp	Event	Error
-----------	-------	-------

2026-05-29 17:13:35	Generating Hashes	OK
2026-05-29 17:13:35	Extracting APK	OK
2026-05-29 17:13:35	Unzipping	OK
2026-05-29 17:13:36	Parsing APK with androguard	OK
2026-05-29 17:13:37	Extracting APK features using aapt/aapt2	OK
2026-05-29 17:13:37	Getting Hardcoded Certificates/Keystores	OK
2026-05-29 17:13:40	Parsing AndroidManifest.xml	OK
2026-05-29 17:13:40	Extracting Manifest Data	OK
2026-05-29 17:13:40	Manifest Analysis Started	OK
2026-05-29 17:13:40	Reading Network Security config from m.xml	OK
2026-05-29 17:13:40	Parsing Network Security config	OK
2026-05-29 17:13:40	Performing Static Analysis on: SHAREit (com.lenovo.anyshare.gps)	OK

2026-05-29 17:13:41	Fetching Details from Play Store: com.lenovo.anyshare.gps	OK
2026-05-29 17:13:41	Checking for Malware Permissions	OK
2026-05-29 17:13:41	Fetching icon path	OK
2026-05-29 17:13:41	Library Binary Analysis Started	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libTierahs.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libbuffer.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libyuv.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libnms.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libapminsightb.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libtapjoy.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libapminsighta.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libhpatchz.so	OK

2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libpl_droidsonroids_gif.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libpglarmor.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libglide-webp.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libxcrash_dumper.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/lib7-Zip-JBinding.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libmoksha.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libfile_lock.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libxcrash.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libtt_ugen_layout.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/liblogan.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libc++_shared.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64-v8a/libNotCheck.so	OK

2026-05-29 17:13:41	Analyzing lib/arm64- v8a/libinnoplayer-core.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64- v8a/libtobEmbedPagEncrypt.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64- v8a/libmmkv.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64- v8a/libimggroup.so	OK
2026-05-29 17:13:41	Analyzing lib/arm64- v8a/libtdcoreplugin.so	OK
2026-05-29 17:13:41	Analyzing lib/armeabi- v7a/libTierahs.so	OK
2026-05-29 17:13:41	Analyzing lib/armeabi- v7a/libbuffer.so	OK
2026-05-29 17:13:41	Analyzing lib/armeabi- v7a/libyuv.so	OK
2026-05-29 17:13:41	Analyzing lib/armeabi- v7a/libnms.so	OK
2026-05-29 17:13:41	Analyzing lib/armeabi- v7a/libapminsightb.so	OK
2026-05-29 17:13:41	Analyzing lib/armeabi- v7a/libtapjoy.so	OK
2026-05-29 17:13:41	Analyzing lib/armeabi- v7a/libapminsighta.so	OK

2026-05-29 17:13:41	Analyzing lib/armeabi-v7a/libhpatchz.so	OK
2026-05-29 17:13:41	Analyzing lib/armeabi-v7a/libpl_droidsonroids_gif.so	OK
2026-05-29 17:13:41	Analyzing lib/armeabi-v7a/libpglarmor.so	OK
2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/libglide-webp.so	OK
2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/libboost_multidex.so	OK
2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/libxcrash_dumper.so	OK
2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/lib7-Zip-JBinding.so	OK
2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/libmoksha.so	OK
2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/libfile_lock.so	OK
2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/libxcrash.so	OK
2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/libtt_uugen_layout.so	OK
2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/liblogan.so	OK

2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/libc++_shared.so	OK
2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/libNotCheck.so	OK
2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/libinnoplayer-core.so	OK
2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/libtobEmbedPagEncrypt.so	OK
2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/libmmkv.so	OK
2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/libimggroup.so	OK
2026-05-29 17:13:42	Analyzing lib/armeabi-v7a/libtdcoreplugin.so	OK
2026-05-29 17:13:42	Analyzing assets/arm64-v8a/libtrustdevice.so	OK
2026-05-29 17:13:42	Analyzing assets/armeabi-v7a/libtrustdevice.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64-v8a/libTierahs.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64-v8a/libbuffer.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64-v8a/libyuv.so	OK

2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libnms.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libapminsightb.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libtapjoy.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libapminsighta.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libhpatchz.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libpl_droidsonroids_gif.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libpglarmor.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libglide-webp.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libxcrash_dumper.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/lib7-Zip-jBinding.so	OK

2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libmoksha.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libfile_lock.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libxcrash.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libtt_uken_layout.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/liblogan.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libc++_shared.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libNotCheck.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libinnoplayer-core.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libtobEmbedPagEncrypt.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libmmkv.so	OK

2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libimggroup.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/arm64- v8a/libtdcoreplugin.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libTierahs.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libbuffer.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libyuv.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libnms.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libapminsightb.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libtapjoy.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libapminsighta.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libhpatchz.so	OK

2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libpl_droidsonroids_gif.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libpglarmor.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libglide-webp.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libboost_multidex.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libxcrash_dumper.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/lib7-Zip-JBinding.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libmoksha.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libfile_lock.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libxcrash.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libtt_uugen_layout.so	OK

2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/liblogan.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libc++_shared.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libNotCheck.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libinnoplayer-core.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libtobEmbedPagEncrypt.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libmmkv.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libimggroup.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/lib/armeabi- v7a/libtdcoreplugin.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/assets/arm64- v8a/libtrustdevice.so	OK
2026-05-29 17:13:42	Analyzing apktool_out/assets/armeabi- v7a/libtrustdevice.so	OK

2026-05-29 17:13:42	Reading Code Signing Certificate	OK
2026-05-29 17:13:43	Running APKiD 3.0.0	OK
2026-05-29 17:13:52	Detecting Trackers	OK
2026-05-29 17:13:57	Decompiling APK to Java with JADX	OK
2026-05-29 17:30:37	Decompiling with JADX timed out	TimeoutExpired(['/home/mobsf/.MobSF/tools/jadx/jadx-1.5.0/bin/jadx', '-ds', '/home/mobsf/.MobSF/uploads/e1dd6ed7abe944f75202e4258c3627f8/java_source', '-q', '-r', '--show-bad-code', '/home/mobsf/.MobSF/uploads/e1dd6ed7abe944f75202e4258c3627f8/e1dd6ed7abe944f75202e4258c3627f8.apk'], 999.9999813330002)
2026-05-29 17:30:37	Converting DEX to Smali	OK
2026-05-29 17:30:37	Code Analysis Started on - java_source	OK
2026-05-29 17:30:59	Android SBOM Analysis Completed	OK
2026-05-29 17:31:04	Android SAST Completed	OK
2026-05-29 17:31:04	Android API Analysis Started	OK
2026-05-29 17:31:10	Android API Analysis Completed	OK
2026-05-29 17:31:10	Android Permission Mapping Started	OK

2026-05-29 17:32:18	Android Permission Mapping Completed	OK
2026-05-29 17:32:18	Android Behaviour Analysis Started	OK
2026-05-29 17:32:26	Android Behaviour Analysis Completed	OK
2026-05-29 17:32:26	Extracting Emails and URLs from Source Code	OK
2026-05-29 17:32:36	Email and URL Extraction Completed	OK
2026-05-29 17:32:36	Extracting String data from APK	OK
2026-05-29 17:32:36	Extracting String data from SO	OK
2026-05-29 17:32:36	Extracting String data from Code	OK
2026-05-29 17:32:36	Extracting String values and entropies from Code	OK
2026-05-29 17:32:41	Performing Malware check on extracted domains	OK
2026-05-29 17:33:05	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

