



ANDROID STATIC ANALYSIS REPORT



Subway Surf (1.17.0)

File Name:	com.kiloo.subwaysurf_1.17.0-38_minAPI10(armeabi,armeabi-v7a)(nodpi)_apkmirror.com.apk
Package Name:	com.kiloo.subwaysurf
Average CVSS Score:	6.4
App Security Score:	10/100 (CRITICAL RISK)
Trackers Detection:	7/432
Scan Date:	May 30, 2026, 7:53 p.m.



FILE INFORMATION

File Name: com.kiloo.subwaysurf_1.17.0-38_minAPI10(armeabi,armeabi-v7a)(nodpi)_apkmirror.com.apk

Size: 29.52MB

MD5: a451243d1d47a9985b75f372d27775e5

SHA1: 371234b27e362f1689bac051b99e938c543bc42d

SHA256: 4a295814bee845b96b77386faee22c89cb6bdcc3398d17c63e471f1987ab7502

i APP INFORMATION

App Name: Subway Surf

Package Name: com.kiloo.subwaysurf

Main Activity: .RRAndroidPluginActivity

Target SDK: 18

Min SDK: 10

Max SDK:

Android Version Name: 1.17.0

Android Version Code: 38

■ APP COMPONENTS

Activities: 15

Services: 3

Receivers: 4

Providers: 0

Exported Activities: 0

Exported Services: 0

Exported Receivers: 3

Exported Providers: 0

☼ CERTIFICATE INFORMATION

APK is signed

v1 signature: True

v2 signature: False

v3 signature: False

Found 1 unique certificates

Subject: C=45, ST=Jutland, L=Aarhus, O=Kiloo Games, OU=Kiloo, CN=Jacob Møller

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2012-09-03 08:20:16+00:00

Valid To: 3012-01-05 08:20:16+00:00

Issuer: C=45, ST=Jutland, L=Aarhus, O=Kiloo Games, OU=Kiloo, CN=Jacob Møller

Serial Number: 0x50446840

Hash Algorithm: sha1

md5: 50dcb8f95024113f3c6761e543c3e185

sha1: ecbe8397a8ddface5ce7c8c50fed444402fd384e

sha256: a0328a96ac93be7983b5bec417bd2c03f129af6f8aff39512470e66a18dd964e

sha512:
6fe04a3a3122db81717e16a99beee564c23b16b5a9c6994ba659900e02ddfea9359d8c7bc8975909ad3f0691ddf64bfed780d1de3dcc3c923639712296f0d53a

STATUS	DESCRIPTION
secure	Application is signed with a code signing certificate
bad	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android <7.0
bad	Application is signed with SHA1withRSA. SHA1 hash algorithm is known to have collision issues.

≡ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	dangerous	full Internet access	Allows an application to create network sockets.
com.android.vending.BILLING	dangerous	Unknown permission from android reference	Unknown permission from android reference
com.android.vending.CHECK_LICENSE	dangerous	Unknown permission from android reference	Unknown permission from android reference
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete SD card contents	Allows an application to write to the SD card.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.READ_PHONE_STATE	dangerous	read phone state and identity	Allows the application to access the phone features of the device. An application with this permission can determine the phone number and serial number of this phone, whether a call is active, the number that call is connected to and so on.
com.kiloo.subwaysurf.permission.C2D_MESSAGE	signature	Allows cloud to device messaging	Allows the application to receive push notifications.
com.google.android.c2dm.permission.RECEIVE	signature	C2DM permissions	Permission for cloud to device messaging.
android.permission.GET_ACCOUNTS	normal	discover known accounts	Allows an application to access the list of accounts known by the phone.
android.permission.WAKE_LOCK	dangerous	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.GET_TASKS	dangerous	retrieve running applications	Allows application to retrieve information about currently and recently running tasks. May allow malicious applications to discover private information about other applications.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.



APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.BOARD check possible Build.SERIAL check SIM operator check network operator name check device ID check
	Compiler	dx (possible dexmerge)
	Manipulator Found	dexmerge



NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------



MANIFEST ANALYSIS

NO	ISSUE	SEVERITY	DESCRIPTION
1	Application Data can be Backed up [android:allowBackup] flag is missing.	medium	The flag [android:allowBackup] should be set to false. By default it is set to true and allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
2	Broadcast Receiver (BillingReceiver) is not Protected. An intent-filter exists.	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Broadcast Receiver is explicitly exported.

NO	ISSUE	SEVERITY	DESCRIPTION
3	Broadcast Receiver (com.google.android.gcm.GCMBroadcastReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
4	Broadcast Receiver (com.nativex.advertiser.ReferralReceiver) is not Protected. An intent-filter exists.	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Broadcast Receiver is explicitly exported.

</> CODE ANALYSIS

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/nativex/monetization/communication/requests/TrackMRAIDClickRequest.java com/nativex/monetization/MonetizationManager.java com/inmobi/re/container/mraidimpl/MRAIDExpandController.java com/jirbo/adcolony/AdColonyBrowser.java com/kiloo/inmobi/InmobiBridgeAndroid.java com/nativex/common/HTTPServiceManager.java com/nativex/monetization/ui/OfferwallBottomBar.java com/inmobi/androidsdk/IMBrowserActivity.java com/nativex/common/billingtracking/BillingCallback.java com/millennialmedia/android/PreCacheWorker.java com/jirbo/adcolony/ADCAAdManager.java com/nativex/monetization/ui/OfferwallOfferList.java com/inmobi/monetization/internal/GetLtpRuleRequestTask.java com/kiloo/subwaysurf/GCMIntentService.java com/nativex/advertiser/AdvertiserJsOnRequestManager.java com/kiloo/unityutilities/UnityPluginActivity.java com/inmobi/commons/analytics/db/AnalyticsDatabaseManager.java com/prime31/ActivityProxyObjectHelper.java com/millennialmedia/android/Bridg

NO	ISSUE	SEVERITY	STANDARDS	eMMMicrophone.java com/kiloo/flurrysdk/FlurryMain.java com/millennialmedia/android/Bridg Files eMMMedia.java com/nativex/monetization/mraid/M RAIDLogger.java com/nativex/monetization/dialogs/c ustom/FeaturedDialogTitle.java com/nativex/advertiser/communicat ion/AppWasRunV2Response.java com/nativex/monetization/ui/Sortin gBar.java com/vungle/sdk/av.java com/chartboost/sdk/impl/o.java com/inmobi/monetization/internal/L typRuleProcessor.java com/inmobi/commons/analytics/db/ AnalyticsFunctions.java defpackage/dd.java com/nativex/monetization/custom/v iews/WebOfferwallWebView.java com/nativex/advertiser/AdvertiserRe questManager.java com/inmobi/commons/analytics/net /AnalyticsPayloadBuilder.java com/unity3d/player/ae.java com/prime31/P31UAIIntentReceiver.j ava com/inmobi/re/container/b.java com/millennialmedia/android/Utils.j ava com/prime31/P31VideoPlayerActivit y.java com/nativex/monetization/communi cation/ServerRequestManager.java com/nativex/monetization/dialogs/c ustom/StorePictureDialogBody.java com/nativex/monetization/manager/ SDKResultManager.java com/nativex/monetization/activities/ ComplexVideoPlayerActivity.java com/nativex/monetization/nonrewar d/NonRewardWebView.java com/nativex/monetization/manager/ ImageCacheManager.java com/inmobi/commons/analytics/iat/ impl/config/AdTrackerInitializer.java com/nativex/monetization/manager/ ActivityManager.java com/kiloo/unityutilities/JSONUtils.jav a com/inmobi/commons/uid/UIDHelp er.java com/inmobi/re/configs/ConfigParam s.java com/jirbo/adcolony/ADCCustomVide oView.java com/nativex/monetization/manager/ CurrencyRedemptionManager.java com/millennialmedia/android/Bridg eMMSpeechkit.java com/millennialmedia/android/HttpG etRequest.java com/nativex/monetization/ui/Histor yLayout.java com/nativex/monetization/mraid/M

NO	ISSUE	SEVERITY	STANDARDS	RAIDManager.java FILES com/nativex/monetization/dialogs/c ustom/MessageDialogTitle.java com/millennialmedia/android/Inline VideoView.java com/nativex/monetization/communi cation/HttpRedirectResolver.java com/inmobi/commons/analytics/net /a.java com/millennialmedia/android/MMIn terstitial.java com/millennialmedia/android/MMW ebView.java com/jirbo/adcolony/ADCPlayHistory. java com/millennialmedia/android/NVAS peechKit.java com/kiloo/subwaysurf/InAppBilling Manager.java com/millennialmedia/android/AdCac he.java com/vungle/sdk/al.java com/inmobi/androidsdk/b.java com/flurry/android/impl/ads/FlurryA dModule.java com/nativex/common/billingtrackin g/InAppBillingResponse.java com/kiloo/subwaysurf/PurchaseObs erver.java com/millennialmedia/android/MMA dImpl.java com/kochava/android/tracker/Referr alCapture.java com/inmobi/androidsdk/impl/imai/b .java com/nativex/monetization/dialogs/c ustom/MessageDialogBody.java com/millennialmedia/android/Overl aySettings.java com/chartboost/sdk/Chartboost.java com/nativex/monetization/manager/ MonetizationSharedDataManager.jav a com/nativex/monetization/dialogs/c ustom/CTADialogTitle.java com/nativex/monetization/custom/v iews/CustomImageView.java com/nativex/monetization/manager/ HistoryManager.java com/nativex/monetization/custom/v iews/TransparentWebView.java com/jirbo/adcolony/ADCDData.java com/nativex/monetization/custom/v iews/ComplexVideoPlayerLayout.jav a com/nativex/advertiser/AdvertiserSh aredData.java com/millennialmedia/android/MMA ctivity.java com/nativex/monetization/Monetiza tionSDK.java com/nativex/monetization/communi cation/requests/EndSessionRequest.j ava com/kiloo/unityplugins/FacebookSes

NO	ISSUE	SEVERITY	STANDARDS	Files com/inmobi/commons/analytics/net/AnalyticsNetworkManager.java com/nuance/nmsp/client/sdk/oem/e.java com/inmobi/commons/analytics/androidsdk/IMAdTrackerReceiver.java com/jirbo/adcolony/ADCUtil.java com/nativex/monetization/manager/DialogManager.java com/millennialmedia/android/MMBroadcastReceiver.java com/jirbo/adcolony/ADCDownload.java com/nativex/monetization/dialogs/custom/CTADialog.java com/inmobi/re/controller/util/ImageProcessing.java com/inmobi/androidsdk/impl/net/WebviewLoader.java com/vungle/sdk/q.java com/inmobi/commons/metric/EventLog.java com/kiloo/subwaysurf/RRAndroidPluginActivity.java com/nativex/advertiser/JsonRequestManager.java com/inmobi/commons/metric/Queue.java com/inmobi/re/container/WrapperFunctions.java com/inmobi/commons/analytics/net/AnalyticsCommon.java com/inmobi/commons/analytics/events/AnalyticsEventsWrapper.java com/inmobi/monetization/internal/GetLtpRulesRequest.java com/inmobi/commons/internal/Log.java com/vungle/sdk/am.java com/inmobi/commons/analytics/iat/impl/net/AdTrackerNetworkInterface.java com/nativex/monetization/manager/JsonParserFactory.java com/millennialmedia/android/CacheVideoPlayerActivity.java com/inmobi/androidsdk/BannerView.java com/jirbo/adcolony/ADCStreamWriter.java com/nativex/monetization/manager/MonetizationJsonRequestManager.java com/inmobi/monetization/IMBanner.java com/inmobi/commons/uid/UID.java com/nativex/monetization/util/Unbinder.java com/nativex/monetization/ui/OfferwallOfferListV2.java com/inmobi/commons/internal/c.java com/inmobi/androidsdk/impl/imai/IMAController.java com/millennialmedia/android/Reque

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CVSS V2: 7.5 None (high) CWE: CWE-532 Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	stListener.java com/nativex/monetization/util/SupportMailData.java com/inmobi/re/container/c.java com/inmobi/androidsdk/impl/imai/IMAIClickEventList.java com/nativex/monetization/mraid/JSIAdToDeviceHandler.java com/millennialmedia/android/MMWebViewController.java com/kiloo/adcolony/AdColonyMain.java com/inmobi/androidsdk/impl/UserInfo.java com/inmobi/commons/analytics/db/FunctionTagTransaction.java com/inmobi/commons/thirdparty/Base62.java com/nativex/monetization/manager/ItemManager.java com/nativex/monetization/manager/SessionManager.java com/nativex/common/ExternalTrackingManager.java com/inmobi/analytics/InMobiAnalytics.java com/jirbo/adcolony/ADCWriter.java com/jirbo/adcolony/ADCSessionManager.java com/unity3d/player/r.java com/millennialmedia/android/BridgeMMCachedVideo.java com/millennialmedia/android/AdViewOverlayView.java com/jirbo/adcolony/ADCReportingManager.java com/millennialmedia/android/MMConversionTracker.java com/inmobi/re/container/IMWebView.java com/inmobi/re/container/mraidimpl/MRAIDAudioVideoController.java com/prime31/UnityPlayerNativeActivity.java com/inmobi/re/container/mraidimpl/MRAIDInterstitialController.java com/inmobi/androidsdk/g.java com/inmobi/commons/cache/CacheController.java com/inmobi/androidsdk/e.java com/inmobi/commons/analytics/iat/impl/net/AdTrackerRequestResponseBuilder.java com/millennialmedia/android/HttpRedirect.java com/prime31/UnityPlayerActivity.java com/nativex/monetization/nonreward/NonRewardBanner.java com/nativex/advertiser/SharedPreferencesManager.java com/inmobi/androidsdk/c.java com/inmobi/commons/internal/JSONPayloadCreator.java com/jirbo/adcolony/ADCMonitor.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/nativex/monetization/mraid/MRAIDAsyncManager.java com/inmobi/commons/analytics/iat/impl/AdTrackerUtils.java com/nuance/nmdp/speechkit/recognitionresult/b.java com/inmobi/commons/analytics/boatstrapper/AnalyticsInitializer.java com/nativex/monetization/manager/ImageService.java com/inmobi/commons/thinICE/icedatacollector/b.java com/nativex/monetization/nonreward/NonRewardManager.java com/nativex/advertiser/AdvertiserManager.java com/kiloo/subwaysurf/PurchaseDatabase.java com/inmobi/androidsdk/d.java com/inmobi/androidsdk/bootstrapper/Initializer.java com/inmobi/monetization/IMInterstitial.java com/inmobi/commons/uid/UIDUtil.java com/jirbo/adcolony/ADCController.java com/millennialmedia/android/VideoPlayerActivity.java com/kiloo/subwaysurf/BillingReceiver.java com/inmobi/commons/cache/LocalCache.java com/inmobi/re/container/a.java com/nativex/monetization/mraid/MRAIDWebView.java com/inmobi/re/configs/Initializer.java com/inmobi/commons/metric/Storage.java com/millennialmedia/android/HandShake.java org/fmod/a.java com/inmobi/re/controller/util/AVPlayer.java com/nativex/monetization/dialogs/custom/ViewFlingerScroller.java com/nativex/common/Utilities.java com/nativex/monetization/ui/HistoryTable.java com/inmobi/commons/internal/ActivityRecognitionManager.java com/inmobi/commons/analytics/db/AnalyticsSQLiteHelper.java com/inmobi/monetization/internal/objects/LtvpRuleCache.java com/nativex/monetization/communication/AsyncTaskManager.java com/nativex/monetization/ui/OfferDescriptionLayout.java com/inmobi/re/container/mraidimpl/MRAIDResizeController.java com/nativex/advertiser/communication/AsyncRequestExecutor.java com/nativex/monetization/activities/

NO	ISSUE	SEVERITY	STANDARDS	FILES
				InterstitialActivity.java com/inmobi/commons/analytics/iat/ impl/net/AdTrackerWebViewLoader.j ava com/inmobi/re/container/mraidimpl /AudioTriggerer.java com/millennialmedia/android/MMS DK.java com/nativex/monetization/activities/ OfferwallActivity.java com/inmobi/androidsdk/impl/imai/I MAUtility.java com/nativex/advertiser/ReferralRece iver.java com/prime31/EtceteraProxyActivity.j ava com/kiloo/unityplugins/localnotificat ions/LocalNotificationsManager.java com/inmobi/commons/internal/App DetectionManager.java com/jirbo/adcolony/ADCMediaMana ger.java com/nativex/monetization/ui/Histor yList.java com/millennialmedia/android/Video Ad.java com/inmobi/androidsdk/impl/imai/a .java com/inmobi/commons/cache/Produ ctCacheConfig.java com/millennialmedia/android/MMJS Response.java com/nativex/advertiser/DeviceMana ger.java com/millennialmedia/android/AdVie wOverlayActivity.java com/inmobi/commons/internal/Inte rnalSDKUtil.java com/kochava/android/tracker/Kocha vaDbAdapter.java com/jirbo/adcolony/ADCStringBuilde r.java com/jirbo/adcolony/ADC.java com/millennialmedia/android/MMA dView.java com/millennialmedia/android/Bridg eMMDevice.java com/millennialmedia/android/MMC ommand.java com/millennialmedia/android/Cache dAd.java com/nativex/monetization/activities/ OfferDescriptionActivity.java com/inmobi/commons/cache/Retry Mechanism.java com/nativex/advertiser/SerialNumbe rFactory.java com/kochava/android/tracker/Kocha vaWebAdView.java com/vungle/sdk/as.java com/millennialmedia/android/MMLa yout.java com/unity3d/player/ac.java com/nativex/monetization/mraid/JSI DeviceToAd.java com/nativex/monetization/activities/

NO	ISSUE	SEVERITY	STANDARDS	Files
				com/nativex/monetization/activities/HistoryActivity.java com/nativex/monetization/dialogs/custom/BaseDialog.java com/nativex/advertiser/AdvertiserSDK.java com/inmobi/re/controller/JSDisplayController.java com/nativex/monetization/business/CVOParams.java com/inmobi/androidsdk/InterstitialView.java com/kiloo/unityplugins/localnotifications/NotificationService.java com/inmobi/re/container/mraidimpl/MRAIDBasic.java com/inmobi/commons/analytics/androidsdk/IMAdTracker.java com/kochava/android/tracker/Feature.java com/inmobi/androidsdk/impl/SDKUtil.java com/inmobi/commons/internal/IMCCommonUtil.java com/inmobi/re/controller/JSUtilityController.java com/nativex/common/StatsDManager.java com/nativex/advertiser/NetworkConnectionManager.java com/inmobi/commons/internal/FileOperations.java com/kiloo/subwaysurf/BillingService.java com/nativex/monetization/ui/OfferwallLayout.java com/inmobi/commons/thinICE/icedatacollector/IceDataCollector.java com/nativex/advertiser/HttpConnectionManager.java com/inmobi/androidsdk/impl/net/RequestResponseManager.java com/kiloo/millennial/MillennialAndroidBridge.java com/nativex/monetization/dialogs/custom/AddCalendarEntryDialogBody.java com/kiloo/vungleplugin/VungleMain.java com/kiloo/nativexplugin/NativeXPlugin.java com/nativex/monetization/communication/ServerResponseHandler.java com/nativex/monetization/dialogs/custom/CTADialogBody.java com/prime31/EtceteraPlugin.java com/inmobi/commons/analytics/db/AnalyticsEventsQueue.java com/jirbo/adcolony/ADCConfiguration.java com/inmobi/commons/analytics/util/AnalyticsUtils.java com/jirbo/adcolony/ADCVideoHUD.java com/kiloo/unityplugin/chartboost/ChartboostBridgeAndroid.java

NO	ISSUE	SEVERITY	STANDARDS	com/nativex/monetization/mraid/MRAIDWorkerFactory.java com/inmobi/commons/analytics/iat/impl/GoalList.java com/jirbo/adcolony/ADCManifest.java com/jirbo/adcolony/ADCMRAIDHandler.java com/nativex/monetization/ui/OfferwallTopBar.java com/chartboost/sdk/impl/j.java com/prime31/EtceteraApplication.java com/nativex/monetization/communication/BaseAsyncTask.java com/inmobi/commons/InMobi.java com/vungle/sdk/ag.java com/vungle/sdk/aj.java com/vungle/sdk/y.java com/nativex/monetization/manager/ImageDownloadManager.java com/inmobi/androidsdk/impl/net/HttpRequestBuilder.java com/nativex/monetization/communication/requests/TrackMRAIDVideoRequest.java com/nativex/monetization/manager/SharedPreferenceManager.java com/inmobi/androidsdk/impl/ConnBroadcastReceiver.java com/nativex/monetization/dialogs/custom/FadingTextSwitcher.java com/inmobi/commons/internal/ThinICE.java com/nativex/monetization/nonreward/Interstitial.java com/vungle/sdk/VunglePub.java com/jirbo/adcolony/ADCJSON.java com/kiloo/subwaysurf/Security.java com/jirbo/adcolony/ADCZoneStateManager.java com/millennialmedia/android/MMAImplController.java com/jirbo/adcolony/ADCStorage.java com/millennialmedia/android/MRAID.java com/inmobi/commons/thinICE/icedatacollector/a.java org/fmod/FMODAudioDevice.java
				com/kiloo/inmobi/InmobiBridgeAndroid.java com/nuance/nmdp/speechkit/util/dataupload/Action.java com/flurry/android/monolithic/sdk/impl/adc.java com/flurry/android/monolithic/sdk/impl/afe.java com/flurry/android/monolithic/sdk/impl/fb.java com/flurry/android/monolithic/sdk/impl/mn.java com/flurry/android/monolithic/sdk/impl/kg.java com/flurry/android/monolithic/sdk/i

NO	ISSUE	SEVERITY	STANDARDS	FILES
2	This App uses Java Hash Code. It is a weak hash function and should never be used in Secure Crypto Implementation.	info	CVSS V2: 2.3 None (low) CWE: CWE-327 Use of a Broken or Risky Cryptographic Algorithm OWASP MASVS: MSTG-CRYPTO-4	mpl/fk.java com/flurry/android/monolithic/sdk/i mpl/aeo.java com/flurry/android/monolithic/sdk/i mpl/ga.java com/millennialmedia/google/gson/i nternal/C\$Gson\$Types.java com/flurry/android/monolithic/sdk/i mpl/ka.java com/flurry/android/impl/ads/FlurryA dModule.java com/chartboost/sdk/Chartboost.java com/flurry/android/monolithic/sdk/i mpl/pw.java com/flurry/android/FlurryWallet.java com/flurry/android/monolithic/sdk/i mpl/aaj.java com/flurry/android/monolithic/sdk/i mpl/adf.java com/millennialmedia/google/gson/Js onNull.java com/flurry/android/monolithic/sdk/i mpl/ix.java com/chartboost/sdk/impl/ba.java com/flurry/android/monolithic/sdk/i mpl/jr.java com/flurry/android/monolithic/sdk/i mpl/ku.java com/flurry/android/monolithic/sdk/i mpl/kn.java com/flurry/android/monolithic/sdk/i mpl/nx.java com/chartboost/sdk/impl/ax.java com/inmobi/analytics/InMobiAnalyti cs.java com/unity3d/player/ReflectionHelpe r.java com/nuance/nmdp/speechkit/util/da taupload/Contact.java com/flurry/android/monolithic/sdk/i mpl/k.java com/flurry/android/monolithic/sdk/i mpl/afm.java com/flurry/android/monolithic/sdk/i mpl/gi.java com/flurry/android/monolithic/sdk/i mpl/afd.java com/flurry/android/monolithic/sdk/i mpl/yg.java com/flurry/android/monolithic/sdk/i mpl/js.java com/flurry/android/monolithic/sdk/i mpl/hk.java com/flurry/android/monolithic/sdk/i mpl/tj.java com/millennialmedia/google/gson/Js onObject.java com/flurry/android/monolithic/sdk/i mpl/aeq.java com/millennialmedia/google/gson/r efect/TypeToken.java com/flurry/android/monolithic/sdk/i mpl/ada.java com/flurry/android/monolithic/sdk/i mpl/kb.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/flurry/android/monolithic/sdk/i Files com/chartboost/sdk/impl/ab.java com/flurry/android/monolithic/sdk/i mpl/aff.java com/chartboost/sdk/impl/bg.java com/flurry/android/monolithic/sdk/i mpl/adb.java com/chartboost/sdk/impl/bc.java com/flurry/android/monolithic/sdk/i mpl/nm.java com/flurry/android/monolithic/sdk/i mpl/ot.java com/millennialmedia/google/gson/Js onArray.java com/flurry/android/monolithic/sdk/i mpl/kq.java com/flurry/android/monolithic/sdk/i mpl/ji.java com/millennialmedia/google/gson/i nternal/LinkedHashMap.java com/flurry/android/monolithic/sdk/i mpl/aew.java com/prime31/EtceteraPlugin.java com/flurry/android/monolithic/sdk/i mpl/m.java com/chartboost/sdk/impl/bb.java com/millennialmedia/google/gson/Js onPrimitive.java com/flurry/android/monolithic/sdk/i mpl/ip.java com/chartboost/sdk/impl/aw.java com/flurry/android/monolithic/sdk/i mpl/xy.java
3	IP Address disclosure	warning	CVSS V2: 4.3 None (medium) CWE: CWE-200 Information Exposure OWASP MASVS: MSTG-CODE-2	com/inmobi/androidsdk/IMBrowser Activity.java com/nuance/nmdp/speechkit/w.java com/inmobi/re/controller/util/Const ants.java com/inmobi/androidsdk/impl/Config Constants.java defpackage/aw.java com/flurry/android/monolithic/sdk/i mpl/dr.java com/inmobi/androidsdk/impl/net/R equestResponseManager.java com/inmobi/androidsdk/impl/net/Ht tpRequestBuilder.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	Files may contain hardcoded sensitive informations like usernames, passwords, keys etc.	high	CVSS V2: 7.4 None (high) CWE: CWE-312 Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/kiloo/subwaysurf/GCMIntentService.java com/inmobi/commons/analytics/iat/impl/AdTrackerConstants.java com/flurry/android/monolithic/sdk/impl/fb.java com/millennialmedia/android/HandShake.java com/inmobi/androidsdk/impl/ConfigConstants.java com/kiloo/unityplugins/localnotifications/NotificationService.java com/kiloo/subwaysurf/Consts.java com/prime31/EtceteraPlugin.java com/kochava/android/util/OpenUDID.java
5	App can read/write to External Storage. Any App can read data written to External Storage.	high	CVSS V2: 5.5 None (medium) CWE: CWE-276 Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/chartboost/sdk/impl/o.java com/unity3d/player/UnityPlayer.java com/millennialmedia/android/AdCache.java com/nativex/monetization/util/SupportMailData.java com/nativex/common/Utilities.java com/millennialmedia/android/MMSDK.java com/nativex/monetization/mraid/MRAIDWorkerFactory.java com/jirbo/adcolony/ADCMRAIDHandler.java com/vungle/sdk/aj.java com/jirbo/adcolony/ADCStorage.java com/kiloo/unityplugins/DeviceUtility.java com/jirbo/adcolony/ADCImage.java
6	This App uses RSA Crypto without OAEP padding. The purpose of the padding scheme is to prevent a number of attacks on RSA that only work when the encryption is performed without padding.	high	CVSS V2: 5.9 None (medium) CWE: CWE-780 - Use of RSA Algorithm without OAEP OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-3	com/inmobi/commons/uid/UIDHelper.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
7	The App uses an insecure Random Number Generator.	high	CVSS V2: 7.5 None (high) CWE: CWE-330 Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/flurry/android/monolithic/sdk/impl/oh.java com/inmobi/commons/analytics/net/AnalyticsNetworkManager.java com/inmobi/monetization/internal/GetLtpRulesRequest.java com/chartboost/sdk/impl/ba.java com/inmobi/androidsdk/impl/UserInfo.java com/inmobi/commons/analytics/iat/impl/net/AdTrackerRequestResponseBuilder.java com/inmobi/commons/uid/UIDUtil.java com/inmobi/androidsdk/impl/imai/IMAIUtility.java com/millennialmedia/android/MMAView.java
8	MD5 is a weak hash known to have hash collisions.	high	CVSS V2: 7.4 None (high) CWE: CWE-327 Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/unity3d/player/UnityPlayer.java com/millennialmedia/android/MMSDK.java com/kochava/android/tracker/Feature.java com/vungle/sdk/ba.java com/kochava/android/util/OpenUDID.java com/millennialmedia/android/MRaid.java
9	SHA-1 is a weak hash known to have hash collisions.	high	CVSS V2: 5.9 None (medium) CWE: CWE-327 Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/flurry/android/monolithic/sdk/impl/je.java com/jirbo/adcolony/AeSimpleSHA1.java com/kochava/android/tracker/Feature.java com/chartboost/sdk/Libraries/b.java
10	Insecure WebView Implementation. WebView ignores SSL Certificate errors and accept any SSL Certificate. This application is vulnerable to MITM attacks	high	CVSS V2: 7.4 None (high) CWE: CWE-295 Improper Certificate Validation OWASP Top 10: M3: Insecure Communication OWASP MASVS: MSTG-NETWORK-3	com/inmobi/androidsdk/impl/net/WebViewLoader.java com/inmobi/commons/analytics/iat/impl/net/AdTrackerWebViewLoader.java
11	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	high	CVSS V2: 5.9 None (medium) CWE: CWE-89 Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/kiloo/subwaysurf/PurchaseDatabase.java com/inmobi/commons/analytics/db/AnalyticsSQLiteHelper.java com/kochava/android/tracker/KochavaDbAdapter.java com/flurry/android/monolithic/sdk/impl/gc.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
12	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CVSS V2: 8.8 None (high) CWE: CWE-749 Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/inmobi/commons/analytics/iat/impl/net/AdTrackerWebViewLoader.java com/jirbo/adcolony/ADCVideoHUD.java
13	Insecure Implementation of SSL. Trusting all the certificates or accepting self signed certificates is a critical Security Hole. This application is vulnerable to MITM attacks	high	CVSS V2: 7.4 None (high) CWE: CWE-295 Improper Certificate Validation OWASP Top 10: M3: Insecure Communication OWASP MASVS: MSTG-NETWORK-3	com/nativex/advertiser/HttpConnectionManager.java

URLs

URL	FILE
https://androidads20staging.adcolony.com/configure http://androidads20staging.adcolony.com/configure	com/jirbo/adcolony/ADCConfiguration.java
javascript:var javascript:adc_bridge.adc_version=' javascript:adc_bridge.os_version=' javascript:adc_bridge.os_name='android' javascript:adc_bridge.device_type=' javascript:adc_bridge.fireChangeEvent({state:'default'}); javascript:adc_bridge.fireReadyEvent()	com/jirbo/adcolony/ADCVideoHUD.java
http://bidder.kochava.com/adserver/request/ http://bidder.kochava.com https://control.kochava.com https://control.kochava.com/track/kvTracker.php https://control.kochava.com/track/kvinit http://bidder.kochava.com/adserver/request/?w=	com/kochava/android/tracker/Feature.java
https://market.android.com/details?id=	com/kochava/android/tracker/KochavaWebView.java
javascript:function	com/vungle/sdk/ag.java
http://api.vungle.com http://acceptance.vungle.com http://localhost:3000	com/vungle/sdk/e.java
http://i.w.inmobi.com/showad.asm	com/inmobi/androidsdk/InterstitialView.java
https://www.facebook.com/dialog/feed?app_id=181821551957328&link= https://m.google.com/app/plus/x/?v=compose&content= http://twitter.com/home?status=	com/inmobi/androidsdk/IMBrowserActivity.java
http://i.w.inmobi.com/showad.asm	com/inmobi/androidsdk/BannerView.java

URL	FILE
http://appgalleries.inmobi.com/inmobi_sdk	com/inmobi/androidsdk/bootstrapper/AppGalleryConfigParams.java
javascript:try{	com/inmobi/re/container/IMWebView.java
data:image/jpeg;base64,	com/inmobi/re/configs/Initializer.java
https://inmobisdk-a.akamaihd.net/sdk/configs/400/rootConfig.json https://inmobisdk-a.akamaihd.net/sdk/configs/400/rootConfig.json}	com/inmobi/commons/cache/LocalCache.java
http://a.ai.inmobi.com/v2/ad.html http://a.ai.inmobi.com/v2/rules.json http://e.ai.inmobi.com/storm/v1/event	com/inmobi/commons/analytics/bootstrapper/AnalyticsEndpointsConfig.java
http://market.android.com/details	com/inmobi/commons/analytics/iat/impl/config/AdTrackerConfigParams.java
https://d.appsdt.com/download/tracker/? https://d.appsdt.com/sdkdownloadbeacon.html https://d.appsdt.com/download/tracker/iatsdkconfs?	com/inmobi/commons/analytics/iat/impl/net/AdTrackerNetworkInterface.java
http://apt.md.inmobi.net/ruleserver/RuleService	com/inmobi/monetization/internal/Constants.java
https://market.android.com/	com/prime31/EtceteraPlugin.java
http://cvt.mydas.mobi/handleConversion?firstlaunch=	com/millennialmedia/android/HttpGetRequest.java
http://lp.mydas.mobi/assets/mmjs/1.4/mm.js	com/millennialmedia/android/MRaid.java
http://ads.mp.mydas.mobi/pixel?id=	com/millennialmedia/android/MMSDK.java
javascript:MMJS.sdk.voiceStateChange('ready') javascript:MMJS.sdk.voiceStateChange('recording') javascript:MMJS.sdk.voiceStateChange('processing') javascript:MMJS.sdk.voiceStateChange('vocalizing') javascript:MMJS.sdk.voiceStateChange('error') javascript:MMJS.sdk.audioLevelChange(javascript:MMJS.sdk.recognitionResult(javascript:MMJS.sdk.voiceError(' javascript:MMJS.sdk.backgroundAudioLevel(	com/millennialmedia/android/NVASpeechKit.java
javascript:MMJS.cachedVideo.setError(javascript:MMJS.cachedVideo.updateVideoSeekTime(	com/millennialmedia/android/CachedVideoPlayerActivity.java
http://millennialmedia.com/android/schema http://images.millennialmedia.com/9513/192134.gif	com/millennialmedia/android/MMAbstractView.java
javascript:%s(%s);	com/millennialmedia/android/MMCommand.java
http://androidsdk.ads.mp.mydas.mobi/ http://ads.mp.mydas.mobi/appConfigServlet?apid= http://androidsdk.ads.mp.mydas.mobi/getAd.php5? https://ads.mp.mydas.mobi/appConfigServlet?apid=	com/millennialmedia/android/HandShake.java

URL	FILE
javascript:MMJS.sdk.setState('resized'); javascript:MMJS.sdk.setPlacementType('interstitial'); javascript:MMJS.sdk.setPlacementType('inline'); javascript:MMJS.sdk.setState('default') javascript:MMJS.sdk.setState('hidden') javascript:MMJS.sdk.setViewable(false) javascript:MMJS.sdk.setViewable(true) javascript:MMJS.sdk.microphoneAudioLevelChange(javascript:MMJS.sdk.microphoneStateChange(javascript:MMJS.sdk.setState('expanded'); javascript:MMJS.sdk.ready(); javascript:MMJS.sdk.setAdProperties(javascript:MMJS.sdk.setAdSize(	com/millennialmedia/android/MMWebView.java
javascript:MMJS.inlineVideo.updateVideoSeekTime(javascript:MMJS.setError(	com/millennialmedia/android/InlineVideoView.java
javascript:MMJS.sdk.audioCached() javascript:MMJS.sdk.audioStarted() javascript:MMJS.sdk.audioCompleted() javascript:MMJS.sdk.audioPositionChange(javascript:MMJS.sdk.customVoiceWordsAdded() javascript:MMJS.sdk.customVoiceWordsDeleted()	com/millennialmedia/android/BridgeMMSpeechkit.java
http://mmedia.com.	com/millennialmedia/android/MMLayout.java
https://market.android.com/details?id= https://play.google.com/store/apps/details?id=	com/flurry/android/monolithic/sdk/impl/bi.java
javascript:if(window.mraid){window.mraid.close();};	com/flurry/android/monolithic/sdk/impl/v.java
javascript:(function() http://flurry.cachefly.net/adSpaceStyles/images/bttn-close-bw.png javascript:flurryadapter.callComplete(); javascript:flurryadapter.callComplete('	com/flurry/android/monolithic/sdk/impl/o.java
http://data.flurry.com/aap.do https://data.flurry.com/aap.do	com/flurry/android/monolithic/sdk/impl/em.java
https://ads.flurry.com/v6/getAds.do http://ads.flurry.com/v6/getAds.do https://adlog.flurry.com http://adlog.flurry.com	com/flurry/android/impl/ads/FlurryAdModule.java
https://www.chartboost.com	com/chartboost/sdk/d.java
file:///android_res/	com/chartboost/sdk/impl/i.java
http://market.android.com/	com/chartboost/sdk/impl/n.java
file:///android_asset/	com/chartboost/sdk/impl/x.java
https://live.chartboost.com	com/chartboost/sdk/impl/j.java
http://appclick.co/	com/nativex/common/ServerConfig.java

URL	FILE
http://www.flwoutdoors.com/images_2011/ap-new/replay.png	com/nativex/monetization/activities/ComplexVideoPlayerActivity.java
http://market.android.com/details?id= https://play.google.com/	com/nativex/monetization/custom/views/WebOfferwallWebView.java
file:///	com/nativex/monetization/mraid/MRAIDWebView.java
file:///	com/nativex/monetization/mraid/MRAIDAsyncManager.java
file:///android_asset/mraid_test/mraid_test_video_page.html	com/nativex/monetization/mraid/MRAIDConstants.java
http://market.android.com/details https://play.google.com/	com/nativex/monetization/mraid/MRAIDUtils.java
www.facebook.com https://www.facebook.com https://m.facebook.com	Android String Resource

EMAILS

EMAIL	FILE
cta_dot-active@2x.png cta_dot-inactive@2x.png	com/nativex/monetization/theme/DarkTheme.java
cta_dot-active@2x.png cta_dot-inactive@2x.png	com/nativex/monetization/theme/OriginalTheme.java
mobilesupport@nativex.com	com/nativex/monetization/util/SupportMailData.java

TRACKERS

TRACKER	URL
AdColony	https://reports.exodus-privacy.eu.org/trackers/90
ChartBoost	https://reports.exodus-privacy.eu.org/trackers/53
Flurry	https://reports.exodus-privacy.eu.org/trackers/25
Inmobi	https://reports.exodus-privacy.eu.org/trackers/106
Kochava	https://reports.exodus-privacy.eu.org/trackers/127
Millennial Media	https://reports.exodus-privacy.eu.org/trackers/107

TRACKER	URL
NativeX	https://reports.exodus-privacy.eu.org/trackers/74

App Security Score Calculation

Every app is given an ideal score of 100 to begin with.
For every findings with severity **high** we reduce 15 from the score.
For every findings with severity **warning** we reduce 10 from the score.
For every findings with severity **good** we add 5 to the score.
If the calculated score is greater than 100, then the app security score is considered as 100.
And if the calculated score is less than 0, then the app security score is considered as 10.

Risk Calculation

APP SECURITY SCORE	RISK
0 - 15	CRITICAL
16 - 40	HIGH
41 - 70	MEDIUM
71 - 100	LOW

Report Generated by - MobSF v3.1.1 Beta

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).