



ANDROID STATIC ANALYSIS REPORT



 InsecureShop (1.0)

File Name: InsecureShop.apk

Package Name: com.insecureshop

Scan Date: May 29, 2026, 7:35 p.m.

App Security Score: **36/100 (HIGH RISK)**

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
7	12	2	1	1

FILE INFORMATION

File Name: InsecureShop.apk

Size: 4.53MB

MD5: c5d872355e43322f1692288e2c4e6f00

SHA1: eb665e44de4b6cf94786bb056996ab40fe32ed7e

SHA256: a83298ae4a37fcab8101e8b41e513dd2199af71a94ea537d556a318e07d4d1bd

APP INFORMATION

App Name: InsecureShop

Package Name: com.insecureshop

Main Activity: com.insecureshop.ProductListActivity

Target SDK: 29

Min SDK: 16

Max SDK:

Android Version Name: 1.0

Android Version Code: 1

APP COMPONENTS

Activities: 10

Services: 1

Receivers: 0

Providers: 2

Exported Activities: 5

Exported Services: 1

Exported Receivers: 0

Exported Providers: 1

CERTIFICATE INFORMATION

Binary is signed

v1 signature: True

v2 signature: True

v3 signature: False

v4 signature: False

X.509 Subject: CN=Android Debug, O=Android, C=US

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2016-09-06 10:14:25+00:00

Valid To: 2046-08-30 10:14:25+00:00

Issuer: CN=Android Debug, O=Android, C=US

Serial Number: 0x1

Hash Algorithm: sha1

md5: 5c935bdaa969c51ea7d7f5e52650f358

sha1: c56a7946caf6923ced4cf7f4c6b0e5b0e97df26b

sha256: d16dff509803ba1123ec7c573cc18c58bde996ca05bae3efe852fb3c668cfca8

sha512: 6bba4313106fb684dd401dc39d2a65943df9d9bd832d5c58932c3936ab65285db35a78ace7f4fdaec28b839acd2e50a1cd0c88f2efe128268384d6affbc4f6a6

PublicKey Algorithm: rsa

Bit Size: 1024

Fingerprint: 782478518db2c6c714a79b619561a97ad55a8f718e05f70341a0bafffe93b22f

Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.READ_CONTACTS	dangerous	read contact data	Allows an application to read all of the contact (address) data stored on your phone. Malicious applications can use this to send your data to other people.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.

APKID ANALYSIS

FILE	DETAILS
------	---------

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.MODEL check Build.MANUFACTURER check
	Compiler	r8

 BROWSABLE ACTIVITIES

ACTIVITY	INTENT
com.insecureshop.WebViewActivity	Schemes: insecureshop://, Hosts: com.insecureshop,

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

HIGH: 2 | WARNING: 1 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.
Certificate algorithm vulnerable to hash collision	high	Application is signed with SHA1withRSA. SHA1 hash algorithm is known to have collision issues.

MANIFEST ANALYSIS

HIGH: 3 | WARNING: 8 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 4.1-4.1.2, [minSdk=16]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.

NO	ISSUE	SEVERITY	DESCRIPTION
2	Clear text traffic is Enabled For App[android:usesCleartextTraffic=true]	high	The app intends to use cleartext network traffic, such as cleartext HTTP, FTP stacks, DownloadManager, and MediaPlayer. The default value for apps that target API level 27 or lower is "true". Apps that target API level 28 or higher default to "false". The key reason for avoiding cleartext traffic is the lack of confidentiality, authenticity, and protections against tampering; a network attacker can eavesdrop on transmitted data and also modify it without being detected.
3	Debug Enabled For App [android:debuggable=true]	high	Debugging was enabled on the app which makes it easier for reverse engineers to hook a debugger to it. This allows dumping a stack trace and accessing debugging helper classes.
4	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
5	Activity (com.inseureshop.ChooserActivity) is not Protected. An intent-filter exists.	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.
6	Activity (com.inseureshop.AboutUsActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Activity (com.inseureshop.WebViewActivity) is not Protected. An intent-filter exists.	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.
8	Activity (com.inseureshop.WebView2Activity) is not Protected. An intent-filter exists.	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.
9	Activity (com.inseureshop.ResultActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
10	Content Provider (com.insecureshop.contentProvider.InsecureShopProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
11	Service (net.gotev.uploadservice.UploadService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

</> CODE ANALYSIS

HIGH: 2 | WARNING: 3 | INFO: 2 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/bumptechnology/glide/Glide.java com/bumptechnology/glide/disklru/DiskLruCache.java com/bumptechnology/glide/gifdecoder/GifHeaderParser.java com/bumptechnology/glide/gifdecoder/StandardGifDecoder.java com/bumptechnology/glide/load/data/AssetPathFetcher.java com/bumptechnology/glide/load/data/HttpUrlFetcher.java com/bumptechnology/glide/load/data/LocalUriFetcher.java com/bumptechnology/glide/load/data/mediastore/ThumbFetcher.java com/bumptechnology/glide/load/data/mediastore/ThumbnailStreamOpener.java com/bumptechnology/glide/load/engine/DecodeJob.java com/bumptechnology/glide/load/engine/DecodePath.java com/bumptechnology/glide/load/engine/Engine.java com/bumptechnology/glide/load/engine/GlideException.java com/bumptechnology/glide/load/engine/SourceGenerator.java com/bumptechnology/glide/load/engine/BitmapRecycleLruArrayPool.java com/bumptechnology/glide/load/engine/BitmapRecycleLruArrayPool.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/bumptech/glide/load/engine/BitmapRecycleLruCachePool.java com/bumptech/glide/load/engine/cache/DiskLruCacheWrapper.java com/bumptech/glide/load/engine/cache/MemorySizeCalculator.java com/bumptech/glide/load/engine/executor/GlideExecutor.java com/bumptech/glide/load/engine/prefill/BitmapPreFillRunner.java com/bumptech/glide/load/model/ByteBufferEncoder.java com/bumptech/glide/load/model/ByteBufferFileLoader.java com/bumptech/glide/load/model/FileLoader.java com/bumptech/glide/load/model/ResourceLoader.java com/bumptech/glide/load/model/StreamEncoder.java com/bumptech/glide/load/resource/ImageDecoderResourceDecoder.java com/bumptech/glide/load/resource/bitmap/BitmapEncoder.java com/bumptech/glide/load/resource/bitmap/BitmapImageDecoderResourceDecoder.java com/bumptech/glide/load/resource/bitmap/DefaultImageHeaderParser.java com/bumptech/glide/load/resource/bitmap/Downsampler.java com/bumptech/glide/load/resource/bitmap/DrawableToBitmapConverter.java com/bumptech/glide/load/resource/bitmap/HardwareConfigState.java com/bumptech/glide/load/resource/bitmap/TransformationUtils.java com/bumptech/glide/load/resource/bitmap/VideoDecoder.java com/bumptech/glide/load/resource/gif/ByteBufferGifDecoder.java com/bumptech/glide/load/resource/gif/GifDrawableEncoder.java com/bumptech/glide/load/resource/gif/StreamGifDecoder.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/bumptechn/glide/manager/DefaultConnectivityMonitor.java com/bumptechn/glide/manager/DefaultConnectivityMonitorFactory.java com/bumptechn/glide/manager/RequestManagerFragment.java com/bumptechn/glide/manager/RequestManagerRetriever.java com/bumptechn/glide/manager/RequestTracker.java com/bumptechn/glide/manager/SupportRequestManagerFragment.java com/bumptechn/glide/module/ManifestParser.java com/bumptechn/glide/request/SingleRequest.java com/bumptechn/glide/request/target/CustomViewTarget.java com/bumptechn/glide/request/target/ViewTarget.java com/bumptechn/glide/signature/ApplicationVersionSignature.java com/bumptechn/glide/util/ContentLengthInputStream.java com/bumptechn/glide/util/pool/FactoryPools.java com/inseureshop/LoginActivity.java net/gotev/uploadservice/DefaultLoggerDelegate.java
2	Ensure that user controlled URLs never reaches the Webview. Enabling file access from URLs in WebView can leak sensitive information from the file system.	warning	CWE: CWE-200: Information Exposure OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/inseureshop/PrivateActivity.java com/inseureshop/WebView2Activity.java com/inseureshop/WebViewActivity.java
3	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/bumptechn/glide/load/Option.java com/bumptechn/glide/load/engine/DataCacheKey.java com/bumptechn/glide/load/engine/EngineResource.java com/bumptechn/glide/load/engine/ResourceCacheKey.java com/bumptechn/glide/manager/RequestManagerRetriever.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	Insecure WebView Implementation. WebView ignores SSL Certificate errors and accept any SSL Certificate. This application is vulnerable to MITM attacks	high	CWE: CWE-295: Improper Certificate Validation OWASP Top 10: M3: Insecure Communication OWASP MASVS: MSTG-NETWORK-3	com/inseureshop/util/CustomWebViewClient.java
5	Debug configuration enabled. Production builds must not be debuggable.	high	CWE: CWE-919: Weaknesses in Mobile Applications OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-RESILIENCE-2	com/inseureshop/BuildConfig.java
6	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	com/inseureshop/util/Prefs.java
7	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/inseureshop/ChooserActivity.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/bumptech/glide/disklruCache/DiskLruCache.java com/bumptech/glide/load/ImageHeaderParserUtils.java com/bumptech/glide/load/model/FileLoader.java net/gotev/uploadservice/schemehandlers/FileSchemeHandler.java
00091	Retrieve data from broadcast	collection	com/insecureshop/ChooserActivity.java com/insecureshop/CustomReceiver.java com/insecureshop/WebView2Activity.java
00022	Open a file from given absolute path of the file	file	com/insecureshop/ChooserActivity.java net/gotev/uploadservice/UploadTask.java net/gotev/uploadservice/schemehandlers/FileSchemeHandler.java
00089	Connect to a URL and receive input stream from the server	command network	com/bumptech/glide/load/data/HttpUrlFetcher.java net/gotev/uploadservice/http/impl/HurlStackConnection.java
00030	Connect to the remote server through the given URL	network	com/bumptech/glide/load/data/HttpUrlFetcher.java
00109	Connect to a URL and get the response code	network command	com/bumptech/glide/load/data/HttpUrlFetcher.java net/gotev/uploadservice/http/impl/HurlStackConnection.java
00096	Connect to a URL and set request method	command network	net/gotev/uploadservice/http/impl/HurlStackConnection.java
00094	Connect to a URL and read data from it	command network	net/gotev/uploadservice/http/impl/HurlStackConnection.java
00108	Read the input stream from given URL	network command	net/gotev/uploadservice/http/impl/HurlStackConnection.java
00191	Get messages in the SMS inbox	sms	net/gotev/uploadservice/schemehandlers/ContentSchemeHandler.java

RULE ID	BEHAVIOUR	LABEL	FILES
00121	Create a directory	file command	com/insecureshop/ChooserActivity.java
00125	Check if the given file path exist	file	com/insecureshop/ChooserActivity.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	com/bumptechnology/load/data/mediastore/ThumbFetcher.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	5/25	android.permission.INTERNET, android.permission.READ_EXTERNAL_STORAGE, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.READ_CONTACTS, android.permission.WAKE_LOCK
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
www.insecureshop.com	ok	No Geolocation information available.
stackoverflow.com	ok	IP: 198.252.206.1 Country: United States of America Region: New York City: New York City Latitude: 40.707741 Longitude: -74.003273 View: Google Map
images.pexels.com	ok	IP: 104.18.67.220 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.insecureshopapp.com	ok	No Geolocation information available.

POSSIBLE SECRETS
"aws_identity_pool_ID" : "us-east-1:7e9426f7-42af-4717-8689-00a9a4b65c1c"

SCAN LOGS

Timestamp	Event	Error
2026-05-29 19:35:54	Generating Hashes	OK
2026-05-29 19:35:54	Extracting APK	OK
2026-05-29 19:35:54	Unzipping	OK
2026-05-29 19:35:55	Parsing APK with androguard	OK
2026-05-29 19:35:55	Extracting APK features using aapt/aapt2	OK
2026-05-29 19:35:55	Getting Hardcoded Certificates/Keystores	OK
2026-05-29 19:35:58	Parsing AndroidManifest.xml	OK

2026-05-29 19:35:58	Extracting Manifest Data	OK
2026-05-29 19:35:58	Manifest Analysis Started	OK
2026-05-29 19:35:58	Performing Static Analysis on: InsecureShop (com.inseureshop)	OK
2026-05-29 19:36:03	Checking for Malware Permissions	OK
2026-05-29 19:36:03	Fetching icon path	OK
2026-05-29 19:36:03	Library Binary Analysis Started	OK
2026-05-29 19:36:03	Reading Code Signing Certificate	OK
2026-05-29 19:36:04	Running APKiD 3.0.0	OK
2026-05-29 19:36:06	Detecting Trackers	OK
2026-05-29 19:36:06	Decompiling APK to Java with JADX	OK
2026-05-29 19:36:22	Converting DEX to Smali	OK

2026-05-29 19:36:22	Code Analysis Started on - java_source	OK
2026-05-29 19:36:23	Android SBOM Analysis Completed	OK
2026-05-29 19:36:23	Android SAST Completed	OK
2026-05-29 19:36:23	Android API Analysis Started	OK
2026-05-29 19:36:24	Android API Analysis Completed	OK
2026-05-29 19:36:24	Android Permission Mapping Started	OK
2026-05-29 19:36:25	Android Permission Mapping Completed	OK
2026-05-29 19:36:25	Android Behaviour Analysis Started	OK
2026-05-29 19:36:25	Android Behaviour Analysis Completed	OK
2026-05-29 19:36:25	Extracting Emails and URLs from Source Code	OK
2026-05-29 19:36:26	Email and URL Extraction Completed	OK

2026-05-29 19:36:26	Extracting String data from APK	OK
2026-05-29 19:36:26	Extracting String data from Code	OK
2026-05-29 19:36:26	Extracting String values and entropies from Code	OK
2026-05-29 19:36:26	Performing Malware check on extracted domains	OK
2026-05-29 19:36:38	Saving to Database	OK

Report Generated by - MobSF v4.5.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).