



ANDROID STATIC ANALYSIS REPORT



 Todoist (v11474)


File Name: **Todoist-Android.apk**

Package Name: **com.todoist**

Scan Date: **May 29, 2026, 11:04 a.m.**

App Security Score: **50/100 (MEDIUM RISK)**

Grade:



Trackers Detection: **6/432**

FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
4	48	4	3	1

FILE INFORMATION

File Name: Todoist-Android.apk

Size: 56.4MB

MD5: ad59e7d9a667566add988e228b6ecdf2

SHA1: 14f87c8a72c9cc43031b503878199c997535fb9c

SHA256: 0e843b30bc6677df14fe99cda19a4a7d646a395d80ba090aa96fbd8839496a45

APP INFORMATION

App Name: Todoist

Package Name: com.todoist

Main Activity: com.todoist.activity.QuickAddItemActivity

Target SDK: 33

Min SDK: 24

Max SDK:

Android Version Name: v11474

Android Version Code: 11474

APP COMPONENTS

Activities: 78

Services: 23

Receivers: 34

Providers: 7

Exported Activities: 26

Exported Services: 3

Exported Receivers: 4

Exported Providers: 1

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: CN=Todoist

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2012-09-06 14:26:37+00:00

Valid To: 2054-08-27 14:26:37+00:00

Issuer: CN=Todoist

Serial Number: 0x18be0e04

Hash Algorithm: sha256

md5: 656f27369614b26fea5e872808142584

sha1: 51610b7f8320687e250c2ee8ea31a936856be9a9

sha256: 7c89a7eb186f7b96f02f45fb067679fa54efebbbe67f34a0e7ca851e355b3a44

sha512: 47bb87cacd86639d004277df0dae45f11936d58b361826c3ff78b97e1d34e7327710ae530101a40ecf7f423407c56c4f6ea60a7f8e0a2717990434e5d20e7ae1

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 9c3556132e8c552dc853636c328f0381a7afe874e6fb95df0c4bc43a99fd0b4e

Found 1 unique certificates

☰ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.
android.permission.ACCESS_BACKGROUND_LOCATION	dangerous	access location in background	Allows an app to access location in the background.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
android.permission.SCHEDULE_EXACT_ALARM	normal	permits exact alarm scheduling for background work.	Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.RECORD_AUDIO	dangerous	record audio	Allows application to access the audio record path.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
com.android.vending.BILLING	normal	application has in-app purchases	Allows an application to make in-app purchases from Google Play.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
com.todoist.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
com.google.android.providers.gsf.permission.READ_GSERVICES	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_AD SERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.
android.permission.ACCESS_AD SERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.

APKID ANALYSIS

FILE	DETAILS
------	---------

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.BOARD check SIM operator check network operator name check
	Compiler	r8

FILE	DETAILS	
classes2.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	r8

FILE	DETAILS	
classes3.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.BRAND check Build.DEVICE check Build.PRODUCT check Build.HARDWARE check Build.BOARD check Build.TAGS check network operator name check possible VM check
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	r8
classes4.dex	FINDINGS	DETAILS
	Compiler	r8

ACTIVITY	INTENT
net.openid.appauth.RedirectUriReceiverActivity	Schemes: https://, Hosts: api.todoist.com, staging.todoist.com, Paths: /Users/appleRedirect,
com.todoist.activity.RouterActivity	Schemes: todoist://, https://, Hosts: todoist.com, *.todoist.com, Path Prefixes: /app, /showTask, /auth/join, Path Patterns: /.*/templates/.*, /templates/.*,
com.facebook.CustomTabActivity	Schemes: fbconnect://, Hosts: cct.com.todoist,
com.google.firebase.auth.internal.GenericIdpActivity	Schemes: genericidp://, Hosts: firebase.auth, Paths: /,
com.google.firebase.auth.internal.RecaptchaActivity	Schemes: recaptcha://, Hosts: firebase.auth, Paths: /,
com.google.android.gms.tagmanager.TagManagerPreviewActivity	Schemes: tagmanager.c.com.todoist://,

NETWORK SECURITY

HIGH: 1 | WARNING: 0 | INFO: 0 | SECURE: 0

NO	SCOPE	SEVERITY	DESCRIPTION
1	127.0.0.1	high	Domain config is insecurely configured to permit clear text traffic to these domains in scope.

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

MANIFEST ANALYSIS

HIGH: 1 | WARNING: 37 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	App has a Network Security Configuration[android:networkSecurityConfig=@xml/network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
3	Activity (com.todoist.activity.HomeActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
4	Activity-Alias (com.todoist.alias.HomeActivityRaspberry) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
5	Activity-Alias (com.todoist.alias.HomeActivityLavender) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Activity-Alias (com.todoist.alias.HomeActivityKale) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Activity-Alias (com.todoist.alias.HomeActivityBlueberry) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
8	Activity-Alias (com.todoist.alias.HomeActivityLightRainbow) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
9	Activity-Alias (com.todoist.alias.HomeActivityGold) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
10	Activity-Alias (com.todoist.alias.HomeActivityTangerine) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
11	Activity-Alias (com.todoist.alias.HomeActivityMoonstone) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
12	Activity-Alias (com.todoist.alias.HomeActivityDark) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
13	Activity-Alias (com.todoist.alias.HomeActivityTodoist) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
14	Activity-Alias (com.todoist.alias.HomeActivityDefault) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
15	Activity (net.openid.appauth.RedirectUriReceiverActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
16	Activity-Alias (com.todoist.QuickAddItemAsTask) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
17	TaskAffinity is set for activity (com.todoist.notification.component.ReminderScheduleActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
18	TaskAffinity is set for activity (com.todoist.activity.AddAsNoteActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
19	Activity (com.todoist.activity.AddAsNoteActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
20	TaskAffinity is set for activity (com.todoist.activity.AddFileAsItemProxyActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
21	Activity (com.todoist.activity.AddFileAsItemProxyActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
22	Activity (com.todoist.activity.RouterActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
23	Activity (com.todoist.activity.OAuthActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
24	Activity (com.todoist.appwidget.activity.ItemListAppWidgetSettingsActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
25	Activity (com.todoist.appwidget.activity.ProductivityAppWidgetSettingsActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
26	Activity (com.todoist.activity.dialog.CreateQuickAddDialogShortcutActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
27	Service (com.todoist.quicksettings.CreateItemTileService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_QUICK_SETTINGS_TILE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
28	Content Provider (com.todoist.slices.AppSliceProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
29	Broadcast Receiver (com.todoist.slices.CompleteItemReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
30	Activity (com.facebook.CustomTabActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
31	Activity (com.google.firebase.auth.internal.GenericIdpActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
32	Activity (com.google.firebase.auth.internal.RecaptchaActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
33	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
34	Activity (com.google.android.gms.tagmanager.TagManagerPreviewActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
35	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
36	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
37	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
38	Activity (androidx.compose.ui.tooling.PreviewActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
39	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 1 | WARNING: 10 | INFO: 3 | SECURE: 2 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	I0/C1767l.java Ud/L.java com/todoist/activity/RecoveryCodesActivity.java com/todoist/activity/V.java com/todoist/fragment/delegate/board/SectionActionsDelegate.java com/todoist/fragment/delegate/content/ContentOptionsMenuDelegate.java com/todoist/fragment/delegate/note/NoteListDelegate.java
				A0/e.java Ad/z0.java Ah/C1274e.java B5/s.java C2/G.java C2/U.java C2/V.java C2/q0.java C6/j.java D2/C1404i.java F7/C1503b.java F7/d.java F7/h.java F7/j.java F7/o.java F7/t.java F7/v.java F7/w.java F7/x.java F7/y.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				i9/w.java i9/k.java io/doist/datetimepicker/date/c.java io/sentry/android/core/C5178n.java j2/C5277a.java j7/C5287a.java k1/C5353d.java l2/C5410a.java l7/C5419d.java l9/C5424b.java m7/o.java m8/C5517i0.java m8/l0.java m8/J0.java m8/r.java m9/c.java m9/d.java m9/e.java ma/C5545a.java n5/C5590a.java o9/C5648c.java p1/C5718f.java p9/C5738B.java p9/C5748j.java p9/C5752n.java p9/CallableC5737A.java p9/CallableC5753o.java p9/CallableC5755q.java p9/E.java p9/F.java p9/H.java p9/K.java p9/RunnableC5757t.java p9/S.java p9/r.java q9/g.java s7/o.java t9/C6265a.java u9/C6317d.java v9/c.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
3	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	w1/C6504r.java w1/C6528e.java B5/j.java B5/q.java J2/r.java L3/c.java Qe/d.java f8/C4706i.java f8/C4730o.java f8/K.java f8/L2.java f8/Y2.java m7/o.java m7/q.java m7/r.java m7/s.java m7/t.java m7/u.java m7/v.java pc/C5762a.java
4	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	A6/l.java G6/b.java l5/b.java Lf/h.java gh/b.java t6/C6257a.java t6/t.java
5	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	Eb/b.java K9/b.java O9/C1961u.java R7/a.java S6/a.java io/sentry/q1.java p9/C5745g.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
6	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	C2/o0.java D2/C1408m.java J2/v.java com/todoist/scheduler/fragment/b.java f8/R2.java fg/AbstractC4825a.java fg/C4826b.java gg/C4934a.java io/sentry/metrics/f.java s7/f.java wc/e.java
7	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	C6/j.java f8/R2.java u6/d.java
8	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	J6/H.java io/sentry/android/core/F.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
9	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	Qe/c.java S/C2301q0.java U0/C2351f.java U0/J.java Vc/z.java Wb/f.java X/C2542k2.java Z/C2747g0.java coil/memory/MemoryCache.java com/todoist/fragment/delegate/Settings FragmentDelegate.java com/todoist/model/CalendarAccount.java com/todoist/model/Collaborator.java com/todoist/model/Project.java com/todoist/model/ViewOption.java com/todoist/model/Workspace.java com/todoist/viewmodel/AccountSetting sViewModel.java com/todoist/viewmodel/AuthViewMode l.java com/todoist/viewmodel/DeleteAccount ViewModel.java com/todoist/viewmodel/OnboardingVie wModel.java com/todoist/viewmodel/SubscribedEm ailsViewModel.java com/todoist/viewmodel/WorkspaceOve rviewViewModel.java db/U.java db/t0.java db/w0.java db/y0.java j4/d.java rf/i.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
10	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG-CODE-2	C2/Y.java wb/RunnableC6536g.java
11	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	K9/c.java com/todoist/model/UploadAttachment.java kc/C5378a.java kf/C5386a.java
12	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	T8/C2344d.java io/sentry/android/core/F.java io/sentry/android/core/internal/util/java p9/C5745g.java
13	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	fi/C4848c.java fi/C4849d.java fi/g.java fi/h.java
14	The file or SharedPreferences is World Writable. Any App can write to the file	high	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/todoist/fragment/delegate/Settings FragmentDelegate.java yd/E.java
15	This App may request root (Super User) privileges.	warning	CWE: CWE-250: Execution with Unnecessary Privileges OWASP MASVS: MSTG-RESILIENCE-1	io/sentry/android/core/internal/util/java
16	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	ef/C4609c.java

 NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

 BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
---------	-----------	-------	-------

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	C2/P.java C5/a.java C6/j.java G6/a.java J7/b.java K9/c.java L6/g.java V0/C2418n.java W1/p.java X4/e.java Zf/d.java b4/M.java com/fasterxml/jackson/core/JsonFactory.java com/todoist/model/UploadAttachment.java com/todoist/sync/command/CommandCache.java com/todoist/viewmodel/C4348yc.java io/sentry/C5224n.java io/sentry/C5239r0.java io/sentry/I0.java io/sentry/RunnableC5243t0.java io/sentry/android/core/SentryPerformanceProvider.java io/sentry/cache/a.java io/sentry/cache/b.java io/sentry/cache/c.java io/sentry/instrumentation/file/b.java io/sentry/instrumentation/file/f.java j2/C5277a.java kc/C5378a.java ma/C5545a.java p9/r.java q9/g.java u6/e.java u9/C6316c.java w1/C6492f.java z1/i.java z1/j.java

RULE ID	BEHAVIOUR	LABEL	FILES
			z1/p.java z3/d.java
			C6/j.java
00012	Read data and put it into a buffer stream	file	V0/C2418n.java X4/e.java com/todoist/model/UploadAttachment.java io/sentry/C5224n.java io/sentry/C5239r0.java io/sentry/I0.java io/sentry/cache/a.java io/sentry/cache/c.java j2/C5277a.java u6/e.java

RULE ID	BEHAVIOUR	LABEL	FILES
00063	Implicit intent(view a web page, make a phone call, etc.)	control	Ab/a.java C2/P.java Ci/f.java Fd/C1512d0.java G7/i.java H4/C1635n.java I0/C1738b0.java Ib/i.java J6/C1838a.java J6/H.java J6/I.java J6/L.java J6/z.java O9/C1950i.java cf/C2.java com/todoist/activity/OAuthActivity.java com/todoist/activity/WebViewActivity.java com/todoist/auth/provider/CredentialManagerProvider.java com/todoist/auth/provider/a.java com/todoist/fragment/delegate/AlertsPreferenceDelegate.java com/todoist/fragment/delegate/note/AttachmentDelegate.java f8/H1.java f8/R2.java hb/C5007k.java ib/C5115b.java ib/C5117d.java m8/J0.java me/C5558c.java net/openid/appauth/AuthorizationException.java qb/r.java ud/C6342g.java wb/C6532c.java

RULE ID	BEHAVIOUR	LABEL	FILES
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	Ab/a.java G7/i.java J6/H.java J6/l.java O9/C1950i.java com/todoist/activity/OAuthActivity.java com/todoist/auth/provider/CredentialManagerProvider.java ib/C5115b.java ib/C5117d.java qb/r.java ud/C6342g.java

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	Ad/L.java C2/O.java K/C1871t.java M3/a.java M5/e.java W1/p.java cf/D0.java com/fasterxml/xml/jackson/databind/ser/std/FileSerializer.java com/todoist/activity/r.java com/todoist/fragment/delegate/note/OpenAttachmentDelegate.java com/todoist/model/UploadAttachment.java com/todoist/productivity/widget/c.java com/todoist/viewmodel/C4348yc.java com/todoist/widget/emptyview/EmptyView.java io/sentry/C0.java io/sentry/C5224n.java io/sentry/C5239r0.java io/sentry/RunnableC5243t0.java io/sentry/android/core/AnrV2Integration.java io/sentry/android/core/F.java io/sentry/android/core/T.java io/sentry/cache/b.java io/sentry/cache/c.java io/sentry/instrumentation/file/a.java io/sentry/q1.java q9/g.java rc/C6045l.java s4/InterfaceC6188a.java y5/C6699c.java

RULE ID	BEHAVIOUR	LABEL	FILES
00091	Retrieve data from broadcast	collection	J6/z.java O9/C1958q.java O9/x.java com/todoist/activity/AddFileAsItemProxyActivity.java com/todoist/activity/CreateLabelActivity.java com/todoist/activity/KisaConsentActivity.java com/todoist/activity/QuickAddItemActivity.java com/todoist/activity/WorkspaceOverviewActivity.java com/todoist/dailyreview/DailyReviewNotificationReceiver.java f8/H1.java n5/b.java net/openid/appauth/AuthorizationManagementActivity.java zb/C6929l.java
00096	Connect to a URL and set request method	command network	A2/g.java I9/d.java d7/C4443b.java io/sentry/transport/d.java
00089	Connect to a URL and receive input stream from the server	command network	A2/g.java I9/d.java L9/c.java S6/c.java d7/C4443b.java io/sentry/transport/d.java
00030	Connect to the remote server through the given URL	network	A2/g.java io/sentry/transport/d.java

RULE ID	BEHAVIOUR	LABEL	FILES
00109	Connect to a URL and get the response code	network command	A2/g.java D7/d.java I9/d.java L9/c.java d7/C4443b.java io/sentry/transport/d.java r7/C6007b.java
00094	Connect to a URL and read data from it	command network	A2/g.java t9/C6265a.java
00108	Read the input stream from given URL	network command	A2/g.java f8/I1.java f8/U.java
00079	Hide the current app's icon	evasion	Ah/C1313y.java k4/n.java
00078	Get the network operator name	collection telephony	J6/H.java

RULE ID	BEHAVIOUR	LABEL	FILES
00036	Get resource file from res/raw directory	reflection	C2/P.java Ci/f.java F3/r.java G7/i.java J6/C1838a.java J6/H.java J6/I.java J6/L.java O9/C1950i.java com/todoist/a.java ib/C5115b.java ib/C5117d.java qb/r.java ud/C6342g.java x4/C6584e.java
00112	Get the date of the calendar event	collection calendar	X/C2629v2.java Xd/C2663a.java Xe/e.java com/fasterxml/jackson/databind/ser/std/StdKeySerializers.java com/fasterxml/jackson/databind/util/StdDateFormat.java com/todoist/scheduler/fragment/b.java com/todoist/viewmodel/C4231r0.java com/todoist/viewmodel/C4246s0.java com/todoist/widget/MonthView.java io/sentry/config/b.java je/C5307a.java
00011	Query data from URI (SMS, CALLOGS)	sms calllog collection	J6/z.java com/todoist/model/UploadAttachment.java me/C5558c.java

RULE ID	BEHAVIOUR	LABEL	FILES
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	J6/z.java com/todoist/model/UploadAttachment.java me/C5558c.java
00114	Create a secure socket connection to the proxy address	network command	ai/C3049f.java
00189	Get the content of a SMS message	sms	J6/z.java com/todoist/activity/AddFileAsItemProxyActivity.java com/todoist/model/UploadAttachment.java
00188	Get the address of a SMS message	sms	J6/z.java com/todoist/activity/AddFileAsItemProxyActivity.java com/todoist/model/UploadAttachment.java
00191	Get messages in the SMS inbox	sms	J6/C1838a.java J6/z.java com/todoist/model/UploadAttachment.java
00200	Query data from the contact list	collection contact	J6/z.java com/todoist/activity/AddFileAsItemProxyActivity.java com/todoist/model/UploadAttachment.java
00201	Query data from the call log	collection calllog	J6/z.java com/todoist/activity/AddFileAsItemProxyActivity.java com/todoist/model/UploadAttachment.java
00052	Deletes media specified by a content URI(SMS, CALL_LOG, File, etc.)	sms	com/todoist/viewmodel/OnboardingViewModel.java
00072	Write HTTP input stream into a file	command network file	I9/d.java

RULE ID	BEHAVIOUR	LABEL	FILES
00026	Method reflection	reflection	xg/C6623C.java xg/q.java
00121	Create a directory	file command	Xd/C2663a.java x1/a.java
00125	Check if the given file path exist	file	C2/O.java C2/P.java Xd/C2663a.java com/todoist/productivity/widget/c.java x1/a.java
00104	Check if the given path is directory	file	Xd/C2663a.java
00204	Get the default ringtone	collection	C2/P.java
00187	Query a URI and check the result	collection sms calllog calendar	J6/z.java
00162	Create InetAddress object and connecting to it	socket	fi/C4847b.java fi/h.java
00163	Create new Socket and connecting to it	socket	fi/C4847b.java fi/h.java
00175	Get notification manager and cancel notifications	notification	mc/AbstractC5550a.java
00199	Stop recording and release recording resources	record	com/heavyplayer/audioplayerrecorder/service/AudioRecorderService.java

RULE ID	BEHAVIOUR	LABEL	FILES
00198	Initialize the recorder and start recording	record	com/heavyplayer/audioplayerrecorder/service/AudioRecorderService.java
00194	Set the audio source (MIC) and recorded file format	record	com/heavyplayer/audioplayerrecorder/service/AudioRecorderService.java
00197	Set the audio encoder and initialize the recorder	record	com/heavyplayer/audioplayerrecorder/service/AudioRecorderService.java
00196	Set the recorded file format and output path	record file	com/heavyplayer/audioplayerrecorder/service/AudioRecorderService.java
00132	Query The ISO country code	telephony collection	Ae/C1111c.java M2/g.java
00065	Get the country code of the SIM card provider	collection	Ae/C1111c.java

FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://td-project-01.firebaseio.com

TITLE	SEVERITY	DESCRIPTION
Firebase Remote Config disabled	secure	Firebase Remote Config is disabled for https://firebaseremoteconfig.googleapis.com/v1/projects/580128079484/namespaces/firebase:fetch?key=AlzaSyCKvIAvtCaEuj0WuF1gxesJv_j6hHuoEHo . This is indicated by the response: The response code is 403

🚩 ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	8/25	android.permission.ACCESS_FINE_LOCATION, android.permission.ACCESS_COARSE_LOCATION, android.permission.ACCESS_NETWORK_STATE, android.permission.INTERNET, android.permission.RECORD_AUDIO, android.permission.VIBRATE, android.permission.WAKE_LOCK, android.permission.RECEIVE_BOOT_COMPLETED
Other Common Permissions	4/44	android.permission.ACCESS_BACKGROUND_LOCATION, android.permission.FOREGROUND_SERVICE, com.google.android.c2dm.permission.RECEIVE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
127.0.0.1	ok	IP: 127.0.0.1 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
www.w3.org	ok	IP: 8.47.69.0 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
staging.todoist.com	ok	IP: 13.249.8.60 Country: France Region: Ile-de-France City: Paris Latitude: 48.853409 Longitude: 2.348800 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.googleadservices.com	ok	IP: 64.233.163.156 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
dtogsf1zn66p.cloudfront.net	ok	IP: 3.164.210.122 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
goo.gl	ok	IP: 173.194.222.102 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.google.com	ok	IP: 142.251.155.119 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
app-measurement.com	ok	IP: 142.251.1.101 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
todoist.com	ok	IP: 65.9.46.83 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
.facebook.com	ok	No Geolocation information available.
app.todoist.com	ok	IP: 18.165.122.21 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
image-resize.todoist.com	ok	IP: 54.227.146.5 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map

DOMAIN	STATUS	GEOLOCATION
accounts.google.com	ok	IP: 64.233.162.84 Country: Brazil Region: Sao Paulo City: Sao Paulo Latitude: -23.547501 Longitude: -46.636108 View: Google Map
es.todoist.com	ok	IP: 3.164.240.84 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
schemas.android.com	ok	No Geolocation information available.
google.com	ok	IP: 64.233.165.138 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
o476415.ingest.sentry.io	ok	IP: 34.160.81.0 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map

DOMAIN	STATUS	GEOLOCATION
feat-flags.todoist.net	ok	IP: 98.86.132.57 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
firebase.google.com	ok	IP: 142.251.143.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
facebook.com	ok	IP: 157.240.205.35 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map
javax.xml.xmlconstants	ok	No Geolocation information available.
apache.org	ok	IP: 151.101.2.132 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
firebaseinstallations.googleapis.com	ok	IP: 172.253.152.95 Country: Japan Region: Tokyo City: Tokyo Latitude: 35.689507 Longitude: 139.691696 View: Google Map
github.com	ok	IP: 140.82.121.3 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
goo.gle	ok	IP: 67.199.248.13 Country: United States of America Region: New York City: New York City Latitude: 40.739288 Longitude: -73.984955 View: Google Map
appleid.apple.com	ok	IP: 17.157.64.68 Country: United States of America Region: California City: Cupertino Latitude: 37.316605 Longitude: -122.046486 View: Google Map

DOMAIN	STATUS	GEOLOCATION
10.0.2.2	ok	IP: 10.0.2.2 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
play.google.com	ok	IP: 108.177.14.139 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
dcff1xvirvpfp.cloudfront.net	ok	IP: 3.164.60.90 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
developers.facebook.com	ok	No Geolocation information available.
api.todoist.com	ok	IP: 18.165.140.91 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
doist.typeform.com	ok	IP: 3.209.96.166 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
ns.adobe.com	ok	No Geolocation information available.
www.todoist.com	ok	IP: 3.164.206.111 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
pagead2.google syndication.com	ok	IP: 173.194.221.156 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
issuetracker.google.com	ok	IP: 108.177.14.102 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
td-project-01.firebaseio.com	ok	IP: 35.190.39.113 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
firebase-settings.crashlytics.com	ok	IP: 64.233.164.94 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

EMAILS

EMAIL	FILE
stephgarcia@email.com johnbriggs@email.com alicespring@email.com aamircortez@email.com carriehall@email.com	ac/C2976c.java
u0013android@android.com0 u0013android@android.com	G7/w.java
49fc9fdf04b844e660db@o476415.ingest	a6/C2934a.java

EMAIL	FILE
test@doist.com	com/todoist/widget/C4390m0.java
test@test.com	com/todoist/widget/C4375f.java

TRACKERS

TRACKER	CATEGORIES	URL
Facebook Login	Identification	https://reports.exodus-privacy.eu.org/trackers/67
Facebook Share		https://reports.exodus-privacy.eu.org/trackers/70
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49
Google Tag Manager	Analytics	https://reports.exodus-privacy.eu.org/trackers/105
Sentry	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/447

HARDCODED SECRETS

POSSIBLE SECRETS
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Password"

POSSIBLE SECRETS
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Passkey"
"com.google.firebase.crashlytics.mapping_file_id" : "2476cb11170744daae59ce943966c826"
"facebook_client_token" : "c5a29925ae6d41fe68136a6edfc5749f"
"firebase_database_url" : "https://td-project-01.firebaseio.com"
"google_api_key" : "AlzaSyCKvIAvtCaEuj0WuF1gxesJv_j6hHuoEHo"
"google_crash_reporting_api_key" : "AlzaSyCKvIAvtCaEuj0WuF1gxesJv_j6hHuoEHo"
"mfa_challenge_status_authenticating" : "Verifying..."
"password" : "Password"
"template_detail_section_author_title" : "Author"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Adgangskode"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Adgangsnøgle"
"mfa_challenge_authentication_header" : "Tofaktorgodkendelse"
"mfa_challenge_status_authenticating" : "Bekræfter..."
"password" : "Adgangskode"
"template_detail_section_author_title" : "Forfatter"

POSSIBLE SECRETS
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "□□□□□"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "□□□□"
"appwidget_auth_title" : "□□□□□□□□□□"
"auth_password" : "□□□□□"
"com_facebook_device_auth_instructions" : "facebook.com/device□□□□□□□□□□□□□□□□□□□□"
"content_description_show_password" : "□□□□□□□□"
"deleted_key" : "%1\$s□□□□□□□□"
"mfa_challenge_authentication_header" : "□□□□□"
"mfa_challenge_status_authenticating" : "□□□□..."
"notification_no_auth_day_0_title" : "□□□□□□□□□□□□"
"notification_no_auth_day_10_title" : "□□□□□□□□□□□□□□□□"
"notification_no_auth_day_14_title" : "□□□□□□□□□□□□"
"notification_no_auth_day_1_title" : "□□□□□□□□□□□□"
"notification_no_auth_day_3_title" : "□□□□□□□□□□□□□□□□"
"notification_no_auth_day_5_title" : "□□□□□□□□□□□□□□"

POSSIBLE SECRETS
"password" : "□□□□□"
"pref_account_delete_wrong_password" : "□□□□□□□□□□"
"redirecting_to_auth" : "□□□□□□□□□□□□□□"
"template_detail_section_author_title" : "□□"
"unarchive_private_project_description" : "□{name}□□□□□□□□□□□□□□□□"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Passord"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Tilgangsnøkkel"
"mfa_challenge_authentication_header" : "Tofaktoraautentisering"
"password" : "Passord"
"template_detail_section_author_title" : "Forfatter"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Passwort"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Passkey"
"mfa_challenge_authentication_header" : "Zwei-Faktor-Authentifizierung"
"password" : "Passwort"
"template_detail_section_author_title" : "Autor:in"

POSSIBLE SECRETS
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Salasana"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Avainkoodi"
"auth_password" : "Salasanasi"
"mfa_challenge_status_authenticating" : "Vahvistetaan..."
"password" : "Salasana"
"template_detail_section_author_title" : "Tekijä"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Wachtwoord"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Toegangssleutel"
"mfa_challenge_status_authenticating" : "Verifiëren..."
"password" : "Wachtwoord"
"template_detail_section_author_title" : "Auteur"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Hasło"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Klucz"
"password" : "Hasło"
"template_detail_section_author_title" : "Autor"

POSSIBLE SECRETS
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "□□□□"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "□□□"
"auth_password" : "□□□□"
"password" : "□□□□"
"template_detail_section_author_title" : "□□□"
"mfa_challenge_status_authenticating" : "Vérification..."
"template_detail_section_author_title" : "Auteur"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Şifre"
"auth_password" : "Parolan"
"mfa_challenge_status_authenticating" : "Doğrulaniyor..."
"password" : "Parola"
"template_detail_section_author_title" : "Yazar"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Heslo"
"password" : "Heslo"
"template_detail_section_author_title" : "Autor"

POSSIBLE SECRETS
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Contraseña"
"mfa_challenge_status_authenticating" : "Verificando..."
"password" : "Contraseña"
"template_detail_section_author_title" : "Autor/a"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Password"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Passkey"
"password" : "Password"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Senha"
"mfa_challenge_status_authenticating" : "Verificando..."
"password" : "Senha"
"template_detail_section_author_title" : "Autor"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Пароль"
"mfa_challenge_status_authenticating" : "Верификация..."
"password" : "Пароль"
"template_detail_section_author_title" : "Автор"

POSSIBLE SECRETS
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Lösenord"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Nyckel"
"mfa_challenge_authentication_header" : "Tvåfaktorsautentisering"
"mfa_challenge_status_authenticating" : "Verifierar..."
"password" : "Lösenord"
"template_detail_section_author_title" : "Författare"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "□□"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "□□□□"
"appwidget_auth_title" : "□□□□□□□□"
"archive_private_project_description" : ""{name}"□□□□□□□□"
"auth_password" : "□□□□"
"com_facebook_device_auth_instructions" : "□□facebook.com/device□□□□□□□□□□"
"content_description_copy_secret_code" : "□□□□"
"content_description_show_password" : "□□□□"
"form_short_password" : "□□□□□□□8□□□"

POSSIBLE SECRETS
"redirecting_to_auth" : "□□□□□□□"
"template_detail_section_author_title" : "□□"
"unarchive_private_project_description" : ""{name}"□□□□□□□□□"
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "□□"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "□□□□"
"appwidget_auth_title" : "□□□□□□□□□"
"archive_private_project_description" : ""{name}"□□□□□□□□□."
"auth_password" : "□□□□"
"content_description_copy_secret_code" : "□□□□"
"content_description_show_password" : "□□□□"
"form_short_password" : "□□□□□□□8□□□"
"mfa_challenge_authentication_header" : "□□□□"
"mfa_challenge_authentication_instruction" : "□□□□□□□□□□□□□□6□□□□"
"mfa_challenge_status_authenticating" : "□□□□....."
"notification_no_auth_day_0_title" : "□□□□□□"

POSSIBLE SECRETS
"notification_no_auth_day_10_title" : "aaaaaaaaaaaa"
"notification_no_auth_day_14_title" : "aaaaaa"
"notification_no_auth_day_1_title" : "aaaaaa"
"notification_no_auth_day_3_title" : "aaaaaaaaaaaaaa"
"notification_no_auth_day_5_title" : "aaaaaaaaaaaa"
"notification_no_auth_day_7_title" : "aaaaaa"
"password" : ""
"pref_account_delete_wrong_password" : "aaaa"
"pref_book_feedback_session" : "aaaaaa"
"pref_book_feedback_session_summary" : "aaaaaaaa15aaaaaaaaaaaaaaaaaaTodoistaaaaaa"
"read_only_notes_free_user" : "aaaaaaaaaaaaaa"
"redirecting_to_auth" : "aaaaaa"
"template_detail_section_author_title" : ""
"unarchive_private_project_description" : ""{name}"aaaaaaaaaaaa"
af60eb711bd85bc1e4d3e0a462e074eea428a8

POSSIBLE SECRETS
470fa2b4ae81cd56ecbcd9735803434cec591fa
051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00
2438bce1ddb7bd026d5ff89f598b3b5e5bb824b3
bae8e37fc83441b16034566b
5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b
808182838485868788898a8b8c8d8e8f909192939495969798999a9b9c9d9e9f
b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef
8a3c4b262d721acd49a4bf97d5213199c86fa2b9
bd87d0a2d7657e0fadae0eddac76aab93
115792089210356248762697446949407573529996955224135760342422259061068512044369
9f04147e929649fc9fdf04b844e660db
c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66
36864200e0eaf5284d884a0e77d31646
39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643
3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f

POSSIBLE SECRETS
7d73d21f1bd82c9e5268b6dcf9fde2cb
6864797660130609714981900799081393217269435300143305409394463459185543183397656052122559640661454554977296311391480858037121987999716643812574028291115057151
6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296
6864797660130609714981900799081393217269435300143305409394463459185543183397655394245057746333217197532963996371363321113864768612440380340372808892707005449
c56fb7d591ba6704df047fd98f535372fea00211
cc2751449a350f668590264ed76692694a80308a
aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7
ChNjb20uYW5kcm9pZC52ZW5kaW5nCiBjb20uZ29vZ2xILmFuZlJvaWQuYXBwcy5tZWV0aW5ncwohY29tLmdvb2dsZS5hbmRyb2lkLmFwcHMubWVzc2FnaW5n
a0784d7a4716f3feb4f64e7f4b39bf04
11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650
39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319
3071c8717539de5d5353f4c8cd59a032
a4b7452e2ed8f5f191058ca7bbfd26b0d3214bfc
4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5
df6b721c8b4d3b6eb44c861d4415007e5a35fc95

POSSIBLE SECRETS

9b8f518b086098de3d77736f9458a3d2f6f95a37

b0d3706208545236793f244ce778c753a

115792089210356248762697446949407573530086143415290314195533631308867097853951

☰ SCAN LOGS

Timestamp	Event	Error
2026-05-29 11:18:53	Generating Hashes	OK
2026-05-29 11:18:53	Extracting APK	OK
2026-05-29 11:18:53	Unzipping	OK
2026-05-29 11:18:54	Parsing APK with androguard	OK
2026-05-29 11:18:55	Extracting APK features using aapt/aapt2	OK

2026-05-29 11:18:56	Getting Hardcoded Certificates/Keystores	OK
2026-05-29 11:19:00	Parsing AndroidManifest.xml	OK
2026-05-29 11:19:00	Extracting Manifest Data	OK
2026-05-29 11:19:00	Manifest Analysis Started	OK
2026-05-29 11:19:01	Reading Network Security config from network_security_config.xml	OK
2026-05-29 11:19:01	Parsing Network Security config	OK
2026-05-29 11:19:01	Performing Static Analysis on: Todoist (com.todoist)	OK
2026-05-29 11:19:06	Checking for Malware Permissions	OK
2026-05-29 11:19:06	Fetching icon path	OK
2026-05-29 11:19:06	Library Binary Analysis Started	OK

2026-05-29 11:19:06	Reading Code Signing Certificate	OK
2026-05-29 11:19:07	Running APKID 3.0.0	OK
2026-05-29 11:19:12	Detecting Trackers	OK
2026-05-29 11:19:16	Decompiling APK to Java with JADX	OK
2026-05-29 11:19:50	Converting DEX to Smali	OK
2026-05-29 11:19:50	Code Analysis Started on - java_source	OK
2026-05-29 11:19:59	Android SBOM Analysis Completed	OK
2026-05-29 11:20:09	Android SAST Completed	OK
2026-05-29 11:20:09	Android API Analysis Started	OK
2026-05-29 11:20:16	Android API Analysis Completed	OK
2026-05-29 11:20:17	Android Permission Mapping Started	OK

2026-05-29 11:20:24	Android Permission Mapping Completed	OK
2026-05-29 11:20:25	Android Behaviour Analysis Started	OK
2026-05-29 11:20:40	Android Behaviour Analysis Completed	OK
2026-05-29 11:20:41	Extracting Emails and URLs from Source Code	OK
2026-05-29 11:20:51	Email and URL Extraction Completed	OK
2026-05-29 11:20:51	Extracting String data from APK	OK
2026-05-29 11:20:52	Extracting String data from Code	OK
2026-05-29 11:20:52	Extracting String values and entropies from Code	OK
2026-05-29 11:20:57	Performing Malware check on extracted domains	OK
2026-05-29 11:21:02	Saving to Database	OK

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).